

# Xiao-Jian Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8683530/publications.pdf>

Version: 2024-02-01

96  
papers

4,343  
citations

70961

41  
h-index

114278

63  
g-index

96  
all docs

96  
docs citations

96  
times ranked

1958  
citing authors

#	ARTICLE	IF	CITATIONS
1	New sights in early carbonation of calcium silicates: Performance, mechanism and nanostructure. <i>Construction and Building Materials</i> , 2022, 314, 125622.	3.2	29
2	Preparation of durable magnesium oxysulfate cement with the incorporation of mineral admixtures and sequestration of carbon dioxide. <i>Science of the Total Environment</i> , 2022, 809, 152127.	3.9	19
3	Simplified analytical model to assess key factors influenced by fiber alignment and their effect on tensile performance of UHPC. <i>Cement and Concrete Composites</i> , 2022, 127, 104395.	4.6	16
4	Theoretical and experimental study on the electrical resistivity method for evaluating fresh concrete segregation. <i>Journal of Building Engineering</i> , 2022, 48, 103943.	1.6	5
5	Utilization of natural sisal fibers to manufacture eco-friendly ultra-high performance concrete with low autogenous shrinkage. <i>Journal of Cleaner Production</i> , 2022, 332, 130105.	4.6	48
6	Early hydration properties and reaction kinetics of multi-composite cement pastes with supplementary cementitious materials (SCMs). <i>Thermochimica Acta</i> , 2022, 709, 179157.	1.2	10
7	Effect of carbon nanotube and graphite nanoplatelet on composition, structure, and nano-mechanical properties of C-S-H in UHPC. <i>Cement and Concrete Research</i> , 2022, 154, 106713.	4.6	52
8	Influence of maintenance methods on temperature and thermal stress of utility tunnel at early-age. <i>Advances in Mechanical Engineering</i> , 2022, 14, 168781322210834.	0.8	0
9	For the improvement of mechanical and microstructural properties of UHPC with fiber alignment using carbon nanotube and graphite nanoplatelet. <i>Cement and Concrete Composites</i> , 2022, 129, 104462.	4.6	2
10	Use of saturated lightweight sand to improve the mechanical and microstructural properties of UHPC with fiber alignment. <i>Cement and Concrete Composites</i> , 2022, 129, 104513.	4.6	4
11	Utilization of hybrid sisal and steel fibers to improve elevated temperature resistance of ultra-high performance concrete. <i>Cement and Concrete Composites</i> , 2022, 130, 104555.	4.6	31
12	Effect of carbonation curing on durability of cement mortar incorporating carbonated fly ash subjected to Freeze-Thaw and sulfate attack. <i>Construction and Building Materials</i> , 2022, 341, 127920.	3.2	17
13	Performance degradation of CO <sub>2</sub> cured cement-coal gangue pastes with low-temperature sulfate solution immersion. <i>Case Studies in Construction Materials</i> , 2022, 17, e01199.	0.8	4
14	Mechanical performances and microstructures of metakaolin contained UHPC matrix under steam curing conditions. <i>Construction and Building Materials</i> , 2021, 268, 121112.	3.2	135
15	Influence of Rheological Behavior of Mortar Matrix on Fresh Concrete Segregation and Bleeding. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2021, 45, 1281-1295.	1.0	4
16	Thermal and mechanical properties of ultra-high performance concrete incorporated with microencapsulated phase change material. <i>Construction and Building Materials</i> , 2021, 273, 121714.	3.2	117
17	Effect of carbonation curing on sulfate resistance of cement-coal gangue paste. <i>Journal of Cleaner Production</i> , 2021, 278, 123897.	4.6	66
18	Optimization of mixture proportions by statistical experimental design using response surface method - A review. <i>Journal of Building Engineering</i> , 2021, 36, 102101.	1.6	48

#	ARTICLE	IF	CITATIONS
19	Influence of silica fume, metakaolin & SBR latex on strength and durability performance of pervious concrete. <i>Construction and Building Materials</i> , 2021, 275, 122124.	3.2	91
20	Contribution of fiber alignment on flexural properties of UHPC and prediction using the Composite Theory. <i>Cement and Concrete Composites</i> , 2021, 118, 103971.	4.6	44
21	Incorporation of self-ignited coal gangue in steam cured precast concrete. <i>Journal of Cleaner Production</i> , 2021, 292, 126004.	4.6	96
22	Influence of sisal fibers on the mechanical performance of ultra-high performance concretes. <i>Construction and Building Materials</i> , 2021, 286, 122958.	3.2	78
23	Influence of fiber alignment and length on flexural properties of UHPC. <i>Construction and Building Materials</i> , 2021, 290, 122863.	3.2	34
24	Fiber alignment and its effect on mechanical properties of UHPC: An overview. <i>Construction and Building Materials</i> , 2021, 296, 123741.	3.2	79
25	Contribution of fiber orientation to enhancing dynamic properties of UHPC under impact loading. <i>Cement and Concrete Composites</i> , 2021, 121, 104108.	4.6	53
26	Effects of isothermal microwave heating on the strength and microstructure of ultra-high performance concrete embedded with steel fibers. <i>Journal of Materials Research and Technology</i> , 2021, 14, 1893-1902.	2.6	8
27	Carbonation curing of cement mortars incorporating carbonated fly ash for performance improvement and CO <sub>2</sub> sequestration. <i>Journal of CO<sub>2</sub> Utilization</i> , 2021, 51, 101633.	3.3	69
28	Effects of combined accelerating admixtures on mechanical strength and microstructure of cement mortar. <i>Construction and Building Materials</i> , 2021, 304, 124642.	3.2	16
29	Rehydration of ultra-high performance concrete matrix incorporating metakaolin under long-term water curing. <i>Construction and Building Materials</i> , 2021, 306, 124875.	3.2	7
30	Multi-scale particles optimization for some rheological properties of Eco-SCC: Modelling and experimental study. <i>Construction and Building Materials</i> , 2021, 308, 125151.	3.2	12
31	Correlation analysis and statistical assessment of early hydration characteristics and compressive strength for multi-composite cement paste. <i>Construction and Building Materials</i> , 2021, 310, 125260.	3.2	31
32	Experimental study on multi-component corrosion inhibitor for steel bar in chloride environment. <i>Construction and Building Materials</i> , 2021, 313, 125533.	3.2	33
33	Effect of pulverized fuel ash, ground granulated blast-furnace slag and CO <sub>2</sub> curing on performance of magnesium oxysulfate cement. <i>Construction and Building Materials</i> , 2020, 230, 116990.	3.2	83
34	SPH simulation and experimental investigation of fiber orientation in UHPC beams with different placements. <i>Construction and Building Materials</i> , 2020, 233, 117372.	3.2	13
35	Improvement of viscosity-modifying agents on air-void system of vibrated concrete. <i>Construction and Building Materials</i> , 2020, 239, 117843.	3.2	34
36	Electrical and piezoresistive properties of carbon nanofiber cement mortar under different temperatures and water contents. <i>Construction and Building Materials</i> , 2020, 265, 120740.	3.2	50

#	ARTICLE	IF	CITATIONS
37	Corrosion resistance of wollastonite modified magnesium phosphate cement paste exposed to freeze-thaw cycles and acid-base corrosion. <i>Case Studies in Construction Materials</i> , 2020, 13, e00421.	0.8	6
38	Analysis of correlation between hydration heat release and compressive strength for blended cement pastes. <i>Construction and Building Materials</i> , 2020, 260, 120436.	3.2	35
39	Hydration process of rice husk ash cement paste and its corrosion resistance of embedded steel bar. <i>Journal of Central South University</i> , 2020, 27, 3464-3476.	1.2	13
40	Hydration and mechanical properties of UHPC matrix containing limestone and different levels of metakaolin. <i>Construction and Building Materials</i> , 2020, 256, 119454.	3.2	77
41	Relationship between electrical resistance and rheological parameters of fresh cement slurry. <i>Construction and Building Materials</i> , 2020, 256, 119479.	3.2	12
42	Incorporation of phase change material and carbon nanofibers into lightweight aggregate concrete for thermal energy regulation in buildings. <i>Energy</i> , 2020, 197, 117262.	4.5	51
43	Use of Carbonation Curing to Improve Mechanical Strength and Durability of Pervious Concrete. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 3872-3884.	3.2	64
44	Mechanical strength and water resistance of magnesium oxysulfate cement based lightweight materials. <i>Cement and Concrete Composites</i> , 2020, 109, 103554.	4.6	44
45	Multi-objective optimization of gap-graded cement paste blended with supplementary cementitious materials using response surface methodology. <i>Construction and Building Materials</i> , 2020, 248, 118552.	3.2	28
46	How carbonation curing influences ca leaching of Portland cement paste: Mechanism and mathematical modeling. <i>Journal of the American Ceramic Society</i> , 2019, 102, 7755-7767.	1.9	35
47	Influences of coal fly ash containing ammonium salts on properties of cement paste. <i>Journal of Environmental Management</i> , 2019, 249, 109374.	3.8	33
48	Improvement effect of fiber alignment on resistance to elevated temperature of ultra-high performance concrete. <i>Composites Part B: Engineering</i> , 2019, 177, 107454.	5.9	50
49	Effects of Rheological Performance, Antifoaming Admixture, and Mixing Procedure on Air Bubbles and Strength of UHPC. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, .	1.3	19
50	Effect of carbonation curing regime on strength and microstructure of Portland cement paste. <i>Journal of CO2 Utilization</i> , 2019, 34, 74-86.	3.3	161
51	Influence of Poker Vibration on Aggregate Settlement in Fresh Concrete with Variable Rheological Properties. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, .	1.3	15
52	Influence of mineral admixtures on carbonation curing of cement paste. <i>Construction and Building Materials</i> , 2019, 212, 653-662.	3.2	107
53	Influence of formwork wall effect on fiber orientation of UHPC with two casting methods. <i>Construction and Building Materials</i> , 2019, 215, 310-320.	3.2	43
54	Recycling of waste autoclaved aerated concrete powder in Portland cement by accelerated carbonation. <i>Waste Management</i> , 2019, 89, 254-264.	3.7	77

#	ARTICLE	IF	CITATIONS
55	Mathematical modeling of accelerated carbonation curing of Portland cement paste at early age. <i>Cement and Concrete Research</i> , 2019, 120, 187-197.	4.6	73
56	Properties of coal gangue-Portland cement mixture with carbonation. <i>Fuel</i> , 2019, 245, 1-12.	3.4	130
57	Numerical simulation and visualization of motion and orientation of steel fibers in UHPC under controlling flow condition. <i>Construction and Building Materials</i> , 2019, 199, 624-636.	3.2	27
58	Influence of time-dependent rheological properties on distinct-layer casting of self-compacting concrete. <i>Construction and Building Materials</i> , 2019, 199, 214-224.	3.2	12
59	Influence of salt freeze-thaw cycles on the damage and the following electrical and self-sensing performance of carbon nanofibers concrete. <i>Materials Research Express</i> , 2019, 6, 025705.	0.8	5
60	Influence of vibration-induced segregation on mechanical property and chloride ion permeability of concrete with variable rheological performance. <i>Construction and Building Materials</i> , 2019, 194, 32-41.	3.2	49
61	Spatial distribution of steel fibers and air bubbles in UHPC cylinder determined by X-ray CT method. <i>Construction and Building Materials</i> , 2018, 160, 39-47.	3.2	80
62	Preparation and properties of fatty acids based thermal energy storage aggregate concrete. <i>Construction and Building Materials</i> , 2018, 165, 1-10.	3.2	68
63	Recycling of raw rice husk to manufacture magnesium oxysulfate cement based lightweight building materials. <i>Journal of Cleaner Production</i> , 2018, 191, 220-232.	4.6	146
64	Effects of autoclave curing and fly ash on mechanical properties of ultra-high performance concrete. <i>Construction and Building Materials</i> , 2018, 158, 864-872.	3.2	86
65	Potential application of Portland cement-calcium sulfoaluminate cement blends to avoid early age frost damage. <i>Construction and Building Materials</i> , 2018, 190, 363-372.	3.2	57
66	Improvement effect of steel fiber orientation control on mechanical performance of UHPC. <i>Construction and Building Materials</i> , 2018, 188, 709-721.	3.2	142
67	Development of calcium silicate-coated expanded clay based form-stable phase change materials for enhancing thermal and mechanical properties of cement-based composite. <i>Solar Energy</i> , 2018, 174, 24-34.	2.9	29
68	Use of calcium silicate-coated paraffin/expanded perlite materials to improve the thermal performance of cement mortar. <i>Construction and Building Materials</i> , 2018, 189, 218-226.	3.2	30
69	Experimental exploration of incorporating form-stable hydrate salt phase change materials into cement mortar for thermal energy storage. <i>Applied Thermal Engineering</i> , 2018, 140, 112-119.	3.0	73
70	Modification of Magnesium Oxysulfate Cement by Incorporating Weak Acids. <i>Journal of Materials in Civil Engineering</i> , 2018, 30, .	1.3	57
71	Coupling effect of salt freeze-thaw cycles and cyclic loading on performance degradation of carbon nanofiber mortar. <i>Cold Regions Science and Technology</i> , 2018, 154, 95-102.	1.6	30
72	Multi-functional properties of carbon nanofiber reinforced reactive powder concrete. <i>Construction and Building Materials</i> , 2018, 187, 699-707.	3.2	63

#	ARTICLE	IF	CITATIONS
73	Influence of splitting load on transport properties of ultra-high performance concrete. <i>Construction and Building Materials</i> , 2018, 171, 708-718.	3.2	28
74	Effects of salt freeze-thaw cycles and cyclic loading on the piezoresistive properties of carbon nanofibers mortar. <i>Construction and Building Materials</i> , 2018, 177, 192-201.	3.2	53
75	Upcycling carbon dioxide to improve mechanical strength of Portland cement. <i>Journal of Cleaner Production</i> , 2018, 196, 726-738.	4.6	84
76	The influence of rheological parameters of cement paste on the dispersion of carbon nanofibers and self-sensing performance. <i>Construction and Building Materials</i> , 2017, 134, 673-683.	3.2	67
77	Influence of rice husk ash on strength and permeability of ultra-high performance concrete. <i>Construction and Building Materials</i> , 2017, 149, 621-628.	3.2	165
78	Influence of rheological properties of cement mortar on steel fiber distribution in UHPC. <i>Construction and Building Materials</i> , 2017, 144, 65-73.	3.2	91
79	Relationship among particle characteristic, water film thickness and flowability of fresh paste containing different mineral admixtures. <i>Construction and Building Materials</i> , 2017, 153, 193-201.	3.2	42
80	Hydration and Durability of Concrete Containing Supplementary Cementitious Materials. <i>Advances in Materials Science and Engineering</i> , 2017, 2017, 1-1.	1.0	1
81	Impacts of Global Warming and Sea Level Rise on Service Life of Chloride-Exposed Concrete Structures. <i>Sustainability</i> , 2017, 9, 460.	1.6	17
82	The Feasibility of Modified Magnesia-Phosphate Cement as a Heat Resistant Adhesive for Strengthening Concrete with Carbon Sheets. <i>Applied Sciences (Switzerland)</i> , 2016, 6, 178.	1.3	8
83	Relationship between Flowability, Entrapped Air Content and Strength of UHPC Mixtures Containing Different Dosage of Steel Fiber. <i>Applied Sciences (Switzerland)</i> , 2016, 6, 216.	1.3	54
84	The resistance to high temperature of magnesia phosphate cement paste containing wollastonite. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016, 49, 3423-3434.	1.3	34
85	Influences of reinforcement on differential drying shrinkage of concrete. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2012, 27, 576-580.	0.4	10
86	Influence of clays on the shrinkage and cracking tendency of SCC. <i>Cement and Concrete Composites</i> , 2012, 34, 478-485.	4.6	28
87	Utilization of beet molasses as a grinding aid in blended cements. <i>Construction and Building Materials</i> , 2011, 25, 3782-3789.	3.2	56
88	Effects of water/binder ratio on the properties of engineered cementitious composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2010, 25, 298-302.	0.4	18
89	Fabrication and Performance of All-Solid-State Chloride Sensors in Synthetic Concrete Pore Solutions. <i>Sensors</i> , 2010, 10, 10226-10239.	2.1	8
90	Influence of curing temperature on flexural performance of engineered cementitious composites. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
91	Fabrication and performance of all-solid-state chloride sensors in synthetic concrete pore solutions. <i>Sensors</i> , 2010, 10, 10226-39.	2.1	1
92	The durability of epoxy resin coating. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 242-244.	0.4	3
93	Cracking tendency of restrained concrete at early ages. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 263-267.	0.4	6
94	Shrinkage reducing measures for engineering cementitious composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 907-911.	0.4	13
95	Sulfate Attack of Cement-Based Material with Limestone Filler Exposed to Different Environments. <i>Journal of Materials Engineering and Performance</i> , 2008, 17, 543-549.	1.2	19
96	Thaumasite formation in a tunnel of Bapanxia Dam in Western China. <i>Cement and Concrete Research</i> , 2006, 36, 716-722.	4.6	71