Akihiko Fujii

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8685219/publications.pdf Version: 2024-02-01



Δείμικο Είπη

#	Article	IF	CITATIONS
1	Thickness control and photovoltaic properties of CH ₃ NH ₃ PbI ₃ bar-coated thin film. Japanese Journal of Applied Physics, 2022, 61, SB1032.	1.5	7
2	Orientation Control of 2D Perovskite in 2D/3D Heterostructure by Templated Growth on 3D Perovskite. , 2022, 4, 378-384.		15
3	Fabrication, characterization and simulation analysis of perovskite solar cells with dopant-free solution-processible C6PcH2 hole transporting material. Optical and Quantum Electronics, 2022, 54, 1.	3.3	0
4	Dynamics of Preaggregation and Film Formation of Donor–Acceptor π-Conjugated Polymers. , 2022, 4, 205-211.		6
5	Molecular orientation and electrical properties in <i>tert</i> â€butylated phthalocyanine thin film fabricated by uniaxial solution coating. Electronics and Communications in Japan, 2021, 104, 113-119.	0.5	1
6	The liquid crystal Click procedure for oligothiophene-tethered phthalocyanines – self-assembly, alignment and photocurrent. Journal of Materials Chemistry C, 2021, 9, 5689-5698.	5.5	11
7	Alkyl chain length dependence of carrier transport in solution-processed phthalocyanine thin films evaluated via MIS-CELIV method. Japanese Journal of Applied Physics, 2021, 60, 031004.	1.5	4
8	Effects of thermal expansion and degeneracy on ambipolar carrier mobility of non-peripherally hexyl-substituted phthalocyanine. Applied Physics Express, 2021, 14, 041001.	2.4	0
9	Directionâ€Selectable Ultraâ€Highly Oriented State of Donor–Acceptor Conjugated Polymer Induced by Slow Bar Coating Process. Advanced Electronic Materials, 2021, 7, 2100313.	5.1	10
10	Mesoporous TiO2 electron transport layer engineering for efficient inorganic-organic hybrid perovskite solar cells using hydrochloric acid treatment. Thin Solid Films, 2021, 732, 138768.	1.8	10
11	Coating speed dependence of main chain orientation and aggregation of PBTTT-C16 in the bar-coated thin film. Japanese Journal of Applied Physics, 2020, 59, SDDA04.	1.5	6
12	Solution processed uniaxially oriented thin film of <i>tert</i> -butyl-substituted phthalocyanine. Japanese Journal of Applied Physics, 2020, 59, SDDA05.	1.5	4
13	Stereoregularity effect on hole mobility in poly(<i>N</i> -vinylcarbazole) thin film evaluated by MIS-CELIV method. Japanese Journal of Applied Physics, 2020, 59, SDDA01.	1.5	11
14	Carrier transport study on triphenylamine-thienothiophene-based hole transport material by MIS-CELIV method. Japanese Journal of Applied Physics, 2020, 59, SGGG01.	1.5	4
15	Study on energy level bending at heterojunction of solution-processed phthalocyanine thin film and n-Si by Kelvin probe force microscopy. Organic Electronics, 2020, 78, 105599.	2.6	4
16	Revealing the charge carrier kinetics in perovskite solar cells affected by mesoscopic structures and defect states from simple transient photovoltage measurements. Scientific Reports, 2020, 10, 19197.	3.3	29
17	Highly (100)-oriented CH3NH3PbI3 thin film fabricated by bar-coating method and its additive effect of ammonium chloride. Solar Energy Materials and Solar Cells, 2020, 208, 110409.	6.2	12
18	A study on solution-processable tetrabenzomonoazaporphyrin hole transport material for pervoskite solar cells. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2020, 11, 015007.	1.5	1

#	Article	IF	CITATIONS
19	Effects of alkyl-substituent length on photovoltaic performance of bulk heterojunction solar cells utilizing non-peripherally octaalkyltetrabenzotriazaporphyrins. Japanese Journal of Applied Physics, 2020, 59, 101003.	1.5	7
20	Molecular Orientation and Electrical Properties in <i>tert</i> Butylated Phthalocyanine Thin Film Fabricated by Uniaxial Solution Coating. IEEJ Transactions on Electronics, Information and Systems, 2020, 140, 1182-1188.	0.2	0
21	Highly efficient perovskite solar cell utilizing a solution-processable tetrabenzoporphyrin hole transport material with p-type dopants. Applied Physics Express, 2019, 12, 112009.	2.4	2
22	Uniaxial orientation of poly(3-hexylthiophene) thin films fabricated by the bar-coating method. Japanese Journal of Applied Physics, 2019, 58, SBBG04.	1.5	11
23	Homo/hetero-epitaxial growth in tetrabenzotriazaporphyrin derivative thin film fabricated by contact freezing method with seed crystal. Applied Physics Express, 2019, 12, 051011.	2.4	1
24	Triphenylamine–Thienothiophene Organic Chargeâ€Transport Molecular Materials: Effect of Substitution Pattern on their Thermal, Photoelectrochemical, and Photovoltaic Properties. Chemistry - an Asian Journal, 2018, 13, 1302-1311.	3.3	24
25	Fabrication of field-effect transistor utilizing oriented thin film of octahexyl-substituted phthalocyanine and its electrical anisotropy based on columnar structure. Japanese Journal of Applied Physics, 2018, 57, 03EH10.	1.5	11
26	Sandwich-cell-type bulk-heterojunction organic solar cells utilizing liquid crystalline phthalocyanine. Japanese Journal of Applied Physics, 2018, 57, 03EJ03.	1.5	7
27	Ambipolar carrier transport properties and molecular packing structure of octahexyl-substituted copper phthalocyanine. Japanese Journal of Applied Physics, 2018, 57, 04FL01.	1.5	4
28	Polymer blend effect on molecular alignment induced by contact freezing of mesogenic phthalocyanine. Japanese Journal of Applied Physics, 2018, 57, 04FL09.	1.5	3
29	Homeotropic alignment of non-peripheral octahexyl phthalocyanine in thin film and its photovoltaic properties. Japanese Journal of Applied Physics, 2018, 57, 08RE02.	1.5	4
30	Carrier transport and device applications of the organic semiconductor based on liquid crystalline non-peripheral octaalkyl phthalocyanine. Liquid Crystals, 2018, 45, 2376-2389.	2.2	20
31	Single-crystalline thin-film growth via solution-mediated polymorphic transformation of octahexyl-substituted phthalocyanine and its optical anisotropy. Organic Electronics, 2018, 60, 16-21.	2.6	6
32	Selective crystal growth in bar-coating process of polymorphic pentyl-substituted phthalocyanine thin film. Organic Electronics, 2018, 62, 241-247.	2.6	6
33	Evaluation of ambipolar carrier mobility in alkyl-substituted phthalocyanine thin film. Journal of Photonics for Energy, 2018, 8, 1.	1.3	5
34	Three-dimensional X-ray Crystal Structure Analysis of Solution-processed Oriented Thin Film utilizing Liquid-crystalline Phthalocyanine. , 2018, , .		1
35	Efficiency enhancement in perovskite solar cell utilizing solution-processable phthalocyanine hole transport layer with thermal annealing. Organic Electronics, 2017, 43, 156-161.	2.6	39
36	Study on degradation mechanism of perovskite solar cell and their recovering effects by introducing CH3NH3I layers. Organic Electronics, 2017, 43, 229-234.	2.6	38

#	Article	IF	CITATIONS
37	Miscibility and carrier transport properties in binary blend system of non-peripherally octa-hexyl-substituted phthalocyanine analogues. Organic Electronics, 2017, 44, 67-73.	2.6	10
38	Glass-sandwich-type organic solar cells utilizing liquid crystalline phthalocyanine. Applied Physics Express, 2017, 10, 021602.	2.4	8
39	Liquid crystalline composites toward organic photovoltaic application (Conference Presentation). , 2017, , .		Ο
40	Single crystal preparation and x-ray structure analysis of non-peripherally alkyl-substituted phthalocyanine blends. Journal of Crystal Growth, 2017, 468, 810-815.	1.5	5
41	Selective crystal growth of polymorphs and crystal-to-crystal thermal phase transition of non-peripherally alkyl-substituted phthalocyanine and tetrabenzotriazaporphyrin. Journal of Crystal Growth, 2017, 468, 804-809.	1.5	13
42	Characterization of crystal polymorphs of the organic semiconductor non-peripheral octa-hexyl phthalocyanine. Japanese Journal of Applied Physics, 2017, 56, 081601.	1.5	8
43	Improved synthesis of non-peripherally alkyl-substituted tetrabenzotriazaporphyrins. Molecular Crystals and Liquid Crystals, 2017, 653, 22-26.	0.9	9
44	Bulk-Heterojunction Thin-Film Solar Cells Utilizing Miscible Binary Donor Materials of Liquid Crystalline Phthalocyanine and its Analogue. Journal of Physics: Conference Series, 2017, 924, 012003.	0.4	1
45	Uniaxial crystal growth in thin film by utilizing supercooled state of mesogenic phthalocyanine. Applied Physics Express, 2016, 9, 061601.	2.4	6
46	Ambipolar Carrier Mobility in Binary Blend Thin Film of Non-Peripheral Alkylphthalocyanines. Journal of Physics: Conference Series, 2016, 704, 012006.	0.4	9
47	Fabrication of tandem solar cells with all-solution processed multilayer structure using non-peripherally substituted octahexyl tetrabenzotriazaporphyrins. Japanese Journal of Applied Physics, 2016, 55, 03DB01.	1.5	7
48	Single crystal growth and X-ray structure analysis of non-peripheral octahexyl phthalocyanine. Journal of Crystal Growth, 2016, 445, 9-14.	1.5	20
49	Crystal structure analysis in solution-processed uniaxially oriented polycrystalline thin film of non-peripheral octahexyl phthalocyanine by grazing incidence wide-angle x-ray scattering techniques. Applied Physics Letters, 2016, 109, .	3.3	13
50	Molecular Packing Structure of Mesogenic Octa-Hexyl Substituted Phthalocyanine Thin Film by X-ray Diffraction Analysis. Journal of Nanoscience and Nanotechnology, 2016, 16, 3318-3321.	0.9	16
51	Single crystal growth in spin-coated films of polymorphic phthalocyanine derivative under solvent vapor. APL Materials, 2015, 3, .	5.1	9
52	Polymer blend effects on fundamental properties of mesogenic phthalocyanine films fabricated by heated spin-coating method. Japanese Journal of Applied Physics, 2015, 54, 04DK08.	1.5	1
53	Effects of thermal-annealing and processing-additive treatment on crystallization-induced phase separation in organic solar cells utilizing octapentyl tetrabenzotriazaporphyrins. Journal Physics D: Applied Physics, 2015, 48, 385103.	2.8	2
54	Macroscopically aligned molecular stacking structures in mesogenic phthalocyanine derivative films fabricated by heated spin-coating method. Thin Solid Films, 2015, 594, 1-4.	1.8	8

#	Article	IF	CITATIONS
55	1,3,5-Tris(phenyl-2-benzimidazole)-benzene cathode buffer layer thickness dependence in solution-processable organic solar cell based on 1,4,8,11,15,18,22,25-octahexylphthalocyanine. Japanese Journal of Applied Physics, 2015, 54, 04DK11.	1.5	1
56	Efficiency enhancement in solution processed small-molecule based organic solar cells utilizing various phthalocyanine–tetrabenzoporphyrin hybrid macrocycles. Organic Electronics, 2015, 23, 44-52.	2.6	23
57	Liquid crystalline and charge transport properties of novel non-peripherally octasubstituted perfluoroalkylated phthalocyanines. Journal of Materials Chemistry C, 2015, 3, 1757-1765.	5.5	18
58	Origin of the High Carrier Mobilities of Nonperipheral Octahexyl Substituted Phthalocyanine. Journal of Physical Chemistry C, 2015, 119, 23852-23858.	3.1	15
59	Thermal annealing effects on non-peripheral octahexylphthalocyanine doped polymer bulk heterojunction solar cells. Japanese Journal of Applied Physics, 2014, 53, 05FZ06.	1.5	0
60	Tilt orientationally disordered hexagonal columnar phase of phthalocyanine discotic liquid crystals. Physical Review E, 2014, 89, 062505.	2.1	23
61	Blend ratio dependence of photovoltaic properties in octahexylphthalocyanine-based small molecule solar cell. Japanese Journal of Applied Physics, 2014, 53, 05FZ05.	1.5	4
62	Annealing effect in bulk heterojunction organic solar cells utilizing liquid crystalline phthalocyanine. Japanese Journal of Applied Physics, 2014, 53, 05FZ02.	1.5	7
63	Miscibility in binary blends of non-peripheral alkylphthalocyanines and their application for bulk-heterojunction solar cells. Organic Electronics, 2014, 15, 1189-1196.	2.6	17
64	Active layer analysis of interpenetrating heterojunction organic thin-film solar cells by X-ray photoelectron spectroscopy. Thin Solid Films, 2014, 554, 222-225.	1.8	4
65	Monodomain planar alignment of 1,4,8,11,15,18,22,25-octahexylphthalocyanine by melt growth method. Thin Solid Films, 2014, 554, 99-101.	1.8	0
66	Octahexyltetrabenzotriazaporphyrin: A Discotic Liquid Crystalline Donor for High-performance Small-molecule Solar Cells. Chemistry Letters, 2014, 43, 1761-1763.	1.3	22
67	Effects of processing additives on nanoscale phase separation, crystallization and photovoltaic performance of solar cells based on mesogenic phthalocyanine. Organic Electronics, 2013, 14, 2628-2634.	2.6	47
68	Influences of dopant concentration in sol–gel derived AZO layer on the performance of P3HT:PCBM based inverted solar cell. Solar Energy Materials and Solar Cells, 2013, 111, 181-188.	6.2	89
69	Threshold improvement in uniformly lying helix cholesteric liquid crystal laser using auxiliary ï€-conjugated polymer active layer. Journal of Applied Physics, 2013, 113, .	2.5	6
70	Mechanism of Degradation and Improvement of Stability on Mesogenic-Phthalocyanine-Based Bulk Heterojunction Solar Cell. Japanese Journal of Applied Physics, 2013, 52, 012301.	1.5	12
71	Solvent Effects on Solution-Processable Bulk Heterojunction Organic Solar Cells Utilizing 1,4,8,11,15,18,22,25-Octahexylphthalocyanine. Japanese Journal of Applied Physics, 2013, 52, 05DB02.	1.5	11
72	Alkyl Substituent Length Dependence of Octaalkylphthalocyanine Bulk Heterojunction Solar Cells. Applied Physics Express, 2013, 6, 122301.	2.4	18

#	Article	IF	CITATIONS
73	Effect of Column Disorder on Carrier Transport in Columnar Discotic Liquid Crystal Evaluated by Applying Precisely Controlled Shear Stress. Japanese Journal of Applied Physics, 2013, 52, 101701.	1.5	7
74	High-Quality Planar Alignment of Discotic Liquid Crystals Using Oscillating Shear. Applied Physics Express, 2013, 6, 061702.	2.4	7
75	Improvement of Photovoltaic Performance of Octahexylphthalocyanine-Based Bulk-Heterojunction Solar Cells Using Various Fullerene Derivatives. Transactions of the Materials Research Society of Japan, 2013, 38, 463-466.	0.2	4
76	Uniaxial Alignment of ï€-Conjugated Polymer Films by Reciprocating Shearing Method. Transactions of the Materials Research Society of Japan, 2013, 38, 503-506.	0.2	0
77	Thermal Annealing Effects on Optical Anisotropy of Aligned Thiophene-Based \$pi\$-Conjugated Polymer Films Fabricated by Capillary Action. Japanese Journal of Applied Physics, 2012, 51, 02BK11.	1.5	3
78	Influences of aluminum concentration to the characteristics of ZnO electron transport layer and its hybrid polymer solar cell. , 2012, , .		0
79	Efficiency enhancement in mesogenic-phthalocyanine-based solar cells with processing additives. Applied Physics Letters, 2012, 101, .	3.3	34
80	Photovoltaic Properties of 1,4,8,11,15,18,22,25-Octaalkylphthalocyanine Doped Polymer Bulk Heterojunction Solar Cells. Japanese Journal of Applied Physics, 2012, 51, 02BK15.	1.5	6
81	EMISSION ENHANCEMENT CHARACTERISTICS OF OXAZINE IN PMMA MATRIX INFLUENCED BY SURFACE PLASMON POLARITON INDUCED ON SINUSOIDAL SILVER GRATING. Journal of Nonlinear Optical Physics and Materials, 2012, 21, 1250013.	1.8	4
82	Fast and Continuous Tunable Lasing from a Nano-Pore Embedded Cholesteric Liquid Crystal Film. Molecular Crystals and Liquid Crystals, 2012, 560, 101-107.	0.9	4
83	Tunable Terahertz Filter Using an Etalon with a Nematic Liquid Crystal Layer and its Response Speed. Molecular Crystals and Liquid Crystals, 2012, 561, 82-88.	0.9	8
84	Distributed feedback grating fabricated from hybrid polymer precursor gel by employing shortâ€pulse laser interference for photopumped polymer laser applications. Polymers for Advanced Technologies, 2012, 23, 1264-1270.	3.2	5
85	Non-peripheral octahexylphthalocyanine doping effects in bulk heterojunction polymer solar cells. Organic Electronics, 2012, 13, 335-340.	2.6	42
86	Siloxane based Organic-Inorganic Hybrid Polymers and their Applications for Nanostructured Optical/Photonic Components. ITB Journal of Engineering Science, 2012, 44, 207-219.	0.1	6
87	Photovoltaic Properties of 1,4,8,11,15,18,22,25-Octaalkylphthalocyanine Doped Polymer Bulk Heterojunction Solar Cells. Japanese Journal of Applied Physics, 2012, 51, 02BK15.	1.5	8
88	Acceptor Material Dependence of Photovoltaic Properties in Bulk Heterojunction Organic Thin Film Solar Cells Utilizing Soluble Octahexylphthalocyanine. IEEJ Transactions on Electronics, Information and Systems, 2012, 132, 1727-1732.	0.2	1
89	Thermal Annealing Effects on Optical Anisotropy of Aligned Thiophene-Based π-Conjugated Polymer Films Fabricated by Capillary Action. Japanese Journal of Applied Physics, 2012, 51, 02BK11.	1.5	0
90	A Possibility of 2-Dimensional Transport of Charged Carriers in Columnar Phases of Liquid Crystalline Semiconductors. Molecular Crystals and Liquid Crystals, 2011, 549, 127-132.	0.9	11

#	Article	IF	CITATIONS
91	Slope Efficiency Improvement in Mode-Hop Driven Tunable Single-Mode Cholesteric Liquid Crystal Laser. Japanese Journal of Applied Physics, 2011, 50, 072702.	1.5	1
92	Polarization-independent refractive index tuning using gold nanoparticle-stabilized blue phase liquid crystals. Optics Letters, 2011, 36, 3578.	3.3	23
93	Slope efficiency characteristics of mode-hop driven tunable single-mode cholesteric liquid crystal laser. , 2011, , .		0
94	Bulk heterojunction organic solar cells utilizing 1,4,8,11,15,18,22,25-octahexylphthalocyanine. Solar Energy Materials and Solar Cells, 2011, 95, 3087-3092.	6.2	33
95	Tunable Lasing from a Cholesteric Liquid Crystal Film Embedded with a Liquid Crystal Nanopore Network. Advanced Materials, 2011, 23, 5498-5501.	21.0	66
96	Solution Flow Assisted Fabrication Method of Oriented π-Conjugated Polymer Films by Using Geometrically-Asymmetric Sandwich Structures. Japanese Journal of Applied Physics, 2011, 50, 020205.	1.5	8
97	Electric Field Tuning of Surface Plasmon Resonance Using Vertical Alignment Liquid Crystals on a Silver Grating Structure. Molecular Crystals and Liquid Crystals, 2011, 545, 85/[1309]-90/[1314].	0.9	2
98	High Carrier Mobility up to 1.4 cm ² ·V ⁻¹ ·s ⁻¹ in Non-Peripheral Octahexyl Phthalocyanine. Applied Physics Express, 2011, 4, 021604.	2.4	95
99	Anisotropic Properties of Aligned \$pi\$-Conjugated Polymer Films Fabricated by Capillary Action and Their Post-Annealing Effects. Applied Physics Express, 2011, 4, 091602.	2.4	15
100	Solution Flow Assisted Fabrication Method of Oriented π-Conjugated Polymer Films by Using Geometrically-Asymmetric Sandwich Structures. Japanese Journal of Applied Physics, 2011, 50, 020205.	1.5	5
101	Slope Efficiency Improvement in Mode-Hop Driven Tunable Single-Mode Cholesteric Liquid Crystal Laser. Japanese Journal of Applied Physics, 2011, 50, 072702.	1.5	2
102	Dispersion of Nanoparticles in Liquid Crystals by Sputtering and Its Effect on the Electrooptic Properties. IEICE Transactions on Electronics, 2010, E93-C, 1595-1601.	0.6	1
103	Nanoparticleâ€Dispersed Liquid Crystals Fabricated by Sputter Doping. Advanced Materials, 2010, 22, 622-626.	21.0	81
104	Spectral modulation of microcapillary laser based on emissive π-conjugated polymers by poor solvent injection. Thin Solid Films, 2010, 519, 995-997.	1.8	2
105	Efficient organic photovoltaic tandem cells with novel transparent conductive oxide interlayer and poly (3-hexylthiophene): Fullerene active layers. Solar Energy Materials and Solar Cells, 2010, 94, 376-380.	6.2	42
106	SURFACE PLASMON ENHANCED PHOTOLUMINESCENCE ON BIHARMONIC GRATING STRUCTURE. Journal of Nonlinear Optical Physics and Materials, 2010, 19, 571-581.	1.8	2
107	Charged Carrier Mobility Study in Colh Mesophase of Perfluoroalkylated Triphenylene Derivatives. Molecular Crystals and Liquid Crystals, 2010, 516, 246-252.	0.9	1
108	Fast Carrier Mobility in Smectic A Phase of a Liquid Crystalline Compound Containing an Imidazolium Salt. Molecular Crystals and Liquid Crystals, 2010, 516, 240-245.	0.9	2

#	Article	IF	CITATIONS
109	Photovoltaic Properties in Interpenetrating Heterojunction Organic Solar Cells Utilizing MoO3 and ZnO Charge Transport Buffer Layers. Materials, 2010, 3, 4915-4921.	2.9	25
110	Solvent Vapor Treatment Effects on Poly(3-hexylthiophene) Thin Films and its Application for Interpenetrating Heterojunction Organic Solar Cells. Materials, 2010, 3, 4939-4949.	2.9	7
111	Pentacene:Fullerene Multilayer-Heterojunction Organic Photovoltaic Cells Fabricated by Alternating Evaporation Method. Japanese Journal of Applied Physics, 2010, 49, 032301.	1.5	22
112	Fabrication of ZnO Nanopillars and Their Application to Organic Photovoltaic Cells Based on Conducting Polymer and Fullerene. Japanese Journal of Applied Physics, 2010, 49, 128003.	1.5	2
113	Finite-Difference Time-Domain Analysis of Polarization-Dependent Transmission in Cholesteric Blue Phase II. Applied Physics Express, 2010, 3, 032001.	2.4	9
114	Improved Lasing Threshold of Cholesteric Liquid Crystal Lasers with In-Plane Helix Alignment. Applied Physics Express, 2010, 3, 102702.	2.4	29
115	Electric Field Dependence of Lasing Wavelength in Cholesteric Liquid Crystal with an In-Plane Helix Alignment. Molecular Crystals and Liquid Crystals, 2010, 516, 182-189.	0.9	22
116	Laser Emission from a Photopolymerized Cholesteric Blue Phase II. Molecular Crystals and Liquid Crystals, 2010, 516, 197-201.	0.9	7
117	Fluorescence Enhancement of Conducting Polymer Coated on Biharmonic Metallic Grating. Applied Physics Express, 2010, 3, 041601.	2.4	3
118	Radial and Azimuthal Polarizer Using a One-Dimensional Photonic Crystal with a Patterned Liquid Crystal Defect Layer. Applied Physics Express, 2010, 3, 062002.	2.4	5
119	Carrier Mobility Behavior of Triphenylene Mesogen with a Hydrogen Bonding Amide Group. Molecular Crystals and Liquid Crystals, 2010, 525, 97-103.	0.9	3
120	Alignment-to-polarization projection in dye-doped nematic liquid crystal microlasers. Optics Express, 2010, 18, 12562.	3.4	6
121	Organic Thin-Film Solar Cells Based on Donor-Acceptor Interpenetrating Nano-Interface. , 2010, , .		0
122	Anchoring Strength Characteristics of Micro-Grating Structures Fabricated by Direct Laser Writing. Molecular Crystals and Liquid Crystals, 2010, 516, 26-31.	0.9	2
123	Solution Processable Organic Solar Cell Based on Bulk Heterojunction Utilizing Phthalocyanine Derivative. Applied Physics Express, 2010, 3, 101602.	2.4	111
124	Efficient organic photovoltaic tandem cells with poly (3-hexylthiophene): Fullerene active layers and transparent conductive oxide interlayer. , 2009, , .		0
125	Organic solar cells using few-walled carbon nanotubes electrode controlled by the balance between sheet resistance and the transparency. Applied Physics Letters, 2009, 94, 123302.	3.3	44
126	Heat treatment effect of field emission from carbon inverse opals. Journal Physics D: Applied Physics, 2009, 42, 115414.	2.8	0

#	Article	IF	CITATIONS
127	Time-Resolved Photoluminescence Study and Microcapillary Laser of Blue-Emissive π-Conjugated Polymers Based on 9,10-Dihydrophenanthrene Unit. Japanese Journal of Applied Physics, 2009, 48, 082404.	1.5	2
128	Rapid Energy Transfer and Improved Performance of Organic Light-Emitting Diodes Using Composite Film Based on π-Conjugated Polymers. Japanese Journal of Applied Physics, 2009, 48, 101502.	1.5	1
129	Planar Alignment of Columnar Liquid Crystals in Microgroove Structures. Molecular Crystals and Liquid Crystals, 2009, 510, 126/[1260]-133/[1267].	0.9	7
130	Fabrication of organic photovoltaic cells with double-layer ZnO structure. Solar Energy Materials and Solar Cells, 2009, 93, 1562-1567.	6.2	20
131	Effect of solvent vapor treatment on photovoltaic properties of conducting polymer/C60 interpenetrating heterojunction structured organic solar cell. Thin Solid Films, 2009, 518, 518-521.	1.8	11
132	MoO3 buffer layer effect on photovoltaic properties of interpenetrating heterojunction type organic solar cells. Thin Solid Films, 2009, 518, 522-525.	1.8	54
133	Study on the bulk junction type organic solar cells with double zinc oxide layer. Thin Solid Films, 2009, 518, 786-790.	1.8	3
134	Carrier mobility of a columnar mesophase formed by a perfluoroalkylated triphenylene. Synthetic Metals, 2009, 159, 875-879.	3.9	20
135	Optical and electrical anisotropies of polydiacetylene derivative film aligned by shear stress. Synthetic Metals, 2009, 159, 871-874.	3.9	8
136	Optical and electrical properties and photoexcited laser oscillation of composite film based on ï€-conjugated polymers. Synthetic Metals, 2009, 159, 935-938.	3.9	6
137	Effect of Mixed Cellulose Ester Membrane Structure on Appearance of Cholesteric Blue Phases. Molecular Crystals and Liquid Crystals, 2009, 512, 136/[1982]-142/[1988].	0.9	3
138	Position sensitive, continuous wavelength tunable laser based on photopolymerizable cholesteric liquid crystals with an in-plane helix alignment. Applied Physics Letters, 2009, 94, 093306.	3.3	36
139	Nanoparticle-Stabilized Cholesteric Blue Phases. Applied Physics Express, 2009, 2, 121501.	2.4	230
140	Expanded temperature range of cholesteric blue phase by three dimensional network structures. Transactions of the Materials Research Society of Japan, 2009, 34, 339-342.	0.2	0
141	Electrochemical Self-Assembly of Oriented Zinc Oxide Film from Polyethylene Oxide Containing Electrolyte. Journal of Nanoscience and Nanotechnology, 2009, 9, 1766-1771.	0.9	4
142	Optical manipulation of photonic defect-modes in cholesteric liquid crystals induced by direct laser-lithography. Thin Solid Films, 2008, 516, 2358-2362.	1.8	11
143	Microdisk laser emission and electrical properties of composite films based on poly(3-hexylthiophene)s with different stereoregularity. Thin Solid Films, 2008, 516, 2767-2771.	1.8	2
144	Photonic Band-Gap Modeling of Cholesteric Liquid Crystals with Periodic Pitch Modulations. Molecular Crystals and Liquid Crystals, 2008, 480, 231-240.	0.9	4

#	Article	IF	CITATIONS
145	In-plane pitch control of cholesteric liquid crystals by formation of artificial domains via patterned photopolymerization. Optics Express, 2008, 16, 19034.	3.4	10
146	Optical Properties of Cholesteric Liquid Crystals with Functional Structural Defects. Molecular Crystals and Liquid Crystals, 2008, 489, 73/[399]-83/[409].	0.9	2
147	Lasing Characteristics of Ferroelectric Liquid Crystal in Dielectric Mirror Cavity. Ferroelectrics, 2008, 364, 60-65.	0.6	Ο
148	Fabrication of oriented ZnO nanopillar self-assemblies and their application for photovoltaic devices. Nanotechnology, 2008, 19, 435706.	2.6	27
149	Efficiency Enhancement in Organic Photovoltaic Cell with Interpenetrating Conducting Polymer/C60Heterojunction Structure by Substrate-Heating Treatment. Japanese Journal of Applied Physics, 2008, 47, 1094-1097.	1.5	14
150	Optical Properties and Microcapillary Laser of Blue-Emissive π-Conjugated Polymers Based on 9,10-Dihydrophenanthrene Unit. Japanese Journal of Applied Physics, 2008, 47, 4724-4727.	1.5	2
151	Local liquid crystal alignment on patterned micrograting structures photofabricated by two photon excitation direct laser writing. Applied Physics Letters, 2008, 93, 173509.	3.3	37
152	Phase Destruction upon Photopolymerization of Cholesteric Liquid Crystal Blue Phases with Mono- and Diacrylate Constituents. Chemistry Letters, 2008, 37, 1242-1243.	1.3	2
153	Effects of Polymer Network Surfaces on Expansion of Cholesteric Blue Phases Temperature. E-Journal of Surface Science and Nanotechnology, 2008, 6, 17-20.	0.4	23
154	Laser emission from spiral-shaped microdisc with waveguide of conducting polymer. Journal Physics D: Applied Physics, 2007, 40, 1669-1672.	2.8	8
155	Photoinduced anisotropic response of azobenzene chromophore functionalized multiwalled carbon nanotubes. Journal of Applied Physics, 2007, 102, 053102.	2.5	14
156	Organic Electronic Devices Based on Polymeric Material and Tunable Photonic Crystal. Japanese Journal of Applied Physics, 2007, 46, 5655.	1.5	28
157	Cholesteric liquid crystal laser in a dielectric mirror cavity upon band-edge excitation. Optics Express, 2007, 15, 616.	3.4	33
158	A 1,3-diacylglycerol-rich oil induces less atherosclerosis and lowers plasma cholesterol in diabetic apoE-deficient mice. Atherosclerosis, 2007, 193, 55-61.	0.8	19
159	Preparation and characterization of chitosan-grafted multiwalled carbon nanotubes and their electrochemical properties. Carbon, 2007, 45, 1212-1218.	10.3	163
160	Polydiacetylene Nanofibers Created in Low-Molecular-Weight Gels by Post Modification:Â Control of Blue and Red Phases by the Oddâ^'Even Effect in Alkyl Chains. Journal of the American Chemical Society, 2007, 129, 4134-4135.	13.7	114
161	Low-threshold and high efficiency lasing upon band-edge excitation in a cholesteric liquid crystal. Applied Physics Letters, 2007, 90, 091114.	3.3	70
162	Optical tuning and switching of photonic defect modes in cholestericliquid crystals. Applied Physics Letters, 2007, 90, 071107.	3.3	27

#	Article	IF	CITATIONS
163	Tunable Chiral Photonic Defect Modes in Locally Polymerized Cholesteric Liquid Crystals. Molecular Crystals and Liquid Crystals, 2007, 477, 255-262.	0.9	4
164	Wavelength-Variable Laser in a Hybrid Photonic Crystal Containing Ferroelectric Liquid Crystal. Molecular Crystals and Liquid Crystals, 2007, 477, 245-254.	0.9	0
165	Improved electrical and optical properties of Poly(3,4-ethylenedioxythiophene) via ordered microstructure. Journal of Physics Condensed Matter, 2007, 19, 186220.	1.8	33
166	Organogels of 8-Quinolinol/Metal(II)–Chelate Derivatives That Show Electron- and Light-Emitting Properties. Chemistry - A European Journal, 2007, 13, 4155-4162.	3.3	76
167	Poly[(diphenylsilanediyl)ethynediyl]: Structure and optical and electroluminescent properties. Journal of Applied Polymer Science, 2007, 105, 208-214.	2.6	2
168	Bottom-Up Fabrication of Photonic Defect Structures in Cholesteric Liquid Crystals Based on Laser-Assisted Modification of the Helix. Advanced Materials, 2007, 19, 1187-1190.	21.0	30
169	Synthesis and Properties of Polyacetylenes Connecting Carbazole at the 2- and 3-Positions: Effect of Polymerization Catalysts and Substitution Positions on the Optoelectronic Properties. Macromolecular Chemistry and Physics, 2007, 208, 765-771.	2.2	17
170	Synthesis of photoresponsive azobenzene chromophore-modified multi-walled carbon nanotubes. Carbon, 2007, 45, 2445-2448.	10.3	38
171	Fabrication of Organic Photovoltaic Cells with Interpenetrating Heterojunction of Conducting Polymer and C60by Spray Method. Japanese Journal of Applied Physics, 2006, 45, 2792-2793.	1.5	9
172	Fabrication and Unidirectional Laser Emission Properties of Asymmetric Microdisks Based on Poly(p-phenylenevinylene) Derivative. Japanese Journal of Applied Physics, 2006, 45, L833-L836.	1.5	10
173	Improvement of Sensitivity in Long-Wavelength Range in Organic Thin-Film Solar Cell with Interpenetrating Semilayered Structure. Japanese Journal of Applied Physics, 2006, 45, 538-541.	1.5	11
174	Photopumped Laser Oscillation and Charge Carrier Mobility of Composite Films Based on Poly(3-hexylthiophene)s with Different Stereoregularity. Japanese Journal of Applied Physics, 2006, 45, L1077-L1079.	1.5	16
175	Dependences of Characteristics of Polymer Solar Cells Based on Bulk Heterojunction of Poly(3-hexylthiophene) and C60on Composite Ratio and Annealing Temperature. Japanese Journal of Applied Physics, 2006, 45, 5241-5243.	1.5	13
176	Surface and interface morphology observation and photovoltaic properties of C60/conducting polymer interpenetrating heterojunction devices. Journal Physics D: Applied Physics, 2006, 39, 1521-1524.	2.8	11
177	Tunable single photonic defect-mode in cholesteric liquid crystals with laser-induced local modifications of helix. Applied Physics Letters, 2006, 89, 231913.	3.3	26
178	Lowering lasing threshold in ferroelectric liquid crystal sandwiched between dielectric multilayers. Applied Physics Letters, 2006, 89, 201112.	3.3	10
179	Perylene derivative sensitized multi-walled carbon nanotube thin film. Carbon, 2005, 43, 2501-2507.	10.3	71
180	Fabrication of Interpenetrating Semilayered Structure of Conducting Polymer and Fullerene by Solvent Corrosion Method and Its Photovoltaic Properties. Japanese Journal of Applied Physics, 2005, 44, 4155-4160.	1.5	15

#	Article	IF	CITATIONS
181	Fabrication and Field Emission Properties of C60Nanorod Formed by Spin-Cast Treatment. Japanese Journal of Applied Physics, 2005, 44, L851-L853.	1.5	6
182	Effect of Indium-Tin Oxide Surface Micromodification and Improvement of Long-Wavelength Sensitivity on Photovoltaic Properties of Photovoltaic Cell with Conducting Polymer/C60Interpenetrating Heterostructure. Japanese Journal of Applied Physics, 2005, 44, 1978-1981.	1.5	6
183	Formation of Nanorod-Shaped Surface of C60Film and Its Field Emission Properties. Japanese Journal of Applied Physics, 2005, 44, L388-L390.	1.5	4
184	Unidirectional Laser Emission from Spiral Microcavity Utilizing Conducting Polymer. Japanese Journal of Applied Physics, 2005, 44, L1091-L1093.	1.5	16
185	Lasing of Poly(3-alkylthiophene) in Microcapillary Geometry. Japanese Journal of Applied Physics, 2005, 44, L1056-L1058.	1.5	10
186	Side Chain Length Dependence of Optical Properties of Polyanions Based on Poly(p-phenylenevinylene) and Their Self-Assembled Multilayer Structures. Japanese Journal of Applied Physics, 2005, 44, 1970-1973.	1.5	1
187	Dual ring laser emission of conducting polymers in microcapillary structures. Applied Physics Letters, 2005, 86, 141903.	3.3	19
188	Optical and electrical characterizations of nanocomposite film of titania adsorbed onto oxidized multiwalled carbon nanotubes. Journal of Physics Condensed Matter, 2005, 17, 4361-4368.	1.8	40
189	Photopumped multimode blue laser emission from cylindrical microcavities of conducting polymers with heteroatoms in main chains. Synthetic Metals, 2005, 152, 209-212.	3.9	8
190	Highly efficient photovoltaic cells composed of interpenetrating conducting polymer/C60 heterojunction. Synthetic Metals, 2005, 152, 121-124.	3.9	8
191	Optical properties of poly(p-phenylenevinylene) periodic multilayer structures fabricated by self-assembly method and its light-emitting devices with microdisk geometry. Synthetic Metals, 2005, 153, 217-220.	3.9	1
192	Enhancement of Photoresponse by Enlarging the Effective Interface between Conducting Polymer and Titanium Oxide in Photovoltaic Device. Japanese Journal of Applied Physics, 2004, 43, 3473-3478.	1.5	15
193	Interpenetrating Interface in Organic Photovoltaic Cells with Heterojunction of Poly(3-hexylthiophene) and C60. Japanese Journal of Applied Physics, 2004, 43, 5573-5576.	1.5	29
194	Optical properties and microring laser of conducting polymers with Sn atoms in main chains. Journal of Applied Physics, 2004, 95, 4193-4196.	2.5	13
195	Ultraviolet light responses in photovoltaic properties of TiO2â^•conducting polymer heterostructure devices. Applied Physics Letters, 2004, 85, 3139-3141.	3.3	11
196	Solvent Dependence of Interpenetrating Interface Formation in Organic Photovoltaic Cells with Heterojunction of Conducting Polymer and C60. Japanese Journal of Applied Physics, 2004, 43, 8312-8315.	1.5	14
197	Realization of Polymeric Optical Integrated Devices Utilizing Organic Light-Emitting Diodes and Photodetectors Fabricated on a Polymeric Waveguide. IEEE Journal of Selected Topics in Quantum Electronics, 2004, 10, 70-78.	2.9	82
198	Effect of ZnO layer on characteristics of conducting polymer/C60photovoltaic cell. Journal Physics D: Applied Physics, 2004, 37, 847-850.	2.8	65

Ακιμικό Γυλι

#	Article	IF	CITATIONS
199	Novel tunable optical properties of liquid crystals, conjugated molecules and polymers in nanoscale periodic structures as photonic crystals. Macromolecular Symposia, 2004, 212, 179-190.	0.7	9
200	Photoluminescence, electroluminescence and lasing of conducting polymers with heteroatoms in main chains. Synthetic Metals, 2003, 137, 1021-1022.	3.9	2
201	Optical properties and gel characteristics in inverse opals made from poly(3-alkylthiophene) and photopolymer. Synthetic Metals, 2003, 137, 1417-1418.	3.9	1
202	Multicolor Luminescence Properties of π-Conjugated Oligomer with Salicylideneaniline Moieties. Japanese Journal of Applied Physics, 2003, 42, L694-L697.	1.5	2
203	Improvement of Characteristics of Organic Photovoltaic Devices Composed of Conducting Polymer-Fullerene Systems by Introduction of ZnO Layer. Japanese Journal of Applied Physics, 2003, 42, L1475-L1477.	1.5	31
204	Optical Properties of Self-Assembled Thin Film of Poly(p-phenylenevinylene)s and Its Application to Light-Emitting Devices with Microdisk Geometry. Japanese Journal of Applied Physics, 2003, 42, L691-L693.	1.5	3
205	Time-Resolved Study of Fullerene Doping Effects on Photoluminescence and Photoconductivity of Poly(3-alkylthiophene). Japanese Journal of Applied Physics, 2003, 42, 1788-1793.	1.5	2
206	Time-resolved optical and electrical study of second-order processes responsible for the formation of free polarons in conjugated polymers. Physical Review B, 2002, 66, .	3.2	10
207	Transient Properties of Organic Electroluminescent Diode Using 8-Hydroxyquinoline Aluminum Doped with Rubrene as an Electro-Optical Conversion Device for Polymeric Integrated Devices. Japanese Journal of Applied Physics, 2002, 41, 2746-2748.	1.5	41
208	Preparation and Optical Properties of n-Type Alternating Copolymer with π-Conjugation. Japanese Journal of Applied Physics, 2002, 41, L804-L807.	1.5	0
209	Photocurrent Enhancement in Conducting Polymer Device by Doping with Endohedral Metallofullerene La@C ₈₂ . Japanese Journal of Applied Physics, 2002, 41, 2254-2255.	1.5	5
210	Temperature and voltage dependent optical properties of conducting polymer in synthetic opal as photonic crystal. Synthetic Metals, 2001, 121, 1503-1504.	3.9	3
211	Spectral narrowing of photoluminescence and improvement of electroluminescent properties in conducting polymers with Si atoms in main chains. Journal of Applied Physics, 2001, 90, 6061-6065.	2.5	21
212	Novel Efficient Blue Fluorescent Polymers Comprising Alternating Phenylene Pyridine Repeat Units:Â Their Syntheses, Characterization, and Optical Properties. Macromolecules, 2001, 34, 6895-6903.	4.8	49
213	Organic electroluminescent diodes as a light source for polymeric integrated devices. , 2001, , .		1
214	Organic electroluminescent diodes as a light source for polymeric waveguides — toward organic integrated optical devices. Thin Solid Films, 2001, 393, 267-272.	1.8	18
215	Fabrication and Optical Characteristics of Electrodeposited Conducting Polymer Thin Film Based on Poly(p-phenylene vinylene) Derivative. Japanese Journal of Applied Physics, 2001, 40, L474-L477.	1.5	2
216	Influences of Interchain Interaction on Exciton Dynamics in Poly(3-alkylthiophene). Japanese Journal of Applied Physics, 2001, 40, 7103-7109.	1.5	12

Ακιμικό Γυμι

#	Article	IF	CITATIONS
217	Doping Effects of Tetra(amino)fullerene Epoxide in Conducting Polymer Thin Film. Japanese Journal of Applied Physics, 2001, 40, L1390-L1393.	1.5	2
218	Anomalous Optical Anisotropy Induced by Liquid Crystallinity of Poly(2,5-dialkoxy-p-phenylenebutadiynylene) Using a Conventional Rubbing Process. Advanced Materials, 2000, 12, 587-589.	21.0	15
219	Properties of Conducting Polymer-Dye Composite and Photovoltaic Characteristics of Junction Devices. Japanese Journal of Applied Physics, 2000, 39, 4978-4981.	1.5	5
220	Preparation, Optical Properties and Yellow Electroluminescence of Water-Soluble Poly(p-phenylene) Tj ETQq0 0 0	rgBT /Ove 1.5	rlock 10 Tf 5 18
221	Optical properties, spectral narrowing of photoluminescence and blue electroluminescence of poly(phenylene pyridine) derivatives. Applied Physics Letters, 2000, 77, 660-662.	3.3	13
222	Tunable Optical Stop Band Utilizing Thermochromism of Synthetic Opal Infiltrated with Conducting Polymer. Japanese Journal of Applied Physics, 1999, 38, L1475-L1477.	1.5	19
223	Optical Properties of Poly(2,5-dialkoxy-p-phenylenebutadiynylene). Japanese Journal of Applied Physics, 1999, 38, L406-L409.	1.5	2
224	Electronic Properties and Electroluminescence of Monosubstituted Polyacetylenes and Their Mixtures with Disubstituted Polyacetylene. Japanese Journal of Applied Physics, 1999, 38, 931-935.	1.5	16
225	Optical properties of conducting polymers in nano-scale periodic structure, microcavities and photonic crystals. Microelectronic Engineering, 1999, 47, 49-53.	2.4	10
226	Effect of fullerene doping on electrical and optical properties of poly(disilanyleneoligophenylene)s and poly(disilanyleneoligothienylene)s. Synthetic Metals, 1999, 102, 963-964.	3.9	1
227	Microlasers and Micro-LEDs from Disubstituted Polyacetylene. Advanced Materials, 1998, 10, 869-872.	21.0	67
228	Organic electroluminescent device with R-G-B emission. Thin Solid Films, 1998, 331, 89-95.	1.8	13
229	Polymer Electroluminescent Diodes with Ring Microcavity Structure. Japanese Journal of Applied Physics, 1998, 37, L740-L742.	1.5	18
230	Photoluminescence, Electroluminescence, Lasing and Novel Characteristics in Photonic Crystal, Synthetic Opal, of Conducting Polymers, Polyacetylene Derivatives. Molecular Crystals and Liquid Crystals, 1998, 322, 253-262.	0.3	2
231	Optical Properties and EL Characteristics of Poly[(disilanylene)oligophenylenes]. Japanese Journal of Applied Physics, 1997, 36, L368-L371.	1.5	16
232	Control of Organic Interfaces with a Thin Film of Silicon Monoxide between 8-Hydroxyquinoline Aluminum and Diamine Layers in an Organic EL Diode. Japanese Journal of Applied Physics, 1997, 36, L1022-L1024.	1.5	11

233	Cascade Connected Organic El Diodes for Multi-Color Emission. Materials Research Society Symposia Proceedings, 1997, 488, 569.	0.1	0
234	Control of Emissive Layer Interfaces with Inorganic Thin Layer Between 8-Hydroxyquinoline Aluminum and Diamine Layers in Organic El Diode. Materials Research Society Symposia Proceedings, 1997, 488,	0.1	0

and Diamine Layers in Organic El Diode. Materials Research Society Symposia Proceedings, 1997, 488, 575. 234 0.1

#	Article	IF	CITATIONS
235	Charge Transfer in Fullerene-Conducting Polymer Compositex: Electronic and Excitonic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures, 1997, 5, 1359-1386.	0.6	5
236	Nonlinear Emission from 8-Hydroxyquinoline Aluminum and Diamine Derivative Superlattice Structures Excited by Third-Harmonic-Generation from Nd:YAG Laser Light. Japanese Journal of Applied Physics, 1997, 36, L421-L424.	1.5	20
237	Novel properties of molecularly doped conducting polymers and junction devices. Synthetic Metals, 1997, 84, 477-482.	3.9	11
238	Enhancement of electroluminescence efficiency in poly(3-alkylthiophene) by doping of dye molecules. Synthetic Metals, 1997, 85, 1241-1242.	3.9	10
239	Color switching organic EL diode. Synthetic Metals, 1997, 85, 1259-1260.	3.9	4
240	Enhancement of electroluminescence intensity in poly(3-alkylthiophene) with different alkyl side-chain length by doping of fluorescent dye. Polymers for Advanced Technologies, 1997, 8, 403-407.	3.2	7
241	Anisotropie optical properties of an organic electroluminescent diode with a periodic multilayer structure. Thin Solid Films, 1996, 273, 199-201.	1.8	3
242	Threeâ€layered multicolor organic electroluminescent device. Applied Physics Letters, 1996, 69, 734-736.	3.3	78
243	Two-Band Electroluminescent Emission in Organic Electroluminescent Diode with Phthalocyanine Film. Japanese Journal of Applied Physics, 1996, 35, L37-L39.	1.5	41
244	Organic Photovoltaic Cell with Donor-Acceptor Double Heterojunctions. Japanese Journal of Applied Physics, 1996, 35, L1438-L1441.	1.5	25
245	Enhancement of Electroluminescence Intensity from Dye-Doped Poly(3-Alkylthiophene) Light Emitting Diode with Different Alkyl-Side-Chain Length. Japanese Journal of Applied Physics, 1996, 35, 4105-4109.	1.5	23
246	Voltage- and Polarity-Tunable Multicolor Organic Electroluminescent Devices. Japanese Journal of Applied Physics, 1996, 35, L1462-L1464.	1.5	7
247	Polarity-Dependent Multicolor Organic Electroluminescent Device. Japanese Journal of Applied Physics, 1996, 35, L397-L400.	1.5	43
248	Electroluminescent Diodes Utilizing Polysilanes. Japanese Journal of Applied Physics, 1996, 35, 3914-3917.	1.5	39
249	Carrier transport in a three-layered electroluminescent device. Journal Physics D: Applied Physics, 1996, 29, 2983-2987.	2.8	7
250	Novel Optical and Electroluminescent Characteristics of Organic Multiple Quantum Well Structure Utilizing Fluorescent Dye Molecules. Molecular Crystals and Liquid Crystals, 1995, 267, 417-422.	0.3	1
251	Ultraviolet Electroluminescent Diode Utilizing Poly(methylphenylsilane). Japanese Journal of Applied Physics, 1995, 34, L1365-L1367	1.5	80
252	Unique Electroluminescent Characteristics of Light-Emitting Diode Utilizing Poly(3-alkylthiophene) Containing Fluorescent Dye. Japanese Journal of Applied Physics, 1995, 34, L1237-L1240.	1.5	28

#	Article	IF	CITATIONS
253	Polarization Anisotropy of Organic Electroluminescent Diode with Periodic Multilayer Structure Utilizing 8-Hydroxyquinoline Aluminum and Aromatic Diamine. Japanese Journal of Applied Physics, 1995, 34, L621-L624.	1.5	15
254	Color-Variable Electroluminescent Diode with Single Quantum Well Structure Utilizing 8-Hydroxyquinoline Aluminum and Aromatic Diamine. Japanese Journal of Applied Physics, 1995, 34, L499-L502.	1.5	25
255	Novel Characteristics of Electroluminescent Diode with Organic Multiple-Quantum-Well Structure. Japanese Journal of Applied Physics, 1995, 34, 3790-3793.	1.5	7
256	Photophysical properties of fullerene-conducting polymer system. Synthetic Metals, 1995, 70, 1317-1320.	3.9	10
257	Optical and electrical characteristics of organic superlattice structure utilizing organic fluorescent molecules. Synthetic Metals, 1995, 71, 2075-2076.	3.9	4
258	Observation of Anomalous Current-Voltage Characteristics in Organic Multilayer-Structure Diode. Japanese Journal of Applied Physics, 1994, 33, L37-L40.	1.5	5
259	Unique Dynamic Characteristics of Electroluminescent Diode with Superlattice Structure Utilizing Cyclopentadiene Derivative and Aromatic Diamine. Japanese Journal of Applied Physics, 1994, 33, L1232-L1235.	1.5	0
260	Novel Optical and Electroluminescent Characteristics in Organic Superlattice Structure Utilizing Cyclopentadiene Derivative and Aromatic Diamine. Japanese Journal of Applied Physics, 1994, 33, L1228-L1231.	1.5	3
261	Efficient Energy Transfer in Organic Multilayer Structure Utilizing 8-Hydroxyquinoline Aluminum and Aromatic Diamine. Japanese Journal of Applied Physics, 1994, 33, L1236-L1238.	1.5	9
262	Photoluminescence Quenching under Reverse Bias in Organic Multilayer Structure Utilizing 8-Hydroxyquinoline Aluminum and Aromatic Diamine. Japanese Journal of Applied Physics, 1994, 33, L348-L350.	1.5	25
263	Fabrication and characteristics of 8â€hydroxyquinoline aluminum/aromatic diamine organic multiple quantum well and its use for electroluminescent diode. Applied Physics Letters, 1993, 62, 3250-3252.	3.3	114
264	Enhancement of Emission Efficiency in Electroluminescent Diode Utilizing Vapor-Deposited Poly(alkylfluorene). Japanese Journal of Applied Physics, 1993, 32, L1663-L1666.	1.5	46
265	Observation of spectral narrowing and emission energy shift in organic electroluminescent diode utilizing 8â€hydroxyquinoline aluminum/aromatic diamine multilayer structure. Applied Physics Letters, 1993, 63, 1871-1873.	3.3	86
266	Pinning Effect of Mixed Cellulose Ester Membrane on Appearance of Cholesteric Blue Phases. Applied Physics Express, 0, 2, 021502.	2.4	8
267	Electric Field Tuning of Plasmonic Absorption of Metallic Grating with Twisted Nematic Liquid Crystal. Applied Physics Express, 0, 2, 086001.	2.4	14
268	Evaluation of hole mobility in non-peripherally alkyl-substituted tetrabenzotriazaporphyrin thin films by MIS-CELIV method. Molecular Crystals and Liquid Crystals, 0, , 1-10.	0.9	2