

Gerard Breart

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8685607/gerard-breart-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

4,456

citations

36

h-index

63

g-index

63

ext. papers

5,216

ext. citations

4.4

avg, IF

4.42

L-index

#	Paper	IF	Citations
62	Neurodevelopmental disabilities and special care of 5-year-old children born before 33 weeks of gestation (the EIPAGE study): a longitudinal cohort study. <i>Lancet, The</i> , 2008 , 371, 813-20	4.0	613
61	Epidemiology and treatment of painful procedures in neonates in intensive care units. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 60-70	27.4	596
60	Cerebral palsy among very preterm children in relation to gestational age and neonatal ultrasound abnormalities: the EIPAGE cohort study. <i>Pediatrics</i> , 2006 , 117, 828-35	7.4	264
59	Is planned vaginal delivery for breech presentation at term still an option? Results of an observational prospective survey in France and Belgium. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1002-11	6.4	260
58	White matter damage and intraventricular hemorrhage in very preterm infants: the EIPAGE study. <i>Journal of Pediatrics</i> , 2003 , 143, 477-83	3.6	156
57	Maternal dengue and pregnancy outcomes: a systematic review. <i>Obstetrical and Gynecological Survey</i> , 2010 , 65, 107-18	2.4	139
56	Adverse reactions and drug-drug interactions in the management of women with postmenopausal osteoporosis. <i>Calcified Tissue International</i> , 2011 , 89, 91-104	3.9	138
55	Predictors of cerebral palsy in very preterm infants: the EIPAGE prospective population-based cohort study. <i>Developmental Medicine and Child Neurology</i> , 2010 , 52, e119-25	3.3	120
54	Neonatal and 5-year outcomes after birth at 30-34 weeks of gestation. <i>Obstetrics and Gynecology</i> , 2007 , 110, 72-80	4.9	101
53	Prolonged sedation and/or analgesia and 5-year neurodevelopment outcome in very preterm infants: results from the EIPAGE cohort. <i>JAMA Pediatrics</i> , 2008 , 162, 728-33		100
52	Differences in rates and short-term outcome of live births before 32 weeks of gestation in Europe in 2003: results from the MOSAIC cohort. <i>Pediatrics</i> , 2008 , 121, e936-44	7.4	98
51	Symptomatic pelvic organ prolapse at midlife, quality of life, and risk factors. <i>Obstetrics and Gynecology</i> , 2009 , 113, 609-616	4.9	97
50	Rates of bronchopulmonary dysplasia in very preterm neonates in Europe: results from the MOSAIC cohort. <i>Neonatology</i> , 2011 , 99, 112-7	4	96
49	How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth?. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 433-7	6.4	93
48	Serum procalcitonin level and other biological markers to distinguish between bacterial and aseptic meningitis in children: a European multicenter case cohort study. <i>JAMA Pediatrics</i> , 2008 , 162, 1157-63		90
47	Perceived morbidity and community burden after a Chikungunya outbreak: the TELECHIK survey, a population-based cohort study. <i>BMC Medicine</i> , 2011 , 9, 5	11.4	87
46	Predictors of Chikungunya rheumatism: a prognostic survey ancillary to the TELECHIK cohort study. <i>Arthritis Research and Therapy</i> , 2013 , 15, R9	5.7	83

45	Predictors of the risk of cognitive deficiency in very preterm infants: the EPIPAGE prospective cohort. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 370-8	3.1	81
44	Serum procalcitonin and other biologic markers to distinguish between bacterial and aseptic meningitis. <i>Journal of Pediatrics</i> , 2006 , 149, 72-6	3.6	77
43	Obstetric patients treated in intensive care units and maternal mortality. Regional Teams for the Survey. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996 , 65, 121-5	2.4	73
42	Determinants and consequences of discrepancies in menstrual and ultrasonographic gestational age estimates. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 145-52	3.7	63
41	Proteins, dietary acid load, and calcium and risk of postmenopausal fractures in the E3N French women prospective study. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1915-22	6.3	62
40	Distinguishing between bacterial and aseptic meningitis in children: European comparison of two clinical decision rules. <i>Archives of Disease in Childhood</i> , 2010 , 95, 963-7	2.2	61
39	Algorithms for combining menstrual and ultrasound estimates of gestational age: consequences for rates of preterm and postterm birth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 718-20	3.7	60
38	Mode of delivery and severe stress incontinence. a cross-sectional study among 2,625 perimenopausal women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1646-51	3.7	60
37	Special care and school difficulties in 8-year-old very preterm children: the EpiPAGE cohort study. <i>PLoS ONE</i> , 2011 , 6, e21361	3.7	59
36	Risk of autoimmune diseases and human papilloma virus (HPV) vaccines: Six years of case-referent surveillance. <i>Journal of Autoimmunity</i> , 2017 , 79, 84-90	15.5	51
35	Outborn status with a medical neonatal transport service and survival without disability at two years. A population-based cohort survey of newborns of less than 33 weeks of gestation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998 , 79, 13-8	2.4	46
34	Regionalization of perinatal care in Europe. <i>Seminars in Fetal and Neonatal Medicine</i> , 2004 , 9, 99-110		46
33	Detecting and eliminating erroneous gestational ages: a normal mixture model. <i>Statistics in Medicine</i> , 2001 , 20, 3491-503	2.3	45
32	Procalcitonin to reduce the number of unnecessary cystographies in children with a urinary tract infection: a European validation study. <i>Journal of Pediatrics</i> , 2007 , 150, 89-95	3.6	43
31	Mode of delivery and fecal incontinence at midlife: a study of 2,640 women in the Gazel cohort. <i>Obstetrics and Gynecology</i> , 2007 , 110, 31-8	4.9	43
30	Negative impact of urinary incontinence on quality of life, a cross-sectional study among women aged 49-61 years enrolled in the GAZEL cohort. <i>Neurourology and Urodynamics</i> , 2006 , 25, 696-702	2.3	42
29	Sensitivity of the bacterial meningitis score in 889 children with bacterial meningitis. <i>Journal of Pediatrics</i> , 2008 , 152, 378-82	3.6	40
28	Symptomatic Dengue infection during pregnancy and infant outcomes: a retrospective cohort study. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3226	4.8	39

27	Pregnancy-related deaths in four regions of Europe and the United States in 1999-2000: characterisation of unreported deaths. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 179-85	2.4	39
26	Changes in care and outcome of very preterm babies in the Parisian region between 1998 and 2003. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010 , 95, F188-93	4.7	30
25	Impact of maternity unit closures on access to obstetrical care: the French experience between 1998 and 2003. <i>Social Science and Medicine</i> , 2008 , 67, 1521-9	5.1	30
24	Postpartum practice: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 202, 1-8	2.4	24
23	Distribution of maternity units and spatial access to specialised care for women delivering before 32 weeks of gestation in Europe. <i>Health and Place</i> , 2010 , 16, 531-8	4.6	22
22	Clinical decision rules for evaluating meningitis in children. <i>Current Opinion in Neurology</i> , 2009 , 22, 288-93	3.1	21
21	Hospitalization for severe bacterial infections in children after exposure to NSAIDs: a prospective adverse drug reaction reporting study. <i>Clinical Drug Investigation</i> , 2010 , 30, 179-85	3.2	20
20	Do risk factors for elective cesarean section differ from those of cesarean section during labor in low risk pregnancies?. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 297-305	2.7	20
19	Sociodemographic characteristics of mother's population and risk of preterm birth in Chile. <i>Reproductive Health</i> , 2013 , 10, 26	3.5	15
18	Dengue epidemics and adverse obstetrical outcomes in French Guiana: a semi-ecological study. <i>Tropical Medicine and International Health</i> , 2014 , 19, 153-8	2.3	12
17	Trends in gestational age and birth weight in Chile, 1991-2008. A descriptive epidemiological study. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 121	3.2	12
16	Prediction of high-grade vesicoureteral reflux after pediatric urinary tract infection: external validation study of procalcitonin-based decision rule. <i>PLoS ONE</i> , 2011 , 6, e29556	3.7	12
15	Prediction of clinical infection in women with preterm labour with intact membranes: a score based on ultrasonographic, clinical and biological markers. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009 , 145, 36-40	2.4	11
14	Risk factors for not delivering in a level III unit before 32 weeks of gestation: results from a population-based study in Paris and surrounding districts in 2003. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 126-35	2.7	11
13	Planned vaginal delivery of fetuses in breech presentation at term: prenatal determinants predictive of elevated risk of cesarean delivery during labor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 138, 14-22	2.4	9
12	Prediction of moderate and high grade vesicoureteral reflux after a first febrile urinary tract infection in children: construction and internal validation of a clinical decision rule. <i>Journal of Urology</i> , 2012 , 187, 265-71	2.5	8
11	Determinants of caesarean section in Lebanon: geographical differences. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 136-44	2.7	8
10	Women's views on Friendly IVF: a qualitative preliminary study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009 , 30, 101-4	3.6	7

9	Is prenatal identification of fetal macrosomia useful?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 161, 170-6	2.4	5
8	Maternal psychological impact of medical information in the neonatal period after premature birth. <i>Early Human Development</i> , 2009 , 85, 791-3	2.2	5
7	From knowledge to planning considerations: a matrix to assess health needs for the perinatal network in eastern Paris. <i>European Journal of Public Health</i> , 2011 , 21, 504-11	2.1	4
6	Collecting population-based perinatal data efficiently: the example of the Lebanese National Perinatal Survey. <i>Paediatric and Perinatal Epidemiology</i> , 2006 , 20, 416-24	2.7	4
5	Infant and toddler disease score was useful for risk of hospitalization based on data from administrative claims. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 680-5	5.7	3
4	The Difficult Design of Epidemiologic Studies on Zika Virus and Pregnancy. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 531-532	2.7	2
3	Predictive factors of preterm delivery in French Guiana for singleton pregnancies: definition and validation of a predictive score. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 1709-1716	2	0
2	White matter damage and neonatal sepsis: authors' reply. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, e1-e2	3.1	
1	Impact de l'organisation des soins en périnatalité. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2018 , 202, 657-662	0.1	