

Gerard Breart

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8685607/gerard-breart-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

4,456

citations

36

h-index

63

g-index

63

ext. papers

5,216

ext. citations

4.4

avg, IF

4.42

L-index

#	Paper	IF	Citations
62	Predictive factors of preterm delivery in French Guiana for singleton pregnancies: definition and validation of a predictive score. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 1709-1716	2	0
61	Impact de l'organisation des soins en périnatalité. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2018 , 202, 657-662	0.1	
60	Risk of autoimmune diseases and human papilloma virus (HPV) vaccines: Six years of case-referent surveillance. <i>Journal of Autoimmunity</i> , 2017 , 79, 84-90	15.5	51
59	The Difficult Design of Epidemiologic Studies on Zika Virus and Pregnancy. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 531-532	2.7	2
58	Postpartum practice: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 202, 1-8	2.4	24
57	Symptomatic Dengue infection during pregnancy and infant outcomes: a retrospective cohort study. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3226	4.8	39
56	Dengue epidemics and adverse obstetrical outcomes in French Guiana: a semi-ecological study. <i>Tropical Medicine and International Health</i> , 2014 , 19, 153-8	2.3	12
55	Sociodemographic characteristics of mother's population and risk of preterm birth in Chile. <i>Reproductive Health</i> , 2013 , 10, 26	3.5	15
54	Predictors of Chikungunya rheumatism: a prognostic survey ancillary to the TELECHIK cohort study. <i>Arthritis Research and Therapy</i> , 2013 , 15, R9	5.7	83
53	Prediction of moderate and high grade vesicoureteral reflux after a first febrile urinary tract infection in children: construction and internal validation of a clinical decision rule. <i>Journal of Urology</i> , 2012 , 187, 265-71	2.5	8
52	Is prenatal identification of fetal macrosomia useful?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 161, 170-6	2.4	5
51	Trends in gestational age and birth weight in Chile, 1991-2008. A descriptive epidemiological study. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 121	3.2	12
50	Prediction of high-grade vesicoureteral reflux after pediatric urinary tract infection: external validation study of procalcitonin-based decision rule. <i>PLoS ONE</i> , 2011 , 6, e29556	3.7	12
49	Predictors of the risk of cognitive deficiency in very preterm infants: the EPIPAGE prospective cohort. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 370-8	3.1	81
48	White matter damage and neonatal sepsis: authors' reply. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, e1-e2	3.1	
47	Adverse reactions and drug-drug interactions in the management of women with postmenopausal osteoporosis. <i>Calcified Tissue International</i> , 2011 , 89, 91-104	3.9	138
46	Perceived morbidity and community burden after a Chikungunya outbreak: the TELECHIK survey, a population-based cohort study. <i>BMC Medicine</i> , 2011 , 9, 5	11.4	87

45	Rates of bronchopulmonary dysplasia in very preterm neonates in Europe: results from the MOSAIC cohort. <i>Neonatology</i> , 2011 , 99, 112-7	4	96
44	From knowledge to planning considerations: a matrix to assess health needs for the perinatal network in eastern Paris. <i>European Journal of Public Health</i> , 2011 , 21, 504-11	2.1	4
43	Special care and school difficulties in 8-year-old very preterm children: the Epipage cohort study. <i>PLoS ONE</i> , 2011 , 6, e21361	3.7	59
42	Distinguishing between bacterial and aseptic meningitis in children: European comparison of two clinical decision rules. <i>Archives of Disease in Childhood</i> , 2010 , 95, 963-7	2.2	61
41	Changes in care and outcome of very preterm babies in the Parisian region between 1998 and 2003. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010 , 95, F188-93	4.7	30
40	Hospitalization for severe bacterial infections in children after exposure to NSAIDs: a prospective adverse drug reaction reporting study. <i>Clinical Drug Investigation</i> , 2010 , 30, 179-85	3.2	20
39	Maternal dengue and pregnancy outcomes: a systematic review. <i>Obstetrical and Gynecological Survey</i> , 2010 , 65, 107-18	2.4	139
38	Distribution of maternity units and spatial access to specialised care for women delivering before 32 weeks of gestation in Europe. <i>Health and Place</i> , 2010 , 16, 531-8	4.6	22
37	Predictors of cerebral palsy in very preterm infants: the EPIPAGE prospective population-based cohort study. <i>Developmental Medicine and Child Neurology</i> , 2010 , 52, e119-25	3.3	120
36	Women's views on Friendly IVF: a qualitative preliminary study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009 , 30, 101-4	3.6	7
35	Symptomatic pelvic organ prolapse at midlife, quality of life, and risk factors. <i>Obstetrics and Gynecology</i> , 2009 , 113, 609-616	4.9	97
34	Maternal psychological impact of medical information in the neonatal period after premature birth. <i>Early Human Development</i> , 2009 , 85, 791-3	2.2	5
33	Prediction of clinical infection in women with preterm labour with intact membranes: a score based on ultrasonographic, clinical and biological markers. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009 , 145, 36-40	2.4	11
32	Clinical decision rules for evaluating meningitis in children. <i>Current Opinion in Neurology</i> , 2009 , 22, 288-93.1	3.1	21
31	Determinants of caesarean section in Lebanon: geographical differences. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 136-44	2.7	8
30	Risk factors for not delivering in a level III unit before 32 weeks of gestation: results from a population-based study in Paris and surrounding districts in 2003. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 126-35	2.7	11
29	Sensitivity of the bacterial meningitis score in 889 children with bacterial meningitis. <i>Journal of Pediatrics</i> , 2008 , 152, 378-82	3.6	40
28	Impact of maternity unit closures on access to obstetrical care: the French experience between 1998 and 2003. <i>Social Science and Medicine</i> , 2008 , 67, 1521-9	5.1	30

27	Planned vaginal delivery of fetuses in breech presentation at term: prenatal determinants predictive of elevated risk of cesarean delivery during labor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 138, 14-22	2.4	9
26	Neurodevelopmental disabilities and special care of 5-year-old children born before 33 weeks of gestation (the EPIPAGE study): a longitudinal cohort study. <i>Lancet, The</i> , 2008 , 371, 813-20	4.0	613
25	Differences in rates and short-term outcome of live births before 32 weeks of gestation in Europe in 2003: results from the MOSAIC cohort. <i>Pediatrics</i> , 2008 , 121, e936-44	7.4	98
24	Do risk factors for elective cesarean section differ from those of cesarean section during labor in low risk pregnancies?. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 297-305	2.7	20
23	Serum procalcitonin level and other biological markers to distinguish between bacterial and aseptic meningitis in children: a European multicenter case cohort study. <i>JAMA Pediatrics</i> , 2008 , 162, 1157-63		90
22	Prolonged sedation and/or analgesia and 5-year neurodevelopment outcome in very preterm infants: results from the EPIPAGE cohort. <i>JAMA Pediatrics</i> , 2008 , 162, 728-33		100
21	Epidemiology and treatment of painful procedures in neonates in intensive care units. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 60-70	27.4	596
20	Proteins, dietary acid load, and calcium and risk of postmenopausal fractures in the E3N French women prospective study. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1915-22	6.3	62
19	Procalcitonin to reduce the number of unnecessary cystographies in children with a urinary tract infection: a European validation study. <i>Journal of Pediatrics</i> , 2007 , 150, 89-95	3.6	43
18	Neonatal and 5-year outcomes after birth at 30-34 weeks of gestation. <i>Obstetrics and Gynecology</i> , 2007 , 110, 72-80	4.9	101
17	Mode of delivery and fecal incontinence at midlife: a study of 2,640 women in the Gazel cohort. <i>Obstetrics and Gynecology</i> , 2007 , 110, 31-8	4.9	43
16	Pregnancy-related deaths in four regions of Europe and the United States in 1999-2000: characterisation of unreported deaths. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 179-85	2.4	39
15	Infant and toddler disease score was useful for risk of hospitalization based on data from administrative claims. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 680-5	5.7	3
14	Negative impact of urinary incontinence on quality of life, a cross-sectional study among women aged 49-61 years enrolled in the GAZEL cohort. <i>Neurourology and Urodynamics</i> , 2006 , 25, 696-702	2.3	42
13	Cerebral palsy among very preterm children in relation to gestational age and neonatal ultrasound abnormalities: the EPIPAGE cohort study. <i>Pediatrics</i> , 2006 , 117, 828-35	7.4	264
12	Serum procalcitonin and other biologic markers to distinguish between bacterial and aseptic meningitis. <i>Journal of Pediatrics</i> , 2006 , 149, 72-6	3.6	77
11	Collecting population-based perinatal data efficiently: the example of the Lebanese National Perinatal Survey. <i>Paediatric and Perinatal Epidemiology</i> , 2006 , 20, 416-24	2.7	4
10	Is planned vaginal delivery for breech presentation at term still an option? Results of an observational prospective survey in France and Belgium. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1002-11	6.4	260

9	Determinants and consequences of discrepancies in menstrual and ultrasonographic gestational age estimates. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 145-52	3.7	63
8	Mode of delivery and severe stress incontinence. a cross-sectional study among 2,625 perimenopausal women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1646-51	3.7	60
7	Regionalization of perinatal care in Europe. <i>Seminars in Fetal and Neonatal Medicine</i> , 2004 , 9, 99-110		46
6	White matter damage and intraventricular hemorrhage in very preterm infants: the EPIPAGE study. <i>Journal of Pediatrics</i> , 2003 , 143, 477-83	3.6	156
5	How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth?. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 433-7	6.4	93
4	Algorithms for combining menstrual and ultrasound estimates of gestational age: consequences for rates of preterm and postterm birth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 718-20	3.7	60
3	Detecting and eliminating erroneous gestational ages: a normal mixture model. <i>Statistics in Medicine</i> , 2001 , 20, 3491-503	2.3	45
2	Outborn status with a medical neonatal transport service and survival without disability at two years. A population-based cohort survey of newborns of less than 33 weeks of gestation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998 , 79, 13-8	2.4	46
1	Obstetric patients treated in intensive care units and maternal mortality. Regional Teams for the Survey. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996 , 65, 121-5	2.4	73