
## Jared M Dickinson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8685623/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of the lysosomotropic agent chloroquine on mTORC1 activation and protein synthesis in human skeletal muscle. Nutrition and Metabolism, 2021, 18, 61.	3.0	4
2	The effects of acute aerobic and resistance exercise on mTOR signaling and autophagy markers in untrained human skeletal muscle. European Journal of Applied Physiology, 2021, 121, 2913-2924.	2.5	15
3	Comparison of constant load exercise intensity for verification of maximal oxygen uptake following a graded exercise test in older adults. Physiological Reports, 2021, 9, e15037.	1.7	3
4	Effect of Aerobic Exercise Training and Essential Amino Acid Supplementation for 24 Weeks on Physical Function, Body Composition, and Muscle Metabolism in Healthy, Independent Older Adults: A Randomized Clinical Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1598-1604.	3.6	38
5	A Phase I Randomized Clinical Trial of Evidence-Based, Pragmatic Interventions to Improve Functional Recovery After Hospitalization in Geriatric Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1628-1636.	3.6	14
6	A Randomized Controlled Pilot Trial of Interventions to Improve Functional Recovery After Hospitalization in Older Adults: Feasibility and Adherence. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 187-193.	3.6	19
7	Prior acetaminophen consumption impacts the early adaptive cellular response of human skeletal muscle to resistance exercise. Journal of Applied Physiology, 2018, 124, 1012-1024.	2.5	17
8	Transcriptome response of human skeletal muscle to divergent exercise stimuli. Journal of Applied Physiology, 2018, 124, 1529-1540.	2.5	61
9	Lower Fasted‣tate but Greater Increase in Muscle Protein Synthesis in Response to Elevated Plasma Amino Acids in Obesity. Obesity, 2018, 26, 1179-1187.	3.0	23
10	Impact of TGF-β inhibition during acute exercise on Achilles tendon extracellular matrix. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2017, 312, R157-R164.	1.8	16
11	Post-absorptive muscle protein turnover affects resistance training hypertrophy. European Journal of Applied Physiology, 2017, 117, 853-866.	2.5	45
12	Impact of acetaminophen consumption and resistance exercise on extracellular matrix gene expression in human skeletal muscle. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2017, 313, R44-R50.	1.8	11
13	Postexercise essential amino acid supplementation amplifies skeletal muscle satellite cell proliferation in older men 24Âhours postexercise. Physiological Reports, 2017, 5, e13269.	1.7	14
14	The impact of postexercise essential amino acid ingestion on the ubiquitin proteasome and autophagosomal-lysosomal systems in skeletal muscle of older men. Journal of Applied Physiology, 2017, 122, 620-630.	2.5	26
15	Exercise Protects Skeletal Muscle during Chronic Doxorubicin Administration. Medicine and Science in Sports and Exercise, 2017, 49, 2394-2403.	0.4	19
16	Identifying effective and feasible interventions to accelerate functional recovery from hospitalization in older adults: A randomized controlled pilot trial. Contemporary Clinical Trials, 2016, 49, 6-14.	1.8	16
17	Effect of age on basal muscle protein synthesis and mTORC1 signaling in a large cohort of young and older men and women. Experimental Gerontology, 2015, 65, 1-7.	2.8	116
18	Leucine-Enriched Amino Acid Ingestion after Resistance Exercise Prolongs Myofibrillar Protein Synthesis and Amino Acid Transporter Expression in Older Men. Journal of Nutrition, 2014, 144, 1694-1702.	2.9	83

JARED M DICKINSON

#	Article	IF	CITATIONS
19	Higher sodium and saturated fat intake is associated with lower muscle protein synthesis in elders (820.16). FASEB Journal, 2014, 28, 820.16.	0.5	0
20	Aging differentially affects human skeletal muscle amino acid transporter expression when essential amino acids are ingested after exercise. Clinical Nutrition, 2013, 32, 273-280.	5.0	60
21	Rapamycin does not affect post-absorptive protein metabolism in human skeletal muscle. Metabolism: Clinical and Experimental, 2013, 62, 144-151.	3.4	16
22	Exercise and Nutrition to Target Protein Synthesis Impairments in Aging Skeletal Muscle. Exercise and Sport Sciences Reviews, 2013, 41, 216-223.	3.0	107
23	Amino acid transporters in the regulation of human skeletal muscle protein metabolism. Current Opinion in Clinical Nutrition and Metabolic Care, 2013, 16, 638-644.	2.5	36
24	The acute aerobic exerciseâ€induced increase in amino acid transporter expression adapts to exercise training in older adults. FASEB Journal, 2013, 27, 350.3.	0.5	0
25	Excess postexercise leucine ingestion enhances muscle protein synthesis in skeletal muscle of older men. FASEB Journal, 2013, 27, 350.2.	0.5	Ο
26	Rapamycin administration does not impair basal protein metabolism in human skeletal muscle. FASEB Journal, 2012, 26, 1075.3.	0.5	1
27	Shortâ€ŧerm bed rest increases inflammation as evidenced by elevated TLR4, NFκB1 and IL6 expression in skeletal muscle of older adults. FASEB Journal, 2012, 26, 715.2.	0.5	Ο
28	Basal muscle protein synthesis is unaffected by sex in young and older adults. FASEB Journal, 2012, 26, 42.6.	0.5	0
29	Influence of excess postexercise leucine ingestion on mTORC1 signaling and gene expression in skeletal muscle of older men: a 24 hr timeâ€course. FASEB Journal, 2012, 26, 42.8.	0.5	Ο
30	Acute aerobic exercise increases AdipoR1 and RAGE proteins and decreases HSP60 protein in skeletal muscle of physically inactive older adults. FASEB Journal, 2012, 26, 1142.5.	0.5	0
31	Effect of protein blend vs whey protein ingestion on muscle protein synthesis following resistance exercise. FASEB Journal, 2012, 26, 1013.9.	0.5	Ο
32	Essential amino acid sensing, signaling, and transport in the regulation of human muscle protein metabolism. Current Opinion in Clinical Nutrition and Metabolic Care, 2011, 14, 83-88.	2.5	36
33	Mammalian Target of Rapamycin Complex 1 Activation Is Required for the Stimulation of Human Skeletal Muscle Protein Synthesis by Essential Amino Acids1–3. Journal of Nutrition, 2011, 141, 856-862.	2.9	225