

Bi-Jun Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/868883/publications.pdf>

Version: 2024-02-01

34
papers

1,151
citations

430874

18
h-index

395702

33
g-index

38
all docs

38
docs citations

38
times ranked

2078
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | LACTB promotes metastasis of nasopharyngeal carcinoma via activation of ERBB3/EGFR-ERK signaling resulting in unfavorable patient survival. <i>Cancer Letters</i> , 2021, 498, 165-177. | 7.2 | 19 |
| 2 | ACE2 in tumor cells and tumor vasculature: Negligible intercellular transfer from cancer cells into endothelial cells. <i>Visualized Cancer Medicine</i> , 2021, 2, 3. | 0.9 | 2 |
| 3 | The autoregulatory serglycin/CD44 axis drives stemness-like phenotypes in TNBC in a Wnt/catenin-dependent manner. <i>Clinical and Translational Medicine</i> , 2021, 11, e311. | 4.0 | 2 |
| 4 | Metastasis of nasopharyngeal carcinoma: What we know and do not know. <i>Visualized Cancer Medicine</i> , 2021, 2, 4. | 0.9 | 6 |
| 5 | AKR1C2 acts as a targetable oncogene in esophageal squamous cell carcinoma via activating PI3K/AKT signaling pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9999-10012. | 3.6 | 10 |
| 6 | Geographical disparities in the prognosis of patients with nasopharyngeal carcinoma treated with intensity-modulated radiation therapy: a large institution-based cohort study from an endemic area. <i>BMJ Open</i> , 2020, 10, e037150. | 1.9 | 4 |
| 7 | S100A14 suppresses metastasis of nasopharyngeal carcinoma by inhibition of NF- κ B signaling through degradation of IRAK1. <i>Oncogene</i> , 2020, 39, 5307-5322. | 5.9 | 30 |
| 8 | ETV4 is a theranostic target in clear cell renal cell carcinoma that promotes metastasis by activating the pro-metastatic gene FOSL1 in a PI3K-AKT dependent manner. <i>Cancer Letters</i> , 2020, 482, 74-89. | 7.2 | 19 |
| 9 | PTPN3 Inhibits the Growth and Metastasis of Clear Cell Renal Cell Carcinoma via Inhibition of PI3K/AKT Signaling. <i>Molecular Cancer Research</i> , 2020, 18, 903-912. | 3.4 | 17 |
| 10 | Antioxidants suppress radiation-induced apoptosis via inhibiting MAPK pathway in nasopharyngeal carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 527, 770-777. | 2.1 | 14 |
| 11 | Candidate tumor suppressor gene IRF6 is involved in human breast cancer pathogenesis via modulating PI3K-regulatory subunit PIK3R2 expression. <i>Cancer Management and Research</i> , 2019, Volume 11, 5557-5572. | 1.9 | 14 |
| 12 | The Upregulation of Trophinin-Associated Protein (TROAP) Predicts a Poor Prognosis in Hepatocellular Carcinoma. <i>Journal of Cancer</i> , 2019, 10, 957-967. | 2.5 | 31 |
| 13 | GTSE1 is involved in breast cancer progression in p53 mutation-dependent manner. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 152. | 8.6 | 42 |
| 14 | p53, latent membrane protein 1, bcl-2, and prognosis in nasopharyngeal carcinoma: a meta-analysis. <i>Histology and Histopathology</i> , 2019, 34, 103-110. | 0.7 | 4 |
| 15 | Along with its favorable prognostic role, CLCA2 inhibits growth and metastasis of nasopharyngeal carcinoma cells via inhibition of FAK/ERK signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 34. | 8.6 | 33 |
| 16 | Global expression profiling and pathway analysis of mouse mammary tumor reveals strain and stage specific dysregulated pathways in breast cancer progression. <i>Cell Cycle</i> , 2018, 17, 963-973. | 2.6 | 6 |
| 17 | The developmental transcription factor IRF6 attenuates ABCG2 gene expression and distinctively reverses stemness phenotype in nasopharyngeal carcinoma. <i>Cancer Letters</i> , 2018, 431, 230-243. | 7.2 | 31 |
| 18 | Nuclear PGK1 Alleviates ADP-Dependent Inhibition of CDC7 to Promote DNA Replication. <i>Molecular Cell</i> , 2018, 72, 650-660.e8. | 9.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Concurrent Chemoradiotherapy versus Intensity-modulated Radiotherapy Alone for Elderly Nasopharyngeal Carcinoma Patients with Pre-treatment Epstein-Barr Virus DNA: A Cohort Study in an Endemic Area with Long-term Follow-up. <i>Journal of Cancer</i> , 2018, 9, 3023-3031. | 2.5 | 10 |
| 20 | A comparison of weekly versus 3-weekly cisplatin during concurrent chemoradiotherapy for locoregionally advanced nasopharyngeal carcinoma using intensity modulated radiation therapy: a matched study. <i>Journal of Cancer</i> , 2018, 9, 92-99. | 2.5 | 17 |
| 21 | CDC42-interacting protein 4 promotes metastasis of nasopharyngeal carcinoma by mediating invadopodia formation and activating EGFR signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 21. | 8.6 | 26 |
| 22 | Promoting tumorigenesis in nasopharyngeal carcinoma, NEDD8 serves as a potential theranostic target. <i>Cell Death and Disease</i> , 2017, 8, e2834-e2834. | 6.3 | 47 |
| 23 | SPINK6 Promotes Metastasis of Nasopharyngeal Carcinoma via Binding and Activation of Epithelial Growth Factor Receptor. <i>Cancer Research</i> , 2017, 77, 579-589. | 0.9 | 47 |
| 24 | IL-8 suppresses E-cadherin expression in nasopharyngeal carcinoma cells by enhancing E-cadherin promoter DNA methylation. <i>International Journal of Oncology</i> , 2016, 48, 207-214. | 3.3 | 22 |
| 25 | PDZ binding kinase (PBK) is a theranostic target for nasopharyngeal carcinoma: driving tumor growth via ROS signaling and correlating with patient survival. <i>Oncotarget</i> , 2016, 7, 26604-26616. | 1.8 | 23 |
| 26 | WNT5A promotes stemness characteristics in nasopharyngeal carcinoma cells leading to metastasis and tumorigenesis. <i>Oncotarget</i> , 2015, 6, 10239-10252. | 1.8 | 67 |
| 27 | Downregulation of Ras Association Domain Family Member 6 (RASSF6) Underlies the Treatment Resistance of Highly Metastatic Nasopharyngeal Carcinoma Cells. <i>PLoS ONE</i> , 2014, 9, e100843. | 2.5 | 13 |
| 28 | Urokinase-type plasminogen activator receptor signaling is critical in nasopharyngeal carcinoma cell growth and metastasis. <i>Cell Cycle</i> , 2014, 13, 1958-1969. | 2.6 | 44 |
| 29 | <i>RASSF6</i> promotes p21 ^{Cip1/Waf1} -dependent cell cycle arrest and apoptosis through activation of the JNK/SAPK pathway in clear cell renal cell carcinoma. <i>Cell Cycle</i> , 2014, 13, 1440-1449. | 2.6 | 24 |
| 30 | Cancer stem-like cell characteristics induced by EB virus-encoded LMP1 contribute to radioresistance in nasopharyngeal carcinoma by suppressing the p53-mediated apoptosis pathway. <i>Cancer Letters</i> , 2014, 344, 260-271. | 7.2 | 70 |
| 31 | Tumor-derived exosomes promote tumor progression and T-cell dysfunction through the regulation of enriched exosomal microRNAs in human nasopharyngeal carcinoma. <i>Oncotarget</i> , 2014, 5, 5439-5452. | 1.8 | 303 |
| 32 | Epstein-Barr Virus_Encoded LMP1 Upregulates MicroRNA-21 to Promote the Resistance of Nasopharyngeal Carcinoma Cells to Cisplatin-Induced Apoptosis by Suppressing PDCD4 and Fas-L. <i>PLoS ONE</i> , 2013, 8, e78355. | 2.5 | 73 |
| 33 | Long-Term Toxicity Studies in Canine of E10A, An Adenoviral Vector for Human Endostatin Gene. <i>Human Gene Therapy</i> , 2007, 18, 207-221. | 2.7 | 16 |
| 34 | Observation on effect of treatment of alcoholic fatty liver by traditional medical therapy of liver-clearing, dampness-removing and collaterals-dredging. , 2002, 8, 134-136. | | 1 |