

Alessandro Tozzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8690493/publications.pdf>

Version: 2024-02-01

82
papers

5,111
citations

109264

35
h-index

91828

69
g-index

83
all docs

83
docs citations

83
times ranked

7350
citing authors

#	ARTICLE	IF	CITATIONS
1	Developmental impaired Akt signaling in the Shank1 and Shank3 double knock-out mice. <i>Molecular Psychiatry</i> , 2021, 26, 1928-1944.	4.1	26
2	Dopamine-dependent early synaptic and motor dysfunctions induced by α -synuclein in the nigrostriatal circuit. <i>Brain</i> , 2021, 144, 3477-3491.	3.7	49
3	Synaptic Dysfunction in Multiple Sclerosis: A Red Thread from Inflammation to Network Disconnection. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9753.	1.8	17
4	Interleukin-17 affects synaptic plasticity and cognition in an experimental model of multiple sclerosis. <i>Cell Reports</i> , 2021, 37, 110094.	2.9	38
5	Rapid Estrogenic and Androgenic Neurosteroids Effects in the Induction of Long-Term Synaptic Changes: Implication for Early Memory Formation. <i>Frontiers in Neuroscience</i> , 2020, 14, 572511.	1.4	21
6	From Synaptic Dysfunction to Neuroprotective Strategies in Genetic Parkinson's Disease: Lessons From LRRK2. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 158.	1.8	15
7	Effects of safinamide on the glutamatergic striatal network in experimental Parkinson's disease. <i>Neuropharmacology</i> , 2020, 170, 108024.	2.0	8
8	Low doses of Perampanel protect striatal and hippocampal neurons against in vitro ischemia by reversing the ischemia-induced alteration of AMPA receptor subunit composition. <i>Neurobiology of Disease</i> , 2020, 140, 104848.	2.1	19
9	Alpha-synuclein targets GluN2A NMDA receptor subunit causing striatal synaptic dysfunction and visuospatial memory alteration. <i>Brain</i> , 2019, 142, 1365-1385.	3.7	82
10	Differential effect of FHM2 mutation on synaptic plasticity in distinct hippocampal regions. <i>Cephalalgia</i> , 2019, 39, 1333-1338.	1.8	8
11	Selective inhibition of mitochondrial sodium-calcium exchanger protects striatal neurons from α -synuclein plus rotenone induced toxicity. <i>Cell Death and Disease</i> , 2019, 10, 80.	2.7	17
12	Striatal spreading depolarization: Possible implication in levodopa-induced dyskinesia-like behavior. <i>Movement Disorders</i> , 2019, 34, 832-844.	2.2	6
13	Bidirectional Synaptic Plasticity Is Driven by Sex Neurosteroids Targeting Estrogen and Androgen Receptors in Hippocampal CA1 Pyramidal Neurons. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 534.	1.8	20
14	Dopamine D2 receptor-mediated neuroprotection in a G2019S Lrrk2 genetic model of Parkinson's disease. <i>Cell Death and Disease</i> , 2018, 9, 204.	2.7	35
15	Microglial activation and the nitric oxide/cGMP/PKG pathway underlie enhanced neuronal vulnerability to mitochondrial dysfunction in experimental multiple sclerosis. <i>Neurobiology of Disease</i> , 2018, 113, 97-108.	2.1	27
16	Lacosamide protects striatal and hippocampal neurons from in vitro ischemia without altering physiological synaptic plasticity. <i>Neuropharmacology</i> , 2018, 135, 424-430.	2.0	13
17	Dopamine D2 receptor activation potently inhibits striatal glutamatergic transmission in a G2019S LRRK2 genetic model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2018, 118, 1-8.	2.1	22
18	Pharmacological enhancement of mGlu5 receptors rescues behavioral deficits in SHANK3 knock-out mice. <i>Molecular Psychiatry</i> , 2017, 22, 689-702.	4.1	134

#	ARTICLE	IF	CITATIONS
19	Homer1b/c clustering is impaired in Phelan-McDermid Syndrome iPSCs derived neurons. <i>Molecular Psychiatry</i> , 2017, 22, 637-637.	4.1	4
20	Hippocampal neuroplasticity and inflammation: relevance for multiple sclerosis. <i>Multiple Sclerosis and Demyelinating Disorders</i> , 2017, 2, .	1.1	19
21	Different synaptic stimulation patterns influence the local androgenic and estrogenic neurosteroid availability triggering hippocampal synaptic plasticity in the male rat. <i>European Journal of Neuroscience</i> , 2017, 45, 499-509.	1.2	10
22	Epilepsy, amyloid- β , and D1 dopamine receptors: a possible pathogenetic link?. <i>Neurobiology of Aging</i> , 2016, 48, 161-171.	1.5	71
23	Persistent activation of microglia and NADPH oxidase drive hippocampal dysfunction in experimental multiple sclerosis. <i>Scientific Reports</i> , 2016, 6, 20926.	1.6	68
24	Alpha-Synuclein Produces Early Behavioral Alterations via Striatal Cholinergic Synaptic Dysfunction by Interacting With GluN2D N-Methyl-D-Aspartate Receptor Subunit. <i>Biological Psychiatry</i> , 2016, 79, 402-414.	0.7	77
25	Interferon- β 1a modulates glutamate neurotransmission in the CNS through CaMKII and GluN2A-containing NMDA receptors. <i>Neuropharmacology</i> , 2016, 100, 98-105.	2.0	17
26	Interaction between basal ganglia and limbic circuits in learning and memory processes. <i>Parkinsonism and Related Disorders</i> , 2016, 22, S65-S68.	1.1	18
27	Endogenous 17 β -estradiol is required for activity-dependent long-term potentiation in the striatum: interaction with the dopaminergic system. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 192.	1.8	43
28	Neo-synthesis of estrogenic or androgenic neurosteroids determine whether long-term potentiation or depression is induced in hippocampus of male rat. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 376.	1.8	25
29	Region- and age-dependent reductions of hippocampal long-term potentiation and NMDA to AMPA ratio in a genetic model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015, 36, 123-133.	1.5	30
30	Abnormal cortical lysosomal β -hexosaminidase and β -galactosidase activity at post-synaptic sites during Alzheimer's disease progression. <i>International Journal of Biochemistry and Cell Biology</i> , 2015, 58, 62-70.	1.2	23
31	Ischemic Stroke Injury Is Mediated by Aberrant Cdk5. <i>Journal of Neuroscience</i> , 2014, 34, 8259-8267.	1.7	73
32	Interferon- β 1a protects neurons against mitochondrial toxicity via modulation of STAT1 signaling: Electrophysiological evidence. <i>Neurobiology of Disease</i> , 2014, 62, 387-393.	2.1	17
33	c-Jun N-terminal kinase has a key role in Alzheimer disease synaptic dysfunction in vivo. <i>Cell Death and Disease</i> , 2014, 5, e1019-e1019.	2.7	88
34	Direct and indirect pathways of basal ganglia: a critical reappraisal. <i>Nature Neuroscience</i> , 2014, 17, 1022-1030.	7.1	598
35	Cortical spreading depression as a target for anti-migraine agents. <i>Journal of Headache and Pain</i> , 2013, 14, 62.	2.5	110
36	Effects of central and peripheral inflammation on hippocampal synaptic plasticity. <i>Neurobiology of Disease</i> , 2013, 52, 229-236.	2.1	155

#	ARTICLE	IF	CITATIONS
37	Ischemic-LTP in Striatal Spiny Neurons of both Direct and Indirect Pathway Requires the Activation of D1-Like Receptors and NO/Soluble Guanylate Cyclase/cGMP Transmission. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 278-286.	2.4	13
38	Modulatory role of androgenic and estrogenic neurosteroids in determining the direction of synaptic plasticity in the CA1 hippocampal region of male rats. <i>Physiological Reports</i> , 2013, 1, e00185.	0.7	29
39	Rebalance of Striatal NMDA/AMPA Receptor Ratio Underlies the Reduced Emergence of Dyskinesia During D2-Like Dopamine Agonist Treatment in Experimental Parkinson's Disease. <i>Journal of Neuroscience</i> , 2012, 32, 17921-17931.	1.7	67
40	Nociceptin/Orphanin FQ Receptor Agonists Attenuate L-DOPA-Induced Dyskinesias. <i>Journal of Neuroscience</i> , 2012, 32, 16106-16119.	1.7	39
41	Critical role of calcitonin gene-related peptide receptors in cortical spreading depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18985-18990.	3.3	113
42	Mechanisms underlying altered striatal synaptic plasticity in old A53T- α synuclein overexpressing mice. <i>Neurobiology of Aging</i> , 2012, 33, 1792-1799.	1.5	37
43	A2A Adenosine Receptor Antagonism Enhances Synaptic and Motor Effects of Cocaine via CB1 Cannabinoid Receptor Activation. <i>PLoS ONE</i> , 2012, 7, e38312.	1.1	18
44	Mechanisms underlying the impairment of hippocampal long-term potentiation and memory in experimental Parkinson's disease. <i>Brain</i> , 2012, 135, 1884-1899.	3.7	124
45	Neural 17 β -estradiol facilitates long-term potentiation in the hippocampal CA1 region. <i>Neuroscience</i> , 2011, 192, 67-73.	1.1	50
46	A critical role of NO/cGMP/PKG dependent pathway in hippocampal post-ischemic LTP: Modulation by zonisamide. <i>Neurobiology of Disease</i> , 2011, 44, 185-191.	2.1	23
47	Intravenous administration of pravastatin immediately after middle cerebral artery occlusion reduces cerebral oedema in spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 2011, 660, 381-386.	1.7	12
48	Mortalin inhibition in experimental Parkinson's disease. <i>Movement Disorders</i> , 2011, 26, 1639-1647.	2.2	21
49	N-Glycans mutations rule oligomeric assembly and functional expression of P2X3 receptor for extracellular ATP. <i>Glycobiology</i> , 2011, 21, 634-643.	1.3	15
50	c-Jun N-terminal Kinase Regulates Soluble A β 2 Oligomers and Cognitive Impairment in AD Mouse Model. <i>Journal of Biological Chemistry</i> , 2011, 286, 43871-43880.	1.6	74
51	Inhibition of phosphodiesterases rescues striatal long-term depression and reduces levodopa-induced dyskinesia. <i>Brain</i> , 2011, 134, 375-387.	3.7	125
52	The Distinct Role of Medium Spiny Neurons and Cholinergic Interneurons in the D ₂ /A _{2A} Receptor Interaction in the Striatum: Implications for Parkinson's Disease. <i>Journal of Neuroscience</i> , 2011, 31, 1850-1862.	1.7	140
53	Mitochondria and the Link Between Neuroinflammation and Neurodegeneration. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S369-S379.	1.2	118
54	A53T-Alpha-Synuclein Overexpression Impairs Dopamine Signaling and Striatal Synaptic Plasticity in Old Mice. <i>PLoS ONE</i> , 2010, 5, e11464.	1.1	119

#	ARTICLE	IF	CITATIONS
55	Impaired Plasticity at Specific Subset of Striatal Synapses in the Ts65Dn Mouse Model of Down Syndrome. <i>Biological Psychiatry</i> , 2010, 67, 666-671.	0.7	28
56	Electrophysiological actions of zonisamide on striatal neurons: Selective neuroprotection against complex I mitochondrial dysfunction. <i>Experimental Neurology</i> , 2010, 221, 217-224.	2.0	28
57	Decreased NR2B Subunit Synaptic Levels Cause Impaired Long-Term Potentiation But Not Long-Term Depression. <i>Journal of Neuroscience</i> , 2009, 29, 669-677.	1.7	126
58	A2A adenosine receptor antagonists protect the striatum against rotenone-induced neurotoxicity. <i>Experimental Neurology</i> , 2009, 217, 231-234.	2.0	19
59	Short-term and long-term plasticity at corticostriatal synapses: Implications for learning and memory. <i>Behavioural Brain Research</i> , 2009, 199, 108-118.	1.2	115
60	Induction of heat shock protein 70 reduces the alteration of striatal electrical activity caused by mitochondrial impairment. <i>Neuroscience</i> , 2009, 163, 735-740.	1.1	26
61	Plasticity and repair in the post-ischemic brain. <i>Neuropharmacology</i> , 2008, 55, 353-362.	2.0	132
62	The Endocannabinoid System in Parkinsons Disease. <i>Current Pharmaceutical Design</i> , 2008, 14, 2337-2346.	0.9	52
63	Electrophysiology and Pharmacology of Striatal Neuronal Dysfunction Induced by Mitochondrial Complex I Inhibition. <i>Journal of Neuroscience</i> , 2008, 28, 8040-8052.	1.7	54
64	Na ⁺ / Ca ²⁺ Exchanger Maintains Ionic Homeostasis in the Peri-Infarct Area. <i>Stroke</i> , 2007, 38, 1614-1620.	1.0	11
65	Dopamine-mediated regulation of corticostriatal synaptic plasticity. <i>Trends in Neurosciences</i> , 2007, 30, 211-219.	4.2	707
66	Interaction of A2A adenosine and D2 dopamine receptors modulates corticostriatal glutamatergic transmission. <i>Neuropharmacology</i> , 2007, 53, 783-789.	2.0	53
67	Plastic abnormalities in experimental Huntington's disease. <i>Current Opinion in Pharmacology</i> , 2007, 7, 106-111.	1.7	30
68	The P2Y4 receptor forms homo-oligomeric complexes in several CNS and PNS neuronal cells. <i>Purinergic Signalling</i> , 2006, 2, 575-582.	1.1	23
69	Protective role of hydrogen peroxide in oxygen-deprived dopaminergic neurones of the rat substantia nigra. <i>Journal of Physiology</i> , 2005, 568, 97-110.	1.3	23
70	Trace Amines Depress GABAB Response in Dopaminergic Neurons by Inhibiting G $\beta\gamma$ -Gated Inwardly Rectifying Potassium Channels. <i>Molecular Pharmacology</i> , 2005, 67, 1283-1290.	1.0	31
71	Dopamine-containing Neurons are Silenced by Energy Deprivation: A Defensive Response or Beginning of Cell Death?. <i>NeuroToxicology</i> , 2005, 26, 857-868.	1.4	12
72	Trace Amines Cause More than One Effect on Dopaminergic Neurons. , 2005, , 161-175.		0

#	ARTICLE	IF	CITATIONS
73	Transient receptor potential-like channels mediate metabotropic glutamate receptor EPSCs in rat dopamine neurones. <i>Journal of Physiology</i> , 2004, 555, 323-330.	1.3	72
74	Cellular localization of TRPC3 channel in rat brain: preferential distribution to oligodendrocytes. <i>Neuroscience Letters</i> , 2004, 365, 137-142.	1.0	34
75	Involvement of transient receptor potential-like channels in responses to mGluR-I activation in midbrain dopamine neurons. <i>European Journal of Neuroscience</i> , 2003, 18, 2133-2145.	1.2	123
76	Actions of the sodium channel inhibitor 202W92 on rat midbrain dopaminergic neurons. <i>Synapse</i> , 2003, 48, 123-130.	0.6	3
77	Depression of mGluR-mediated IPSCs by 5-HT in dopamine neurons of the rat substantia nigra pars compacta. <i>European Journal of Neuroscience</i> , 2003, 18, 2743-2750.	1.2	20
78	Group I mGluRs Coupled to G Proteins Are Regulated by Tyrosine Kinase in Dopamine Neurons of the Rat Midbrain. <i>Journal of Neurophysiology</i> , 2001, 85, 2490-2497.	0.9	39
79	L-Type Ca ²⁺ Channel Blockers Attenuate Electrical Changes and Ca ²⁺ Rise Induced by Oxygen/Glucose Deprivation in Cortical Neurons. <i>Stroke</i> , 1998, 29, 196-202.	1.0	67
80	Hypoxic and hypoglycaemic changes of intracellular pH in cerebral cortical pyramidal neurones. <i>NeuroReport</i> , 1998, 9, 1447-1450.	0.6	8
81	The differences shown by C57BL/6 and DBA/2 inbred mice in detecting spatial novelty are subserved by a different hippocampal and parietal cortex interplay. <i>Behavioural Brain Research</i> , 1996, 80, 33-40.	1.2	88
82	Reactions to spatial and nonspatial change in two inbred strains of mice: Further evidence supporting the hippocampal dysfunction hypothesis in the DBA/2 strain. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1995, 23, 284-289.	1.2	38