

Xuexian O Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/869133/xuexian-o-yang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

14,755
citations

31
h-index

53
g-index

53
ext. papers

16,342
ext. citations

13.8
avg, IF

6.43
L-index

#	Paper	IF	Citations
50	Adipocyte-derived PGE2 is required for intermittent fasting-induced Treg proliferation and improvement of insulin sensitivity.. <i>JCI Insight</i> , 2022 , 7,	9.9	1
49	COX-2 Deficiency Promotes White Adipogenesis via PGE2-Mediated Paracrine Mechanism and Exacerbates Diet-Induced Obesity. <i>Cells</i> , 2022 , 11, 1819	7.9	0
48	Adiponectin restrains ILC2 activation by AMPK-mediated feedback inhibition of IL-33 signaling. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	10
47	Dysregulation of Pulmonary Responses in Severe COVID-19. <i>Viruses</i> , 2021 , 13,	6.2	8
46	Accumulation of CD28 Senescent T-Cells Is Associated with Poorer Outcomes in COVID19 Patients. <i>Biomolecules</i> , 2021 , 11,	5.9	1
45	ROR β s critical for mTORC1 activity in T β cell-mediated colitis. <i>Cell Reports</i> , 2021 , 36, 109682	10.6	3
44	TH17 responses in cytokine storm of COVID-19: An emerging target of JAK2 inhibitor Fedratinib. <i>Journal of Microbiology, Immunology and Infection</i> , 2020 , 53, 368-370	8.5	470
43	Exposure time determines the protective effect of <i>Trichinella spiralis</i> on experimental colitis. <i>Microbial Pathogenesis</i> , 2020 , 147, 104263	3.8	1
42	Treg expression of CIS suppresses allergic airway inflammation through antagonizing an autonomous TH2 program. <i>Mucosal Immunology</i> , 2020 , 13, 293-302	9.2	4
41	Interleukin-17 receptor D constitutes an alternative receptor for interleukin-17A important in psoriasis-like skin inflammation. <i>Science Immunology</i> , 2019 , 4,	28	58
40	Orchestration of epithelial-derived cytokines and innate immune cells in allergic airway inflammation. <i>Cytokine and Growth Factor Reviews</i> , 2018 , 39, 19-25	17.9	13
39	Leptin Promotes Allergic Airway Inflammation through Targeting the Unfolded Protein Response Pathway. <i>Scientific Reports</i> , 2018 , 8, 8905	4.9	23
38	Effects of spinal non-viral interleukin-10 gene therapy formulated with d-mannose in neuropathic interleukin-10 deficient mice: Behavioral characterization, mRNA and protein analysis in pain relevant tissues. <i>Brain, Behavior, and Immunity</i> , 2018 , 69, 91-112	16.6	28
37	Modulating T Cell Responses via Autophagy: The Intrinsic Influence Controlling the Function of Both Antigen-Presenting Cells and T Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 2914	8.4	31
36	Adipose mTORC1 Suppresses Prostaglandin Signaling and Beige Adipogenesis via the CRTC2-COX-2 Pathway. <i>Cell Reports</i> , 2018 , 24, 3180-3193	10.6	41
35	Generation of ROR β Antigen-Specific T Regulatory 17 Cells from Foxp3 Precursors in Autoimmunity. <i>Cell Reports</i> , 2017 , 21, 195-207	10.6	73
34	Cyclic AMP-Responsive Element-Binding Protein (CREB) is Critical in Autoimmunity by Promoting Th17 but Inhibiting Treg Cell Differentiation. <i>EBioMedicine</i> , 2017 , 25, 165-174	8.8	17

33	Myeloid adrenergic signaling via CaMKII forms a feedforward loop of catecholamine biosynthesis. <i>Journal of Molecular Cell Biology</i> , 2017 , 9, 422-434	6.3	13
32	CISH controls bacterial burden early after infection with <i>Mycobacterium tuberculosis</i> in mice. <i>Tuberculosis</i> , 2017 , 107, 175-180	2.6	6
31	IL-33-driven ILC2/eosinophil axis in fat is induced by sympathetic tone and suppressed by obesity. <i>Journal of Endocrinology</i> , 2016 , 231, 35-48	4.7	44
30	Leptin Enhances TH2 and ILC2 Responses in Allergic Airway Disease. <i>Journal of Biological Chemistry</i> , 2016 , 291, 22043-22052	5.4	40
29	Lumican negatively controls the pathogenicity of murine encephalitic TH17 cells. <i>European Journal of Immunology</i> , 2016 , 46, 2852-2861	6.1	5
28	The signaling suppressor CIS controls proallergic T cell development and allergic airway inflammation. <i>Nature Immunology</i> , 2013 , 14, 732-40	19.1	96
27	Transcription of <i>Il17</i> and <i>Il17f</i> is controlled by conserved noncoding sequence 2. <i>Immunity</i> , 2012 , 36, 23-31	31.3	83
26	A protective role by interleukin-17F in colon tumorigenesis. <i>PLoS ONE</i> , 2012 , 7, e34959	3.7	97
25	IL-23 signaling enhances Th2 polarization and regulates allergic airway inflammation. <i>Cell Research</i> , 2010 , 20, 62-71	24.7	64
24	Toll-like receptor 2 signaling in CD4(+) T lymphocytes promotes T helper 17 responses and regulates the pathogenesis of autoimmune disease. <i>Immunity</i> , 2010 , 32, 692-702	32.3	232
23	Cutting edge: in vitro generated Th17 cells maintain their cytokine expression program in normal but not lymphopenic hosts. <i>Journal of Immunology</i> , 2009 , 182, 2565-8	5.3	77
22	Critical regulation of early Th17 cell differentiation by interleukin-1 signaling. <i>Immunity</i> , 2009 , 30, 576-87	32.3	878
21	Requirement for the basic helix-loop-helix transcription factor Dec2 in initial TH2 lineage commitment. <i>Nature Immunology</i> , 2009 , 10, 1260-6	19.1	71
20	T helper 17 cells promote cytotoxic T cell activation in tumor immunity. <i>Immunity</i> , 2009 , 31, 787-98	32.3	567
19	Bcl6 mediates the development of T follicular helper cells. <i>Science</i> , 2009 , 325, 1001-5	33.3	1041
18	Abundant c-Fas-associated death domain-like interleukin-1-converting enzyme inhibitory protein expression determines resistance of T helper 17 cells to activation-induced cell death. <i>Blood</i> , 2009 , 114, 1026-8	2.2	31
17	T helper 17 lineage differentiation is programmed by orphan nuclear receptors ROR alpha and ROR gamma. <i>Immunity</i> , 2008 , 28, 29-39	32.3	1273
16	Regulation of inflammatory responses by IL-17F. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1063-75	16.6	592

15	CCR6 regulates the migration of inflammatory and regulatory T cells. <i>Journal of Immunology</i> , 2008 , 181, 8391-401	5.3	372
14	TL1A-DR3 interaction regulates Th17 cell function and Th17-mediated autoimmune disease. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1049-62	16.6	173
13	Molecular antagonism and plasticity of regulatory and inflammatory T cell programs. <i>Immunity</i> , 2008 , 29, 44-56	32.3	895
12	Generation of T follicular helper cells is mediated by interleukin-21 but independent of T helper 1, 2, or 17 cell lineages. <i>Immunity</i> , 2008 , 29, 138-49	32.3	931
11	Regulation and function of proinflammatory TH17 cells. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1143, 188-211	6.5	143
10	Essential autocrine regulation by IL-21 in the generation of inflammatory T cells. <i>Nature</i> , 2007 , 448, 480-30.4	30.4	1200
9	STAT3 regulates cytokine-mediated generation of inflammatory helper T cells. <i>Journal of Biological Chemistry</i> , 2007 , 282, 9358-9363	5.4	1084
8	Chromatin remodeling of interleukin-17 (IL-17)-IL-17F cytokine gene locus during inflammatory helper T cell differentiation. <i>Journal of Biological Chemistry</i> , 2007 , 282, 5969-72	5.4	222
7	Expression and regulation of IL-22 in the IL-17-producing CD4+ T lymphocytes. <i>Cell Research</i> , 2006 , 16, 902-7	24.7	193
6	A distinct lineage of CD4 T cells regulates tissue inflammation by producing interleukin 17. <i>Nature Immunology</i> , 2005 , 6, 1133-41	19.1	3440
5	Regulation of T-cell receptor D beta 1 promoter by KLF5 through reiterated GC-rich motifs. <i>Blood</i> , 2003 , 101, 4492-9	2.2	30
4	JAK2, complemented by a second signal from c-kit or flt-3, triggers extensive self-renewal of primary multipotential hemopoietic cells. <i>EMBO Journal</i> , 2002 , 21, 2159-67	13	35
3	A novel four base-pair deletion within the Agamma-GLOBIn gene promoter associated with slight increase of Agamma expression in adult. <i>American Journal of Hematology</i> , 2000 , 63, 16-9	7.1	6
2	V(D)J rearrangement in Nijmegen breakage syndrome. <i>Molecular Immunology</i> , 2000 , 37, 1131-9	4.3	39
1	Removal of known, abundant cDNA species by specific double-stranded cDNA synthesis-based subtraction. <i>Molecular Biotechnology</i> , 1999 , 11, 225-8	3	