

# Masahito Nakazaki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8691552/publications.pdf>

Version: 2024-02-01

31  
papers

711  
citations

567281

15  
h-index

552781

26  
g-index

33  
all docs

33  
docs citations

33  
times ranked

715  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intravenous infusion of auto serum-expanded autologous mesenchymal stem cells in spinal cord injury patients: 13 case series. <i>Clinical Neurology and Neurosurgery</i> , 2021, 203, 106565.	1.4	42
2	Intravenous Infusion of Mesenchymal Stem Cells Enhances Therapeutic Efficacy of Reperfusion Therapy in Cerebral Ischemia. <i>World Neurosurgery</i> , 2021, 149, e160-e169.	1.3	9
3	Small extracellular vesicles released by infused mesenchymal stromal cells target M2 macrophages and promote TGF $\beta$ <sup>2</sup> upregulation, microvascular stabilization and functional recovery in a rodent model of severe spinal cord injury. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12137.	12.2	71
4	Prevention of neointimal hyperplasia induced by an endovascular stent via intravenous infusion of mesenchymal stem cells. <i>Journal of Neurosurgery</i> , 2020, 133, 1773-1785.	1.6	8
5	Prolonged lifespan in a spontaneously hypertensive rat (stroke prone) model following intravenous infusion of mesenchymal stem cells. <i>Heliyon</i> , 2020, 6, e05833.	3.2	4
6	Intravenous Infusion of Mesenchymal Stem Cells Alters Motor Cortex Gene Expression in a Rat Model of Acute Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 411-420.	3.4	20
7	Intravenous infusion of mesenchymal stem cells promotes functional recovery in a rat model of chronic cerebral infarction. <i>Journal of Neurosurgery</i> , 2019, 131, 1289-1296.	1.6	17
8	Intravenous infusion of mesenchymal stem cells improves impaired cognitive function in a cerebral small vessel disease model. <i>Neuroscience</i> , 2019, 408, 361-377.	2.3	37
9	Intravenous infusion of mesenchymal stem cells for protection against brainstem infarction in a persistent basilar artery occlusion model in the adult rat. <i>Journal of Neurosurgery</i> , 2019, 131, 1308-1316.	1.6	10
10	Intravenous infusion of mesenchymal stem cells reduces epileptogenesis in a rat model of status epilepticus. <i>Epilepsy Research</i> , 2018, 141, 56-63.	1.6	26
11	Intravenous Infusion of Bone Marrow-Derived Mesenchymal Stem Cells Reduces Erectile Dysfunction Following Cavernous Nerve Injury in Rats. <i>Sexual Medicine</i> , 2018, 6, 49-57.	1.6	24
12	Preservation of interhemispheric cortical connections through corpus callosum following intravenous infusion of mesenchymal stem cells in a rat model of cerebral infarction. <i>Brain Research</i> , 2018, 1695, 37-44.	2.2	27
13	Functional recovery after the systemic administration of mesenchymal stem cells in a rat model of neonatal hypoxia-ischemia. <i>Journal of Neurosurgery: Pediatrics</i> , 2018, 22, 513-522.	1.3	14
14	Elevated brain derived neurotrophic factor levels in plasma reflect in vivo functional viability of infused mesenchymal stem cells for stroke in rats. <i>Journal of Neurosurgical Sciences</i> , 2018, 63, 42-49.	0.6	10
15	Intravenous infusion of mesenchymal stem cells inhibits intracranial hemorrhage after recombinant tissue plasminogen activator therapy for transient middle cerebral artery occlusion in rats. <i>Journal of Neurosurgery</i> , 2017, 127, 917-926.	1.6	43
16	Cerebral aneurysm neck diameter is an independent predictor of progressive occlusion after stent-assisted coiling. <i>Acta Neurochirurgica</i> , 2017, 159, 1313-1319.	1.7	4
17	Therapeutic effect by combining rehabilitation and intravenous infusion of mesenchymal stem cells after experimental stroke in rats. <i>No Junkan Taisha = Cerebral Blood Flow and Metabolism</i> , 2017, 28, 281-289.	0.0	0
18	Double balloon protection during carotid artery stenting for vulnerable carotid stenosis reduces the incidence of new brain lesions. <i>Acta Neurochirurgica</i> , 2016, 158, 1377-1386.	1.7	11

#	ARTICLE	IF	CITATIONS
19	Synergic Effects of Rehabilitation and Intravenous Infusion of Mesenchymal Stem Cells After Stroke in Rats. <i>Physical Therapy</i> , 2016, 96, 1791-1798.	2.4	56
20	Intravenous infusion of mesenchymal stem cells promotes functional recovery in a model of chronic spinal cord injury. <i>Neuroscience</i> , 2016, 335, 221-231.	2.3	103
21	Efficacy of Endovascular Treatment for Occlusive Lesions of a Single M2 Branch in Non-recombinant Tissue Plasminogen Activator Treated Patients. <i>Journal of Neuroendovascular Therapy</i> , 2016, 11, 18-23.	0.1	0
22	Possible neural plasticity detected by fMRI associates with improved motor function following intravenous injection of mesenchymal stem cells in a rat stroke model. <i>No Junkan Taisha = Cerebral Blood Flow and Metabolism</i> , 2014, 25, 67-71.	0.0	0
23	Safety and effectiveness of emergency carotid artery stenting for a high-grade carotid stenosis with intraluminal thrombus under proximal flow control in hyperacute and acute stroke. <i>Journal of NeuroInterventional Surgery</i> , 2013, 5, 40-44.	3.3	14
24	Initial experience of a novel sheath guide for transbrachial carotid artery stenting: technical note. <i>Journal of NeuroInterventional Surgery</i> , 2013, 5, i77-i80.	3.3	22
25	Initial Experience of a Novel Sheath Guide for Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation. <i>Operative Neurosurgery</i> , 2013, 72, ons-15.	0.8	7
26	Repeated Injection of Contrast Medium Inducing Dysfunction of the Blood-Brain Barrier. <i>Neurologia Medico-Chirurgica</i> , 2013, 53, 34-36.	2.2	21
27	Abstract TP53: Simple And Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra In Stroke Patients Within 4.5 Hours Of Onset Due To The Carotid Artery Occlusion. <i>Stroke</i> , 2013, 44, .	2.0	0
28	Long-term Angiographic and Clinical Outcome Following Stenting by Flow Reversal Technique for Chronic Occlusions Older Than 3 Months of the Cervical Carotid or Vertebral Artery. <i>Neurosurgery</i> , 2012, 70, 82-90.	1.1	42
29	Predictors of Hyperperfusion Syndrome Before and Immediately After Carotid Artery Stenting in Single-Photon Emission Computed Tomography and Transcranial Color-Coded Real-Time Sonography Studies. <i>Neurosurgery</i> , 2011, 68, 649-656.	1.1	52
30	Short-term clinical outcome following gastrointestinal tube feeding of immunonutrition-oriented (IMPACT <sup>®</sup> ) or protein-oriented food (PEMVest <sup>®</sup> ) in acute stroke management. <i>Nosotchu</i> , 2011, 33, 305-312.	0.1	0
31	SUCCESSFUL STENTING BY COMBINATION TECHNIQUE OF REVERSE FLOW AND DOWNSTREAM FILTERING FOR LONG CHRONIC TOTAL OCCLUSION OF THE CERVICAL VERTEBRAL ARTERY. <i>Neurosurgery</i> , 2009, 65, E378-E379.	1.1	14