

Yanhua Xuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/869387/publications.pdf>

Version: 2024-02-01

33
papers

527
citations

759233

12
h-index

713466

21
g-index

33
all docs

33
docs citations

33
times ranked

723
citing authors

#	ARTICLE	IF	CITATIONS
1	3D culture technologies of cancer stem cells: promising ex vivo tumor models. <i>Journal of Tissue Engineering</i> , 2020, 11, 204173142093340.	5.5	47
2	GLI1 promotes cancer stemness through intracellular signaling pathway PI3K/Akt/NF κ B in colorectal adenocarcinoma. <i>Experimental Cell Research</i> , 2018, 373, 145-154.	2.6	46
3	Cli1, a potential regulator of esophageal cancer stem cell, is identified as an independent adverse prognostic factor in esophageal squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 243-254.	2.5	41
4	Tenascin C is a prognostic determinant and potential cancer-associated fibroblasts marker for breast ductal carcinoma. <i>Experimental and Molecular Pathology</i> , 2017, 102, 262-267.	2.1	35
5	Tenascin-C as a prognostic determinant of colorectal cancer through induction of epithelial-to-mesenchymal transition and proliferation. <i>Experimental and Molecular Pathology</i> , 2018, 105, 216-222.	2.1	34
6	Expression of Indian Hedgehog signaling molecules in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 235-240.	2.5	33
7	Identification of LETM1 as a marker of cancer stem-like cells and predictor of poor prognosis in esophageal squamous cell carcinoma. <i>Human Pathology</i> , 2018, 81, 148-156.	2.0	27
8	B7H4 is associated with stemness and cancer progression in esophageal squamous cell carcinoma. <i>Human Pathology</i> , 2018, 80, 152-162.	2.0	19
9	LETM1 is a potential cancer stem-like cell marker and predicts poor prognosis in colorectal adenocarcinoma. <i>Pathology Research and Practice</i> , 2019, 215, 152437.	2.3	18
10	Suppression of LETM1 inhibits the proliferation and stemness of colorectal cancer cells through reactive oxygen species-induced autophagy. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 2110-2120.	3.6	16
11	Tenascin-C predicts poor outcomes for patients with colorectal cancer and drives cancer stemness via Hedgehog signaling pathway. <i>Cancer Cell International</i> , 2020, 20, 122.	4.1	14
12	Tenascin-C is involved in promotion of cancer stemness via the Akt/HIF1 α axis in esophageal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2019, 109, 104239.	2.1	13
13	LETM1 is a potential biomarker that predicts poor prognosis in gastric adenocarcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 112, 104333.	2.1	13
14	ADAMTS-6 is a predictor of poor prognosis in patients with esophageal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2018, 104, 134-139.	2.1	12
15	LETM1 is a potential biomarker of prognosis in lung non-small cell carcinoma. <i>BMC Cancer</i> , 2019, 19, 898.	2.6	12
16	The role of Tenascin α C and Twist1 in gastric cancer: cancer progression and prognosis. <i>Apmis</i> , 2019, 127, 64-71.	2.0	12
17	B7-H4 is a potential prognostic biomarker of prostate cancer. <i>Experimental and Molecular Pathology</i> , 2020, 114, 104406.	2.1	11
18	SET domain-containing 5 is a potential prognostic biomarker that promotes esophageal squamous cell carcinoma stemness. <i>Experimental Cell Research</i> , 2020, 389, 111861.	2.6	11

#	ARTICLE	IF	CITATIONS
19	B7-H4 induces epithelialâ€“mesenchymal transition and promotes colorectal cancer stemness. Pathology Research and Practice, 2021, 218, 153323.	2.3	11
20	SETD5 Regulates Glycolysis in Breast Cancer Stem-Like Cells and Fuels Tumor Growth. American Journal of Pathology, 2022, 192, 712-721.	3.8	10
21	Gli1 is a potential cancer stem cell marker and predicts poor prognosis in ductal breast carcinoma. Human Pathology, 2017, 69, 38-45.	2.0	9
22	SETD8 promotes stemness characteristics and is a potential prognostic biomarker of gastric adenocarcinoma. Experimental and Molecular Pathology, 2020, 117, 104560.	2.1	9
23	Gli1 regulates stemness characteristics in gastric adenocarcinoma. Diagnostic Pathology, 2020, 15, 60.	2.0	9
24	<p>Leucine Zipper-EF-Hand Containing Transmembrane Protein 1 Is a Potential Prognostic Biomarker and Promotes Cell Progression in Prostate Cancer</p>. Cancer Management and Research, 2020, Volume 12, 1649-1660.	1.9	9
25	HBXIP accelerates glycolysis and promotes cancer angiogenesis via AKT/mTOR pathway in bladder cancer. Experimental and Molecular Pathology, 2021, 121, 104665.	2.1	9
26	SETD8 is a prognostic biomarker that contributes to stem-like cell properties in non-small cell lung cancer. Pathology Research and Practice, 2020, 216, 153258.	2.3	8
27	Promotion of osteogenesis by bioactive glassâ€“ceramic coating: Possible involvement of the Hedgehog signaling pathway. Journal of Orthopaedic Science, 2019, 24, 731-736.	1.1	7
28	Su(var)3â€“9, Enhancer of Zeste, and Trithorax Domain-Containing 5 Facilitates Tumor Growth and Pulmonary Metastasis through Up-Regulation of AKT1 Signaling in Breast Cancer. American Journal of Pathology, 2021, 191, 180-193.	3.8	7
29	Macelignan inhibits the inflammatory response of microglia and regulates neuronal survival. Journal of Neuroimmunology, 2020, 339, 577123.	2.3	6
30	Tenascin C regulates cancer cell glycolysis and tumor progression in prostate cancer. International Journal of Urology, 2022, 29, 578-585.	1.0	6
31	Gli1, a potential cancer stem cell marker, is strongly associated with prognosis in prostate cancer. International Journal of Clinical and Experimental Pathology, 2018, 11, 4957-4966.	0.5	5
32	B7-H4 expression promotes non-small cell lung cancer progression via AMPK/mTOR signaling. Experimental and Molecular Pathology, 2022, 125, 104755.	2.1	5
33	Primary renal angiosarcoma: One case report and literatures review. Chinese Journal of Clinical Oncology, 2008, 5, 229-230.	0.0	3