

Albert Dahan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8694368/publications.pdf>

Version: 2024-02-01

406
papers

18,744
citations

14124

69
h-index

23173

116
g-index

486
all docs

486
docs citations

486
times ranked

14558
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of drug-related upper gastrointestinal bleeding in the total population of the Netherlands: a time-trend analysis. <i>BMJ Open Gastroenterology</i> , 2022, 9, e000733.	1.1	0
2	Buprenorphine: a treatment and cause of opioid-induced respiratory depression. <i>British Journal of Anaesthesia</i> , 2022, 128, 402-404.	1.5	5
3	Effect of sustained high buprenorphine plasma concentrations on fentanyl-induced respiratory depression: A placebo-controlled crossover study in healthy volunteers and opioid-tolerant patients. <i>PLoS ONE</i> , 2022, 17, e0256752.	1.1	17
4	Comparison of neuromuscular block measured by compressomyography at the upper arm and electromyography at the adductor pollicis muscle in obese and non-obese patients: An observational study. <i>Journal of Clinical Anesthesia</i> , 2022, 78, 110673.	0.7	3
5	Ketamine Psychedelic and Antinociceptive Effects Are Connected. <i>Anesthesiology</i> , 2022, 136, 792-801.	1.3	12
6	Modeling buprenorphine reduction of fentanyl-induced respiratory depression. <i>JCI Insight</i> , 2022, 7, .	2.3	14
7	The Use of Muscle Relaxants and Reversal Agents in a Setting Without Cost Restrictions: Experience from a Tertiary Academic Hospital in the Netherlands. <i>Therapeutics and Clinical Risk Management</i> , 2022, Volume 18, 379-390.	0.9	2
8	Advances in Reversal Strategies of Opioid-induced Respiratory Toxicity. <i>Anesthesiology</i> , 2022, 136, 618-632.	1.3	11
9	Molecular Changes in the Dorsal Root Ganglion during the Late Phase of Peripheral Nerve Injury-induced Pain in Rodents: A Systematic Review. <i>Anesthesiology</i> , 2022, 136, 362-388.	1.3	5
10	Perioperative Opioid Education Initiatives: Do They Add Value?. <i>Anesthesia and Analgesia</i> , 2022, 134, 938-939.	1.1	1
11	Respiratory effects of thyrotropin-releasing hormone and its analogue taltirelin on opioid-induced respiratory depression. <i>British Journal of Anaesthesia</i> , 2022, 129, e4-e6.	1.5	6
12	Are thyrotropin-releasing hormone (TRH) and analog taltirelin viable reversal agents of opioid-induced respiratory depression?. <i>Pharmacology Research and Perspectives</i> , 2022, 10, .	1.1	6
13	Development of a Translational Model to Assess the Impact of Opioid Overdose and Naloxone Dosing on Respiratory Depression and Cardiac Arrest. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 112, 1020-1032.	2.3	15
14	Cerebrovascular reactivity in retinal vasculopathy with cerebral leukoencephalopathy and systemic manifestations. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 831-840.	2.4	8
15	Nociception level monitoring for personalized analgesic treatment. Response to <i>Br J Anaesth</i> 2020; 125: 1070-8. <i>British Journal of Anaesthesia</i> , 2021, 126, e65-e66.	1.5	0
16	Deep neuromuscular block does not improve surgical conditions in patients receiving sevoflurane anaesthesia for laparoscopic renal surgery. <i>British Journal of Anaesthesia</i> , 2021, 126, 377-385.	1.5	19
17	Tolerance to Opioid-induced Respiratory Depression in Chronic High-dose Opioid Users: A Model-based Comparison With Opioid-naïve Individuals. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 637-645.	2.3	22
18	Efficacy of ketamine in relieving neuropathic pain: a systematic review and meta-analysis of animal studies. <i>Pain</i> , 2021, 162, 2320-2330.	2.0	15

#	ARTICLE	IF	CITATIONS
19	Pharmacological Management of Chronic Pain: How to Deal with the Catch-22 Situation. <i>Journal of Current Medical Research and Opinion</i> , 2021, 4, .	0.3	1
20	Retinal oximetry with a prototype handheld oximeter during hyperoxia. <i>Acta Ophthalmologica</i> , 2021, 99, e1390-e1395.	0.6	1
21	No interactive effect of lumbar epidural blockade and target-controlled infusion of propofol on mean arterial pressure, cardiac output and bispectral index. <i>European Journal of Anaesthesiology</i> , 2021, Publish Ahead of Print, S121-S129.	0.7	0
22	Are opioid receptor antagonists adequate for "Opioid" overdose in a changing reality?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 861-866.	0.7	2
23	Modeling the Cost Savings of Continuous Pulse Oximetry and Capnography Monitoring of United States General Care Floor Patients Receiving Opioids Based on the PRODIGY Trial. <i>Advances in Therapy</i> , 2021, 38, 3745-3759.	1.3	9
24	Calculating positive and negative predictive values. Comment on <i>Br J Anaesth</i> 2021; 126: 564-7. <i>British Journal of Anaesthesia</i> , 2021, 126, e170-e171.	1.5	0
25	Overdoses due to fentanyl and its analogues (F/FAs) push naloxone to the limit. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1501-1504.	0.7	13
26	Does Divergence Exist between Animal and Human Data on the Effect of Cebranopadol?. <i>Anesthesiology</i> , 2021, 135, 382-383.	1.3	0
27	Stereoselective ketamine effect on cardiac output: a population pharmacokinetic/pharmacodynamic modelling study in healthy volunteers. <i>British Journal of Anaesthesia</i> , 2021, 127, 23-31.	1.5	20
28	Comparison of Two Different Analgesic Prescription Strategies and Healthcare Systems: Slovenia vs. the Netherlands. <i>Frontiers in Pain Research</i> , 2021, 2, 723797.	0.9	2
29	The conundrum of polysubstance overdose. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1189-1193.	0.7	4
30	The impact of deep versus standard neuromuscular block on intraoperative safety during laparoscopic surgery: an international multicenter randomized controlled double-blind strategy trial "EURO-RELAX TRIAL". <i>Trials</i> , 2021, 22, 744.	0.7	3
31	Deep neuromuscular block reduces the incidence of intra-operative complications during laparoscopic donor nephrectomy: a pooled analysis of randomized controlled trials. <i>Perioperative Medicine (London, England)</i> , 2021, 10, 56.	0.6	2
32	Play the Pain: A Digital Strategy for Play-Oriented Research and Action. <i>Frontiers in Psychiatry</i> , 2021, 12, 746477.	1.3	6
33	Does nociception monitor-guided anesthesia affect opioid consumption? A systematic review of randomized controlled trials. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 629-641.	0.7	45
34	Placebo Effects in the Neuroendocrine System: Conditioning of the Oxytocin Responses. <i>Psychosomatic Medicine</i> , 2020, 82, 47-56.	1.3	3
35	Epidural analgesia in patients undergoing pancreatoduodenectomy: A systematic review and meta-analysis (CRD42018085818). <i>Hpb</i> , 2020, 22, S421.	0.1	0
36	Postoperative respiratory state assessment using the Integrated Pulmonary Index (IPI) and resultant nurse interventions in the post-anesthesia care unit: a randomized controlled trial. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 35, 1093-1102.	0.7	6

#	ARTICLE	IF	CITATIONS
37	<p>Hyperalgesia and Reduced Offset Analgesia During Spinal Anesthesia</p>. Journal of Pain Research, 2020, Volume 13, 2143-2149.	0.8	3
38	Causes and consequences of the opioid epidemic in the Netherlands: a population-based cohort study. Scientific Reports, 2020, 10, 15309.	1.6	16
39	Reduced postoperative pain using Nociception Level-guided fentanyl dosing during sevoflurane anaesthesia: a randomised controlled trial. British Journal of Anaesthesia, 2020, 125, 1070-1078.	1.5	68
40	Pharmacokinetics of ketamine and its major metabolites norketamine, hydroxynorketamine, and dehydronorketamine: a model-based analysis. British Journal of Anaesthesia, 2020, 125, 750-761.	1.5	28
41	Prediction of Opioid-Induced Respiratory Depression on Inpatient Wards Using Continuous Capnography and Oximetry: An International Prospective, Observational Trial. Anesthesia and Analgesia, 2020, 131, 1012-1024.	1.1	97
42	Cholinergic Chemotransmission and Anesthetic Drug Effects at the Carotid Bodies. Molecules, 2020, 25, 5974.	1.7	1
43	Ketamine for neuropathic pain: a tiger that won't bite?. British Journal of Anaesthesia, 2020, 125, e275-e276.	1.5	3
44	Early postoperative pain after laparoscopic donor nephrectomy predicts 30-day postoperative infectious complications: a pooled analysis of randomized controlled trials. Pain, 2020, 161, 1565-1570.	2.0	9
45	Opioid utility function: methods and implications. Annals of Palliative Medicine, 2020, 9, 528-536.	0.5	10
46	Benefit and Risk Evaluation of Biased μ -Receptor Agonist Oliceridine <i>versus</i> Morphine. Anesthesiology, 2020, 133, 559-568.	1.3	39
47	Ketamine Pharmacokinetics. Anesthesiology, 2020, 133, 1192-1213.	1.3	25
48	Tapentadol treatment results in long-term pain relief in patients with chronic low back pain and associates with reduced segmental sensitization. Pain Reports, 2020, 5, e877.	1.4	9
49	Neuropathic Pain: Challenges and Opportunities. Frontiers in Pain Research, 2020, 1, 1.	0.9	23
50	Commentary: New Complications Make Treatment of "Opioid" Overdose Challenging. Pharmacology & Pharmacy, 2020, 11, 362-372.	0.2	0
51	New-Onset Atrial Fibrillation Detected by Continuous Capnography Monitoring: A Case Report. American Journal of Case Reports, 2020, 21, e925510.	0.3	0
52	Novel Approaches in Opioid Therapy for Treatment of Postoperative Pain. ASA Monitor, 2020, 84, 1-6.	0.0	0
53	From breathtaking to encapsulation: a novel approach to reverse respiratory depression from opioid overdosing. British Journal of Anaesthesia, 2020, 125, e16-e17.	1.5	1
54	Safety of sugammadex for reversal of neuromuscular block. Expert Opinion on Drug Safety, 2019, 18, 883-891.	1.0	39

#	ARTICLE	IF	CITATIONS
55	Pharmacokinetic and pharmacodynamic considerations for NMDA-receptor antagonist ketamine in the treatment of chronic neuropathic pain: an update of the most recent literature. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019, 15, 1033-1041.	1.5	41
56	Opioid Prescription Patterns and Risk Factors Associated With Opioid Use in the Netherlands. <i>JAMA Network Open</i> , 2019, 2, e1910223.	2.8	58
57	Comparison of the TOF-Cuff [®] monitor with electromyography and acceleromyography during recovery from neuromuscular block. <i>British Journal of Anaesthesia</i> , 2019, 122, e22-e24.	1.5	14
58	Opioid-induced respiratory depression in humans: a review of pharmacokineticâ€“pharmacodynamic modelling of reversal. <i>British Journal of Anaesthesia</i> , 2019, 122, e168-e179.	1.5	74
59	An experimental randomized study on the analgesic effects of pharmaceutical-grade cannabis in chronic pain patients with fibromyalgia. <i>Pain</i> , 2019, 160, 860-869.	2.0	156
60	Cornea nerve fibre state determines analgesic response to tapentadol in fibromyalgia patients without effective endogenous pain modulation. <i>European Journal of Pain</i> , 2019, 23, 1586-1595.	1.4	15
61	Analgesic management and outcomes in patients undergoing open pancreatectomy: a retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2019, 45, e67.	0.5	0
62	Short- and long-term impact of remifentanil on thermal detection and pain thresholds after cardiac surgery. <i>European Journal of Anaesthesiology</i> , 2019, 36, 32-39.	0.7	6
63	Metaâ€“analysis of epidural analgesia in patients undergoing pancreatoduodenectomy. <i>BJS Open</i> , 2019, 3, 559-571.	0.7	21
64	Epidural and Non-epidural Analgesia in Patients Undergoing Open Pancreatectomy: a Retrospective Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2439-2448.	0.9	11
65	Legal and ethical implications of defining an optimum means of achieving unconsciousness in assisted dying. <i>Anaesthesia</i> , 2019, 74, 630-637.	1.8	12
66	Efficacy of profound versus moderate neuromuscular blockade in enhancing postoperative recovery after laparoscopic donor nephrectomy. <i>European Journal of Anaesthesiology</i> , 2019, 36, 494-501.	0.7	15
67	A176 Incidence of pre- and postoperative chronic pain in bariatric patients.. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, S49-S50.	1.0	0
68	Proposal for a Revised Classification of the Depth of Neuromuscular Block and Suggestions for Further Development in Neuromuscular Monitoring. <i>Anesthesia and Analgesia</i> , 2019, 128, 1361-1363.	1.1	17
69	Reversal of Partial Neuromuscular Block and the Ventilatory Response to Hypoxia. <i>Anesthesiology</i> , 2019, 131, 467-476.	1.3	32
70	In Response. <i>Anesthesia and Analgesia</i> , 2019, 129, e62.	1.1	0
71	Opioid-induced Ventilatory Depression in Sleep Apnea: Comment. <i>Anesthesiology</i> , 2019, 131, 936-937.	1.3	0
72	Nociception-guided <i>versus</i> Standard Care during Remifentanilâ€“Propofol Anesthesia. <i>Anesthesiology</i> , 2019, 130, 745-755.	1.3	63

#	ARTICLE	IF	CITATIONS
73	In Response. <i>Anesthesia and Analgesia</i> , 2019, 129, e139-e140.	1.1	0
74	Analgesic and Respiratory Depressant Effects of R-dihydroetorphine. <i>Anesthesiology</i> , 2019, 131, 1327-1339.	1.3	5
75	A Pragmatic Utility Function to Describe the Risk-Benefit Composite of Opioid and Nonopioid Analgesic Medication. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 371, 416-421.	1.3	6
76	The use of surgical rating scales for the evaluation of surgical working conditions during laparoscopic surgery: a scoping review. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 19-25.	1.3	15
77	Use of dynamic light scattering for assessing acute pain. , 2019, , .		1
78	Proposal for a Revised Classification of the Depth of Neuromuscular Block and Suggestions for Further Development in Neuromuscular Monitoring. <i>Anesthesia and Analgesia</i> , 2019, 128, 1.	1.1	0
79	Improving detection of patient deterioration in the general hospital ward environment. <i>European Journal of Anaesthesiology</i> , 2018, 35, 325-333.	0.7	103
80	Benefit <i>versus</i> Severe Side Effects of Opioid Analgesia. <i>Anesthesiology</i> , 2018, 128, 932-942.	1.3	19
81	Pharmacokinetic Properties of a Sufentanil Sublingual Tablet Intended to Treat Acute Pain. <i>Anesthesiology</i> , 2018, 128, 943-952.	1.3	23
82	Esketamine counters opioid-induced respiratory depression. <i>British Journal of Anaesthesia</i> , 2018, 120, 1117-1127.	1.5	68
83	Anomalies in targetâ€controlled infusion: an analysis after 20Âyears of clinical use. <i>Anaesthesia</i> , 2018, 73, 619-630.	1.8	23
84	Differential role of nitric oxide in the psychedelic symptoms induced by racemic ketamine and esketamine in human volunteers. <i>British Journal of Anaesthesia</i> , 2018, 120, 1009-1018.	1.5	13
85	Averting Opioid-induced Respiratory Depression without Affecting Analgesia. <i>Anesthesiology</i> , 2018, 128, 1027-1037.	1.3	82
86	Corneal nerve fiber size adds utility to the diagnosis and assessment of therapeutic response in patients with small fiber neuropathy. <i>Scientific Reports</i> , 2018, 8, 4734.	1.6	70
87	Deep neuromuscular blockade improves surgical conditions during low-pressure pneumoperitoneum laparoscopic donor nephrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 245-251.	1.3	45
88	Randomized Controlled Trial on the Influence of Intraoperative Remifentanil versus Fentanyl on Acute and Chronic Pain after Cardiac Surgery. <i>Pain Practice</i> , 2018, 18, 443-451.	0.9	35
89	Pharmacokinetics and pharmacodynamics of sublingual sufentanil for postoperative pain management. <i>Anaesthesia</i> , 2018, 73, 231-237.	1.8	37
90	Assessment and manifestation of central sensitisation across different chronic pain conditions. <i>European Journal of Pain</i> , 2018, 22, 216-241.	1.4	411

#	ARTICLE	IF	CITATIONS
91	Update of the Scientific Opinion on opium alkaloids in poppy seeds. EFSA Journal, 2018, 16, e05243.	0.9	31
92	Analgesic management and outcomes in patients undergoing pancreatectomy. Hpb, 2018, 20, S609-S610.	0.1	0
93	Recent advances in neuromuscular block during anesthesia. F1000Research, 2018, 7, 167.	0.8	20
94	Handheld Retinal Oximetry in Healthy Young Adults. Translational Vision Science and Technology, 2018, 7, 19.	1.1	4
95	Predictive value of a diagnostic block in focal nerve injury with neuropathic pain when surgery is considered. PLoS ONE, 2018, 13, e0203345.	1.1	9
96	An economic analysis of patient controlled remifentanyl and epidural analgesia as pain relief in labour (RAVEL trial); a randomised controlled trial. PLoS ONE, 2018, 13, e0205220.	1.1	6
97	Impact of high- versus low-dose neuromuscular blocking agent administration on unplanned 30-day readmission rates in retroperitoneal laparoscopic surgery. PLoS ONE, 2018, 13, e0197036.	1.1	12
98	Combined Recirculatory-compartmental Population Pharmacokinetic Modeling of Arterial and Venous Plasma S(+) and R(â€“) Ketamine Concentrations. Anesthesiology, 2018, 129, 260-270.	1.3	12
99	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 2 Safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. Anesthesia and Analgesia, 2018, 127, 1146-1154.	1.1	16
100	Sublingual sufentanil for postoperative pain relief: first clinical experiences. Journal of Pain Research, 2018, Volume 11, 987-992.	0.8	18
101	OpioÃˆden en antagonisten. , 2018, , 127-139.		0
102	Ketamine inhalation. British Journal of Anaesthesia, 2017, 118, 268-269.	1.5	16
103	Biomarkers, designs, and interpretations of restingâ€state fMRI in translational pharmacological research: A review of stateâ€ofâ€theâ€Art, challenges, and opportunities for studying brain chemistry. Human Brain Mapping, 2017, 38, 2276-2325.	1.9	57
104	Pharmacokinetics and pharmacodynamics of intrathecally administered Xen2174, a synthetic conopeptide with norepinephrine reuptake inhibitor and analgesic properties. British Journal of Clinical Pharmacology, 2017, 83, 751-763.	1.1	16
105	Pain sensitivity and pain scoring in patients with morbid obesity. Surgery for Obesity and Related Diseases, 2017, 13, 788-795.	1.0	33
106	Effectiveness of deep versus moderate muscle relaxation during laparoscopic donor nephrectomy in enhancing postoperative recovery: study protocol for a randomized controlled study. Trials, 2017, 18, 99.	0.7	2
107	Ketamine for cancer pain: what is the evidence?. Current Opinion in Supportive and Palliative Care, 2017, 11, 88-92.	0.5	34
108	Quality of Recovery After Lowâ€Pressure Laparoscopic Donor Nephrectomy Facilitated by Deep Neuromuscular Blockade: A Randomized Controlled Study. World Journal of Surgery, 2017, 41, 2950-2958.	0.8	31

#	ARTICLE	IF	CITATIONS
109	Influence of Morbid Obesity on the Pharmacokinetics of Morphine, Morphine-3-Glucuronide, and Morphine-6-Glucuronide. <i>Clinical Pharmacokinetics</i> , 2017, 56, 1577-1587.	1.6	38
110	Respiratory Effects of the Nociceptin/Orphanin FQ Peptide and Opioid Receptor Agonist, Cebranopadol, in Healthy Human Volunteers. <i>Anesthesiology</i> , 2017, 126, 697-707.	1.3	49
111	Deep neuromuscular block to optimize surgical space conditions during laparoscopic surgery: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2017, 118, 834-842.	1.5	152
112	Perioperative management of obstructive sleep apnea in bariatric surgery: a consensus guideline. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 1095-1109.	1.0	116
113	Doxapram-mediated Increase in Cardiac Output Reduces Opioid Plasma Concentrations: A Pharmacokinetic/Pharmacodynamic Pharmacokinetic/Pharmacodynamic Modeling Study in Healthy Volunteers. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 115-122.	2.3	12
114	The use of a battery of pain models to detect analgesic properties of compounds: a two-part four-way crossover study. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 976-990.	1.1	30
115	Postoperative conditions after antagonism of neuromuscular blocking agent and extubation without use of a neuromuscular monitor. <i>British Journal of Anaesthesia</i> , 2017, 119, 1061-1062.	1.5	0
116	Influence of Ethanol on Oxycodone-induced Respiratory Depression. <i>Anesthesiology</i> , 2017, 126, 534-542.	1.3	50
117	Hospital variation in allogeneic transfusion and extended length of stay in primary elective hip and knee arthroplasty: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e014143.	0.8	5
118	Pharmacokinetics and Bioavailability of Inhaled Esketamine in Healthy Volunteers. <i>Anesthesiology</i> , 2017, 127, 675-683.	1.3	32
119	Comment on Rosenberg J, et al.: "Deep Neuromuscular Blockade Improves Laparoscopic Surgical Conditions: A Randomized, Controlled Study". <i>Advances in Therapy</i> , 2017, 34, 1770-1771.	1.3	1
120	The effectiveness of a de-implementation strategy to reduce low-value blood management techniques in primary hip and knee arthroplasty: a pragmatic cluster-randomized controlled trial. <i>Implementation Science</i> , 2017, 12, 72.	2.5	27
121	Venlafaxine and oxycodone have different effects on spinal and supraspinal activity in man: a somatosensory evoked potential study. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 764-776.	1.1	9
122	An experimental study comparing the respiratory effects of tapentadol and oxycodone in healthy volunteers. <i>British Journal of Anaesthesia</i> , 2017, 119, 1169-1177.	1.5	25
123	Quantification of small fiber pathology in patients with sarcoidosis and chronic pain using cornea confocal microscopy and skin biopsies. <i>Journal of Pain Research</i> , 2017, Volume 10, 2057-2065.	0.8	13
124	Frequent respiratory events in postoperative patients aged 60 years and above. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 1091-1098.	0.9	10
125	Cibinetide Improves Corneal Nerve Fiber Abundance in Patients With Sarcoidosis-Associated Small Nerve Fiber Loss and Neuropathic Pain. , 2017, 58, BIO52.		84
126	Ketamine for pain. <i>F1000Research</i> , 2017, 6, 1711.	0.8	45

#	ARTICLE	IF	CITATIONS
127	Deep Neuromuscular Block and Surgical Conditions During Bariatric Surgery. <i>Anesthesia and Analgesia</i> , 2017, 124, 2094-2095.	1.1	0
128	A retrospective study on persistent pain after childbirth in the Netherlands. <i>Journal of Pain Research</i> , 2016, 9, 1.	0.8	32
129	Association of Opioids and Sedatives with Increased Risk of In-Hospital Cardiopulmonary Arrest from an Administrative Database. <i>PLoS ONE</i> , 2016, 11, e0150214.	1.1	64
130	Ketamine Analgesia. , 2016, , 541-550.		2
131	Translation of random painful stimuli into numerical responses in fibromyalgia and perioperative patients. <i>Pain</i> , 2016, 157, 128-136.	2.0	12
132	Epidural Blockade Affects the Pharmacokinetics of Propofol in Surgical Patients. <i>Anesthesia and Analgesia</i> , 2016, 122, 1341-1349.	1.1	9
133	High inspired oxygen concentration increases the speed of onset of remifentanyl-induced respiratory depression. <i>British Journal of Anaesthesia</i> , 2016, 116, 878-879.	1.5	4
134	Erythropoietin to reduce allogeneic red blood cell transfusion in patients undergoing total hip or knee arthroplasty. <i>Vox Sanguinis</i> , 2016, 111, 219-225.	0.7	33
135	Improved postoperative oxygenation after antagonism of moderate neuromuscular block with sugammadex versus neostigmine after extubation in "blinded" conditions. <i>British Journal of Anaesthesia</i> , 2016, 117, 410-411.	1.5	13
136	Venlafaxine and oxycodone effects on human spinal and supraspinal pain processing: a randomized cross-over trial. <i>European Journal of Neuroscience</i> , 2016, 44, 2966-2974.	1.2	10
137	Cornea nerve fiber quantification and construction of phenotypes in patients with fibromyalgia. <i>Scientific Reports</i> , 2016, 6, 23573.	1.6	48
138	Targeting the innate repair receptor to treat neuropathy. <i>Pain Reports</i> , 2016, 1, e566.	1.4	9
139	Potent Opioid Analgesia without Respiratory Depression. <i>Anesthesiology</i> , 2016, 125, 841-843.	1.3	4
140	Influence of variations in arterial PCO2 on surgical conditions during laparoscopic retroperitoneal surgery. <i>British Journal of Anaesthesia</i> , 2016, 117, 59-65.	1.5	11
141	Arterial Line Placement. <i>Anesthesiology</i> , 2016, 124, 528-529.	1.3	4
142	Deep Neuromuscular Block Improves Surgical Conditions during Bariatric Surgery and Reduces Postoperative Pain: A Randomized Double Blind Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0167907.	1.1	80
143	Comparison of the effectiveness of low pressure pneumoperitoneum with profound muscle relaxation during laparoscopic donor nephrectomy to optimize the quality of recovery during the early post-operative phase: study protocol for a randomized controlled clinical trial. <i>Trials</i> , 2015, 16, 345.	0.7	7
144	Reversal of opioid-induced respiratory depression by BK channel blocker GAL021: A pharmacokinetic-pharmacodynamic modeling study in healthy volunteers. <i>Clinical Pharmacology and Therapeutics</i> , 2015, 97, 641-649.	2.3	30

#	ARTICLE	IF	CITATIONS
145	Ability of the Nociception Level, a Multiparameter Composite of Autonomic Signals, to Detect Noxious Stimuli during Propofol-Remifentanyl Anesthesia. <i>Anesthesiology</i> , 2015, 123, 524-534.	1.3	97
146	Morphine Glucuronidation and Elimination in Intensive Care Patients. <i>Anesthesia and Analgesia</i> , 2015, 121, 1261-1273.	1.1	17
147	Stochastic Pharmacokinetic-Pharmacodynamic Analysis of the Effect of Transdermal Buprenorphine on Electroencephalogram and Analgesia. <i>Anesthesia and Analgesia</i> , 2015, 121, 1165-1175.	1.1	5
148	The influence of offset analgesia on the onset and offset of pain in patients with fibromyalgia. <i>Pain</i> , 2015, 156, 2521-2527.	2.0	33
149	Morphine is not a prodrug. <i>British Journal of Anaesthesia</i> , 2015, 114, 1005-1006.	1.5	4
150	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <i>European Neuropsychopharmacology</i> , 2015, 25, 2289-2299.	0.3	8
151	Study protocol for a randomised, double-blinded, placebo-controlled, clinical trial of S-ketamine for pain treatment in patients with chronic pancreatitis (RESET trial). <i>BMJ Open</i> , 2015, 5, e007087-e007087.	0.8	16
152	Ketamine interactions with biomarkers of stress: A randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. <i>NeuroImage</i> , 2015, 108, 396-409.	2.1	46
153	Population pharmacokinetics of morphine and morphine-6-glucuronide following rectal administration - A dose escalation study. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 68, 78-86.	1.9	8
154	Objective markers of the analgesic response to morphine in experimental pain research. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015, 73, 7-14.	0.3	7
155	Patient controlled analgesia with remifentanyl versus epidural analgesia in labour: randomised multicentre equivalence trial. <i>BMJ</i> , The, 2015, 350, h846-h846.	3.0	85
156	Differences in maternal temperature during labour with remifentanyl patient-controlled analgesia or epidural analgesia: a randomised controlled trial. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 313-322.	0.2	35
157	Effect of subanaesthetic ketamine on plasma and saliva cortisol secretion. <i>British Journal of Anaesthesia</i> , 2015, 115, 68-75.	1.5	41
158	Cell Salvage in Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1012-1021.	1.4	47
159	Optimizing the glutamatergic challenge model for psychosis, using S(+)-ketamine to induce psychomimetic symptoms in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2015, 29, 401-413.	2.0	22
160	Subjective Effects of Ethanol, Morphine, Δ^9 -Tetrahydrocannabinol, and Ketamine Following a Pharmacological Challenge Are Related to Functional Brain Connectivity. <i>Brain Connectivity</i> , 2015, 5, 641-648.	0.8	13
161	The effects of morphine and methylnaltrexone on gastrointestinal pain in healthy male participants. <i>Neurogastroenterology and Motility</i> , 2015, 27, 693-704.	1.6	3
162	A randomized controlled trial and novel mathematical analysis of the analgesic effect of oxycodone versus paracetamol orodispersible tablets. <i>European Journal of Pain</i> , 2015, 19, 295-304.	1.4	5

#	ARTICLE	IF	CITATIONS
163	Improvements in the application and reporting of advanced Bland-Altman methods of comparison. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 127-139.	0.7	65
164	Pharmacotherapy for pain. <i>Pain</i> , 2015, 156, S119-S126.	2.0	13
165	A Randomized Controlled Trial on the Effect of Tapentadol and Morphine on Conditioned Pain Modulation in Healthy Volunteers. <i>PLoS ONE</i> , 2015, 10, e0128997.	1.1	20
166	Pharmacotherapy for pain: efficacy and safety issues examined by subgroup analyses. <i>Pain</i> , 2015, 156 Suppl 1, S119-26.	2.0	7
167	ARA 290, a Nonerythropoietic Peptide Engineered from Erythropoietin, Improves Metabolic Control and Neuropathic Symptoms in Patients with Type 2 Diabetes. <i>Molecular Medicine</i> , 2014, 20, 658-666.	1.9	115
168	Opioid-induced respiratory depression in the acute care setting: a compendium of case reports. <i>Pain Management</i> , 2014, 4, 317-325.	0.7	62
169	ARA 290 for treatment of small fiber neuropathy in sarcoidosis. <i>Expert Opinion on Investigational Drugs</i> , 2014, 23, 541-550.	1.9	33
170	Spatial heterogeneity of the relation between resting-state connectivity and blood flow: An important consideration for pharmacological studies. <i>Human Brain Mapping</i> , 2014, 35, 929-942.	1.9	22
171	Effect of Deafferentation from Spinal Anesthesia on Pain Sensitivity and Resting-State Functional Brain Connectivity in Healthy Male Volunteers. <i>Brain Connectivity</i> , 2014, 4, 404-416.	0.8	13
172	Reproducibility of psychophysics and electroencephalography during offset analgesia. <i>European Journal of Pain</i> , 2014, 18, 824-834.	1.4	15
173	Morphine modifies the cingulate-operculum network underlying painful rectal evoked potentials. <i>Neuropharmacology</i> , 2014, 77, 422-427.	2.0	15
174	ARA 290, a Peptide Derived from the Tertiary Structure of Erythropoietin, Produces Long-Term Relief of Neuropathic Pain Coupled with Suppression of the Spinal Microglia Response. <i>Molecular Pain</i> , 2014, 10, 1744-8069-10-13.	1.0	29
175	Evaluation of surgical conditions during laparoscopic surgery in patients with moderate vs deep neuromuscular block. <i>British Journal of Anaesthesia</i> , 2014, 112, 498-505.	1.5	222
176	Assessment of middle cerebral artery diameter during hypocapnia and hypercapnia in humans using ultra-high-field MRI. <i>Journal of Applied Physiology</i> , 2014, 117, 1084-1089.	1.2	246
177	Tapentadol potentiates descending pain inhibition in chronic pain patients with diabetic polyneuropathy. <i>British Journal of Anaesthesia</i> , 2014, 113, 148-156.	1.5	173
178	Ketamine for chronic pain: risks and benefits. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 357-367.	1.1	344
179	Opioid-induced respiratory depression: reversal by non-opioid drugs. <i>F1000prime Reports</i> , 2014, 6, 79.	5.9	67
180	Ketamine Metabolomics in the Treatment of Major Depression. <i>Anesthesiology</i> , 2014, 121, 4-5.	1.3	12

#	ARTICLE	IF	CITATIONS
181	Two Studies on Reversal of Opioid-induced Respiratory Depression by BK-channel Blocker GAL021 in Human Volunteers. <i>Anesthesiology</i> , 2014, 121, 459-468.	1.3	40
182	Comorbidities and the Complexities of Chronic Pain. <i>Anesthesiology</i> , 2014, 121, 675-677.	1.3	50
183	Intravenous S-Ketamine Does Not Inhibit Alveolar Fluid Clearance in a Septic Rat Model. <i>PLoS ONE</i> , 2014, 9, e112622.	1.1	1
184	Effect of variations in depth of neuromuscular blockade on rating of surgical conditions by surgeon and anesthesiologist in patients undergoing laparoscopic renal or prostatic surgery (BLISS trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 63.	0.7	16
185	Pain Relief Is Associated With Improvement in Motor Function in Complex Regional Pain Syndrome Type 1: Secondary Analysis of a Placebo-Controlled Study on the Effects of Ketamine. <i>Journal of Pain</i> , 2013, 14, 1514-1521.	0.7	15
186	Differences between opioids: pharmacological, experimental, clinical and economical perspectives. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 60-78.	1.1	150
187	Assessment of Allodynia Relief by Tissue-Protective Molecules in a Rat Model of Nerve Injury-Induced Neuropathic Pain. <i>Methods in Molecular Biology</i> , 2013, 982, 187-195.	0.4	3
188	Translational PK-PD modeling in pain. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2013, 40, 401-418.	0.8	6
189	The development of chronic pain: physiological CHANGE necessitates a multidisciplinary approach to treatment. <i>Current Medical Research and Opinion</i> , 2013, 29, 1127-1135.	0.9	101
190	The impact of physiological correction on functional connectivity analysis of pharmacological resting state fMRI. <i>NeuroImage</i> , 2013, 65, 499-510.	2.1	62
191	The erythropoietin analog ARA 290 for treatment of sarcoidosis-induced chronic neuropathic pain. <i>Expert Opinion on Orphan Drugs</i> , 2013, 1, 77-87.	0.5	7
192	Developmental Changes in Morphine Clearance Across the Entire Paediatric Age Range are Best Described by a Bodyweight-Dependent Exponent Model. <i>Clinical Drug Investigation</i> , 2013, 33, 523-534.	1.1	52
193	Buprenorphine-induced respiratory depression and involvement of ABCB1 SNPs in opioid-induced respiratory depression in paediatrics. <i>British Journal of Anaesthesia</i> , 2013, 110, 842-843.	1.5	5
194	High-inspired oxygen concentration further impairs opioid-induced respiratory depression. <i>British Journal of Anaesthesia</i> , 2013, 110, 837-841.	1.5	48
195	Influence of ketamine and morphine on descending pain modulation in chronic pain patients: a randomized placebo-controlled cross-over proof-of-concept study. <i>British Journal of Anaesthesia</i> , 2013, 110, 1010-1016.	1.5	79
196	Opioid-induced respiratory depression in paediatrics: a review of case reports. <i>British Journal of Anaesthesia</i> , 2013, 110, 175-182.	1.5	109
197	A novel approach to identify responder subgroups and predictors of response to low and high dose capsaicin patches in postherpetic neuralgia. <i>European Journal of Pain</i> , 2013, 17, 1491-1501.	1.4	44
198	Corneal nerve quantification predicts the severity of symptoms in sarcoidosis patients with painful neuropathy. <i>Technology</i> , 2013, 01, 20-26.	1.4	11

#	ARTICLE	IF	CITATIONS
199	Fentanyl Utility Function. <i>Anesthesiology</i> , 2013, 119, 663-674.	1.3	36
200	ARA 290 Improves Symptoms in Patients with Sarcoidosis-Associated Small Nerve Fiber Loss and Increases Corneal Nerve Fiber Density. <i>Molecular Medicine</i> , 2013, 19, 334-345.	1.9	78
201	Ketamine Does Not Produce Relief of Neuropathic Pain in Mice Lacking the $\hat{2}$ -Common Receptor (CD131). <i>PLoS ONE</i> , 2013, 8, e71326.	1.1	15
202	<i>Primum Non Nocere</i> or How to Resolve Drug-induced Respiratory Depression. <i>Anesthesiology</i> , 2013, 118, 1261-1263.	1.3	9
203	The erythropoietin analog ARA 290 for treatment of sarcoidosis-induced chronic neuropathic pain. <i>Expert Opinion on Orphan Drugs</i> , 2013, 1, 77-87.	0.5	11
204	Using Akaike's information theoretic criterion in population analysis: a simulation study. <i>F1000Research</i> , 2013, 2, 71.	0.8	25
205	Using Akaike's information theoretic criterion in mixed-effects modeling of pharmacokinetic data: a simulation study. <i>F1000Research</i> , 2013, 2, 71.	0.8	22
206	Pharmacovigilance: A Review of Opioid-Induced Respiratory Depression in Chronic Pain Patients. <i>Pain Physician</i> , 2013, 2;16, E85-E94.	0.3	58
207	Pharmacovigilance: a review of opioid-induced respiratory depression in chronic pain patients. <i>Pain Physician</i> , 2013, 16, E85-94.	0.3	37
208	Validation of a novel respiratory rate monitor based on exhaled humidity. <i>British Journal of Anaesthesia</i> , 2012, 109, 981-989.	1.5	22
209	Sarcoidosis and Pain Caused by Small-Fiber Neuropathy. <i>Pain Research and Treatment</i> , 2012, 2012, 1-6.	1.7	25
210	Non-Analgesic Effects of Opioids: Opioid-induced Respiratory Depression. <i>Current Pharmaceutical Design</i> , 2012, 18, 5994-6004.	0.9	157
211	The Dose-Dependent Effect of S(+)-Ketamine on Cardiac Output in Healthy Volunteers and Complex Regional Pain Syndrome Type 1 Chronic Pain Patients. <i>Anesthesia and Analgesia</i> , 2012, 115, 536-546.	1.1	19
212	Ventilatory responses after major surgery and high dependency care. <i>British Journal of Anaesthesia</i> , 2012, 108, 864-871.	1.5	24
213	Endogenous modulation of pain is visible in the brain. <i>Clinical Neurophysiology</i> , 2012, 123, 642-643.	0.7	5
214	Remifentanyl patient controlled analgesia versus epidural analgesia in labour. A multicentre randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 63.	0.9	20
215	A comparison of the central nervous system effects of alcohol at pseudo-steady state in Caucasian and expatriate Japanese healthy male volunteers. <i>Alcohol</i> , 2012, 46, 657-664.	0.8	9
216	Pharmacokinetic and pharmacodynamic considerations for NMDA receptor antagonists in the treatment of chronic neuropathic pain. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012, 8, 1409-1417.	1.5	52

#	ARTICLE	IF	CITATIONS
217	Morphine Induces Hyperalgesia without Involvement of $\hat{\mu}$ -Opioid Receptor or Morphine-3-glucuronide. <i>Molecular Medicine</i> , 2012, 18, 1320-1326.	1.9	25
218	Safety and Efficacy of ARA 290 in Sarcoidosis Patients with Symptoms of Small Fiber Neuropathy: A Randomized, Double-Blind Pilot Study. <i>Molecular Medicine</i> , 2012, 18, 1430-1436.	1.9	89
219	Effect of Subanesthetic Ketamine on Intrinsic Functional Brain Connectivity. <i>Anesthesiology</i> , 2012, 117, 868-877.	1.3	123
220	Pharmacodynamic analysis of the analgesic effect of capsaicin 8% patch (Qutenza TM) in diabetic neuropathic pain patients: detection of distinct response groups. <i>Journal of Pain Research</i> , 2012, 5, 51.	0.8	34
221	Effects of morphine and alcohol on functional brain connectivity during "resting state" A placebo-controlled crossover study in healthy young men. <i>Human Brain Mapping</i> , 2012, 33, 1003-1018.	1.9	98
222	S(+)-Ketamine analgesic drug dose. <i>Pain</i> , 2012, 153, 502-503.	2.0	0
223	Estimation of the Contribution of Norketamine to Ketamine-induced Acute Pain Relief and Neurocognitive Impairment in Healthy Volunteers. <i>Anesthesiology</i> , 2012, 117, 353-364.	1.3	35
224	Pharmacokinetic-pharmacodynamic modeling in acute and chronic pain: an overview of the recent literature. <i>Expert Review of Clinical Pharmacology</i> , 2011, 4, 719-728.	1.3	37
225	Can morphine still be considered to be the standard for treating chronic pain? A systematic review including pair-wise and network meta-analyses. <i>Current Medical Research and Opinion</i> , 2011, 27, 1477-1491.	0.9	23
226	Absence of long-term analgesic effect from a short-term S-ketamine infusion on fibromyalgia pain: A randomized, prospective, double blind, active placebo-controlled trial. <i>European Journal of Pain</i> , 2011, 15, 942-949.	1.4	65
227	A randomised comparison of intravenous remifentanyl patient-controlled analgesia with epidural ropivacaine/sufentanil during labour. <i>International Journal of Obstetric Anesthesia</i> , 2011, 20, 118-123.	0.2	65
228	S260 POPULATION PHARMACOKINETICS OF PREGABALIN IN PATIENTS WITH CHRONIC PANCREATITIS. <i>European Journal of Pain Supplements</i> , 2011, 5, 239-239.	0.0	0
229	Effect of Rifampicin on S-ketamine and S-norketamine Plasma Concentrations in Healthy Volunteers after Intravenous S-ketamine Administration. <i>Anesthesiology</i> , 2011, 114, 1435-1445.	1.3	44
230	Nonselective and NR2B-selective \hat{N} -methyl-d-aspartic Acid Receptor Antagonists Produce Antinociception and Long-term Relief of Allodynia in Acute and Neuropathic Pain. <i>Anesthesiology</i> , 2011, 115, 165-174.	1.3	49
231	Functional biomarkers for the acute effects of alcohol on the central nervous system in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 331-350.	1.1	66
232	Pseudocontinuous Arterial Spin Labeling Reveals Dissociable Effects of Morphine and Alcohol on Regional Cerebral Blood Flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1321-1333.	2.4	39
233	Effect of ketamine on endogenous pain modulation in healthy volunteers. <i>Pain</i> , 2011, 152, 656-663.	2.0	81
234	Drug-induced liver injury following a repeated course of ketamine treatment for chronic pain in CRPS type 1 patients: A report of 3 cases. <i>Pain</i> , 2011, 152, 2173-2178.	2.0	118

#	ARTICLE	IF	CITATIONS
235	Population pharmacokineticâ€”pharmacodynamic modeling of ketamineâ€”induced pain relief of chronic pain. <i>European Journal of Pain</i> , 2011, 15, 258-267.	1.4	99
236	A randomised controlled trial on the efficacy and sideâ€”effect profile (nausea/vomiting/sedation) of morphineâ€”6â€”glucuronide <i>versus</i> morphine for postâ€”operative pain relief after major abdominal surgery*. <i>European Journal of Pain</i> , 2011, 15, 402-408.	1.4	31
237	ARA290, a Peptide Derived from the Tertiary Structure of Erythropoietin, Produces Long-term Relief of Neuropathic Pain. <i>Anesthesiology</i> , 2011, 115, 1084-1092.	1.3	44
238	Offset Analgesia in Neuropathic Pain Patients and Effect of Treatment with Morphine and Ketamine. <i>Anesthesiology</i> , 2011, 115, 1063-1071.	1.3	85
239	Opioid Modeling of Central Respiratory Drive Must Take Upper Airway Obstruction into Account. <i>Anesthesiology</i> , 2011, 114, 220-221.	1.3	1
240	Propofol Reduces the Distribution and Clearance of Midazolam. <i>Anesthesia and Analgesia</i> , 2010, 110, 1597-1606.	1.1	33
241	Pulse Dye Densitometry and Indocyanine Green Plasma Disappearance in ASA Physical Status II Patients. <i>Anesthesia and Analgesia</i> , 2010, 110, 466-472.	1.1	20
242	Arterial and Venous Pharmacokinetics of Morphine-6-Glucuronide and Impact of Sample Site on Pharmacodynamic Parameter Estimates. <i>Anesthesia and Analgesia</i> , 2010, 111, 626-632.	1.1	15
243	Incidence, Reversal, and Prevention of Opioid-induced Respiratory Depression. <i>Anesthesiology</i> , 2010, 112, 226-238.	1.3	503
244	Naloxone Reversal of Morphine- and Morphine-6-Glucuronide-induced Respiratory Depression in Healthy Volunteers. <i>Anesthesiology</i> , 2010, 112, 1417-1427.	1.3	64
245	Postoperative Opioids Remain a Serious Patient Safety Threat. <i>Anesthesiology</i> , 2010, 113, 260-261.	1.3	5
246	Response to Drs. Kapural and Stanton-Hicks. <i>Pain</i> , 2010, 149, 410-411.	2.0	2
247	Do sex differences exist in opioid analgesia? A systematic review and meta-analysis of human experimental and clinical studies. <i>Pain</i> , 2010, 151, 61-68.	2.0	200
248	An observational study on the effect of S(+)-ketamine on chronic pain <i>versus</i> experimental acute pain in Complex Regional Pain Syndrome type 1 patients. <i>European Journal of Pain</i> , 2010, 14, 302-307.	1.4	48
249	Current Knowledge of Buprenorphine and Its Unique Pharmacological Profile. <i>Pain Practice</i> , 2010, 10, 428-450.	0.9	244
250	NMDA Receptor Antagonists for the Treatment of Neuropathic Pain. <i>Pain Medicine</i> , 2010, 11, 1726-1742.	0.9	126
251	Alveolar but Not Intravenous S-Ketamine Inhibits Alveolar Sodium Transport and Lung Fluid Clearance in Rats. <i>Anesthesia and Analgesia</i> , 2010, 111, 164-170.	1.1	5
252	Opioid chronopharmacology: influence of timing of infusion on fentanyl’s analgesic efficacy in healthy human volunteers. <i>Journal of Pain Research</i> , 2010, 3, 183.	0.8	13

#	ARTICLE	IF	CITATIONS
253	Arterial [H+] and the ventilatory response to hypoxia in humans: influence of acetazolamide-induced metabolic acidosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010, 298, L89-L95.	1.3	30
254	The Ventilatory Response to Hypoxia in Mammals: Mechanisms, Measurement, and Analysis. <i>Physiological Reviews</i> , 2010, 90, 675-754.	13.1	309
255	Ketamine for the treatment of chronic non-cancer pain. <i>Expert Opinion on Pharmacotherapy</i> , 2010, 11, 2417-2429.	0.9	102
256	Modeling the Non-“Steady State Respiratory Effects of Remifentanyl in Awake and Propofol-sedated Healthy Volunteers. <i>Anesthesiology</i> , 2010, 112, 1382-1395.	1.3	54
257	The acetazolamide analogue N-methyl acetazolamide does not alter the ventilatory response to hypoxia but reduces the hypercapnic response in the anesthetized cat. <i>FASEB Journal</i> , 2010, 24, 799.29.	0.2	0
258	Sdh and Sdh/H19 Knockout Mice Do Not Develop Paraganglioma or Pheochromocytoma. <i>PLoS ONE</i> , 2009, 4, e7987.	1.1	49
259	Central nervous system effects of alcohol at a pseudo-steady-state concentration using alcohol clamping in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 524-534.	1.1	25
260	Efficacy and safety of morphine-6-glucuronide (M6G) for postoperative pain relief: A randomized, double-blind study. <i>European Journal of Pain</i> , 2009, 13, 293-299.	1.4	20
261	Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1. <i>Pain</i> , 2009, 145, 304-311.	2.0	375
262	Acute and chronic fentanyl administration causes hyperalgesia independently of opioid receptor activity in mice. <i>Neuroscience Letters</i> , 2009, 462, 68-72.	1.0	50
263	Mixed-Effects Modeling of the Influence of Midazolam on Propofol Pharmacokinetics. <i>Anesthesia and Analgesia</i> , 2009, 108, 1522-1530.	1.1	47
264	The importance of individual differences in response to opioid therapy. <i>Therapy: Open Access in Clinical Medicine</i> , 2009, 6, 633-635.	0.2	4
265	S(+)-ketamine Effect on Experimental Pain and Cardiac Output. <i>Anesthesiology</i> , 2009, 111, 892-903.	1.3	115
266	Cardiovascular Monitoring by Pulse Dye Densitometry or Arterial Indocyanine Green Dilution. <i>Anesthesia and Analgesia</i> , 2009, 109, 441-446.	1.1	16
267	Morphine-6-glucuronide Rapidly Increases Pain Sensitivity Independently of Opioid Receptor Activity in Mice and Humans. <i>Anesthesiology</i> , 2009, 110, 1356-1363.	1.3	35
268	Pharmacokinetic-Pharmacodynamic Modeling of the Effectiveness and Safety of Buprenorphine and Fentanyl in Rats. <i>Pharmaceutical Research</i> , 2008, 25, 183-193.	1.7	62
269	Morphine-6-glucuronide (M6G) for postoperative pain relief. <i>European Journal of Pain</i> , 2008, 12, 403-411.	1.4	42
270	Opioids and the Management of Chronic Severe Pain in the Elderly: Consensus Statement of an International Expert Panel with Focus on the Six Clinically Most Often Used World Health Organization step III Opioids (Buprenorphine, Fentanyl, Hydromorphone, Methadone, Morphine,) <i>TJ ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	0.8	710

#	ARTICLE	IF	CITATIONS
271	A comparative study of two methods for attaining constant alcohol levels. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 674-681.	1.1	24
272	Morphine-6-glucuronide: potency and safety compared with morphine. <i>Expert Opinion on Pharmacotherapy</i> , 2008, 9, 1955-1961.	0.9	34
273	Naloxone Reversal of Opioid-Induced Respiratory Depression with Special Emphasis on the Partial Agonist/Antagonist Buprenorphine. <i>Advances in Experimental Medicine and Biology</i> , 2008, 605, 486-491.	0.8	25
274	Plasticity in the Brain: Influence of Bilateral Carotid Body Resection (bCBR) on Central CO ₂ Sensitivity. <i>Advances in Experimental Medicine and Biology</i> , 2008, 605, 312-316.	0.8	9
275	Permutation entropy of the electroencephalogram: a measure of anaesthetic drug effect. <i>British Journal of Anaesthesia</i> , 2008, 101, 810-821.	1.5	303
276	Analysis of Cerebrospinal Fluid Inflammatory Mediators in Chronic Complex Regional Pain Syndrome Related Dystonia. <i>Clinical Journal of Pain</i> , 2008, 24, 30-34.	0.8	23
277	Sex-Specific Responses to Opiates: Animal and Human Studies. <i>Anesthesia and Analgesia</i> , 2008, 107, 83-95.	1.1	128
278	Population Pharmacokinetic-Pharmacodynamic Modeling of Epidural Anesthesia. <i>Anesthesiology</i> , 2008, 109, 664-674.	1.3	17
279	Differential Effect of Morphine and Morphine-6-glucuronide on the Control of Breathing in the Anesthetized Cat. <i>Anesthesiology</i> , 2008, 109, 689-697.	1.3	9
280	Pharmacokinetic-Pharmacodynamic Modeling of the Respiratory Depressant Effect of Nalbuphine in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 598-607.	1.3	36
281	A Randomized, Double-blind, Placebo-controlled Pilot Study of IV Morphine-6-Glucuronide for Postoperative Pain Relief After Knee Replacement Surgery. <i>Clinical Journal of Pain</i> , 2007, 23, 197-203.	0.8	21
282	Naloxone treatment in opioid addiction: the risks and benefits. <i>Expert Opinion on Drug Safety</i> , 2007, 6, 125-132.	1.0	141
283	Postoperative Epidural Analgesia After Total Knee Arthroplasty With Sufentanil 1 μ g/mL Combined With Ropivacaine 0.2%, Ropivacaine 0.125%, or Levobupivacaine 0.125%: A Randomized, Double-Blind Comparison. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 475-480.	1.1	12
284	Respiratory Depression with Opioids. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2007, 21, 63-66.	0.5	26
285	Animal-to-Human Extrapolation of the Pharmacokinetic and Pharmacodynamic Properties of Buprenorphine. <i>Clinical Pharmacokinetics</i> , 2007, 46, 433-447.	1.6	34
286	Mechanism-Based Pharmacokinetic-Pharmacodynamic Modelling of the Reversal of Buprenorphine-Induced Respiratory Depression by Naloxone. <i>Clinical Pharmacokinetics</i> , 2007, 46, 965-980.	1.6	64
287	Plasticity of Central Chemoreceptors: Effect of Bilateral Carotid Body Resection on Central CO ₂ Sensitivity. <i>PLoS Medicine</i> , 2007, 4, e239.	3.9	114
288	Mechanism-based PK/PD Modeling of the Respiratory Depressant Effect of Buprenorphine and Fentanyl in Healthy Volunteers. <i>Clinical Pharmacology and Therapeutics</i> , 2007, 81, 50-58.	2.3	89

#	ARTICLE	IF	CITATIONS
289	Novel data on opioid effect on breathing and analgesia. <i>Seminars in Anesthesia</i> , 2007, 26, 58-64.	0.3	6
290	Opioïden en antagonisten. , 2007, , 71-82.		0
291	Respiratory depression with opioids. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2007, 21, 63-6.	0.5	9
292	Acetazolamide Improves Cerebral Oxygenation During Exercise at High Altitude. <i>High Altitude Medicine and Biology</i> , 2006, 7, 290-301.	0.5	22
293	Mechanism-based Pharmacokinetic-Pharmacodynamic Modeling of the Antinociceptive Effect of Buprenorphine in Healthy Volunteers. <i>Anesthesiology</i> , 2006, 104, 1232-1242.	1.3	71
294	Naloxone Reversal of Buprenorphine-induced Respiratory Depression. <i>Anesthesiology</i> , 2006, 105, 51-57.	1.3	114
295	Morphine-6-Glucuronide: Morphine's Successor for Postoperative Pain Relief?. <i>Anesthesia and Analgesia</i> , 2006, 102, 1789-1797.	1.1	64
296	Antioxidants reverse depression of the hypoxic ventilatory response by acetazolamide in man. <i>Journal of Physiology</i> , 2006, 572, 849-856.	1.3	30
297	The carbonic anhydrase inhibitors methazolamide and acetazolamide have different effects on the hypoxic ventilatory response in the anaesthetized cat. <i>Journal of Physiology</i> , 2006, 574, 565-572.	1.3	16
298	Mechanism-Based Pharmacokinetic-Pharmacodynamic Modeling of the Respiratory-Depressant Effect of Buprenorphine and Fentanyl in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 682-692.	1.3	39
299	Buprenorphine induces ceiling in respiratory depression but not in analgesia. <i>British Journal of Anaesthesia</i> , 2006, 96, 627-632.	1.5	287
300	Effects of Low-Dose Methazolamide on the Control of Breathing in Cats. , 2006, 580, 257-262.		4
301	Opioid-induced respiratory effects: new data on buprenorphine. <i>Palliative Medicine</i> , 2006, 20, 3-8.	1.3	84
302	Opioid-induced respiratory effects: new data on buprenorphine. <i>Palliative Medicine</i> , 2006, 20 Suppl 1, s3-8.	1.3	32
303	Transient neurological symptoms with subarachnoid lidocaine: effect of early mobilization. <i>European Journal of Anaesthesiology</i> , 2005, 22, 35-39.	0.7	4
304	Lumbar epidural catheter insertion. <i>European Journal of Anaesthesiology</i> , 2005, 22, 839-842.	0.7	39
305	Polymorphism of μ -Opioid Receptor Gene (OPRM1:c.118A>G) Does Not Protect Against Opioid-induced Respiratory Depression despite Reduced Analgesic Response. <i>Anesthesiology</i> , 2005, 102, 522-530.	1.3	146
306	Antioxidants Reverse Reduction of the Human Hypoxic Ventilatory Response by Subanesthetic Isoflurane. <i>Anesthesiology</i> , 2005, 102, 747-753.	1.3	25

#	ARTICLE	IF	CITATIONS
307	Circadian Influences, Low-dose Isoflurane, and the Ventilatory Response to Hypoxia. <i>Anesthesiology</i> , 2005, 103, 207-208.	1.3	1
308	Alfentanil and Placebo Analgesia. <i>Anesthesiology</i> , 2005, 103, 130-139.	1.3	80
309	Population pharmacokinetics/pharmacodynamics of anesthetics. <i>AAPS Journal</i> , 2005, 7, E383-E389.	2.2	12
310	The opioid fentanyl affects light input, electrical activity and <i>Pergene</i> expression in the hamster suprachiasmatic nuclei. <i>European Journal of Neuroscience</i> , 2005, 21, 2958-2966.	1.2	46
311	Melanocortin-1 receptor gene variants affect pain and \hat{A} -opioid analgesia in mice and humans. <i>Journal of Medical Genetics</i> , 2005, 42, 583-587.	1.5	215
312	Mice lacking multidrug resistance protein 3 show altered morphine pharmacokinetics and morphine-6-glucuronide antinociception. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7274-7279.	3.3	191
313	Pharmacokinetic-Pharmacodynamic Modeling of the Antinociceptive Effect of Buprenorphine and Fentanyl in Rats: Role of Receptor Equilibration Kinetics. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 1136-1149.	1.3	103
314	Comparison of the respiratory effects of intravenous buprenorphine and fentanyl in humans and rats. <i>British Journal of Anaesthesia</i> , 2005, 94, 825-834.	1.5	269
315	Carotid Body Tumors in Humans Caused by a Mutation in the Gene for Succinate Dehydrogenase D (SDHD). <i>Advances in Experimental Medicine and Biology</i> , 2004, 551, 71-76.	0.8	8
316	Antioxidants Prevent Blunting of Hypoxic Ventilatory Response by Low-Dose Halothane. <i>Advances in Experimental Medicine and Biology</i> , 2004, 551, 217-220.	0.8	1
317	Low-dose acetazolamide reduces the hypoxic ventilatory response in the anesthetized cat. <i>Respiratory Physiology and Neurobiology</i> , 2004, 140, 43-51.	0.7	24
318	Simultaneous Measurement and Integrated Analysis of Analgesia and Respiration after an Intravenous Morphine Infusion. <i>Anesthesiology</i> , 2004, 101, 1201-1209.	1.3	81
319	Normal Bispectral Index Values in Healthy Volunteers. <i>Anesthesiology</i> , 2004, 101, 800-801.	1.3	2
320	Increased Margin of Safety of Morphine-6-glucuronide Relative to Morphine. <i>Anesthesiology</i> , 2004, 100, 1622-1622.	1.3	4
321	Pharmacokinetic-Pharmacodynamic Modeling of Morphine-6-glucuronide-induced Analgesia in Healthy Volunteers. <i>Anesthesiology</i> , 2004, 100, 120-133.	1.3	152
322	Low Bispectral Index Values in Awake Volunteers Receiving a Combination of Propofol and Midazolam. <i>Anesthesiology</i> , 2004, 100, 179-181.	1.3	31
323	The Respiratory Response to Carbon Dioxide in Humans with Unilateral and Bilateral Resections of the Carotid Bodies. <i>Journal of Physiology</i> , 2003, 549, 965-973.	1.3	51
324	Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ -opioid receptor deficient mice. <i>British Journal of Anaesthesia</i> , 2003, 91, 862-870.	1.5	82

#	ARTICLE	IF	CITATIONS
325	Influence of anaesthesia and analgesia on the control of breathing. British Journal of Anaesthesia, 2003, 91, 40-49.	1.5	104
326	Differential Responses of Circadian Activity Onset and Offset Following GABA-ergic and Opioid Receptor Activation. Journal of Biological Rhythms, 2003, 18, 297-306.	1.4	23
327	Response Surface Modeling of Remifentanyl-Propofol Interaction on Cardiorespiratory Control and Bispectral Index. Anesthesiology, 2003, 98, 312-322.	1.3	144
328	Respiratory Depression by Tramadol in the Cat. Anesthesiology, 2003, 98, 420-427.	1.3	45
329	Pharmacodynamic Effect of Morphine-6-glucuronide versus Morphine on Hypoxic and Hypercapnic Breathing in Healthy Volunteers. Anesthesiology, 2003, 99, 788-798.	1.3	118
330	Gender Differences in Morphine Pharmacokinetics and Dynamics. Advances in Experimental Medicine and Biology, 2003, 523, 71-80.	0.8	10
331	Influence of Propofol on the Control of Breathing. Advances in Experimental Medicine and Biology, 2003, 523, 81-92.	0.8	10
332	Bispectral Index Values and Spectral Edge Frequency at Different Stages of Physiologic Sleep. Anesthesia and Analgesia, 2002, 94, 125-129.	1.1	52
333	The Epidural "Top-up". Anesthesiology, 2002, 96, 1310-1314.	1.3	9
334	The Interaction Between Propofol and Clonidine for Loss of Consciousness. Anesthesia and Analgesia, 2002, 94, 886-891.	1.1	26
335	Bispectral Index Values and Spectral Edge Frequency at Different Stages of Physiologic Sleep. Anesthesia and Analgesia, 2002, 94, 125-129.	1.1	109
336	The Influence of Remifentanyl on the Dynamic Relationship between Sevoflurane and Surrogate Anesthetic Effect Measures Derived from the EEG. Anesthesiology, 2002, 96, 555-564.	1.3	32
337	Antioxidants prevent depression of the acute hypoxic ventilatory response by subanaesthetic halothane in men. Journal of Physiology, 2002, 544, 931-938.	1.3	35
338	Pharmacodynamic Modelling of the Respiratory Effects of Morphine and Morphine-6-Glucuronide in Healthy Volunteers. Anesthesiology, 2002, 96, A1333.	1.3	1
339	Antioxidants Prevent Depression of the Hypoxic Drive by Halothane in Humans. Anesthesiology, 2002, 96, A1361.	1.3	0
340	Absence of Sex Differences in Morphine and Morphine-6-Glucuronide Pharmacokinetics. Anesthesiology, 2002, 96, A449.	1.3	0
341	Opioid Effect on Breathing Frequency and Thermogenesis in Mice Lacking Exon 2 of the μ -Opioid Receptor Gene. Advances in Experimental Medicine and Biology, 2001, 499, 399-404.	0.8	11
342	Response Surface Modeling of Drug Interactions on Cardiorespiratory Control. Advances in Experimental Medicine and Biology, 2001, 499, 303-308.	0.8	1

#	ARTICLE	IF	CITATIONS
343	Modeling the Ventilatory Response to Variations in End-Tidal PCO ₂ in Patients Who Have Undergone Bilateral Carotid Body Resection. <i>Advances in Experimental Medicine and Biology</i> , 2001, 499, 275-277.	0.8	3
344	Recent advances in opioid pharmacology. <i>Current Opinion in Anaesthesiology</i> , 2001, 14, 405-410.	0.9	4
345	The Involvement of the μ -Opioid Receptor in Ketamine-Induced Respiratory Depression and Antinociception. <i>Anesthesia and Analgesia</i> , 2001, 93, 1495-1500.	1.1	122
346	Response Surface Modeling of Alfentanil-Sevoflurane Interaction on Cardiorespiratory Control and Bispectral Index. <i>Anesthesiology</i> , 2001, 94, 982-991.	1.3	66
347	Anesthetic Potency and Influence of Morphine and Sevoflurane on Respiration in μ -Opioid Receptor Knockout Mice. <i>Anesthesiology</i> , 2001, 94, 824-832.	1.3	136
348	Respiratory Sites of Action of Propofol. <i>Anesthesiology</i> , 2001, 95, 889-895.	1.3	53
349	Low-dose acetazolamide reduces CO ₂ stimulus interaction within the peripheral chemoreceptors in the anaesthetised cat. <i>Journal of Physiology</i> , 2001, 537, 221-229.	1.3	24
350	Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers. <i>British Journal of Anaesthesia</i> , 2001, 87, 860-865.	1.5	30
351	Room G, 10/17/2000 2: 00 PM - 4: 00 PM (PS) Respiratory Depression by Tramadol: Involvement of Opioid Receptors. <i>Anesthesiology</i> , 2000, 93, A-1338.	1.3	2
352	Propofol for Monitored Anesthesia Care. <i>Anesthesiology</i> , 2000, 92, 46-46.	1.3	66
353	Gender Differences in Opioid-mediated Analgesia. <i>Anesthesiology</i> , 2000, 93, 539-547.	1.3	217
354	Sex Differences in Morphine Analgesia. <i>Anesthesiology</i> , 2000, 93, 1245-1254.	1.3	367
355	Fentanyl, a μ -opioid receptor agonist, phase shifts the hamster circadian pacemaker. <i>Brain Research</i> , 2000, 868, 135-140.	1.1	27
356	The neuronal nitric oxide synthase inhibitor 7-nitroindazole (7-NI) and morphine act independently on the control of breathing. <i>British Journal of Anaesthesia</i> , 2000, 84, 190-196.	1.5	13
357	Sites of Respiratory Action of Opioids. , 2000, , 219-228.		0
358	Acetazolamide and Breathing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 1592-1597.	2.5	68
359	Influence of low-dose anaesthetic agents on ventilatory control: where do we stand?. <i>British Journal of Anaesthesia</i> , 1999, 83, 199-201.	1.5	16
360	The Epidural "Top-Up" in Combined Spinal-Epidural Anesthesia. <i>Anesthesia and Analgesia</i> , 1999, 88, 810-814.	1.1	28

#	ARTICLE	IF	CITATIONS
361	The Dynamic Relationship between End-tidal Sevoflurane and Isoflurane Concentrations and Bispectral Index and Spectral Edge Frequency of the Electroencephalogram. Anesthesiology, 1999, 90, 1345-1353.	1.3	147
362	Speed of Onset and Offset and Mechanisms of Ventilatory Depression from Sevoflurane. Anesthesiology, 1999, 90, 1119-1128.	1.3	9
363	Sex Differences in Morphine-induced Ventilatory Depression Reside within the Peripheral Chemoreflex Loop. Anesthesiology, 1999, 90, 1329-1338.	1.3	108
364	The Epidural "Top-Up" in Combined Spinal-Epidural Anesthesia. Anesthesia and Analgesia, 1999, 88, 810-814.	1.1	61
365	Sevoflurane-induced Reduction of Hypoxic Drive Is Sex-independent. Anesthesiology, 1999, 90, 1288-1293.	1.3	16
366	ABSENCE OF SEX DEPENDENCY OF ISOFLURANE'S DYNAMICS OF THE BISPECTRAL INDEX OF THE EEG. Anesthesia and Analgesia, 1999, 88, 321S.	1.1	2
367	Influence of 0.1 minimum alveolar concentration of sevoflurane, desflurane and isoflurane on dynamic ventilatory response to hypercapnia in humans. British Journal of Anaesthesia, 1998, 80, 174-182.	1.5	42
368	Sex-related Differences in the Influence of Morphine on Ventilatory Control in Humans. Anesthesiology, 1998, 88, 903-913.	1.3	165
369	Selective Depression of Peripheral Chemoreflex Loop by Sevoflurane in Lightly Anesthetized Cats. Advances in Experimental Medicine and Biology, 1998, 450, 155-158.	0.8	1
370	Influence of Low Dose Dopamine on the Heart Rate and Ventilatory Responses to Sustained Isocapnic Hypoxia. Advances in Experimental Medicine and Biology, 1998, 450, 173-177.	0.8	1
371	Opioid-induced analgesia and respiratory depression: Sex differences. , 1998, , 93-100.		2
372	Pharmacokinetic-pharmacodynamic modeling of sevoflurane-induced respiratory depression in the cat. , 1998, , 121-126.		0
373	Influences of low dose volatile anesthetic agents on ventilatory control in humans: a comparison of the Knill and Leiden studies. , 1998, , 109-113.		0
374	Do Sex-Related Differences Exist in the Respiratory Pharmacology of Opioids?. Advances in Experimental Medicine and Biology, 1998, 450, 141-145.	0.8	1
375	QUANTIFYING THE RESPIRATORY DYNAMICS OF SEVOFLURANE IN THE CAT. Anesthesia and Analgesia, 1998, 86, 434S.	1.1	0
376	Influences of Morphine on the Ventilatory Response to Isocapnic Hypoxia. Anesthesiology, 1997, 86, 1342-1349.	1.3	67
377	Influence of Acute Pain Induced by Activation of Cutaneous Nociceptors on Ventilatory Control. Anesthesiology, 1997, 87, 289-296.	1.3	43
378	Expression of c-fos in the rat brainstem after exposure to hypoxia and to normoxic and hyperoxic hypercapnia. , 1997, 388, 169-190.		265

#	ARTICLE	IF	CITATIONS
379	Influence of reduced carotid body drive during sustained hypoxia on hypoxic depression of ventilation in humans. <i>Journal of Applied Physiology</i> , 1996, 81, 565-572.	1.2	41
380	Acute Pain and Central Nervous System Arousal Do Not Restore Impaired Hypoxic Ventilatory Response during Sevoflurane Sedation. <i>Anesthesiology</i> , 1996, 85, 295-303.	1.3	67
381	Mechanism of Action of an Epidural Top-Up in Combined Spinal Epidural Anesthesia. <i>Anesthesia and Analgesia</i> , 1996, 83, 382-386.	1.1	43
382	Ventilatory Response to Hypoxia in Humans. <i>Anesthesiology</i> , 1996, 85, 60-68.	1.3	48
383	General anesthesia and control of respiration. <i>Seminars in Anesthesia</i> , 1996, 15, 328-334.	0.3	8
384	Nerve grafting from spinal cord to spinal nerve: a microsurgical technique in cats. <i>Journal of Neuroscience Methods</i> , 1996, 70, 163-169.	1.3	10
385	Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane. <i>British Journal of Anaesthesia</i> , 1996, 76, 374-381.	1.5	5
386	Ventilatory response to carbon dioxide. <i>British Journal of Anaesthesia</i> , 1996, 76, 747-748.	1.5	3
387	Mechanism of Action of an Epidural Top-Up in Combined Spinal Epidural Anesthesia. <i>Anesthesia and Analgesia</i> , 1996, 83, 382-386.	1.1	83
388	Influence of hypoxic duration and posthypoxic inspired O ₂ concentration on short term potentiation of breathing in humans.. <i>Journal of Physiology</i> , 1995, 488, 803-813.	1.3	24
389	Influences of Subanesthetic Isoflurane on Ventilatory Control in Humans. <i>Anesthesiology</i> , 1995, 83, 478-490..	1.3	50
390	Halothane affects ventilatory afterdischarge in humans. <i>British Journal of Anaesthesia</i> , 1995, 74, 544-548.	1.5	6
391	Effects of 20% nitrous oxide on the ventilatory response to hypercapnia and sustained isocapnic hypoxia in man. <i>British Journal of Anaesthesia</i> , 1994, 72, 17-20.	1.5	15
392	Does Subanesthetic Isoflurane Affect the Ventilatory Response to Acute Isocapnic Hypoxia in Healthy Volunteers?. <i>Anesthesiology</i> , 1994, 81, 860-867.	1.3	51
393	Effects of 0.1 and 0.2 MAC Isoflurane on the Ventilatory Response to Sustained Isocapnic Hypoxia in Humans. <i>Anesthesiology</i> , 1994, 81, A1405.	1.3	0
394	Effects of Halothane on Ventilatory after Discharge in Humans. <i>Anesthesiology</i> , 1994, 81, A1403.	1.3	1
395	Effects of Subanesthetic Halothane on the Ventilatory Responses to Hypercapnia and Acute Hypoxia in Healthy Volunteers. <i>Anesthesiology</i> , 1994, 80, 727-738.	1.3	94
396	Influence of a Subanesthetic Concentration of Halothane on the Ventilatory Response to Step Changes into and out of Sustained Isocapnic Hypoxia in Healthy Volunteers. <i>Anesthesiology</i> , 1994, 81, 850-859.	1.3	42

#	ARTICLE	IF	CITATIONS
397	The ventilatory response to CO ₂ of the peripheral and central chemoreflex loop before and after sustained hypoxia in man.. Journal of Physiology, 1992, 456, 71-83.	1.3	20
398	Modelling the dynamic ventilatory response to hypoxia in humans. Annals of Biomedical Engineering, 1992, 20, 181-194.	1.3	9
399	EFFECT OF I.V. MIDAZOLAM ON THE VENTILATORY RESPONSE TO SUSTAINED HYPOXIA IN MAN. British Journal of Anaesthesia, 1991, 66, 454-457.	1.5	16
400	The influence of oxygen on the ventilatory response to carbon dioxide in man.. Journal of Physiology, 1990, 428, 485-499.	1.3	125
401	On a pseudo-rebreathing technique to assess the ventilatory sensitivity to carbon dioxide in man.. Journal of Physiology, 1990, 423, 615-629.	1.3	26
402	The ventilatory CO ₂ sensitivities from Read's rebreathing method and the steady-state method are not equal in man.. Journal of Physiology, 1989, 411, 367-377.	1.3	81
403	Using Akaike's information theoretic criterion in mixed-effects modeling of pharmacokinetic data: a simulation study. F1000Research, 0, 2, 71.	0.8	1
404	Different brain systems support learning from received and avoided pain during human pain-avoidance learning. ELife, 0, 11, .	2.8	8
405	Sublingual Sufentanil versus Standard-of-Care (Patient-Controlled Analgesia with Epidural) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Pancreatoduodenectomy: A Randomized Trial. Journal of Pain Research, 0, Volume 15, 1775-1786.	0.8	2
406	S-Ketamine Oral Thin Film Part 1: Population Pharmacokinetics of S-Ketamine, S-Norketamine and S-Hydroxynorketamine. Frontiers in Pain Research, 0, 3, .	0.9	1