

Olivier J Lantz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8694553/olivier-j-lantz-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

17,963
citations

66
h-index

133
g-index

179
ext. papers

21,678
ext. citations

10.4
avg, IF

6.18
L-index

#	Paper	IF	Citations
163	Integrative genetic and immune cell analysis of plasma proteins in healthy donors identifies novel associations involving primary immune deficiency genes.. <i>Genome Medicine</i> , 2022 , 14, 28	14.4	1
162	PD-L1 and ICOSL discriminate human Secretary and Helper dendritic cells in cancer, allergy and autoimmunity.. <i>Nature Communications</i> , 2022 , 13, 1983	17.4	2
161	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the population of healthy adults. <i>British Journal of Nutrition</i> , 2021 , 126, 982-992	3.6	0
160	Human MAIT cells are devoid of alloreactive potential: prompting their use as universal cells for adoptive immune therapy 2021 , 9,		1
159	In vivo genome-wide CRISPR screens identify SOCS1 as intrinsic checkpoint of CD4 T1 cell response. <i>Science Immunology</i> , 2021 , 6, eabe8219	28	4
158	Immune Profiling Enables Stratification of Patients With Active Tuberculosis Disease or Mycobacterium tuberculosis Infection. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3398-e3408	11.6	4
157	Splicing Patterns in -Mutated Uveal Melanoma Generate Shared Immunogenic Tumor-Specific Neopeptides. <i>Cancer Discovery</i> , 2021 , 11, 1938-1951	24.4	9
156	Chronic stress physically spares but functionally impairs innate-like invariant T'cells. <i>Cell Reports</i> , 2021 , 35, 108979	10.6	7
155	A DNA methylation-based liquid biopsy for triple-negative breast cancer. <i>Npj Precision Oncology</i> , 2021 , 5, 53	9.8	4
154	Acute and late toxicities of patients infected with SARS-CoV-2 and treated for cancer with radiation therapy during the COVID-19 pandemic. <i>International Journal of Radiation Biology</i> , 2021 , 97, 1436-1440	2.9	0
153	High seroprevalence but short-lived immune response to SARS-CoV-2 infection in Paris. <i>European Journal of Immunology</i> , 2021 , 51, 180-190	6.1	20
152	Synthesis, biological evaluation and molecular modelling of new potent clickable analogues of 5-OP-RU for their use as chemical probes for the study of MAIT cell biology. <i>European Journal of Medicinal Chemistry</i> , 2021 , 211, 113066	6.8	5
151	MAIT cell development in mice and humans. <i>Molecular Immunology</i> , 2021 , 130, 31-36	4.3	2
150	Datasets and analyses of molecular dynamics simulations of covalent binary and ternary complexes of MHC class I-related molecule/T-cell receptor (MR1/TCR) agonists to understand complex formation and conditions of fluorescent labelling. <i>Data in Brief</i> , 2021 , 34, 106704	1.2	
149	Fighting Liver Metastasis by Activating MAIT Cells. <i>Cancer Immunology Research</i> , 2021 , 9, 996	12.5	
148	Contribution of resident and circulating precursors to tumor-infiltrating CD8 T cell populations in lung cancer. <i>Science Immunology</i> , 2021 , 6,	28	20
147	Toward a better understanding of T'cells in cancer.. <i>Cancer Cell</i> , 2021 , 39, 1549-1552	24.3	3

146	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 195-207	7	21
145	Tumor invasion in draining lymph nodes is associated with Treg accumulation in breast cancer patients. <i>Nature Communications</i> , 2020 , 11, 3272	17.4	45
144	Peptide-TLR-7/8a conjugate vaccines chemically programmed for nanoparticle self-assembly enhance CD8 T-cell immunity to tumor antigens. <i>Nature Biotechnology</i> , 2020 , 38, 320-332	44.5	107
143	MAIT Cell Development and Functions: the Microbial Connection. <i>Immunity</i> , 2020 , 53, 710-723	32.3	23
142	Mucosal-associated invariant T cells promote inflammation and intestinal dysbiosis leading to metabolic dysfunction during obesity. <i>Nature Communications</i> , 2020 , 11, 3755	17.4	36
141	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
140	Microbial metabolites control the thymic development of mucosal-associated invariant T cells. <i>Science</i> , 2019 , 366, 494-499	33.3	120
139	A comprehensive assessment of demographic, environmental, and host genetic associations with gut microbiome diversity in healthy individuals. <i>Microbiome</i> , 2019 , 7, 130	16.6	52
138	MAIT cells: programmed in the thymus to mediate immunity within tissues. <i>Current Opinion in Immunology</i> , 2019 , 58, 75-82	7.8	13
137	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1472-1483	7	41
136	Molecular mechanisms of lineage decisions in metabolite-specific T cells. <i>Nature Immunology</i> , 2019 , 20, 1244-1255	19.1	34
135	The T cell receptor (TRA) locus in the rabbit (<i>Oryctolagus cuniculus</i>): Genomic features and consequences for invariant T cells. <i>European Journal of Immunology</i> , 2019 , 49, 2146-2158	6.1	6
134	A TCR-Dependent Tissue Repair Potential of MAIT Cells. <i>Trends in Immunology</i> , 2019 , 40, 975-977	14.4	11
133	IL2/Anti-IL2 Complex Combined with CTLA-4, But Not PD-1, Blockade Rescues Antitumor NK Cell Function by Regulatory T-cell Modulation. <i>Cancer Immunology Research</i> , 2019 , 7, 443-457	12.5	15
132	A common transcriptomic program acquired in the thymus defines tissue residency of MAIT and NKT subsets. <i>Journal of Experimental Medicine</i> , 2019 , 216, 133-151	16.6	77
131	Natural variation in the parameters of innate immune cells is preferentially driven by genetic factors. <i>Nature Immunology</i> , 2018 , 19, 302-314	19.1	112
130	Ontogeny of human mucosal-associated invariant T cells and related T cell subsets. <i>Journal of Experimental Medicine</i> , 2018 , 215, 459-479	16.6	74
129	Distinctive roles of age, sex, and genetics in shaping transcriptional variation of human immune responses to microbial challenges. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E488-E497	11.5	107

128	MAIT cells: an historical and evolutionary perspective. <i>Immunology and Cell Biology</i> , 2018 , 96, 564-572	5	25
127	Blood monocytes sample MelanA/MART1 antigen for long-lasting cross-presentation to CD8 T cells after differentiation into dendritic cells. <i>International Journal of Cancer</i> , 2018 , 142, 133-144	7.5	12
126	Clinical potential of circulating tumour DNA in patients receiving anticancer immunotherapy. <i>Nature Reviews Clinical Oncology</i> , 2018 , 15, 639-650	19.4	108
125	Recipient mucosal-associated invariant T cells control GVHD within the colon. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1919-1936	15.9	60
124	Multiple Hotspot Mutations Scanning by Single Droplet Digital PCR. <i>Clinical Chemistry</i> , 2018 , 64, 317-328	5.5	28
123	Anti-NKG2A mAb Is a Checkpoint Inhibitor that Promotes Anti-tumor Immunity by Unleashing Both T and NK Cells. <i>Cell</i> , 2018 , 175, 1731-1743.e13	56.2	477
122	Induction of anergic or regulatory tumor-specific CD4 T cells in the tumor-draining lymph node. <i>Nature Communications</i> , 2018 , 9, 2113	17.4	37
121	Outlier response to anti-PD1 in uveal melanoma reveals germline MBD4 mutations in hypermutated tumors. <i>Nature Communications</i> , 2018 , 9, 1866	17.4	65
120	Patient-Specific Circulating Tumor DNA Detection during Neoadjuvant Chemotherapy in Triple-Negative Breast Cancer. <i>Clinical Chemistry</i> , 2017 , 63, 691-699	5.5	104
119	The biological and prognostic significance of angiotropism in uveal melanoma. <i>Laboratory Investigation</i> , 2017 ,	5.9	12
118	Circulating tumor DNA changes for early monitoring of anti-PD1 immunotherapy: a proof-of-concept study. <i>Annals of Oncology</i> , 2017 , 28, 1996-2001	10.3	150
117	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
116	Cytotoxic and regulatory roles of mucosal-associated invariant T cells in type 1 diabetes. <i>Nature Immunology</i> , 2017 , 18, 1321-1331	19.1	127
115	Standardized whole blood stimulation improves immunomonitoring of induced immune responses in multi-center study. <i>Clinical Immunology</i> , 2017 , 183, 325-335	9	32
114	MAIT cells launch a rapid, robust and distinct hyperinflammatory response to bacterial superantigens and quickly acquire an anergic phenotype that impedes their cognate antimicrobial function: Defining a novel mechanism of superantigen-induced immunopathology and immunosuppression. <i>PLoS Biology</i> , 2017 , 15, e2001930	9.7	78
113	MAIT cells in infectious diseases. <i>Current Opinion in Immunology</i> , 2017 , 48, 7-14	7.8	55
112	Unconventional or Preset $\gamma\delta$ T Cells: Evolutionarily Conserved Tissue-Resident T Cells Recognizing Nonpeptidic Ligands. <i>Annual Review of Cell and Developmental Biology</i> , 2017 , 33, 511-535	12.6	28
111	Pre-transplant donor CD4 invariant NKT cell expansion capacity predicts the occurrence of acute graft-versus-host disease. <i>Leukemia</i> , 2017 , 31, 903-912	10.7	30

110	Dendritic cell-derived exosomes as maintenance immunotherapy after first line chemotherapy in NSCLC. <i>OncImmunology</i> , 2016 , 5, e1071008	7.2	367
109	Standardized Whole-Blood Transcriptional Profiling Enables the Deconvolution of Complex Induced Immune Responses. <i>Cell Reports</i> , 2016 , 16, 2777-2791	10.6	43
108	Circulating tumor DNA for triple-negative breast cancer diagnosis and treatment decisions. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 39-50	3.8	9
107	Clinical applications of circulating tumor DNA and circulating tumor cells in pancreatic cancer. <i>Molecular Oncology</i> , 2016 , 10, 481-93	7.9	61
106	Complementarity and redundancy of IL-22-producing innate lymphoid cells. <i>Nature Immunology</i> , 2016 , 17, 179-86	19.1	162
105	MHC class I-related molecule, MR1, and mucosal-associated invariant T cells. <i>Immunological Reviews</i> , 2016 , 272, 120-38	11.3	69
104	MAIT, MR1, microbes and riboflavin: a paradigm for the co-evolution of invariant TCRs and restricting MHCI-like molecules?. <i>Immunogenetics</i> , 2016 , 68, 537-48	3.2	34
103	Restricting nonclassical MHC genes coevolve with TRAV genes used by innate-like T cells in mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E2983-92	11.5	45
102	IMMUNODEFICIENCIES. Impairment of immunity to <i>Candida</i> and <i>Mycobacterium</i> in humans with bi-allelic RORC mutations. <i>Science</i> , 2015 , 349, 606-613	33.3	291
101	In Vitro and In Vivo Analysis of the Gram-Negative Bacteria-Derived Riboflavin Precursor Derivatives Activating Mouse MAIT Cells. <i>Journal of Immunology</i> , 2015 , 194, 4641-9	5.3	77
100	Modeling the specific CD4+ T cell response against a tumor neoantigen. <i>Journal of Immunology</i> , 2015 , 194, 3501-12	5.3	7
99	Circulating tumor DNA and circulating tumor cells in metastatic triple negative breast cancer patients. <i>International Journal of Cancer</i> , 2015 , 136, 2158-65	7.5	115
98	Upcoming translational challenges for uveal melanoma. <i>British Journal of Cancer</i> , 2015 , 113, 1249-53	8.7	16
97	Mucosal-Resident T Lymphocytes with Invariant Antigen Receptors 2015 , 749-764		
96	Circulating tumor DNA as a non-invasive substitute to metastasis biopsy for tumor genotyping and personalized medicine in a prospective trial across all tumor types. <i>Molecular Oncology</i> , 2015 , 9, 783-90	7.9	200
95	The Milieu Intérieur study - an integrative approach for study of human immunological variance. <i>Clinical Immunology</i> , 2015 , 157, 277-93	9	35
94	Mucosal-associated invariant T cell alterations in obese and type 2 diabetic patients. <i>Journal of Clinical Investigation</i> , 2015 , 125, 1752-62	15.9	193
93	Mucosal-associated invariant T cell-rich congenic mouse strain allows functional evaluation. <i>Journal of Clinical Investigation</i> , 2015 , 125, 4171-85	15.9	98

92	The IL-17A-producing CD8+ T-cell population in psoriatic lesional skin comprises mucosa-associated invariant T cells and conventional T cells. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2898-2907	4.3	92
91	High numbers of differentiated effector CD4 T cells are found in patients with cancer and correlate with clinical response after neoadjuvant therapy of breast cancer. <i>Cancer Research</i> , 2014 , 74, 2204-16	10.1	27
90	Specific MAIT cell behaviour among innate-like T lymphocytes in critically ill patients with severe infections. <i>Intensive Care Medicine</i> , 2014 , 40, 192-201	14.5	131
89	Functional analysis via standardized whole-blood stimulation systems defines the boundaries of a healthy immune response to complex stimuli. <i>Immunity</i> , 2014 , 40, 436-50	32.3	118
88	Different immunogenicity but similar antitumor efficacy of two DNA vaccines coding for an antigen secreted in different membrane vesicle-associated forms. <i>Journal of Extracellular Vesicles</i> , 2014 , 3,	16.4	30
87	Innate mucosal-associated invariant T (MAIT) cells are activated in inflammatory bowel diseases. <i>Clinical and Experimental Immunology</i> , 2014 , 176, 266-74	6.2	221
86	Detection rate and prognostic value of circulating tumor cells and circulating tumor DNA in metastatic uveal melanoma. <i>International Journal of Cancer</i> , 2014 , 134, 1207-13	7.5	129
85	Extrathymic induction of Foxp3+ regulatory T cells declines with age in a T-cell intrinsic manner. <i>European Journal of Immunology</i> , 2013 , 43, 2598-604	6.1	15
84	Expansion of functional human mucosal-associated invariant T cells via reprogramming to pluripotency and redifferentiation. <i>Cell Stem Cell</i> , 2013 , 12, 546-58	18	66
83	MR1B, a natural spliced isoform of the MHC-related 1 protein, is expressed as homodimers at the cell surface and activates MAIT cells. <i>European Journal of Immunology</i> , 2013 , 43, 1363-73	6.1	14
82	Double-positive thymocytes select mucosal-associated invariant T cells. <i>Journal of Immunology</i> , 2013 , 191, 6002-9	5.3	90
81	MAIT cells, surveyors of a new class of antigen: development and functions. <i>Current Opinion in Immunology</i> , 2013 , 25, 174-80	7.8	117
80	Risk of tumorigenicity in mesenchymal stromal cell-based therapies--bridging scientific observations and regulatory viewpoints. <i>Cytotherapy</i> , 2013 , 15, 753-9	4.8	217
79	MAIT cells detect and efficiently lyse bacterially-infected epithelial cells. <i>PLoS Pathogens</i> , 2013 , 9, e1003681	6.1	259
78	An essential role for decorin in bladder cancer invasiveness. <i>EMBO Molecular Medicine</i> , 2013 , 5, 1835-51	12	38
77	Analysis of APC types involved in CD4 tolerance and regulatory T cell generation using reaggregated thymic organ cultures. <i>Journal of Immunology</i> , 2013 , 190, 2102-10	5.3	34
76	Human iNKT and MAIT cells exhibit a PLZF-dependent proapoptotic propensity that is counterbalanced by XIAP. <i>Blood</i> , 2013 , 121, 614-23	2.2	82
75	MAIT cell recognition of MR1 on bacterially infected and uninfected cells. <i>PLoS ONE</i> , 2013 , 8, e53789	3.7	32

74	Proportions of CD4+ memory T cells are altered in individuals chronically infected with <i>Schistosoma haematobium</i> . <i>Scientific Reports</i> , 2012 , 2, 472	4.9	18
73	Human MAIT and CD8 α cells develop from a pool of type-17 precommitted CD8+ T cells. <i>Blood</i> , 2012 , 119, 422-33	2.2	202
72	Antigen recognition by autoreactive CD4+ thymocytes drives homeostasis of the thymic medulla. <i>PLoS ONE</i> , 2012 , 7, e52591	3.7	22
71	Pyrophosphorolysis-activated polymerization detects circulating tumor DNA in metastatic uveal melanoma. <i>Clinical Cancer Research</i> , 2012 , 18, 3934-41	12.9	63
70	Age-related patterns in human myeloid dendritic cell populations in people exposed to <i>Schistosoma haematobium</i> infection. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1824	4.8	9
69	Human papillomavirus mutational insertion: specific marker of circulating tumor DNA in cervical cancer patients. <i>PLoS ONE</i> , 2012 , 7, e43393	3.7	50
68	Mucosal-associated invariant T cells: unconventional development and function. <i>Trends in Immunology</i> , 2011 , 32, 212-8	14.4	172
67	Human MAIT cells are xenobiotic-resistant, tissue-targeted, CD161hi IL-17-secreting T cells. <i>Blood</i> , 2011 , 117, 1250-9	2.2	654
66	Updated technology to produce highly immunogenic dendritic cell-derived exosomes of clinical grade: a critical role of interferon- γ . <i>Journal of Immunotherapy</i> , 2011 , 34, 65-75	5	133
65	Mucosal-associated invariant T cells regulate Th1 response in multiple sclerosis. <i>International Immunology</i> , 2011 , 23, 529-35	4.9	128
64	Antimicrobial activity of mucosal-associated invariant T cells. <i>Nature Immunology</i> , 2010 , 11, 701-8	19.1	623
63	Long peptide vaccination can lead to lethality through CD4+ T cell-mediated cytokine storm. <i>Journal of Immunology</i> , 2010 , 185, 892-901	5.3	16
62	Human mucosal associated invariant T cells detect bacterially infected cells. <i>PLoS Biology</i> , 2010 , 8, e1000497	9.7	446
61	Establishment and characterization of a panel of human uveal melanoma xenografts derived from primary and/or metastatic tumors. <i>Clinical Cancer Research</i> , 2010 , 16, 2352-62	12.9	120
60	Dendritic cell-derived exosomes for cancer immunotherapy: what's next?. <i>Cancer Research</i> , 2010 , 70, 1281-5	10.1	223
59	MR1 antigen presentation to mucosal-associated invariant T cells was highly conserved in evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8290-5	11.5	130
58	Stepwise development of MAIT cells in mouse and human. <i>PLoS Biology</i> , 2009 , 7, e54	9.7	407
57	A phase I clinical study of vaccination of melanoma patients with dendritic cells loaded with allogeneic apoptotic/necrotic melanoma cells. Analysis of toxicity and immune response to the vaccine and of IL-10 -1082 promoter genotype as predictor of disease progression. <i>Journal of Translational Medicine</i> , 2008 , 6, 6	8.5	46

56	The transcription factor PLZF directs the effector program of the NKT cell lineage. <i>Immunity</i> , 2008 , 29, 391-403	32.3	511
55	Antigen persistence is required for dendritic cell licensing and CD8+ T cell cross-priming. <i>Journal of Immunology</i> , 2008 , 181, 3067-76	5.3	43
54	MR1 uses an endocytic pathway to activate mucosal-associated invariant T cells. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1201-11	16.6	112
53	Antigen-specific T-T interactions regulate CD4 T-cell expansion. <i>Blood</i> , 2008 , 112, 1249-58	2.2	49
52	MR1 uses an endocytic pathway to activate mucosal-associated invariant T cells. <i>Journal of Cell Biology</i> , 2008 , 181, i11-i11	7.3	
51	gamma(c) cytokines provide multiple homeostatic signals to naive CD4(+) T cells. <i>European Journal of Immunology</i> , 2007 , 37, 2606-16	6.1	24
50	Gamma c cytokines condition the progressive differentiation of CD4+ T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15442-7	11.5	8
49	CD4 cells can be more efficient at tumor rejection than CD8 cells. <i>Blood</i> , 2007 , 109, 5346-54	2.2	322
48	Imatinib mesylate reduces rituximab-induced tumor-growth inhibition in vivo on Epstein-Barr virus-associated human B-cell lymphoma. <i>Anti-Cancer Drugs</i> , 2007 , 18, 1029-37	2.4	2
47	Imatinib Mesylate Reduces Rituximab-Induced Tumor Growth Inhibition In Vivo on EBV-Associated Human B-Cell Lymphoma.. <i>Blood</i> , 2007 , 110, 2360-2360	2.2	
46	Antigen-independent accumulation of activated effector/memory T lymphocytes into human and murine tumors. <i>International Journal of Cancer</i> , 2006 , 118, 1205-14	7.5	20
45	Intratumor CD4 T-cell accumulation requires stronger priming than for expansion and lymphokine secretion. <i>Cancer Research</i> , 2006 , 66, 5443-51	10.1	11
44	High efficacy of combined rituximab and gemcitabine on Epstein-Barr virus-associated human B-cell lymphoma obtained after Hodgkin's xenograft in immunodeficient mice. <i>Anti-Cancer Drugs</i> , 2006 , 17, 685-95	2.4	6
43	Anti-LFA-1 antibody postpones T-cell receptor triggering while preserving generation of regulatory T cells in T-cell receptor anti-HY transgenic mice. <i>Transplantation</i> , 2006 , 82, 119-26	1.8	3
42	CD1d- and MR1-restricted invariant T cells: of mice and men. <i>Current Opinion in Immunology</i> , 2006 , 18, 519-26	7.8	103
41	Vaccination of metastatic melanoma patients with autologous dendritic cell (DC) derived-exosomes: results of the first phase I clinical trial. <i>Journal of Translational Medicine</i> , 2005 , 3, 10	8.5	769
40	CD4 Cells Can Be More Efficient at Tumor Rejection Than CD8 Cells. <i>Journal of Immunotherapy</i> , 2005 , 28, 617	5	0
39	Mucosal-associated invariant T (MAIT) cells: an evolutionarily conserved T cell subset. <i>Microbes and Infection</i> , 2005 , 7, 552-9	9.3	87

38	Evidence for MR1 antigen presentation to mucosal-associated invariant T cells. <i>Journal of Biological Chemistry</i> , 2005 , 280, 21183-93	5.4	116
37	Skin carcinoma arising from donor cells in a kidney transplant recipient. <i>Cancer Research</i> , 2005 , 65, 1755-60.1		80
36	Dendritic cell maturation controls adhesion, synapse formation, and the duration of the interactions with naive T lymphocytes. <i>Journal of Immunology</i> , 2004 , 172, 292-301	5.3	123
35	Expansion and function of CD8+ T cells expressing Ly49 inhibitory receptors specific for MHC class I molecules. <i>Journal of Immunology</i> , 2004 , 173, 3773-82	5.3	26
34	Roles of lymphoid cells in the differentiation of Langerhans dendritic cells in mice. <i>Immunobiology</i> , 2004 , 209, 209-21	3.4	8
33	Are major histocompatibility complex molecules involved in the survival of naive CD4+ T cells?. <i>Journal of Experimental Medicine</i> , 2003 , 198, 1089-102	16.6	70
32	Selection of evolutionarily conserved mucosal-associated invariant T cells by MR1. <i>Nature</i> , 2003 , 422, 164-9	50.4	724
31	Feto-maternal microchimerism in connective tissue diseases. <i>European Journal of Immunology</i> , 2002 , 32, 3405-13	6.1	49
30	Cross-primed CD8(+) T cells mediate graft rejection via a distinct effector pathway. <i>Nature Immunology</i> , 2002 , 3, 844-51	19.1	166
29	Indirect activation of naive CD4+ T cells by dendritic cell-derived exosomes. <i>Nature Immunology</i> , 2002 , 3, 1156-62	19.1	663
28	Differential requirement for the transcription factor PU.1 in the generation of natural killer cells versus B and T cells. <i>Blood</i> , 2001 , 97, 2625-32	2.2	108
27	Contribution of double-negative thymic precursors to CD8alpha alpha (+) intraepithelial lymphocytes of the gut in mice bearing TCR transgenes. <i>European Journal of Immunology</i> , 2001 , 31, 2593-602	6.1	30
26	Effect of Highly Active Antiretroviral Therapy on Expression of Interleukin-10 and Interleukin-12 in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 26, 303-304	3.1	5
25	Acute rejection in the absence of cognate recognition of allograft by T cells. <i>Journal of Immunology</i> , 2001 , 166, 4879-83	5.3	55
24	Gamma chain required for naive CD4+ T cell survival but not for antigen proliferation. <i>Nature Immunology</i> , 2000 , 1, 54-8	19.1	266
23	A NK1.1+ thymocyte-derived TCR beta-chain transgene promotes positive selection of thymic NK1.1+ alpha beta T cells. <i>Journal of Immunology</i> , 2000 , 165, 3004-14	5.3	8
22	An invariant T cell receptor alpha chain defines a novel TAP-independent major histocompatibility complex class Ib-restricted alpha/beta T cell subpopulation in mammals. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1907-21	16.6	424
21	Quantification of porcine cytokine gene expression using RT-PCR, a homologous internal control and chemiluminescence for microplate detection. <i>Journal of Immunological Methods</i> , 1999 , 229, 49-60	2.5	15

20	Thymic dependence of invariant V alpha 14+ natural killer-T cell development. <i>European Journal of Immunology</i> , 1999 , 29, 3313-8	6.1	54
19	Cytomegalovirus Retinitis in Advanced HIV-Infected Patients Treated With Protease Inhibitors: Incidence and Outcome Over 2 Years. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999 , 22, 228	3.1	4
18	Persistent alterations in T-cell repertoire, cytokine and chemokine receptor gene expression after 1 year of highly active antiretroviral therapy. <i>Aids</i> , 1999 , 13, 185-94	3.5	42
17	Overexpression of natural killer T cells protects Valpha14- Jalpha281 transgenic nonobese diabetic mice against diabetes. <i>Journal of Experimental Medicine</i> , 1998 , 188, 1831-9	16.6	346
16	Lineage relationships and differentiation of natural killer (NK) T cells: intrathymic selection and interleukin (IL)-4 production in the absence of NKR-P1 and Ly49 molecules. <i>Journal of Experimental Medicine</i> , 1997 , 185, 1395-401	16.6	64
15	Increased interleukin 4 and immunoglobulin E production in transgenic mice overexpressing NK1 T cells. <i>Journal of Experimental Medicine</i> , 1996 , 184, 1285-93	16.6	222
14	Regulation of interleukin-10 production by beta-adrenergic agonists. <i>European Journal of Immunology</i> , 1996 , 26, 2601-5	6.1	98
13	CD1 recognition by mouse NK1+ T lymphocytes. <i>Science</i> , 1995 , 268, 863-5	33.3	757
12	An invariant T cell receptor alpha chain is used by a unique subset of major histocompatibility complex class I-specific CD4+ and CD4-8- T cells in mice and humans. <i>Journal of Experimental Medicine</i> , 1994 , 180, 1097-106	16.6	876
11	A possible role for specific "anergy" in immunologic hyporeactivity to donor stimulation in human kidney allograft recipients. <i>Transplantation</i> , 1993 , 55, 277-83	1.8	11
10	Evidence that antihuman tumor necrosis factor monoclonal antibody prevents OKT3-induced acute syndrome. <i>Transplantation</i> , 1992 , 54, 997-1002	1.8	63
9	Allogenic recognition in 1992. <i>Biomedicine and Pharmacotherapy</i> , 1992 , 46, 85-90	7.5	
8	EBV cell-lines (LCL) and E- cells as stimulator cells for limiting dilution analysis (LDA) of alloreactive IL-2-secreting cells (IL-2-SC) and cytotoxic precursors (CTLp). Comparison of their stimulator capacity and ability to generate specific alloreactivity. <i>Journal of Immunological Methods</i> , 1991 , 137, 121-32	2.5	6
7	Decreased lymphokine-activated killer cells in kidney transplant recipients. Correlation with a diminished number of CD3-/NKH1+ cells. <i>Transplantation</i> , 1990 , 50, 250-7	1.8	2
6	Recurrent essential mixed cryoglobulinemia in renal allografts. Report of two cases and review of the literature. <i>American Journal of Nephrology</i> , 1989 , 9, 150-4	4.6	13
5	Renal transplantation and active lupus erythematosus. <i>Annals of Internal Medicine</i> , 1988 , 109, 254-5	8	3
4	Fluoride-induced chronic renal failure. <i>American Journal of Kidney Diseases</i> , 1987 , 10, 136-9	7.4	35
3	Interleukin 2-induced proliferation of leukemic human B cells. <i>Journal of Experimental Medicine</i> , 1985 , 161, 1225-30	16.6	86

2	High seroprevalence but short-lived immune response to SARS-CoV-2 infection in Paris	3
1	Human MAIT cells are devoid of alloreactive potential: prompting their use as universal cells for adoptive immune therapy	1