

Shiro Tanaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/869540/shiro-tanaka-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

218 papers	3,381 citations	30 h-index	48 g-index
232 ext. papers	4,169 ext. citations	4.4 avg, IF	5.07 L-index

#	Paper	IF	Citations
218	Safety assessment of robotic gastrectomy and analysis of surgical learning process: a multicenter cohort study.. <i>Gastric Cancer</i> , 2022 , 1	7.6	0
217	Assessment of asthma severity according to treatment steps in Japanese pediatric patients: a descriptive cross-sectional study using an administrative claims database. <i>Journal of Asthma</i> , 2021 , 58, 1574-1580	1.9	1
216	Predictive factors for the development of leukemia in patients with transient abnormal myelopoiesis and Down syndrome. <i>Leukemia</i> , 2021 , 35, 1480-1484	10.7	5
215	Comparative Outcomes of Laparoscopic Gastrectomy and Open Gastrectomy for Scirrhus Gastric Cancer: A Multicenter Retrospective Cohort Study. <i>Annals of Surgery Open</i> , 2021 , 2, e063	1	0
214	Safety and Efficacy of FIT039 for Verruca Vulgaris: A Placebo-Controlled, Phase I/II Randomized Controlled Trial.. <i>JID Innovations</i> , 2021 , 1, 100026		
213	A randomized, controlled trial of once-weekly teriparatide injection versus alendronate in patients at high risk of osteoporotic fracture: primary results of the Japanese Osteoporosis Intervention Trial-05. <i>Osteoporosis International</i> , 2021 , 32, 2301-2311	5.3	7
212	Dipeptidyl peptidase-4 inhibitor, anagliptin, alters hepatic insulin clearance in relation to the glycemic status in Japanese individuals with type2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1805-1815	3.9	0
211	Association of estimated plasma volume and weight loss after long-term administration and subsequent discontinuation of the sodium-glucose cotransporter-2 inhibitor tofogliflozin. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1660-1665	6.7	3
210	Machine-learning model derived gene signature predictive of paclitaxel survival benefit in gastric cancer: results from the randomised phase III SAMIT trial. <i>Gut</i> , 2021 ,	19.2	6
209	Association of advanced glycation end-products levels with vascular events in postmenopausal women. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 651-656	2.9	
208	Exposures associated with the onset of Kawasaki disease in infancy from the Japan Environment and Children@ Study. <i>Scientific Reports</i> , 2021 , 11, 13309	4.9	0
207	Predisposition to prolonged neutropenia after chemotherapy for paediatric acute myeloid leukaemia is associated with better prognosis in the Japanese Paediatric Leukaemia/Lymphoma Study Group AML-05 study. <i>British Journal of Haematology</i> , 2021 , 193, 176-180	4.5	0
206	Microcystic, Elongated and Fragmented Pattern Invasion Can Adversely Influence Preoperative Staging for Low-grade Endometrial Carcinoma. <i>Magnetic Resonance in Medical Sciences</i> , 2021 , 20, 20-27	2.9	3
205	The outcomes of relapsed acute myeloid leukemia in children: Results from the Japanese Pediatric Leukemia/Lymphoma Study Group AML-05R study. <i>Pediatric Blood and Cancer</i> , 2021 , 68, e28736	3	1
204	Exploratory assessment of treatment-dependent random-effects distribution using gradient functions. <i>Statistics in Medicine</i> , 2021 , 40, 226-239	2.3	
203	Case-only Approach in Randomized Clinical Trials -Evaluation of Power to Detect a Treatment Effect Predictive Marker-. <i>Japanese Journal of Biometrics</i> , 2021 , 41, 137-149	0	
202	A 52-week randomized controlled trial of ipragliflozin or sitagliptin in type 2 diabetes combined with metformin: The N-ISM study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 811-821	6.7	3

201	Salvage Therapy After Regorafenib or Trifluridine/Tipiracil Treatment of Metastatic Colorectal Cancer: A Conditional Landmark Analysis. <i>Anticancer Research</i> , 2021 , 41, 1055-1062	2.3	1
200	Cardiovascular Safety of Celecoxib after Cardiac Surgery with Cardiopulmonary Bypass: A Retrospective Cohort Study. <i>Annals of Clinical Epidemiology</i> , 2021 , 3, 101-108	2.5	
199	Post-induction MRD by FCM and GATA1-PCR are significant prognostic factors for myeloid leukemia of Down syndrome. <i>Leukemia</i> , 2021 , 35, 2508-2516	10.7	2
198	Retrolaminar Block Versus Paravertebral Block for Pain Relief After Less-Invasive Lung Surgery: A Randomized, Non-Inferiority Controlled Trial. <i>Cureus</i> , 2021 , 13, e13597	1.2	4
197	Efficacy and safety of 0.01% atropine for prevention of childhood myopia in a 2-year randomized placebo-controlled study. <i>Japanese Journal of Ophthalmology</i> , 2021 , 65, 315-325	2.6	16
196	Sodium Intake and Incidence of Diabetes Complications in Elderly Patients with Type 2 Diabetes-Analysis of Data from the Japanese Elderly Diabetes Intervention Study (J-EDIT). <i>Nutrients</i> , 2021 , 13,	6.7	2
195	Developing a health economic model for Asians with type 2 diabetes based on the Japan Diabetes Complications Study and the Japanese Elderly Diabetes Intervention Trial. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	2
194	Clinical biomarkers in adjuvant chemotherapy for gastric cancer after D2 dissection by a pooled analysis of individual patient data from large randomized controlled trials. <i>Gastric Cancer</i> , 2021 , 24, 1184-1193	7.6	0
193	Evaluation of the clinical performance of noninvasive prenatal testing at a Japanese laboratory. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 3437-3446	1.9	0
192	Efficacy of vonoprazan against bleeding from endoscopic submucosal dissection-induced gastric ulcers under antithrombotic medication: A cross-design synthesis of randomized and observational studies.. <i>PLoS ONE</i> , 2021 , 16, e0261703	3.7	1
191	Influence of symptomatic periodontal disease on changes in skeletal bone density during medication therapy for osteoporosis in postmenopausal women: the Japanese Osteoporosis Intervention Trial (JOINT)-04 and JOINT-05.. <i>Archives of Osteoporosis</i> , 2021 , 17, 7	2.9	0
190	Intravenous itraconazole compared with liposomal amphotericin B as empirical antifungal therapy in patients with neutropaenia and persistent fever. <i>Mycoses</i> , 2020 , 63, 794-801	5.2	4
189	Association between Low Protein Intake and Mortality in Patients with Type 2 Diabetes. <i>Nutrients</i> , 2020 , 12,	6.7	7
188	Prognostic index consisting of early post-transplant variables . <i>Hepatology Research</i> , 2020 , 50, 741-753	5.1	4
187	Association of increased hepatic insulin clearance and change in serum triglycerides or hydroxybutyrate concentration via the sodium/glucose-cotransporter 2 inhibitor tofogliflozin. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 947-956	6.7	6
186	Treatment Patterns in Newly Diagnosed Multiple Myeloma Patients in Japan Using A Large-scale Claims Database: Retrospective Cohort Study. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2020 , 25, 43-53	0.6	0
185	Linear or circular stapler? A propensity score-matched, multicenter analysis of intracorporeal esophagojejunostomy following totally laparoscopic total gastrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 5265-5273	5.2	9
184	Design of a randomized trial of teriparatide followed by alendronate: Japanese Osteoporosis Intervention Trial-05 (JOINT-05). <i>Journal of Bone and Mineral Metabolism</i> , 2020 , 38, 412-417	2.9	4

183	Randomized head-to-head comparison of minodronic acid and raloxifene for fracture incidence in postmenopausal Japanese women: the Japanese Osteoporosis Intervention Trial (JOINT)-04. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1847-1859	2.5	2
182	G-estimation of structural nested mean models for competing risks data using pseudo-observations. <i>Biostatistics</i> , 2020 , 21, 860-875	3.7	1
181	Vitamin B6 intake and incidence of diabetic retinopathy in Japanese patients with type 2 diabetes: analysis of data from the Japan Diabetes Complications Study (JDCS). <i>European Journal of Nutrition</i> , 2020 , 59, 1585-1594	5.2	5
180	Prediction of recurrence and remission using superb microvascular imaging in rheumatoid arthritis. <i>Journal of Medical Ultrasonics (2001)</i> , 2020 , 47, 131-138	1.4	4
179	Ezetimibe Lipid-Lowering Trial on Prevention of Atherosclerotic Cardiovascular Disease in 75 or Older (EWTOPIA 75): A Randomized, Controlled Trial. <i>Circulation</i> , 2019 , 140, 992-1003	16.7	57
178	Analysis of the association between paternity and reoperation for urethral obstruction in adult hypospadias patients who underwent two-stage repair in childhood. <i>BMC Urology</i> , 2019 , 19, 88	2.2	3
177	Recalls and Premarket Review Systems for High-Risk Medical Devices in Japan. <i>Therapeutic Innovation and Regulatory Science</i> , 2019 , 53, 775-780	1.2	1
176	Prophylactic sivelestat for esophagectomy and in-hospital mortality: a propensity score-matched analysis of claims database. <i>Journal of Anesthesia</i> , 2019 , 33, 230-237	2.2	2
175	Association of Low Birth Weight With Childhood Proteinuria at Age 3 Years: A Population-Based Retrospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 141-143	7.4	1
174	The association of urinary pentosidine levels with the prevalence of osteoporotic fractures in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2019 , 37, 1067-1074	2.9	10
173	Real-world pharmacological treatment patterns of patients with young-onset Parkinson's disease in Japan: a medical claims database analysis. <i>Journal of Neurology</i> , 2019 , 266, 1944-1952	5.5	8
172	Impact of underlying chronic adrenal insufficiency on clinical course of hospitalized patients with adrenal crisis: A nationwide cohort study. <i>European Journal of Internal Medicine</i> , 2019 , 64, 24-28	3.9	5
171	Exploratory analyses of effect modifiers in the antidepressant treatment of major depression: Individual-participant data meta-analysis of 2803 participants in seven placebo-controlled randomized trials. <i>Journal of Affective Disorders</i> , 2019 , 250, 419-424	6.6	15
170	Combined Effects of Energy Intake and Physical Activity on Obesity in Japanese Patients with Type 2 Diabetes (JDDM 50): A Cross-Sectional Study. <i>Diabetes Therapy</i> , 2019 , 10, 1133-1138	3.6	1
169	Pulse Pressure is a Stronger Predictor Than Systolic Blood Pressure for Severe Eye Diseases in Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2019 , 8, e010627	6	9
168	Incidence of osteonecrosis of the jaw in Japanese osteoporosis patients taking minodronic acid. <i>Journal of Bone and Mineral Metabolism</i> , 2019 , 37, 886-892	2.9	8
167	Pharmacogenomic-pharmacokinetic study of selective estrogen-receptor modulators with intra-patient dose escalation in breast cancer. <i>Breast Cancer</i> , 2019 , 26, 535-543	3.4	5
166	Study design of multi-center, open-label randomized controlled, head-to-head trial comparing minodronic acid and raloxifene: Japanese Osteoporosis Intervention Trial (JOINT)-04. <i>Journal of Bone and Mineral Metabolism</i> , 2019 , 37, 491-495	2.9	4

165	Attenuation of Weight Loss Through Improved Antilipolytic Effect in Adipose Tissue Via the SGLT2 Inhibitor Tofogliflozin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3647-3660	5.6	12
164	Overt Proteinuria, Moderately Reduced eGFR and Their Combination Are Predictive of Severe Diabetic Retinopathy or Diabetic Macular Edema in Diabetes 2019 , 60, 2685-2689		9
163	Fundamental concepts for causal inference in medicine. <i>Japanese Journal of Biometrics</i> , 2019 , 40, 35-62	0	1
162	Intermediate-term outcomes of aortic valve replacement with bioprosthetic or mechanical valves in patients on hemodialysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 2177-2186.e3	1.5	14
161	Association of intensive care unit admission and mortality in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2019 , 74, 109-115	3	4
160	Clinical and biological features of paediatric acute myeloid leukaemia (AML) with primary induction failure in the Japanese Paediatric Leukaemia/Lymphoma Study Group AML-05 study. <i>British Journal of Haematology</i> , 2019 , 185, 284-288	4.5	8
159	Development and validation of a prediction model for the probability of responding to placebo in antidepressant trials: a pooled analysis of individual patient data. <i>Evidence-Based Mental Health</i> , 2019 , 22, 10-16	11.1	7
158	Electronic health record nested pragmatic randomized controlled trial of a reminder system for serum lithium level monitoring in patients with mood disorder: KONOTORI study protocol. <i>Trials</i> , 2019 , 20, 706	2.8	1
157	Efficiency of acoustic radiation force impulse imaging for the staging of graft fibrosis after liver transplantation. <i>Hepatology Research</i> , 2019 , 49, 394-403	5.1	4
156	Effect of family-oriented diabetes programs on glycemic control: A meta-analysis. <i>Family Practice</i> , 2019 , 36, 387-394	1.9	3
155	Current status of late and recurrent intraocular lens dislocation: analysis of real-world data in Japan. <i>Japanese Journal of Ophthalmology</i> , 2019 , 63, 65-72	2.6	3
154	Higher pulse pressure predicts initiation of dialysis in Japanese patients with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3120	7.5	6
153	Predictors of hypomanic and/or manic switch among patients initially diagnosed with unipolar major depression during acute-phase antidepressants treatment. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 90-91	6.2	1
152	Meat intake and incidence of cardiovascular disease in Japanese patients with type 2 diabetes: analysis of the Japan Diabetes Complications Study (JDCS). <i>European Journal of Nutrition</i> , 2019 , 58, 281-290	5.3	9
151	Initial severity of major depression and efficacy of new generation antidepressants: individual participant data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 450-458	6.5	29
150	Preoperative Blood Tests Conducted Before Low-Risk Surgery in Japan: A Retrospective Observational Study Using a Nationwide Insurance Claims Database. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1633-1640	3.9	7
149	Risk-stratified therapy for children with FLT3-ITD-positive acute myeloid leukemia: results from the JPLSG AML-05 study. <i>International Journal of Hematology</i> , 2018 , 107, 586-595	2.3	11
148	An ancillary biomarker study in the SAMIT randomized trial: Sequential paclitaxel followed by UFT or S-1 versus UFT or S-1 alone as adjuvant chemotherapy for T4a/b gastric cancer. <i>Annals of Cancer Research and Therapy</i> , 2018 , 26, 39-42	0.2	0

147	Insufficient Sleep and Incidence of Dental Caries in Deciduous Teeth among Children in Japan: A Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2018 , 198, 279-286.e5	3.6	9
146	Costs associated with febrile neutropenia in Japanese patients with primary breast cancer: post-hoc analysis of a randomized clinical trial. <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 410-416	2.8	3
145	Caesarean delivery and anaemia risk in children in 45 low- and middle-income countries. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12538	3.4	1
144	Efficacy of antidepressants over placebo is similar in two-armed versus three-armed or more-armed randomized placebo-controlled trials. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 66-72	2.2	1
143	Optimising first- and second-line treatment strategies for untreated major depressive disorder - the SUN:)D study: a pragmatic, multi-centre, assessor-blinded randomised controlled trial. <i>BMC Medicine</i> , 2018 , 16, 103	11.4	29
142	Quantitative Relationship Between Cumulative Risk Alleles Based on Genome-Wide Association Studies and Type 2 Diabetes Mellitus: A Systematic Review and Meta-analysis. <i>Journal of Epidemiology</i> , 2018 , 28, 3-18	3.4	8
141	Relationship between intake of fruit separately from vegetables and triglycerides - A meta-analysis. <i>Clinical Nutrition ESPEN</i> , 2018 , 27, 53-58	1.3	5
140	Persistence of and switches from teriparatide treatment among women and men with osteoporosis in the real world: a claims database analysis. <i>Archives of Osteoporosis</i> , 2018 , 13, 54	2.9	8
139	Utilization of Anticoagulant and Antiplatelet Agents Among Patients With Atrial Fibrillation Undergoing Percutaneous Coronary Intervention - Retrospective Cohort Study Using a Nationwide Claims Database in Japan. <i>Circulation Journal</i> , 2018 , 82, 361-368	2.9	7
138	Exposure to tobacco smoke prenatally and during infancy and risk of hearing impairment among children in Japan: A retrospective cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 430-438	2.7	2
137	Evaluation of high-dose cytarabine in induction therapy for children with de novo acute myeloid leukemia: a study protocol of the Japan Children's Cancer Group Multi-Center Seamless Phase II-III Randomized Trial (JPLSG AML-12). <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 587-593	2.8	6
136	A Predictor of Tumor Recurrence in Patients With Endometrial Carcinoma After Complete Resection of the Tumor: The Role of Pretreatment Apparent Diffusion Coefficient. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 861-868	3.5	7
135	Identification of clinical biomarkers for adjuvant chemotherapy in gastric cancer after D2 dissection by pooled analysis of individual patient data from three large randomized clinical trials. <i>Annals of Cancer Research and Therapy</i> , 2018 , 26, 43-45	0.2	1
134	Development of a self-reported questionnaire for periodontal disease risk assessment among middle-aged and elderly patients of dental clinic in university. <i>Journal of Japanese Society of Periodontology</i> , 2018 , 60, 70-86	0.1	
133	Bisphosphonates prevent age-related weight loss in Japanese postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2018 , 36, 734-740	2.9	1
132	Perioperative Steroid Use for Tonsillectomy and Its Association With Reoperation for Posttonsillectomy Hemorrhage: A Retrospective Cohort Study. <i>Anesthesia and Analgesia</i> , 2018 , 126, 806-814	3.9	5
131	Preoperative pulmonary function tests before low-risk surgery in Japan: a retrospective cohort study using a claims database. <i>Journal of Anesthesia</i> , 2018 , 32, 23-32	2.2	4
130	Low serum osteocalcin concentration is associated with incident type 2 diabetes mellitus in Japanese women. <i>Journal of Bone and Mineral Metabolism</i> , 2018 , 36, 470-477	2.9	16

129	Psychogenic non-epileptic seizures in Japan: Trends in prevalence, delay in diagnosis, and frequency of hospital visits. <i>Epilepsy and Seizure</i> , 2018 , 10, 73-86	0.3	2
128	Network meta-analysis of the relative efficacy of bariatric surgeries for diabetes remission. <i>Obesity Reviews</i> , 2018 , 19, 1621-1629	10.6	26
127	Prescription pattern and trend of oral contraceptives in Japan: A descriptive study based on pharmacy claims data (2006-2014). <i>Sexual and Reproductive Healthcare</i> , 2018 , 17, 50-55	2.4	3
126	Preventive effects of raloxifene treatment on age-related weight loss in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 108-113	2.9	7
125	Unstable bodyweight and incident type 2 diabetes mellitus: A meta-analysis. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 501-509	3.9	16
124	Phase I clinical trial of olprinone in liver surgery. <i>Surgery Today</i> , 2017 , 47, 918-927	3	1
123	Initial severity of depression and efficacy of cognitive-behavioural therapy: individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017 , 210, 190-196	5.4	34
122	Outcome of relapsed core binding factor acute myeloid leukemia in children: A result from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG) AML-05R study. <i>Pediatric Blood and Cancer</i> , 2017 , 64, e26491	3	4
121	Allogeneic Hematopoietic Stem Cell Transplantation for Adolescents and Young Adults with Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1515-1522	4.7	14
120	Association between all-cause mortality and severity of depressive symptoms in patients with type 2 diabetes: Analysis from the Japan Diabetes Complications Study (JDCS). <i>Journal of Psychosomatic Research</i> , 2017 , 99, 34-39	4.1	7
119	Validation of surrogate endpoints in cancer clinical trials via principal stratification with an application to a prostate cancer trial. <i>Statistics in Medicine</i> , 2017 , 36, 2963-2977	2.3	1
118	Impact of adjuvant chemotherapy on survival of women with T1N0M0, hormone receptor negative breast cancer. <i>Cancer Epidemiology</i> , 2017 , 48, 56-61	2.8	5
117	Predictive factors for the placebo effect in clinical trials for dry eye: a pooled analysis of three clinical trials. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1471-1474	5.5	9
116	Quantifying indirect evidence in network meta-analysis. <i>Statistics in Medicine</i> , 2017 , 36, 917-927	2.3	9
115	Maternal Smoking during Pregnancy, Household Smoking after the Child's Birth, and Childhood Proteinuria at Age 3 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 253-260	6.9	9
114	Clinical characteristics of adrenal crisis in adult population with and without predisposing chronic adrenal insufficiency: a retrospective cohort study. <i>BMC Endocrine Disorders</i> , 2017 , 17, 58	3.3	14
113	Neurodevelopment at 3 Years in Neonates Born by Vaginal Delivery versus Cesarean Section at . <i>Neonatology</i> , 2017 , 112, 258-266	4	7
112	Impact of health insurance coverage for gastritis on the trends in eradication therapy in Japan: retrospective observational study and simulation study based on real-world data. <i>BMJ Open</i> , 2017 , 7, e015855	3	37

111	Fludarabine, cytarabine, granulocyte colony-stimulating factor and idarubicin for relapsed childhood acute myeloid leukemia. <i>Pediatrics International</i> , 2017 , 59, 1046-1052	1.2	4
110	Policy implementation for methicillin-resistant in seven European countries: a comparative analysis from 1999 to 2015. <i>Journal of Market Access & Health Policy</i> , 2017 , 5, 1351293	3.7	5
109	Short sleep and risk of proteinuria in 3-year-olds in Japan: a population-based cohort study. <i>Sleep Medicine</i> , 2017 , 40, 33-39	4.6	1
108	Analysis of the evidence-practice gap to facilitate proper medical care for the elderly: investigation, using databases, of utilization measures for National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). <i>Environmental Health and Preventive Medicine</i> , 2017 , 22, 51	4.2	16
107	Comparison of baseline characteristics and clinical course in Japanese patients with type 2 diabetes among whom different types of oral hypoglycemic agents were chosen by diabetes specialists as initial monotherapy (JDDM 42). <i>Medicine (United States)</i> , 2017 , 96, e6122	1.8	15
106	Prenatal anemia control and anemia in children aged 6-23 months in sub-Saharan Africa. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3.4	7
105	Patients with type 2 diabetes having higher glomerular filtration rate showed rapid renal function decline followed by impaired glomerular filtration rate: Japan Diabetes Complications Study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 473-478	3.2	18
104	Comparison of concurrent treatment with vitamin K and risedronate compared with treatment with risedronate alone in patients with osteoporosis: Japanese Osteoporosis Intervention Trial-03. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 385-395	2.9	17
103	Comparison of the Long-Term Outcomes of Mechanical and Bioprosthetic Aortic Valves - A Propensity Score Analysis. <i>Circulation Journal</i> , 2017 , 81, 1198-1206	2.9	8
102	Analysis of case-cohort designs with binary outcomes: Improving efficiency using whole-cohort auxiliary information. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 691-706	2.3	12
101	Is the Proportion of Carbohydrate Intake Associated with the Incidence of Diabetes Complications?-An Analysis of the Japan Diabetes Complications Study. <i>Nutrients</i> , 2017 , 9,	6.7	8
100	Usefulness of Mac-2 Binding Protein Glycosylation Isomer for Prediction of Posthepatectomy Liver Failure in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2017 , 265, 1201-1208	7.8	24
99	Safety and efficacy of sustained release of basic fibroblast growth factor using gelatin hydrogel in patients with critical limb ischemia. <i>Heart and Vessels</i> , 2016 , 31, 713-21	2.1	41
98	Multivariate Analysis of the Factors Associated With Sexual Intercourse, Marriage, and Paternity of Hypospadias Patients. <i>Journal of Sexual Medicine</i> , 2016 , 13, 1488-95	1.1	5
97	Comparison of second transplantation and donor lymphocyte infusion for donor mixed chimerism after allogeneic stem cell transplantation for nonmalignant diseases. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 2221-2229	3	6
96	The Effect of False-Positive Results on Subsequent Participation in Chest X-ray Screening for Lung Cancer. <i>Journal of Epidemiology</i> , 2016 , 26, 646-653	3.4	1
95	The predictive value of preoperative F-fluorodeoxyglucose PET for postoperative recurrence in patients with localized primary gastrointestinal stromal tumour. <i>European Radiology</i> , 2016 , 26, 4664-4674	8	11
94	Effective and Safe Administration of Low-Dose Estramustine Phosphate for Castration-Resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e9-e17	3.3	8

93	Assessment of kidney dysfunction with cystatin C- and creatinine-based estimated glomerular filtration rate and predicting type 2 diabetes: Toranomon Hospital Health Management Center Study 21. <i>Diabetes Research and Clinical Practice</i> , 2016 , 113, 60-8	7.4	
92	Prediction of posthepatectomy liver failure based on liver stiffness measurement in patients with hepatocellular carcinoma. <i>Surgery</i> , 2016 , 159, 399-408	3.6	45
91	Validation Study of Claims-based Definitions of Suspected Atypical Femoral Fractures Using Clinical Information. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2016 , 21, 13-19	0.6	7
90	Serum-Based Quantification of MYCN Gene Amplification in Young Patients with Neuroblastoma: Potential Utility as a Surrogate Biomarker for Neuroblastoma. <i>PLoS ONE</i> , 2016 , 11, e0161039	3.7	18
89	CXCR4 Overexpression is a Poor Prognostic Factor in Pediatric Acute Myeloid Leukemia With Low Risk: A Report From the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 1394-9	3	11
88	Meta-analytic research on the relationship between cumulative risk alleles and risk of type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 178-86	7.5	1
87	Evaluation of a maternal health care project in South West Shoa Zone, Ethiopia: before-and-after comparison. <i>Reproductive Health</i> , 2016 , 13, 95	3.5	9
86	Maximum BMI and microvascular complications in a cohort of Japanese patients with type 2 diabetes: the Japan Diabetes Complications Study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 790-7	3.2	5
85	Re: The Quasi-cohort Approach in Pharmaco epidemiology: Upgrading the Nested Case-control. <i>Epidemiology</i> , 2016 , 27, e1	3.1	
84	Anticonvulsants or Antidepressants in Combination Pharmacotherapy for Treatment of Neuropathic Pain in Cancer Patients: A Systematic Review and Meta-analysis. <i>Clinical Journal of Pain</i> , 2016 , 32, 719-25	3.5	12
83	Quantitative assessment of genetic testing for type 2 diabetes mellitus based on findings of genome-wide association studies. <i>Annals of Epidemiology</i> , 2016 , 26, 816-818.e6	6.4	0
82	Comparison of clinical characteristics in patients with type 2 diabetes among whom different antihyperglycemic agents were prescribed as monotherapy or combination therapy by diabetes specialists. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 260-9	3.9	10
81	Price difference as a predictor of the selection between brand name and generic statins in Japan. <i>Health Policy</i> , 2015 , 119, 612-9	3.2	11
80	Five-year outcomes of percutaneous versus surgical coronary revascularization in patients with diabetes mellitus (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 , 115, 1063-72	3	24
79	Pharmacoepidemiology in Japan: medical databases and research achievements. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2015 , 1, 16	1.8	50
78	Adverse prognostic impact of KIT mutations in childhood CBF-AML: the results of the Japanese Pediatric Leukemia/Lymphoma Study Group AML-05 trial. <i>Leukemia</i> , 2015 , 29, 2438-41	10.7	22
77	Comparison of 5-Year Outcomes After Coronary Artery Bypass Grafting in Heart Failure Patients With Versus Without Preserved Left Ventricular Ejection Fraction (from the CREDO-Kyoto CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 , 116, 580-6	3	15
76	Secondhand smoke and incidence of dental caries in deciduous teeth among children in Japan: population based retrospective cohort study. <i>BMJ, The</i> , 2015 , 351, h5397	5.9	38

75	Risk of the development of Type 2 diabetes in relation to overall obesity, abdominal obesity and the clustering of metabolic abnormalities in Japanese individuals: does metabolically healthy overweight really exist? The Niigata Wellness Study. <i>Diabetic Medicine</i> , 2015 , 32, 665-72	3.5	20
74	An optimal strategy for coronary revascularization in patients with severe renal dysfunction. <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 48, 293-300	3	12
73	Validation of the Conventional Resection Criteria in Patients with Hepatocellular Carcinoma in Terms of the Incidence of Posthepatectomy Liver Failure and Long-Term Prognosis. <i>Digestive Surgery</i> , 2015 , 32, 344-51	2.5	23
72	Three-year outcomes after percutaneous coronary intervention and coronary artery bypass grafting in patients with heart failure: from the CREDO-Kyoto percutaneous coronary intervention/coronary artery bypass graft registry cohort-2. <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 47, 316-21, discussion 321	3	11
71	Prescription patterns and trends in anti-rheumatic drug use based on a large-scale claims database in Japan. <i>Clinical Rheumatology</i> , 2015 , 34, 949-56	3.9	20
70	2015 Guidance on cancer immunotherapy development in early-phase clinical studies. <i>Cancer Science</i> , 2015 , 106, 1761-71	6.9	11
69	Trajectory of body mass index before the development of type 2 diabetes in Japanese men: Toranomon Hospital Health Management Center Study 15. <i>Journal of Diabetes Investigation</i> , 2015 , 6, 289-94	3.9	15
68	Twenty-year outcome of aortic valve replacement with St. Jude Medical mechanical valves in Japanese patients. <i>Circulation Journal</i> , 2015 , 79, 2380-8	2.9	10
67	Methodological issues in observational studies and non-randomized controlled trials in oncology in the era of big data. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 323-7	2.8	30
66	Strategic use of new generation antidepressants for depression: SUN(^_^) D protocol update and statistical analysis plan. <i>Trials</i> , 2015 , 16, 459	2.8	4
65	Pretreatment Mean Apparent Diffusion Coefficient Is Significantly Correlated With Event-Free Survival in Patients With International Federation of Gynecology and Obstetrics Stage Ib to IIb Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2015 , 25, 1079-85	3.5	12
64	Comparison of continuous and twice-daily infusions of cyclosporine A for graft-versus-host-disease prophylaxis in pediatric hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 291-298	3	5
63	Long-term durability of pericardial valves in the aortic position in younger patients: when does reoperation become necessary?. <i>Journal of Cardiac Surgery</i> , 2015 , 30, 405-13	1.3	5
62	Prognostic significance of aminopeptidase-N (CD13) in hepatoblastoma. <i>Pediatrics International</i> , 2015 , 57, 558-66	1.2	5
61	Authors' reply to Yamana and colleagues. <i>BMJ, The</i> , 2015 , 351, h6761	5.9	1
60	Initial severity of schizophrenia and efficacy of antipsychotics: participant-level meta-analysis of 6 placebo-controlled studies. <i>JAMA Psychiatry</i> , 2015 , 72, 14-21	14.5	69
59	Cost-Effectiveness of Proton Pump Inhibitor Co-Therapy in Patients Taking Aspirin for Secondary Prevention of Ischemic Stroke. <i>Pharmacoeconomics</i> , 2015 , 33, 1091-100	4.4	2
58	Acute subdural hematoma after aortic surgery: a retrospective comparative study. <i>Asian Cardiovascular and Thoracic Annals</i> , 2015 , 23, 24-30	0.6	5

57	Blog Posting After Lung Cancer Notification: Content Analysis of Blogs Written by Patients or Their Families. <i>JMIR Cancer</i> , 2015 , 1, e5	3.2	2
56	The impact of posthepatectomy liver failure on the recurrence of hepatocellular carcinoma. <i>World Journal of Surgery</i> , 2014 , 38, 150-8	3.3	16
55	Bipolar treatment efficacy - AuthorsReply. <i>Lancet Psychiatry,the</i> , 2014 , 1, 418-9	23.3	
54	Dietary sodium intake and incidence of diabetes complications in Japanese patients with type 2 diabetes: analysis of the Japan Diabetes Complications Study (JDCS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3635-43	5.6	55
53	Role of body mass index history in predicting risk of the development of hypertension in Japanese individuals: Toranomon Hospital Health Management Center Study 18 (TOPICS 18). <i>Hypertension</i> , 2014 , 64, 247-52	8.5	13
52	Low calcium intake is associated with high plasma homocysteine levels in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2014 , 32, 317-23	2.9	6
51	Serum 25-hydroxyvitamin D below 25 ng/mL is a risk factor for long bone fracture comparable to bone mineral density in Japanese postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2014 , 32, 514-23	2.9	41
50	Application of a self-controlled case series study to a database study in children. <i>Drug Safety</i> , 2014 , 37, 259-68	5.1	13
49	Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry,the</i> , 2014 , 1, 351-9	23.3	207
48	Metabolically healthy obesity, presence or absence of fatty liver, and risk of type 2 diabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 20 (TOPICS 20). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2952-60	5.6	60
47	Comparison of five-year outcomes of coronary artery bypass grafting versus percutaneous coronary intervention in patients with left ventricular ejection fractions $\geq 50\%$ versus $< 50\%$ (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2014 , 114, 988-96	3	46
46	Effect of microRNA-145 to prevent vein graft disease in rabbits by regulation of smooth muscle cell phenotype. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 676-82.e2	1.5	23
45	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with end-stage renal disease requiring dialysis (5-year outcomes of the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2014 , 114, 555-61	3	42
44	EV11 overexpression is a poor prognostic factor in pediatric patients with mixed lineage leukemia-AF9 rearranged acute myeloid leukemia. <i>Haematologica</i> , 2014 , 99, e225-7	6.6	27
43	A randomized intervention trial of 24-wk dairy consumption on waist circumference, blood pressure, and fasting blood sugar and lipids in Japanese men with metabolic syndrome. <i>Journal of Nutritional Science and Vitaminology</i> , 2014 , 60, 305-12	1.1	14
42	Long-term outcome of the carpentier-edwards pericardial valve in the aortic position in Japanese patients. <i>Circulation Journal</i> , 2014 , 78, 882-9	2.9	34
41	Preoperative chronic kidney disease as a strong predictor of postoperative infection and mortality after coronary artery bypass grafting. <i>Circulation Journal</i> , 2014 , 78, 2225-31	2.9	26
40	Stability and changes in metabolically healthy overweight or obesity and risk of future diabetes: Niigata wellness study. <i>Obesity</i> , 2014 , 22, 2420-5	8	30

39	Journal Club: Diagnostic value of (18)F-FDG PET/CT and MRI in predicting the clinicopathologic subtypes of invasive breast cancer. <i>American Journal of Roentgenology</i> , 2014 , 203, 272-9	5.4	30
38	A randomized controlled clinical trial of topical insulin-like growth factor-1 therapy for sudden deafness refractory to systemic corticosteroid treatment. <i>BMC Medicine</i> , 2014 , 12, 219	11.4	60
37	Cohort profile: The Japan diabetes complications study: a long-term follow-up of a randomised lifestyle intervention study of type 2 diabetes. <i>International Journal of Epidemiology</i> , 2014 , 43, 1054-62	7.8	34
36	Impact on short-term glycaemic control of initiating diabetes care versus leaving diabetes untreated among individuals with newly screening-detected diabetes in Japan. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 1189-95	5.1	5
35	Prognostic implications of CEBPA mutations in pediatric acute myeloid leukemia: a report from the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Blood Cancer Journal</i> , 2014 , 4, e226	7	20
34	Author@ response to letter to the editor. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1627-8	2.5	
33	Body mass index and mortality among Japanese patients with type 2 diabetes: pooled analysis of the Japan diabetes complications study and the Japanese elderly diabetes intervention trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2692-6	5.6	25
32	Dietary intake in Japanese patients with type 2 diabetes: Analysis from Japan Diabetes Complications Study. <i>Journal of Diabetes Investigation</i> , 2014 , 5, 176-87	3.9	28
31	Changes in bone mineral density, bone turnover markers, and vertebral fracture risk reduction with once weekly teriparatide. <i>Current Medical Research and Opinion</i> , 2014 , 30, 931-6	2.5	15
30	Commentary on the United Kingdom Prospective Diabetes Study outcomes model 2: Need for long-term follow up and quality of life data in Asian patients. <i>Journal of Diabetes Investigation</i> , 2014 , 5, 281-3	3.9	1
29	Role of sleep duration as a risk factor for Type 2 diabetes among adults of different ages in Japan: the Niigata Wellness Study. <i>Diabetic Medicine</i> , 2014 , 31, 1363-7	3.5	21
28	Quantitative relationship between body weight gain in adulthood and incident type 2 diabetes: a meta-analysis. <i>Obesity Reviews</i> , 2014 , 15, 202-14	10.6	69
27	The increase in prescriptions of bisphosphonates and the incidence proportion of osteonecrosis of the jaw after risk communication activities in Japan: a hospital-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 398-405	2.6	9
26	Current Practice in Japan for the Prevention and Treatment of Missing Data in Confirmatory Clinical Trials: A Survey of Japanese and Foreign Pharmaceutical Manufacturers. <i>Therapeutic Innovation and Regulatory Science</i> , 2014 , 48, 717-723	1.2	2
25	Meta-analysis of the quantitative relation between pulse pressure and mean arterial pressure and cardiovascular risk in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2014 , 113, 1058-65 ³		27
24	Design of a randomized clinical trial of concurrent treatment with vitamin K2 and risedronate compared to risedronate alone in osteoporotic patients: Japanese Osteoporosis Intervention Trial-03 (JOINT-03). <i>Journal of Bone and Mineral Metabolism</i> , 2014 , 32, 298-304	2.9	7
23	A single-center analysis of the survival benefits of adjuvant gemcitabine chemotherapy for biliary tract cancer. <i>International Journal of Clinical Oncology</i> , 2014 , 19, 485-9	4.2	30
22	Predicting macro- and microvascular complications in type 2 diabetes: the Japan Diabetes Complications Study/the Japanese Elderly Diabetes Intervention Trial risk engine. <i>Diabetes Care</i> , 2013 , 36, 1193-9	14.6	70

21	Diabetic retinopathy and microalbuminuria can predict macroalbuminuria and renal function decline in Japanese type 2 diabetic patients: Japan Diabetes Complications Study. <i>Diabetes Care</i> , 2013 , 36, 2803-9	14.6	35
20	Fruit intake and incident diabetic retinopathy with type 2 diabetes. <i>Epidemiology</i> , 2013 , 24, 204-11	3.1	50
19	Intakes of dietary fiber, vegetables, and fruits and incidence of cardiovascular disease in Japanese patients with type 2 diabetes. <i>Diabetes Care</i> , 2013 , 36, 3916-22	14.6	28
18	Prediction of the remnant liver hypertrophy ratio after preoperative portal vein embolization. <i>European Surgical Research</i> , 2013 , 51, 129-37	1.1	17
17	Multiple Imputation Analysis of Nested Case-Control and Case-Cohort Studies. <i>Japanese Journal of Biometrics</i> , 2013 , 33, 101-124	0	1
16	Predicting long-term mortality after first coronary revascularization: [The Kyoto model] <i>Circulation Journal</i> , 2012 , 76, 328-34	2.9	22
15	The importance of absolute bone mineral density in the assessment of antiresorptive agents used for the prevention of osteoporotic fractures. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 392-398	3.5	6
14	Comparison of various lipid variables as predictors of coronary heart disease in Japanese men and women with type 2 diabetes: subanalysis of the Japan Diabetes Complications Study. <i>Diabetes Care</i> , 2012 , 35, 1150-7	14.6	38
13	Multiple Imputation Analysis of Two-Stage Case Control Studies. <i>Oyo Tokeigaku</i> , 2012 , 41, 79-95	0	1
12	Urinary pentosidine and plasma homocysteine levels at baseline predict future fractures in osteoporosis patients under bisphosphonate treatment. <i>Journal of Bone and Mineral Metabolism</i> , 2011 , 29, 62-70	2.9	43
11	Urinary pentosidine improves risk classification using fracture risk assessment tools for postmenopausal women. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 2778-84	6.3	48
10	Serum level of triglycerides is a potent risk factor comparable to LDL cholesterol for coronary heart disease in Japanese patients with type 2 diabetes: subanalysis of the Japan Diabetes Complications Study (JDACS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3448-56	5.6	135
9	The Fracture and Immobilization Score (FRISC) for risk assessment of osteoporotic fracture and immobilization in postmenopausal women--A joint analysis of the Nagano, Miyama, and Taiji Cohorts. <i>Bone</i> , 2010 , 47, 1064-70	4.7	19
8	Topical insulin-like growth factor 1 treatment using gelatin hydrogels for glucocorticoid-resistant sudden sensorineural hearing loss: a prospective clinical trial. <i>BMC Medicine</i> , 2010 , 8, 76	11.4	70
7	Milk, Dairy Products and Metabolic Syndrome: A Cross-sectional Study of Japanese. <i>Nihon Eiyō Shokuryō Gakkai Shi = Nippon Eiyō Shokuryō Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2010 , 63, 151-159	0.2	2
6	Influence of fat and carbohydrate proportions on the metabolic profile in patients with type 2 diabetes: a meta-analysis. <i>Diabetes Care</i> , 2009 , 32, 959-65	14.6	119
5	Contributions of 25-hydroxyvitamin D, co-morbidities and bone mass to mortality in Japanese postmenopausal women. <i>Bone</i> , 2009 , 44, 168-72	4.7	50
4	The relationship between back pain and future vertebral fracture in postmenopausal women. <i>Spine</i> , 2009 , 34, 1984-9	3.3	14

3	Nonenzymatic collagen cross-links induced by glycoxidation (pentosidine) predicts vertebral fractures. <i>Journal of Bone and Mineral Metabolism</i> , 2008 , 26, 93-100	2.9	106
2	The synergistic effect of bone mineral density and methylenetetrahydrofolate reductase (MTHFR) polymorphism (C677T) on fractures. <i>Journal of Bone and Mineral Metabolism</i> , 2008 , 26, 595-602	2.9	38
1	Estimating the effects of time-varying treatments: incidence of fractures among postmenopausal Japanese women. <i>Epidemiology</i> , 2007 , 18, 529-36	3.1	5