Richard L Ferrero

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/869585/richard-l-ferrero-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 5,921 36 76 g-index

95 6,809 6.8 5.55 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	Nuclear trafficking of bacterial effector proteins. <i>Cellular Microbiology</i> , 2021 , 23, e13320	3.9	3
90	Xanthine-Guanine-Hypoxanthine Phosphoribosyltransferase-A Putative Target for Drug Discovery against Gastrointestinal Tract Infections. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 5710-5729	8.3	1
89	Nod1 promotes colorectal carcinogenesis by regulating the immunosuppressive functions of tumor-infiltrating myeloid cells. <i>Cell Reports</i> , 2021 , 34, 108677	10.6	18
88	Analysis of Innate Immune Responses to Helicobacter pylori. <i>Methods in Molecular Biology</i> , 2021 , 2283, 191-214	1.4	1
87	Helicobacter pylori-induced gastric carcinogenesis 2021 , 91-118		O
86	Constitutive STAT3 Serine Phosphorylation Promotes Helicobacter-Mediated Gastric Disease. <i>American Journal of Pathology</i> , 2020 , 190, 1256-1270	5.8	13
85	Innate Immune Molecule NLRC5 Protects Mice From Helicobacter-induced Formation of Gastric Lymphoid Tissue. <i>Gastroenterology</i> , 2020 , 159, 169-182.e8	13.3	10
84	Nod-like receptors are critical for gut-brain axis signalling in mice. <i>Journal of Physiology</i> , 2019 , 597, 577	7-353797	30
83	Anti- activity of ethoxzolamide. Journal of Enzyme Inhibition and Medicinal Chemistry, 2019, 34, 1660-160	63 .6	23
82	Role of NOD1 and ALPK1/TIFA Signalling in Innate Immunity Against Helicobacter pylori Infection. <i>Current Topics in Microbiology and Immunology</i> , 2019 , 421, 159-177	3.3	8
81	Complete genome sequence of Helicobacter pylori B128 7.13 and a single-step method for the generation of unmarked mutations. <i>Helicobacter</i> , 2019 , 24, e12587	4.9	1
80	NLRC5 deficiency has a moderate impact on immunodominant CD8 T-cell responses during rotavirus infection of adult mice. <i>Immunology and Cell Biology</i> , 2019 , 97, 552-562	5	6
79	Review: Helicobacter: Inflammation, immunology, and vaccines. <i>Helicobacter</i> , 2019 , 24 Suppl 1, e12644	4.9	26
78	NOD1 is required for Helicobacter pylori induction of IL-33 responses in gastric epithelial cells. <i>Cellular Microbiology</i> , 2018 , 20, e12826	3.9	18
77	Hyperactive gp130/STAT3-driven gastric tumourigenesis promotes submucosal tertiary lymphoid structure development. <i>International Journal of Cancer</i> , 2018 , 143, 167-178	7.5	23
76	Isolation of Mouse Primary Gastric Epithelial Cells to Investigate the Mechanisms of Helicobacter pylori Associated Disease. <i>Methods in Molecular Biology</i> , 2018 , 1725, 119-126	1.4	3
75	Loss of NF- B 1 Causes Gastric Cancer with Aberrant Inflammation and Expression of Immune Checkpoint Regulators in a STAT-1-Dependent Manner. <i>Immunity</i> , 2018 , 48, 570-583.e8	32.3	39

(2014-2018)

74	Outer Membrane Vesicle Size Determines Their Mechanisms of Host Cell Entry and Protein Content. <i>Frontiers in Immunology</i> , 2018 , 9, 1466	8.4	70
73	The Use of CRISPR/Cas9 Gene Editing to Confirm Congenic Contaminations in Host-Pathogen Interaction Studies. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 87	5.9	2
72	Membrane vesicles from Pseudomonas aeruginosa activate the noncanonical inflammasome through caspase-5 in human monocytes. <i>Immunology and Cell Biology</i> , 2018 , 96, 1120-1130	5	37
71	Mouse Models Of Helicobacter Infection And Gastric Pathologies. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	2
70	Posttranslational Modification as a Critical Determinant of Cytoplasmic Innate Immune Recognition. <i>Physiological Reviews</i> , 2017 , 97, 1165-1209	47.9	36
69	Structural influences on the activity of bismuth(III) indole-carboxylato complexes towards Helicobacter pylori and Leishmania. <i>Journal of Inorganic Biochemistry</i> , 2017 , 177, 266-275	4.2	23
68	Bacterial membrane vesicles transport their DNA cargo into host cells. <i>Scientific Reports</i> , 2017 , 7, 7072	4.9	145
67	Regulation and functions of inflammasome-mediated cytokines in Helicobacter pylori infection. <i>Microbes and Infection</i> , 2017 , 19, 449-458	9.3	14
66	Des-acyl ghrelin inhibits the capacity of macrophages to stimulate the expression of aromatase in breast adipose stromal cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 170, 49-53	5.1	12
65	A Homolog of Eukaryotic Flotillin Is Involved in Cholesterol Accumulation, Epithelial Cell Responses and Host Colonization. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 219	5.9	21
64	Interferon-[promotes gastric lymphoid follicle formation but not gastritis in -infected BALB/c mice. <i>Gut Pathogens</i> , 2016 , 8, 61	5.4	5
63	Loss of gastrokine-2 drives premalignant gastric inflammation and tumor progression. <i>Journal of Clinical Investigation</i> , 2016 , 126, 1383-400	15.9	34
62	Virulence Mechanisms of Helicobacter pylori: An Overview 2016 , 57-87		1
61	Immune modulation by bacterial outer membrane vesicles. <i>Nature Reviews Immunology</i> , 2015 , 15, 375-8	3 36.5	389
60	Synthesis and structural characterisation of bismuth(III) hydroxamates and their activity against Helicobacter pylori. <i>Dalton Transactions</i> , 2015 , 44, 16903-13	4.3	23
59	Increased Outer Membrane Vesicle Formation in a Helicobacter pylori tolB Mutant. <i>Helicobacter</i> , 2015 , 20, 269-83	4.9	58
58	The immune receptor NOD1 and kinase RIP2 interact with bacterial peptidoglycan on early endosomes to promote autophagy and inflammatory signaling. <i>Cell Host and Microbe</i> , 2014 , 15, 623-35	23.4	158
57	Bismuth(III) Ethioxoketonates as antibiotics against Helicobacter pylori and as anti-leishmanial agents. <i>Dalton Transactions</i> , 2014 , 43, 1279-91	4.3	36

56	93. Cytokine, 2014 , 70, 50	4	
55	Bismuth(III) complexes derived from Elamino acids: the impact of hydrolysis and oxido-cluster formation on their activity against Helicobacter pylori. <i>Dalton Transactions</i> , 2014 , 43, 17980-90	4.3	15
54	Bismuth(III) benzohydroxamates: powerful anti-bacterial activity against Helicobacter pylori and hydrolysis to a unique Bi34 oxido-cluster [Bi34O22(BHA)22(H-BHA)14(DMSO)6]. <i>Chemical Communications</i> , 2014 , 50, 15232-4	5.8	28
53	A sweeter way to combat Helicobacter pylori? Bismuth(III) complexes and oxido-clusters derived from non-nutritive sweeteners and their activity against H. βylori. <i>Journal of Organometallic Chemistry</i> , 2013 , 724, 88-94	2.3	4
52	Making bispirin: synthesis, structure and activity against Helicobacter pylori of bismuth(III) acetylsalicylate. <i>Chemical Communications</i> , 2013 , 49, 2870-2	5.8	21
51	A novel NOD1- and CagA-independent pathway of interleukin-8 induction mediated by the Helicobacter pylori type IV secretion system. <i>Cellular Microbiology</i> , 2013 , 15, 554-70	3.9	73
50	Nucleotide oligomerization domain 1 enhances IFN-Isignaling in gastric epithelial cells during Helicobacter pylori infection and exacerbates disease severity. <i>Journal of Immunology</i> , 2013 , 190, 3706	5-15 ³	42
49	Synthesis and characterisation of bismuth(III) aminoarenesulfonate complexes and their powerful bactericidal activity against Helicobacter pylori. <i>Chemistry - A European Journal</i> , 2013 , 19, 5264-75	4.8	23
48	Helicobacter pylori VacA suppresses Lactobacillus acidophilus-induced interferon beta signaling in macrophages via alterations in the endocytic pathway. <i>MBio</i> , 2013 , 4, e00609-12	7.8	22
47	Peptidoglycan maturation enzymes affect flagellar functionality in bacteria. <i>Molecular Microbiology</i> , 2013 , 88, 456-457	4.1	
47		4.1 3.7	23
	2013, 88, 456-457 Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains		23
46	2013, 88, 456-457 Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains from a Bengal tiger. <i>PLoS ONE</i> , 2013, 8, e71220 Helicobacter pylori cag pathogenicity island (cagPAI) involved in bacterial internalization and IL-8 induced responses via NOD1- and MyD88-dependent mechanisms in human biliary epithelial cells.	3.7	
46 45	Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains from a Bengal tiger. <i>PLoS ONE</i> , 2013 , 8, e71220 Helicobacter pylori cag pathogenicity island (cagPAI) involved in bacterial internalization and IL-8 induced responses via NOD1- and MyD88-dependent mechanisms in human biliary epithelial cells. <i>PLoS ONE</i> , 2013 , 8, e77358 Peptidoglycan maturation enzymes affect flagellar functionality in bacteria. <i>Molecular Microbiology</i> ,	3.7	31
46 45 44	Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains from a Bengal tiger. <i>PLoS ONE</i> , 2013 , 8, e71220 Helicobacter pylori cag pathogenicity island (cagPAI) involved in bacterial internalization and IL-8 induced responses via NOD1- and MyD88-dependent mechanisms in human biliary epithelial cells. <i>PLoS ONE</i> , 2013 , 8, e77358 Peptidoglycan maturation enzymes affect flagellar functionality in bacteria. <i>Molecular Microbiology</i> , 2012 , 86, 845-56 Remarkable in vitro bactericidal activity of bismuth(III) sulfonates against Helicobacter pylori.	3·7 3·7 4·1	31
46 45 44 43	Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains from a Bengal tiger. <i>PLoS ONE</i> , 2013 , 8, e71220 Helicobacter pylori cag pathogenicity island (cagPAI) involved in bacterial internalization and IL-8 induced responses via NOD1- and MyD88-dependent mechanisms in human biliary epithelial cells. <i>PLoS ONE</i> , 2013 , 8, e77358 Peptidoglycan maturation enzymes affect flagellar functionality in bacteria. <i>Molecular Microbiology</i> , 2012 , 86, 845-56 Remarkable in vitro bactericidal activity of bismuth(III) sulfonates against Helicobacter pylori. <i>Dalton Transactions</i> , 2012 , 41, 11798-806 The use of AlbuMAX II([]) as a blood or serum alternative for the culture of Helicobacter pylori.	3·7 3·7 4·1 4·3	31 39 35
46 45 44 43 42	Electron microscopic, genetic and protein expression analyses of Helicobacter acinonychis strains from a Bengal tiger. <i>PLoS ONE</i> , 2013 , 8, e71220 Helicobacter pylori cag pathogenicity island (cagPAI) involved in bacterial internalization and IL-8 induced responses via NOD1- and MyD88-dependent mechanisms in human biliary epithelial cells. <i>PLoS ONE</i> , 2013 , 8, e77358 Peptidoglycan maturation enzymes affect flagellar functionality in bacteria. <i>Molecular Microbiology</i> , 2012 , 86, 845-56 Remarkable in vitro bactericidal activity of bismuth(III) sulfonates against Helicobacter pylori. <i>Dalton Transactions</i> , 2012 , 41, 11798-806 The use of AlbuMAX II(II) as a blood or serum alternative for the culture of Helicobacter pylori. <i>Helicobacter</i> , 2012 , 17, 68-76 Bismuth(III) Thiobenzoates and their Activity against Helicobacter pylori. <i>Australian Journal of</i>	3.7 3.7 4.1 4.3 4.9	31 39 35 4

(2008-2011)

38	Bismuth(III) Saccharinate and Thiosaccharinate Complexes and the Effect of Ligand Substitution on Their Activity against Helicobacter pylori. <i>Organometallics</i> , 2011 , 30, 6283-6291	3.8	32
37	Bacterial membrane vesicles deliver peptidoglycan to NOD1 in epithelial cells. <i>Cellular Microbiology</i> , 2010 , 12, 372-85	3.9	287
36	The innate immune molecule, NOD1, regulates direct killing of Helicobacter pylori by antimicrobial peptides. <i>Cellular Microbiology</i> , 2010 , 12, 626-39	3.9	79
35	Role of virulence factors and host cell signaling in the recognition of Helicobacter pylori and the generation of immune responses. <i>Future Microbiology</i> , 2010 , 5, 1233-55	2.9	14
34	Helicobacter pylori exploits cholesterol-rich microdomains for induction of NF-kappaB-dependent responses and peptidoglycan delivery in epithelial cells. <i>Infection and Immunity</i> , 2010 , 78, 4523-31	3.7	58
33	Vitamin B6 is required for full motility and virulence in Helicobacter pylori. <i>MBio</i> , 2010 , 1,	7.8	30
32	Protease-activated receptor-1 down-regulates the murine inflammatory and humoral response to Helicobacter pylori. <i>Gastroenterology</i> , 2010 , 138, 573-82	13.3	26
31	Both the p33 and p55 subunits of the Helicobacter pylori VacA toxin are targeted to mammalian mitochondria. <i>Journal of Molecular Biology</i> , 2010 , 401, 792-8	6.5	44
30	Bismuth(III) complexes derived from non-steroidal anti-inflammatory drugs and their activity against Helicobacter pylori. <i>Dalton Transactions</i> , 2010 , 39, 2861-8	4.3	61
29	Structural and solution studies of phenylbismuth(III) sulfonate complexes and their activity against Helicobacter pylori. <i>Dalton Transactions</i> , 2010 , 39, 9633-41	4.3	36
28	Genetic modulation of TLR8 response following bacterial phagocytosis. <i>Human Mutation</i> , 2010 , 31, 106	9 ₄ 7 /9	48
27	Helicobacter pylori-induced histone modification, associated gene expression in gastric epithelial cells, and its implication in pathogenesis. <i>PLoS ONE</i> , 2010 , 5, e9875	3.7	73
26	Helicobacter pylori induces MAPK phosphorylation and AP-1 activation via a NOD1-dependent mechanism. <i>Journal of Immunology</i> , 2009 , 183, 8099-109	5.3	134
25	Secretion of flagellin by the LEE-encoded type III secretion system of enteropathogenic Escherichia coli. <i>BMC Microbiology</i> , 2009 , 9, 30	4.5	21
24	Bismuth(III) 5-sulfosalicylate complexes: structure, solubility and activity against Helicobacter pylori. <i>Dalton Transactions</i> , 2009 , 6377-84	4.3	39
23	A commensal Helicobacter sp. of the rodent intestinal flora activates TLR2 and NOD1 responses in epithelial cells. <i>PLoS ONE</i> , 2009 , 4, e5396	3.7	22
22	NF-kappaB activation during acute Helicobacter pylori infection in mice. <i>Infection and Immunity</i> , 2008 , 76, 551-61	3.7	32
21	The beta1 integrin activates JNK independent of CagA, and JNK activation is required for Helicobacter pylori CagA+-induced motility of gastric cancer cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 13952-63	5.4	49

20	Muc1 mucin limits both Helicobacter pylori colonization of the murine gastric mucosa and associated gastritis. <i>Gastroenterology</i> , 2007 , 133, 1210-8	13.3	138
19	Mammalian NLR proteins; discriminating foe from friend. <i>Immunology and Cell Biology</i> , 2007 , 85, 495-5	025	49
18	Nod1-mediated innate immune recognition of peptidoglycan contributes to the onset of adaptive immunity. <i>Immunity</i> , 2007 , 26, 445-59	32.3	258
17	Nod-like proteins in immunity, inflammation and disease. <i>Nature Immunology</i> , 2006 , 7, 1250-7	19.1	692
16	Helicobacter pylori heat shock protein 60 mediates interleukin-6 production by macrophages via a toll-like receptor (TLR)-2-, TLR-4-, and myeloid differentiation factor 88-independent mechanism. <i>Journal of Biological Chemistry</i> , 2004 , 279, 245-50	5.4	127
15	Nod1 responds to peptidoglycan delivered by the Helicobacter pylori cag pathogenicity island. <i>Nature Immunology</i> , 2004 , 5, 1166-74	19.1	982
14	Reduced activation of inflammatory responses in host cells by mouse-adapted Helicobacter pylory isolates. <i>Cellular Microbiology</i> , 2002 , 4, 285-96	3.9	111
13	The mouse colonizing Helicobacter pylori strain SS1 may lack a functional cag pathogenicity island. <i>Helicobacter</i> , 2002 , 7, 139-40; author reply 140-1	4.9	77
12	Outbred mice with long-term Helicobacter felis infection develop both gastric lymphoid tissue and glandular hyperplastic lesions. <i>Journal of Pathology</i> , 2000 , 191, 333-40	9.4	40
11	Evaluation of nitrofurantoin combination therapy of metronidazole-sensitive and -resistant Helicobacter pylori infections in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2623-9	5.9	19
10	Essential role of Helicobacter pylori gamma-glutamyltranspeptidase for the colonization of the gastric mucosa of mice. <i>Molecular Microbiology</i> , 1999 , 31, 1359-72	4.1	161
9	Cloning and allelic exchange mutagenesis of two flagellin genes of Helicobacter felis. <i>Molecular Microbiology</i> , 1999 , 33, 350-62	4.1	53
8	Exposure to metronidazole in vivo readily induces resistance in Helicobacter pylori and reduces the efficacy of eradication therapy in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 777-81	5.9	29
7	Helicobacter pylori rocF is required for arginase activity and acid protection in vitro but is not essential for colonization of mice or for urease activity. <i>Journal of Bacteriology</i> , 1999 , 181, 7314-22	3.5	98
6	Immune responses of specific-pathogen-free mice to chronic Helicobacter pylori (strain SS1) infection. <i>Infection and Immunity</i> , 1998 , 66, 1349-55	3.7	111
5	Vaccination contre les infections 🏻 Helicobacter pylori. <i>Annales De Lfinstitut Pasteur / Actualit</i> , 1995 , 6, 237-244		
4	Helicobacter pylori hspA-hspB heat-shock gene cluster: nucleotide sequence, expression, putative function and immunogenicity. <i>Molecular Microbiology</i> , 1994 , 14, 959-74	4.1	127
3	Cloning, expression and sequencing of Helicobacter felis urease genes. <i>Molecular Microbiology</i> , 1993 , 9, 323-33	4.1	57

2 In Vivo Modeling of Helicobacter-Associated Gastrointestinal Diseases565-582

7

In Vivo Adaptation to the Host583-592

6