

Pascal Wild

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8696306/pascal-wild-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,157
citations

27
h-index

50
g-index

174
ext. papers

3,712
ext. citations

3.5
avg. IF

5.13
L-index

#	Paper	IF	Citations
168	Adaptive Rejection Sampling for Gibbs Sampling. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1992 , 41, 337	1.5	795
167	Shiftwork experience, age and cognitive performance. <i>Ergonomics</i> , 2005 , 48, 1282-93	2.9	142
166	Lung cancer and exposure to metals: the epidemiological evidence. <i>Methods in Molecular Biology</i> , 2009 , 472, 139-67	1.4	94
165	trans,trans-Muconic acid, a reliable biological indicator for the detection of individual benzene exposure down to the ppm level. <i>International Archives of Occupational and Environmental Health</i> , 1992 , 64, 309-13	3.2	72
164	Update of a meta-analysis on lung cancer and welding. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 22-31	4.3	62
163	Lung cancer mortality in a French cohort of hard-metal workers. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 585-95	2.7	59
162	Lung cancer mortality in a site producing hard metals. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 568-73	2.1	54
161	Neurobehavioral disturbances arising from occupational toluene exposure. <i>American Journal of Industrial Medicine</i> , 2002 , 41, 77-88	2.7	49
160	A cohort mortality and nested case-control study of French and Austrian talc workers. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 98-105	2.1	49
159	Urinary 8-OHdG as a Biomarker for Oxidative Stress: A Systematic Literature Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	48
158	Associations of short-term particle and noise exposures with markers of cardiovascular and respiratory health among highway maintenance workers. <i>Environmental Health Perspectives</i> , 2014 , 122, 726-32	8.4	45
157	Respiratory symptoms, ventilatory impairment, and bronchial reactivity in oil mist-exposed automobile workers. <i>American Journal of Industrial Medicine</i> , 1995 , 27, 247-56	2.7	44
156	Effects of working conditions and sleep of the previous day on cognitive performance. <i>Applied Ergonomics</i> , 2008 , 39, 99-106	4.2	43
155	Mortality from lung cancer and cardiovascular diseases among stainless-steel producing workers. <i>Cancer Causes and Control</i> , 1993 , 4, 75-81	2.8	42
154	Asbestos exposure, pleural plaques, and the risk of death from lung cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 1413-20	10.2	39
153	Biomarkers of oxidative stress and its association with the urinary reducing capacity in bus maintenance workers. <i>Journal of Occupational Medicine and Toxicology</i> , 2011 , 6, 18	2.7	37
152	Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 4-9	2.1	37

151	Uranium carcinogenicity in humans might depend on the physical and chemical nature of uranium and its isotopic composition: results from pilot epidemiological study of French nuclear workers. <i>Cancer Causes and Control</i> , 2011 , 22, 1563-73	2.8	36
150	Association of work related chronic stressors and psychiatric symptoms in a Swiss sample of police officers; a cross sectional questionnaire study. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 323-31	3.2	36
149	Hazardous substances in frequently used professional cleaning products. <i>International Journal of Occupational and Environmental Health</i> , 2014 , 20, 46-60		35
148	A mortality study of cobalt production workers: an extension of the follow-up. <i>American Journal of Industrial Medicine</i> , 1993 , 23, 281-8	2.7	33
147	Increase in oxidative stress levels following welding fume inhalation: a controlled human exposure study. <i>Particle and Fibre Toxicology</i> , 2016 , 13, 31	8.4	31
146	Roles of age, length of service and job in work-related injury: a prospective study of 446 120 person-years in railway workers. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 147-53	2.1	31
145	An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 800-10	2.1	31
144	Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 268-73	2.1	30
143	Algorithm AS 287: Adaptive Rejection Sampling from Log-Concave Density Functions. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1993 , 42, 701	1.5	29
142	A retrospective mortality study of workers exposed to arsenic in a gold mine and refinery in France. <i>American Journal of Industrial Medicine</i> , 1994 , 25, 625-33	2.7	28
141	Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1007-12	8.4	27
140	Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 410-4	2.1	27
139	Employment 12 months after kidney transplantation: An in-depth bio-psycho-social analysis of the Swiss Transplant Cohort. <i>PLoS ONE</i> , 2017 , 12, e0175161	3.7	26
138	Urinary 8-isoprostane as a biomarker for oxidative stress. A systematic review and meta-analysis. <i>Toxicology Letters</i> , 2020 , 328, 19-27	4.4	25
137	Oral cavity and laryngeal cancers among man-made mineral fiber production workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1986 , 12, 27-31	4.3	24
136	Occupational Asbestos Exposure and Incidence of Colon and Rectal Cancers in French Men: The Asbestos-Related Diseases Cohort (ARDCo-Nut). <i>Environmental Health Perspectives</i> , 2017 , 125, 409-415	8.4	23
135	Workers exposed to wood dust have an increased micronucleus frequency in nasal and buccal cells: results from a pilot study. <i>Mutagenesis</i> , 2014 , 29, 201-7	2.8	23
134	French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 301-8	3.2	23

133	Ototoxicity in rats exposed to ethylbenzene and to two technical xylene vapours for 13 weeks. <i>Archives of Toxicology</i> , 2007 , 81, 127-43	5.8	22
132	Biological monitoring of workers exposed to carcinogens using the buccal micronucleus approach: A systematic review and meta-analysis. <i>Mutation Research - Reviews in Mutation Research</i> , 2019 , 781, 11-29	7	21
131	Dose-response slope of forced oscillation and forced expiratory parameters in bronchial challenge testing. <i>European Respiratory Journal</i> , 1999 , 13, 295-300	13.6	21
130	Mortality from cardiovascular diseases among potash miners exposed to heat. <i>Epidemiology</i> , 1995 , 6, 243-7	3.1	21
129	Psychophysiological activation during preparation, performance, and recovery in high- and low-anxious music students. <i>Applied Psychophysiology Biofeedback</i> , 2014 , 39, 45-57	3.4	20
128	Clinically assessed consequences of workplace physical violence. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 213-24	3.2	19
127	Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. <i>Environmental Health</i> , 2008 , 7, 30	6	19
126	Evaluation of the French version of EUROQUEST: a questionnaire for neurotoxic symptoms. <i>NeuroToxicology</i> , 2003 , 24, 541-6	4.4	19
125	CONFIDENCE INTERVALS FOR PROBABILITIES OF EXCEEDING THRESHOLD LIMITS WITH CENSORED LOG-NORMAL DATA. <i>Environmetrics</i> , 1996 , 7, 247-259	1.3	19
124	Fitting Bayesian multiple random effects models. <i>Statistics and Computing</i> , 1996 , 6, 337-346	1.8	19
123	Exhaled breath condensate as a matrix for combustion-based nanoparticle exposure and health effect evaluation. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2014 , 27, 449-58	3.8	18
122	Lung cancer mortality and iron oxide exposure in a French steel-producing factory. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 175-81	2.1	18
121	Long-term occupational consequences of asthma in a large French cohort of male workers followed up for 5 years. <i>American Journal of Industrial Medicine</i> , 2008 , 51, 317-23	2.7	18
120	Roles of age, length of service and job in work-related injury: a prospective study of 63,620 person-years in female workers. <i>American Journal of Industrial Medicine</i> , 2014 , 57, 172-83	2.7	17
119	Generation of polycyclic aromatic hydrocarbons (PAHs) during woodworking operations. <i>Frontiers in Oncology</i> , 2012 , 2, 148	5.3	17
118	Association of physical job demands, smoking and alcohol abuse with subsequent premature mortality: a 9-year follow-up population-based study. <i>Journal of Occupational Health</i> , 2008 , 50, 31-40	2.3	17
117	On identification of multi-factor models with correlated residuals. <i>Biometrika</i> , 2004 , 91, 141-151	2	17
116	Airway responsiveness to methacholine, respiratory symptoms, and dust exposure levels in grain and flour mill workers in eastern France. <i>American Journal of Industrial Medicine</i> , 1995 , 27, 859-69	2.7	17

115	Exploring implicit preventive strategies in prehospital emergency workers: a novel approach for preventing back problems. <i>Applied Ergonomics</i> , 2014 , 45, 1003-9	4.2	16
114	Hyperventilation in anticipatory music performance anxiety. <i>Psychosomatic Medicine</i> , 2012 , 74, 773-82	3.7	16
113	Risk of lung, larynx, pharynx and buccal cavity cancers among carbon electrode manufacturing workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1989 , 15, 30-7	4.3	16
112	Motor adaptation capacity as a function of age in carrying out a repetitive assembly task at imposed work paces. <i>Applied Ergonomics</i> , 2017 , 64, 47-55	4.2	15
111	Early markers of airways inflammation and occupational asthma: rationale, study design and follow-up rates among bakery, pastry and hairdressing apprentices. <i>BMC Public Health</i> , 2009 , 9, 113	4.1	15
110	Reproducibility of exhaled nitric oxide in smokers and non-smokers: relevance for longitudinal studies. <i>BMC Pulmonary Medicine</i> , 2008 , 8, 4	3.5	15
109	Humoral immune responses of workers occupationally exposed to wheat flour. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 671-9	2.7	15
108	Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 884-91	2.1	14
107	Occupational risk factors have to be considered in the definition of high-risk lung cancer populations. <i>British Journal of Cancer</i> , 2012 , 106, 1346-52	8.7	14
106	Reprocessed uranium exposure and lung cancer risk. <i>Health Physics</i> , 2010 , 99, 308-13	2.3	14
105	Demographic evaluation of the fertility of aluminium industry workers: influence of exposure to heat and static magnetic fields. <i>Human Reproduction</i> , 1998 , 13, 2016-9	5.7	14
104	The relationship between music performance anxiety, subjective performance quality and post-event rumination among music students. <i>Psychology of Music</i> , 2018 , 46, 136-152	1.2	13
103	Exhaled nitric oxide and airway hyperresponsiveness in workers: a preliminary study in lifeguards. <i>BMC Pulmonary Medicine</i> , 2009 , 9, 53	3.5	13
102	Arc welders' respiratory health evolution over five years. <i>International Archives of Occupational and Environmental Health</i> , 1989 , 61, 321-7	3.2	13
101	Suicide mortality follow-up of the Swiss National Cohort (1990-2014): sex-specific risk estimates by occupational socio-economic group in working-age population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1483-1495	4.5	12
100	Reference Ranges of 8-Isoprostane Concentrations in Exhaled Breath Condensate (EBC): A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
99	Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 261-7	2.1	12
98	Associations of airway inflammation and responsiveness markers in non asthmatic subjects at start of apprenticeship. <i>BMC Pulmonary Medicine</i> , 2010 , 10, 37	3.5	11

97	Age related micronuclei frequency ranges in buccal and nasal cells in a healthy population. <i>Environmental Research</i> , 2020 , 180, 108824	7.9	11
96	Airborne exposures to monoethanolamine, glycol ethers, and benzyl alcohol during professional cleaning: a pilot study. <i>Annals of Occupational Hygiene</i> , 2014 , 58, 846-59		10
95	Effort, reward and self-reported mental health: a simulation study on negative affectivity bias. <i>BMC Medical Research Methodology</i> , 2011 , 11, 121	4.7	10
94	Smoking, occupational risk factors, and bronchial tumor location: a possible impact for lung cancer computed tomography scan screening. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 128-36	8.9	10
93	Mortality among Paris sewage workers. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 168-72	2.1	10
92	Cancer mortality among municipal pest-control workers. <i>International Archives of Occupational and Environmental Health</i> , 2005 , 78, 387-93	3.2	10
91	Exposure to job-stress factors in a national survey in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 379-89	4.3	10
90	DNA Damage among Wood Workers Assessed with the Comet Assay. <i>Environmental Health Insights</i> , 2016 , 10, 105-12	1.4	10
89	Vibrotactile perception thresholds in four non-exposed populations of working age. <i>Ergonomics</i> , 2001 , 44, 649-57	2.9	9
88	Respiratory health effects of fifteen years of improved collective protection in a wheat-processing worker population. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 647-54	1.4	9
87	Practice Organization Characteristics Related to Job Satisfaction Among General Practitioners in 11 Countries. <i>Annals of Family Medicine</i> , 2019 , 17, 510-517	2.9	9
86	Multi-level modeling of aspects associated with poor mental health in a sample of prehospital emergency professionals. <i>American Journal of Industrial Medicine</i> , 2011 , 54, 847-57	2.7	8
85	Respiratory health assessment by questionnaire of 2024 workers involved in man-made mineral fiber production. <i>International Archives of Occupational and Environmental Health</i> , 1988 , 61, 171-8	3.2	8
84	Objective assessment of knife sharpness over a working day cutting meat. <i>Applied Ergonomics</i> , 2018 , 68, 109-116	4.2	8
83	A better way of fitting clips? A comparative study with respect to physical workload. <i>Applied Ergonomics</i> , 2015 , 51, 236-43	4.2	7
82	Bladder cancer and occupational exposure to metalworking fluid mist: a counter-matched case-control study in French steel-producing factories. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 328-336	2.1	7
81	Do evolving practices improve survival in operated lung cancer patients? A biobank may answer. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 505-11	8.9	7
80	Early Effect Markers and Exposure Determinants of Metalworking Fluids Among Metal Industry Workers: Protocol for a Field Study. <i>JMIR Research Protocols</i> , 2019 , 8, e13744	2	7

79	Predictors of Return to Work 12 Months After Solid Organ Transplantation: Results from the Swiss Transplant Cohort Study. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 462-471	3.6	7
78	Exposure to field vs. storage wheat dust: different consequences on respiratory symptoms and immune response among grain workers. <i>International Archives of Occupational and Environmental Health</i> , 2018 , 91, 745-757	3.2	7
77	Occupational exposure to cobalt: a population toxicokinetic modeling approach validated by field results challenges the biological exposure index for urinary cobalt. <i>Journal of Occupational and Environmental Hygiene</i> , 2010 , 7, 54-62	2.9	6
76	Minimax designs for planning the second phase in a two-phase case-control study. <i>Statistics in Medicine</i> , 2006 , 25, 1646-59	2.3	6
75	Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. <i>American Journal of Industrial Medicine</i> , 1995 , 28, 497-504	2.7	6
74	Coping better with health problems after a visit to the family physician: associations with patients and physicians characteristics. <i>BMC Family Practice</i> , 2018 , 19, 27	2.6	5
73	Mortality in a German Cohort of Asphalt Workers with Potential Bitumen Exposure. <i>Journal of Occupational and Environmental Hygiene</i> , 2007 , 4, 201-208	2.9	5
72	Occupational exposure to beryllium in French industries. <i>Journal of Occupational and Environmental Hygiene</i> , 2019 , 16, 229-241	2.9	5
71	Predictors of Occupational Burnout: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5
70	Grasping an object at floor-level: Is movement strategy a matter of age?. <i>Applied Ergonomics</i> , 2018 , 70, 34-43	4.2	4
69	Health effects of occupational exposure in a dairy food industry, with a specific assessment of exposure to airborne lactic acid bacteria. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 969-73	2	4
68	Implementation of ISO 9002 for research in occupational epidemiology. <i>Accreditation and Quality Assurance</i> , 1998 , 3, 488-496	0.7	4
67	Method Validation and Characterization of the Associated Uncertainty for Malondialdehyde Quantification in Exhaled Breath Condensate. <i>Antioxidants</i> , 2021 , 10,	7.1	4
66	Eating Habits of Professional Firefighters: Comparison With National Guidelines and Impact Healthy Eating Promotion Program. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, e183- e 190	4	4
65	The Effects of Hand Massage on Stress and Agitation Among People with Dementia in a Hospital Setting: A Pilot Study. <i>Applied Psychophysiology Biofeedback</i> , 2018 , 43, 319-332	3.4	4
64	Prolonged performance-related neuroendocrine activation and perseverative cognition in low- and high-anxious university music students. <i>Psychoneuroendocrinology</i> , 2018 , 95, 18-27	5	4
63	Urinary Malondialdehyde (MDA) Concentrations in the General Population-A Systematic Literature Review and Meta-Analysis.. <i>Toxics</i> , 2022 , 10,	4.7	4
62	Bivariate Left-Censored Measurements in Biomonitoring: A Bayesian Model for the Determination of Biological Limit Values Based on Occupational Exposure Limits. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 515-527	2.4	3

61	Workplace Respiratory Protection Factors during Asbestos Removal Operations. <i>Annals of Work Exposures and Health</i> , 2018 , 62, 613-621	2.4	3
60	Protection of pregnant women at work in Switzerland: practices, obstacles and resources. A mixed-methods study protocol. <i>BMJ Open</i> , 2018 , 8, e023532	3	3
59	A planning tool for two-phase case-control studies. <i>Computer Methods and Programs in Biomedicine</i> , 2007 , 88, 175-81	6.9	3
58	Comparison of measurement strategies for prospective occupational epidemiology. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 101-10		3
57	A study of the prevalence of acute respiratory disorders among workers in the textile industry. <i>International Archives of Occupational and Environmental Health</i> , 1991 , 62, 555-60	3.2	3
56	Decreased serum ceruloplasmin concentration in aluminum welders exposed to ozone. <i>International Archives of Occupational and Environmental Health</i> , 1988 , 60, 95-7	3.2	3
55	Lung cancer mortality in the French cohort of titanium dioxide workers: some aetiological insights. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 795-797	2.1	3
54	Job stress among GPs: associations with practice organisation in 11 high-income countries. <i>British Journal of General Practice</i> , 2020 , 70, e657-e667	1.6	3
53	Assessing the comfort of earplugs: development and validation of the French version of the COPROD questionnaire. <i>Ergonomics</i> , 2021 , 64, 912-925	2.9	3
52	Implementation of the Swiss ordinance on maternity protection at work in companies in French-speaking Switzerland. <i>Work</i> , 2021 , 69, 157-172	1.6	3
51	Effects of chronic low-dose exposure to ionizing radiation on physician microvascular structure revealed by nail fold capillaroscopy. <i>Radiation and Environmental Biophysics</i> , 2016 , 55, 71-9	2	3
50	A structural equation model of the family physicians attitude towards their role in prevention: a cross-sectional study in Switzerland. <i>Family Practice</i> , 2019 , 36, 297-303	1.9	3
49	Energy, Nutrient and Food Intakes of Male Shift Workers Vary According to the Schedule Type but Not the Number of Nights Worked. <i>Nutrients</i> , 2020 , 12,	6.7	3
48	Application of the Bayesian spline method to analyze real-time measurements of ultrafine particle concentration in the Parisian subway. <i>Environment International</i> , 2021 , 156, 106773	12.9	3
47	Towards Reference Values for Malondialdehyde on Exhaled Breath Condensate: A Systematic Literature Review and Meta-Analysis. <i>Toxics</i> , 2022 , 10, 258	4.7	3
46	Long title: Protocol for evaluating a Consultation for Suffering at work in French-speaking Switzerland. <i>Contemporary Clinical Trials Communications</i> , 2018 , 9, 71-76	1.8	2
45	Do airway inflammation and airway responsiveness markers at the start of apprenticeship predict their evolution during initial training? A longitudinal study among apprentice bakers, pastry makers and hairdressers. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 113	3.5	2
44	Relationships between organizational workplace characteristics and perceived workplace strain in call-centers in France. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 1317-28	2.7	2

43	Short-term relationships between working conditions, sleep and cognitive efficiency as a function of age. <i>International Congress Series</i> , 2005 , 1280, 151-155		2
42	La «Ghflation Sandwich» en Suisse romande: mieux comprendre les facteurs associ�s avec la sant�per�e afin de mieux agir en promotion de la sant�. <i>Recherche En Soins Infirmiers</i> , 2013 , N� 115, 68	0.5	2
41	The 2-phase case-control design: an efficient way to use expert-time. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 162-9	4.3	2
40	Assessment of work-related asthma prevalence, control and severity: protocol of a field study. <i>BMC Public Health</i> , 2016 , 16, 1164	4.1	2
39	Is Urinary Chromium Specific to Hexavalent Chromium Exposure in the Presence of Co-exposure to Other Chromium Compounds? A Biomonitoring Study in the Electroplating Industry. <i>Annals of Work Exposures and Health</i> , 2021 , 65, 332-345	2.4	2
38	Predictive factors for the duration until return to work after surgery for work-related rotator cuff syndrome: A prospective study of 92 workers. <i>American Journal of Industrial Medicine</i> , 2021 , 64, 1028-1037	3.7	2
37	Malondialdehyde and anion patterns in exhaled breath condensate among subway workers.. <i>Particle and Fibre Toxicology</i> , 2022 , 19, 16	8.4	2
36	The mediating role of mood in the relationship between perseverative cognition, sleep and subjective health complaints in music students. <i>Psychology and Health</i> , 2019 , 34, 754-770	2.9	1
35	Implementation of maternity protection legislation: Gynecologists' perceptions and practices in French-speaking Switzerland. <i>PLoS ONE</i> , 2020 , 15, e0231858	3.7	1
34	Symptom evaluation during the methacholine test: Does it add to the interpretation of the test results based on the PC20FEV1?. <i>Clinical Respiratory Journal</i> , 2018 , 12, 1536-1544	1.7	1
33	0150 Respiratory effects of an exposure to wheat dust among grain workers and farmers: a longitudinal study. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A18.3-A19	2.1	1
32	Endotoxin deposits on the inner surfaces of closed-face cassettes during bioaerosol sampling: a field investigation at composting facilities. <i>Annals of Occupational Hygiene</i> , 2015 , 59, 504-13		1
31	0024 Effects of chronic low-dose exposure to ionising radiation on physician micro-vascular structure revealed by nail fold capillaroscopy. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A60.3-A60	2.1	1
30	Estimation de lâ�exposition ^ lâ�miante lors des activit�s de traitement de lâ�miante en place : proposition d�une matrice t�hes-exposition. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2008 , 69, 586-592	0.1	1
29	Flexible Two-Phase studies for rare exposures: Feasibility, planning and efficiency issues of a new variant. <i>Epidemiologic Perspectives and Innovations</i> , 2008 , 5, 4		1
28	Re: "flexible matching strategies to increase power and efficiency to detect and estimate gene-environment interactions in case-control studies". <i>American Journal of Epidemiology</i> , 2004 , 159, 1107-8; author reply 1108	3.8	1
27	A Hierarchical Bayesian Approach to the Back-Calculation of Numbers of HIV- Infected Subjects 1993 , 42, 405		1
26	Do age and work pace affect variability when performing a repetitive light assembly task?. <i>Applied Ergonomics</i> , 2022 , 98, 103601	4.2	1

25	Cohort Studies 2005 , 253-285		1
24	Lung Cancer Mortality in the Swiss Working Population: The Effect of Occupational and Non-Occupational Factors. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, 1029-1036	2	1
23	Oxidative potential of aerosolized metalworking fluids in occupational settings. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 235, 113775	6.9	1
22	Interventions for the prevention of musculoskeletal disorders in a seasonal work context: A scoping review. <i>Applied Ergonomics</i> , 2021 , 94, 103417	4.2	1
21	Preventing plant-pedestrian collisions: Camera & screen systems and visibility from the driving position. <i>International Journal of Industrial Ergonomics</i> , 2016 , 53, 284-290	2.9	1
20	Study of between-subject and within-subject variability of electromyography data and its intrinsic determinants for clip fitting tasks. <i>International Journal of Occupational Safety and Ergonomics</i> , 2021 , 27, 336-350	2.1	1
19	Part-time work and other occupational risk factors for suicide among working women in the Swiss National Cohort. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 981-990	3.2	1
18	Design and Planning of Epidemiological Studies 2014 , 473-524		1
17	Multiscattering-enhanced absorbance to enable the sensitive analysis of extremely diluted biological samples: Determination of oxidative potential in exhaled air. <i>Medicine in Novel Technology and Devices</i> , 2022 , 14, 100120	2.1	1
16	Blood absorption toxicokinetics of glycol ethers after inhalation: A human controlled study. <i>Science of the Total Environment</i> , 2021 , 816, 151637	10.2	0
15	Comfort of earplugs: results of a field survey based on the COPROD questionnaire. <i>Ergonomics</i> , 2021 , 1-30	2.9	0
14	Identification of socio-demographic, occupational, and societal factors for guiding suicide prevention: A cohort study of Swiss male workers (2000-2014). <i>Suicide and Life-Threatening Behavior</i> , 2021 , 51, 540-553	3.9	0
13	Do the work unit characteristics directly or indirectly affect psychological distress in female call-handlers?. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 707-721	3.2	0
12	Asthma-like symptoms induced by the methacholine challenge test: do they predict a negative-to-positive switch in the test result?-case report. <i>Journal of Thoracic Disease</i> , 2018 , 10, E716-E720	2.6	0
11	Evolution of gynaecologists' practices regarding the implementation of Swiss legislation on maternity protection at work between 2008 and 2017. <i>Swiss Medical Weekly</i> , 2021 , 151, w20537	3.1	0
10	Influence of collection and storage materials on glycol ether concentrations in urine and blood. <i>Science of the Total Environment</i> , 2021 , 792, 148196	10.2	0
9	0078 Work organisational characteristics and psychological distress in French call-centres. Is there a direct effect?. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A69.3-A70	2.1	
8	Étude épidémiologique de mortalité parmi le personnel de deux sociétés d'armement. <i>Archives Des Maladies Professionnelles Et De L'environnement</i> , 2009 , 70, 315-325	0.1	

- 7 Comparison of potential adjustment variables representing primary intellectual level in epidemiological studies on neurotoxicity. *American Journal of Industrial Medicine*, **2006**, 49, 642-6 2.7
- 6 Design and Planning of Epidemiological Studies **2005**, 463-501
- 5 Protection of Pregnant Women at Work in Switzerland: Implementation and Experiences of Maternity Protection Legislation. *Advances in Intelligent Systems and Computing*, **2019**, 622-633 0.4
- 4 Improving nutritional care quality in the orthopedic ward of a Septic Surgery Center by implementing a preventive nutritional policy using the Nutritional Risk Score: a pilot study. *European Journal of Clinical Nutrition*, **2019**, 73, 276-283 5.2
- 3 Longitudinal predictors of bronchial hyperresponsiveness and FEV decline in bakers. *International Archives of Occupational and Environmental Health*, **2021**, 94, 751-761 3.2
- 2 Midwives and protection of pregnant workers in Western Switzerland: Practices, difficulties and contributions. *Midwifery*, **2021**, 102, 103125 2.8
- 1 Design and Planning of Epidemiological Studies **2005**, 463-501