Pascal Wild

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8696306/pascal-wild-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168	3,157 citations	27	50
papers		h-index	g-index
174	3,712 ext. citations	3⋅5	5.13
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
168	Do age and work pace affect variability when performing a repetitive light assembly task?. <i>Applied Ergonomics</i> , 2022 , 98, 103601	4.2	1
167	Malondialdehyde and anion patterns in exhaled breath condensate among subway workers <i>Particle and Fibre Toxicology</i> , 2022 , 19, 16	8.4	2
166	Urinary Malondialdehyde (MDA) Concentrations in the General Population-A Systematic Literature Review and Meta-Analysis <i>Toxics</i> , 2022 , 10,	4.7	4
165	Multiscattering-enhanced absorbance to enable the sensitive analysis of extremely diluted biological samples: Determination of oxidative potential in exhaled air. <i>Medicine in Novel Technology and Devices</i> , 2022 , 14, 100120	2.1	1
164	Towards Reference Values for Malondialdehyde on Exhaled Breath Condensate: A Systematic Literature Review and Meta-Analysis. <i>Toxics</i> , 2022 , 10, 258	4.7	3
163	Blood absorption toxicokinetics of glycol ethers after inhalation: A human controlled study. <i>Science of the Total Environment</i> , 2021 , 816, 151637	10.2	0
162	Method Validation and Characterization of the Associated Uncertainty for Malondialdehyde Quantification in Exhaled Breath Condensate. <i>Antioxidants</i> , 2021 , 10,	7.1	4
161	Comfort of earplugs: results of a field survey based on the COPROD questionnaire. <i>Ergonomics</i> , 2021 , 1-30	2.9	0
160	Identification of socio-demographic, occupational, and societal factors for guiding suicide prevention: A cohort study of Swiss male workers (2000-2014). <i>Suicide and Life-Threatening Behavior</i> , 2021 , 51, 540-553	3.9	O
159	Assessing the comfort of earplugs: development and validation of the French version of the COPROD questionnaire. <i>Ergonomics</i> , 2021 , 64, 912-925	2.9	3
158	Implementation of the Swiss ordinance on maternity protection at work in companies in French-speaking Switzerland. <i>Work</i> , 2021 , 69, 157-172	1.6	3
157	Lung Cancer Mortality in the Swiss Working Population: The Effect of Occupational and Non-Occupational Factors. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, 1029-1036	2	1
156	Oxidative potential of aerosolized metalworking fluids in occupational settings. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 235, 113775	6.9	1
155	Interventions for the prevention of musculoskeletal disorders in a seasonal work context: A scoping review. <i>Applied Ergonomics</i> , 2021 , 94, 103417	4.2	1
154	Study of between-subject and within-subject variability of electromyography data and its intrinsic determinants for clip fitting tasks. <i>International Journal of Occupational Safety and Ergonomics</i> , 2021 , 27, 336-350	2.1	1
153	Longitudinal predictors of bronchial hyperresponsiveness and FEV decline in bakers. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 751-761	3.2	
152	Do the work unit characteristics directly or indirectly affect psychological distress in female call-handlers?. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 707-721	3.2	O

151	Part-time work and other occupational risk factors for suicide among working women in the Swiss National Cohort. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 981-990	3.2	1
150	Is Urinary Chromium Specific to Hexavalent Chromium Exposure in the Presence of Co-exposure to Other Chromium Compounds? A Biomonitoring Study in the Electroplating Industry. <i>Annals of Work Exposures and Health</i> , 2021 , 65, 332-345	2.4	2
149	Evolution of gynaecologists' practices regarding the implementation of Swiss legislation on maternity protection at work between 2008 and 2017. <i>Swiss Medical Weekly</i> , 2021 , 151, w20537	3.1	O
148	Predictors of Occupational Burnout: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5
147	Predictive factors for the duration until return to work after surgery for work-related rotator cuff syndrome: A prospective study of 92 workers. <i>American Journal of Industrial Medicine</i> , 2021 , 64, 1028-10	o 3 97	2
146	Influence of collection and storage materials on glycol ether concentrations in urine and blood. <i>Science of the Total Environment</i> , 2021 , 792, 148196	10.2	O
145	Application of the Bayesian spline method to analyze real-time measurements of ultrafine particle concentration in the Parisian subway. <i>Environment International</i> , 2021 , 156, 106773	12.9	3
144	Midwives and protection of pregnant workers in Western Switzerland: Practices, difficulties and contributions. <i>Midwifery</i> , 2021 , 102, 103125	2.8	
143	Urinary 8-OHdG as a Biomarker for Oxidative Stress: A Systematic Literature Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	48
142	Reference Ranges of 8-Isoprostane Concentrations in Exhaled Breath Condensate (EBC): A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
141	Implementation of maternity protection legislation: Gynecologists' perceptions and practices in French-speaking Switzerland. <i>PLoS ONE</i> , 2020 , 15, e0231858	3.7	1
140	Urinary 8-isoprostane as a biomarker for oxidative stress. A systematic review and meta-analysis. <i>Toxicology Letters</i> , 2020 , 328, 19-27	4.4	25
139	Lung cancer mortality in the French cohort of titanium dioxide workers: some aetiological insights. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 795-797	2.1	3
138	Job stress among GPs: associations with practice organisation in 11 high-income countries. <i>British Journal of General Practice</i> , 2020 , 70, e657-e667	1.6	3
137	Age related micronuclei frequency ranges in buccal and nasal cells in a healthy population. <i>Environmental Research</i> , 2020 , 180, 108824	7.9	11
136	Energy, Nutrient and Food Intakes of Male Shift Workers Vary According to the Schedule Type but Not the Number of Nights Worked. <i>Nutrients</i> , 2020 , 12,	6.7	3
135	Suicide mortality follow-up of the Swiss National Cohort (1990-2014): sex-specific risk estimates by occupational socio-economic group in working-age population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1483-1495	4.5	12
134	The mediating role of mood in the relationship between perseverative cognition, sleep and subjective health complaints in music students. <i>Psychology and Health</i> , 2019 , 34, 754-770	2.9	1

133	Biological monitoring of workers exposed to carcinogens using the buccal micronucleus approach: A systematic review and meta-analysis. <i>Mutation Research - Reviews in Mutation Research</i> , 2019 , 781, 11-29	7	21
132	Early Effect Markers and Exposure Determinants of Metalworking Fluids Among Metal Industry Workers: Protocol for a Field Study. <i>JMIR Research Protocols</i> , 2019 , 8, e13744	2	7
131	Protection of Pregnant Women at Work in Switzerland: Implementation and Experiences of Maternity Protection Legislation. <i>Advances in Intelligent Systems and Computing</i> , 2019 , 622-633	0.4	
130	A structural equation model of the family physicians attitude towards their role in prevention: a cross-sectional study in Switzerland. <i>Family Practice</i> , 2019 , 36, 297-303	1.9	3
129	Practice Organization Characteristics Related to Job Satisfaction Among General Practitioners in 11 Countries. <i>Annals of Family Medicine</i> , 2019 , 17, 510-517	2.9	9
128	Eating Habits of Professional Firefighters: Comparison With National Guidelines and Impact Healthy Eating Promotion Program. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, e183	3-e190	4
127	Occupational exposure to beryllium in French industries. <i>Journal of Occupational and Environmental Hygiene</i> , 2019 , 16, 229-241	2.9	5
126	Improving nutritional care quality in the orthopedic ward of a Septic Surgery Center by implementing a preventive nutritional policy using the Nutritional Risk Score: a pilot study. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 276-283	5.2	
125	Predictors of Return to Work 12 Months After Solid Organ Transplantation: Results from the Swiss Transplant Cohort Study. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 462-471	3.6	7
124	Grasping an object at floor-level: Is movement strategy a matter of age?. <i>Applied Ergonomics</i> , 2018 , 70, 34-43	4.2	4
123	Bladder cancer and occupational exposure to metalworking fluid mist: a counter-matched case-control study in French steel-producing factories. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 328-336	2.1	7
122	Long title: Protocol for evaluating a Consultation for Suffering at work in French-speaking Switzerland. <i>Contemporary Clinical Trials Communications</i> , 2018 , 9, 71-76	1.8	2
121	Symptom evaluation during the methacholine test: Does it add to the interpretation of the test results based on the PC20FEV1?. <i>Clinical Respiratory Journal</i> , 2018 , 12, 1536-1544	1.7	1
120	The relationship between music performance anxiety, subjective performance quality and post-event rumination among music students. <i>Psychology of Music</i> , 2018 , 46, 136-152	1.2	13
119	Workplace Respiratory Protection Factors during Asbestos Removal Operations. <i>Annals of Work Exposures and Health</i> , 2018 , 62, 613-621	2.4	3
118	Do airway inflammation and airway responsiveness markers at the start of apprenticeship predict their evolution during initial training? A longitudinal study among apprentice bakers, pastry makers and hairdressers. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 113	3.5	2
117	Coping better with health problems after a visit to the family physician: associations with patients and physicians characteristics. <i>BMC Family Practice</i> , 2018 , 19, 27	2.6	5
116	Protection of pregnant women at work in Switzerland: practices, obstacles and resources. A mixed-methods study protocol. <i>BMJ Open</i> , 2018 , 8, e023532	3	3

115	Objective assessment of knife sharpness over a working day cutting meat. <i>Applied Ergonomics</i> , 2018 , 68, 109-116	4.2	8	
114	Asthma-like symptoms induced by the methacholine challenge test: do they predict a negative-to-positive switch in the test result?-case report. <i>Journal of Thoracic Disease</i> , 2018 , 10, E716-E	726	Ο	
113	The Effects of Hand Massage on Stress and Agitation Among People with Dementia in a Hospital Setting: A Pilot Study. <i>Applied Psychophysiology Biofeedback</i> , 2018 , 43, 319-332	3.4	4	
112	Exposure to field vs. storage wheat dust: different consequences on respiratory symptoms and immune response among grain workers. <i>International Archives of Occupational and Environmental Health</i> , 2018 , 91, 745-757	3.2	7	
111	Prolonged performance-related neuroendocrine activation and perseverative cognition in low- and high-anxious university music students. <i>Psychoneuroendocrinology</i> , 2018 , 95, 18-27	5	4	
110	Bivariate Left-Censored Measurements in Biomonitoring: A Bayesian Model for the Determination of Biological Limit Values Based on Occupational Exposure Limits. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 515-527	2.4	3	
109	Motor adaptation capacity as a function of age in carrying out a repetitive assembly task at imposed work paces. <i>Applied Ergonomics</i> , 2017 , 64, 47-55	4.2	15	
108	Occupational Asbestos Exposure and Incidence of Colon and Rectal Cancers in French Men: The Asbestos-Related Diseases Cohort (ARDCo-Nut). <i>Environmental Health Perspectives</i> , 2017 , 125, 409-415	5 ^{8.} 4	23	
107	Employment 12 months after kidney transplantation: An in-depth bio-psycho-social analysis of the Swiss Transplant Cohort. <i>PLoS ONE</i> , 2017 , 12, e0175161	3.7	26	
106	Increase in oxidative stress levels following welding fume inhalation: a controlled human exposure study. <i>Particle and Fibre Toxicology</i> , 2016 , 13, 31	8.4	31	
105	The 2-phase case-control design: an efficient way to use expert-time. <i>Scandinavian Journal of Work, Environment and Health,</i> 2016 , 42, 162-9	4.3	2	
104	DNA Damage among Wood Workers Assessed with the Comet Assay. <i>Environmental Health Insights</i> , 2016 , 10, 105-12	1.4	10	
103	Assessment of work-related asthma prevalence, control and severity: protocol of a field study. <i>BMC Public Health</i> , 2016 , 16, 1164	4.1	2	
102	Effects of chronic low-dose exposure to ionizing radiation on physician microvascular structure revealed by nail fold capillaroscopy. <i>Radiation and Environmental Biophysics</i> , 2016 , 55, 71-9	2	3	
101	Preventing plant-pedestrian collisions: Camera & screen systems and visibility from the driving position. <i>International Journal of Industrial Ergonomics</i> , 2016 , 53, 284-290	2.9	1	
100	A better way of fitting clips? A comparative study with respect to physical workload. <i>Applied Ergonomics</i> , 2015 , 51, 236-43	4.2	7	
99	Clinically assessed consequences of workplace physical violence. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 213-24	3.2	19	
98	Endotoxin deposits on the inner surfaces of closed-face cassettes during bioaerosol sampling: a field investigation at composting facilities. <i>Annals of Occupational Hygiene</i> , 2015 , 59, 504-13		1	

97	Respiratory health effects of fifteen years of improved collective protection in a wheat-processing worker population. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 647-54	1.4	9
96	Psychophysiological activation during preparation, performance, and recovery in high- and low-anxious music students. <i>Applied Psychophysiology Biofeedback</i> , 2014 , 39, 45-57	3.4	20
95	0150 Respiratory effects of an exposure to wheat dust among grain workers and farmers: a longitudinal study. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A18.3-A19	2.1	1
94	0078 Work organisational characteristics and psychological distress in French call-centres. Is there a direct effect?. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A69.3-A70	2.1	
93	Exhaled breath condensate as a matrix for combustion-based nanoparticle exposure and health effect evaluation. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2014 , 27, 449-58	3.8	18
92	Workers exposed to wood dust have an increased micronucleus frequency in nasal and buccal cells: results from a pilot study. <i>Mutagenesis</i> , 2014 , 29, 201-7	2.8	23
91	Associations of short-term particle and noise exposures with markers of cardiovascular and respiratory health among highway maintenance workers. <i>Environmental Health Perspectives</i> , 2014 , 122, 726-32	8.4	45
90	Airborne exposures to monoethanolamine, glycol ethers, and benzyl alcohol during professional cleaning: a pilot study. <i>Annals of Occupational Hygiene</i> , 2014 , 58, 846-59		10
89	Hazardous substances in frequently used professional cleaning products. <i>International Journal of Occupational and Environmental Health</i> , 2014 , 20, 46-60		35
88	Roles of age, length of service and job in work-related injury: a prospective study of 63,620 person-years in female workers. <i>American Journal of Industrial Medicine</i> , 2014 , 57, 172-83	2.7	17
87	0024 Effects of chronic low-dose exposure to ionising radiation on physician micro-vascular structure revealed by nail fold capillaroscopy. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A60.3	8 -2 4-60	1
86	Asbestos exposure, pleural plaques, and the risk of death from lung cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 1413-20	10.2	39
85	Exploring implicit preventive strategies in prehospital emergency workers: a novel approach for preventing back problems. <i>Applied Ergonomics</i> , 2014 , 45, 1003-9	4.2	16
84	Design and Planning of Epidemiological Studies 2014 , 473-524		1
83	Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 884-91	2.1	14
82	Relationships between organizational workplace characteristics and perceived workplace strain in call-centers in France. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 1317-28	2.7	2
81	La «´Gĥfation Sandwich´» en Suisse romande´: mieux comprendre les facteurs associs avec la sant`perüe afin de mieux agir en promotion de la sant. <i>Recherche En Soins Infirmiers</i> , 2013 , N° 115, 68	0.5	2
80	Generation of polycyclic aromatic hydrocarbons (PAHs) during woodworking operations. <i>Frontiers in Oncology</i> , 2012 , 2, 148	5.3	17

(2009-2012)

79	Occupational risk factors have to be considered in the definition of high-risk lung cancer populations. <i>British Journal of Cancer</i> , 2012 , 106, 1346-52	8.7	14
78	Hyperventilation in anticipatory music performance anxiety. <i>Psychosomatic Medicine</i> , 2012 , 74, 773-82	3.7	16
77	Health effects of occupational exposure in a dairy food industry, with a specific assessment of exposure to airborne lactic acid bacteria. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 969-73	2	4
76	Smoking, occupational risk factors, and bronchial tumor location: a possible impact for lung cancer computed tomography scan screening. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 128-36	8.9	10
75	Uranium carcinogenicity in humans might depend on the physical and chemical nature of uranium and its isotopic composition: results from pilot epidemiological study of French nuclear workers. <i>Cancer Causes and Control</i> , 2011 , 22, 1563-73	2.8	36
74	Effort, reward and self-reported mental health: a simulation study on negative affectivity bias. <i>BMC Medical Research Methodology</i> , 2011 , 11, 121	4.7	10
73	Biomarkers of oxidative stress and its association with the urinary reducing capacity in bus maintenance workers. <i>Journal of Occupational Medicine and Toxicology</i> , 2011 , 6, 18	2.7	37
72	Multi-level modeling of aspects associated with poor mental health in a sample of prehospital emergency professionals. <i>American Journal of Industrial Medicine</i> , 2011 , 54, 847-57	2.7	8
71	Roles of age, length of service and job in work-related injury: a prospective study of 446 120 person-years in railway workers. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 147-53	2.1	31
70	Occupational exposure to cobalt: a population toxicokinetic modeling approach validated by field results challenges the biological exposure index for urinary cobalt. <i>Journal of Occupational and Environmental Hygiene</i> , 2010 , 7, 54-62	2.9	6
69	Reprocessed uranium exposure and lung cancer risk. <i>Health Physics</i> , 2010 , 99, 308-13	2.3	14
68	French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 301-8	3.2	23
67	Association of work related chronic stressors and psychiatric symptoms in a Swiss sample of police officers; a cross sectional questionnaire study. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 323-31	3.2	36
66	Associations of airway inflammation and responsiveness markers in non asthmatic subjects at start of apprenticeship. <i>BMC Pulmonary Medicine</i> , 2010 , 10, 37	3.5	11
65	Lung cancer mortality and iron oxide exposure in a French steel-producing factory. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 175-81	2.1	18
64	Early markers of airways inflammation and occupational asthma: rationale, study design and follow-up rates among bakery, pastry and hairdressing apprentices. <i>BMC Public Health</i> , 2009 , 9, 113	4.1	15
63	Eude pidmiologique de mortalit parmi le personnel de deux socits da drmements. <i>Archives Des Maladies Professionnelles Et De Li</i> Environnement, 2009 , 70, 315-325	0.1	
62	Do evolving practices improve survival in operated lung cancer patients? A biobank may answer. Journal of Thoracic Oncology, 2009 , 4, 505-11	8.9	7

61	Exhaled nitric oxide and airway hyperresponsiveness in workers: a preliminary study in lifeguards. <i>BMC Pulmonary Medicine</i> , 2009 , 9, 53	3.5	13
60	Lung cancer and exposure to metals: the epidemiological evidence. <i>Methods in Molecular Biology</i> , 2009 , 472, 139-67	1.4	94
59	Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. <i>Environmental Health</i> , 2008 , 7, 30	6	19
58	Estimation de lâĦxposition ^lâĦmiante lors des activits de traitement de lâĦmiante en place : proposition dâŪne matrice tches-exposition. <i>Archives Des Maladies Professionnelles Et De LrEnvironnement</i> , 2008 , 69, 586-592	0.1	1
57	Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 261-7	2.1	12
56	Association of physical job demands, smoking and alcohol abuse with subsequent premature mortality: a 9-year follow-up population-based study. <i>Journal of Occupational Health</i> , 2008 , 50, 31-40	2.3	17
55	Reproducibility of exhaled nitric oxide in smokers and non-smokers: relevance for longitudinal studies. <i>BMC Pulmonary Medicine</i> , 2008 , 8, 4	3.5	15
54	Flexible Two-Phase studies for rare exposures: Feasibility, planning and efficiency issues of a new variant. <i>Epidemiologic Perspectives and Innovations</i> , 2008 , 5, 4		1
53	Long-term occupational consequences of asthma in a large French cohort of male workers followed up for 5 years. <i>American Journal of Industrial Medicine</i> , 2008 , 51, 317-23	2.7	18
52	Effects of working conditions and sleep of the previous day on cognitive performance. <i>Applied Ergonomics</i> , 2008 , 39, 99-106	4.2	43
51	A planning tool for two-phase case-control studies. <i>Computer Methods and Programs in Biomedicine</i> , 2007 , 88, 175-81	6.9	3
50	Ototoxicity in rats exposed to ethylbenzene and to two technical xylene vapours for 13 weeks. <i>Archives of Toxicology</i> , 2007 , 81, 127-43	5.8	22
49	Mortality in a German Cohort of Asphalt Workers with Potential Bitumen Exposure. <i>Journal of Occupational and Environmental Hygiene</i> , 2007 , 4, 201-208	2.9	5
48	Comparison of potential adjustment variables representing primary intellectual level in epidemiological studies on neurotoxicity. <i>American Journal of Industrial Medicine</i> , 2006 , 49, 642-6	2.7	
47	Mortality among Paris sewage workers. Occupational and Environmental Medicine, 2006, 63, 168-72	2.1	10
46	Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1007-12	8.4	27
45	Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 4-9	2.1	37
44	Minmax designs for planning the second phase in a two-phase case-control study. <i>Statistics in Medicine</i> , 2006 , 25, 1646-59	2.3	6

(2000-2006)

43	Update of a meta-analysis on lung cancer and welding. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 22-31	4.3	62
42	Short-term relationships between working conditions, sleep and cognitive efficiency as a function of age. <i>International Congress Series</i> , 2005 , 1280, 151-155		2
41	Shiftwork experience, age and cognitive performance. <i>Ergonomics</i> , 2005 , 48, 1282-93	2.9	142
40	Cancer mortality among municipal pest-control workers. <i>International Archives of Occupational and Environmental Health</i> , 2005 , 78, 387-93	3.2	10
39	Design and Planning of Epidemiological Studies 2005 , 463-501		
38	Cohort Studies 2005 , 253-285		1
37	Design and Planning of Epidemiological Studies 2005 , 463-501		
36	Re: "flexible matching strategies to increase power and efficiency to detect and estimate gene-environment interactions in case-control studies". <i>American Journal of Epidemiology</i> , 2004 , 159, 1107-8; author reply 1108	3.8	1
35	On identification of multi-factor models with correlated residuals. <i>Biometrika</i> , 2004 , 91, 141-151	2	17
34	Exposure to job-stress factors in a national survey in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 379-89	4.3	10
33	Comparison of measurement strategies for prospective occupational epidemiology. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 101-10		3
32	Evaluation of the French version of EUROQUEST: a questionnaire for neurotoxic symptoms. <i>NeuroToxicology</i> , 2003 , 24, 541-6	4.4	19
31	Neurobehavioral disturbances arising from occupational toluene exposure. <i>American Journal of Industrial Medicine</i> , 2002 , 41, 77-88	2.7	49
30	A cohort mortality and nested case-control study of French and Austrian talc workers. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 98-105	2.1	49
29	Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 410-4	2.1	27
28	An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 800-10	2.1	31
27	Vibrotactile perception thresholds in four non-exposed populations of working age. <i>Ergonomics</i> , 2001 , 44, 649-57	2.9	9
26	Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 268-73	2.1	30

25	Lung cancer mortality in a site producing hard metals. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 568-73	2.1	54
24	Dose-response slope of forced oscillation and forced expiratory parameters in bronchial challenge testing. <i>European Respiratory Journal</i> , 1999 , 13, 295-300	13.6	21
23	Implementation of ISO 9002 for research in occupational epidemiology. <i>Accreditation and Quality Assurance</i> , 1998 , 3, 488-496	0.7	4
22	Demographic evaluation of the fertility of aluminium industry workers: influence of exposure to heat and static magnetic fields. <i>Human Reproduction</i> , 1998 , 13, 2016-9	5.7	14
21	CONFIDENCE INTERVALS FOR PROBABILITIES OF EXCEEDING THRESHOLD LIMITS WITH CENSORED LOG-NORMAL DATA. <i>Environmetrics</i> , 1996 , 7, 247-259	1.3	19
20	Fitting Bayesian multiple random effects models. <i>Statistics and Computing</i> , 1996 , 6, 337-346	1.8	19
19	Mortality from cardiovascular diseases among potash miners exposed to heat. <i>Epidemiology</i> , 1995 , 6, 243-7	3.1	21
18	Respiratory symptoms, ventilatory impairment, and bronchial reactivity in oil mist-exposed automobile workers. <i>American Journal of Industrial Medicine</i> , 1995 , 27, 247-56	2.7	44
17	Airway responsiveness to methacholine, respiratory symptoms, and dust exposure levels in grain and flour mill workers in eastern France. <i>American Journal of Industrial Medicine</i> , 1995 , 27, 859-69	2.7	17
16	Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. <i>American Journal of Industrial Medicine</i> , 1995 , 28, 497-504	2.7	6
15	A retrospective mortality study of workers exposed to arsenic in a gold mine and refinery in France. <i>American Journal of Industrial Medicine</i> , 1994 , 25, 625-33	2.7	28
14	Lung cancer mortality in a French cohort of hard-metal workers. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 585-95	2.7	59
13	Humoral immune responses of workers occupationally exposed to wheat flour. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 671-9	2.7	15
12	Algorithm AS 287: Adaptive Rejection Sampling from Log-Concave Density Functions. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1993 , 42, 701	1.5	29
11	A Hierarchical Bayesian Approach to the Back-Calculation of Numbers of HIV- Infected Subjects 1993 , 42, 405		1
10	A mortality study of cobalt production workers: an extension of the follow-up. <i>American Journal of Industrial Medicine</i> , 1993 , 23, 281-8	2.7	33
9	Mortality from lung cancer and cardiovascular diseases among stainless-steel producing workers. <i>Cancer Causes and Control</i> , 1993 , 4, 75-81	2.8	42
8	Adaptive Rejection Sampling for Gibbs Sampling. <i>Journal of the Royal Statistical Society Series C:</i> Applied Statistics, 1992 , 41, 337	1.5	795

LIST OF PUBLICATIONS

7	trans, trans-Muconic acid, a reliable biological indicator for the detection of individual benzene exposure down to the ppm level. <i>International Archives of Occupational and Environmental Health</i> , 1992 , 64, 309-13	3.2	72	
6	A study of the prevalence of acute respiratory disorders among workers in the textile industry. <i>International Archives of Occupational and Environmental Health</i> , 1991 , 62, 555-60	3.2	3	
5	Arc welders' respiratory health evolution over five years. <i>International Archives of Occupational and Environmental Health</i> , 1989 , 61, 321-7	3.2	13	
4	Risk of lung, larynx, pharynx and buccal cavity cancers among carbon electrode manufacturing workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1989 , 15, 30-7	4.3	16	
3	Respiratory health assessment by questionnaire of 2024 workers involved in man-made mineral fiber production. <i>International Archives of Occupational and Environmental Health</i> , 1988 , 61, 171-8	3.2	8	
2	Decreased serum ceruloplasmin concentration in aluminum welders exposed to ozone. International Archives of Occupational and Environmental Health, 1988, 60, 95-7	3.2	3	
1	Oral cavity and laryngeal cancers among man-made mineral fiber production workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1986 , 12, 27-31	4.3	24	