

Bengt Persson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8696383/bengt-persson-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

14,502
citations

48
h-index

120
g-index

155
ext. papers

17,527
ext. citations

5.2
avg. IF

5.85
L-index

#	Paper	IF	Citations
152	ELIXIR-EXCELERATE: establishing Europe's data infrastructure for the life science research of the future. <i>EMBO Journal</i> , 2021 , 40, e107409	13	11
151	Increased iron absorption in patients with chronic heart failure and iron deficiency. <i>Journal of Cardiac Failure</i> , 2020 , 26, 440-443	3.3	2
150	The ELIXIR Core Data Resources: fundamental infrastructure for the life sciences. <i>Bioinformatics</i> , 2020 , 36, 2636-2642	7.2	29
149	Metabolomic Profile in HFpEF vs HFrEF Patients. <i>Journal of Cardiac Failure</i> , 2020 , 26, 1050-1059	3.3	11
148	Leveraging European infrastructures to access 1 million human genomes by 2022. <i>Nature Reviews Genetics</i> , 2019 , 20, 693-701	30.1	36
147	Transcriptomics of cardiac biopsies reveals differences in patients with or without diagnostic parameters for heart failure with preserved ejection fraction. <i>Scientific Reports</i> , 2019 , 9, 3179	4.9	22
146	The bio.tools registry of software tools and data resources for the life sciences. <i>Genome Biology</i> , 2019 , 20, 164	18.3	19
145	Novel non-classic CYP21A2 variants, including combined alleles, identified in patients with congenital adrenal hyperplasia. <i>Clinical Biochemistry</i> , 2019 , 73, 50-56	3.5	2
144	Spatial detection of fetal marker genes expressed at low level in adult human heart tissue. <i>Scientific Reports</i> , 2017 , 7, 12941	4.9	36
143	Rationale and design of the PREFERS (Preserved and Reduced Ejection Fraction Epidemiological Regional Study) Stockholm heart failure study: an epidemiological regional study in Stockholm county of 2.1 million inhabitants. <i>European Journal of Heart Failure</i> , 2016 , 18, 1287-1297	12.3	11
142	Computational studies of human class V alcohol dehydrogenase - the odd sibling. <i>BMC Biochemistry</i> , 2016 , 17, 16	4.8	8
141	Functional and Structural Consequences of Nine Mutations Ranging from Very Mild to Severe Effects. <i>International Journal of Endocrinology</i> , 2016 , 2016, 4209670	2.7	7
140	The FAIR Guiding Principles for scientific data management and stewardship. <i>Scientific Data</i> , 2016 , 3, 160018	8.2	4154
139	Mutations in SLC12A5 in epilepsy of infancy with migrating focal seizures. <i>Nature Communications</i> , 2015 , 6, 8038	17.4	104
138	In vitro functional studies of rare CYP21A2 mutations and establishment of an activity gradient for nonclassic mutations improve phenotype predictions in congenital adrenal hyperplasia. <i>Clinical Endocrinology</i> , 2015 , 82, 37-44	3.4	18
137	The mammalian alcohol dehydrogenase genome shows several gene duplications and gene losses resulting in a large set of different enzymes including pseudoenzymes. <i>Chemico-Biological Interactions</i> , 2015 , 234, 80-4	5	5
136	The ELIXIR channel in F1000Research. <i>F1000Research</i> , 2015 , 4,	3.6	3

135	On an early gene for membrane-integral inorganic pyrophosphatase in the genome of an apparently pre-luca extremophile, the archaeon <i>Candidatus Korarchaeum cryptofilum</i> . <i>Journal of Molecular Evolution</i> , 2014 , 78, 140-7	3.1	7
134	A mutation interfering with 5-lipoxygenase domain interaction leads to increased enzyme activity. <i>Archives of Biochemistry and Biophysics</i> , 2014 , 545, 179-85	4.1	12
133	Analysis of mammalian alcohol dehydrogenase 5 (ADH5): characterisation of rat ADH5 with comparisons to the corresponding human variant. <i>Chemico-Biological Interactions</i> , 2013 , 202, 97-103	5	10
132	Novel candidate genes for 46,XY gonadal dysgenesis identified by a customized 1 M array-CGH platform. <i>European Journal of Medical Genetics</i> , 2013 , 56, 661-8	2.6	15
131	Origin and evolution of medium chain alcohol dehydrogenases. <i>Chemico-Biological Interactions</i> , 2013 , 202, 91-6	5	19
130	Classification and nomenclature of the superfamily of short-chain dehydrogenases/reductases (SDRs). <i>Chemico-Biological Interactions</i> , 2013 , 202, 111-5	5	93
129	Unbiased approach for virus detection in skin lesions. <i>PLoS ONE</i> , 2013 , 8, e65953	3.7	45
128	Phylogenetically diverse TT virus viremia among pregnant women. <i>Virology</i> , 2012 , 432, 427-34	3.6	22
127	The plant short-chain dehydrogenase (SDR) superfamily: genome-wide inventory and diversification patterns. <i>BMC Plant Biology</i> , 2012 , 12, 219	5.3	64
126	Characterization of the viral microbiome in patients with severe lower respiratory tract infections, using metagenomic sequencing. <i>PLoS ONE</i> , 2012 , 7, e30875	3.7	134
125	Investigating protein variants using structural calculation techniques. <i>Methods in Molecular Biology</i> , 2012 , 857, 313-30	1.4	
124	Evolutionary conservation of the ribosomal biogenesis factor Rbm19/Mrd1: implications for function. <i>PLoS ONE</i> , 2012 , 7, e43786	3.7	6
123	An efficient simulator of 454 data using configurable statistical models. <i>BMC Research Notes</i> , 2011 , 4, 449	2.3	27
122	Characterization of new medium-chain alcohol dehydrogenases adds resolution to duplications of the class I/III and the sub-class I genes. <i>Chemico-Biological Interactions</i> , 2011 , 191, 8-13	5	4
121	FAAST: Flow-space Assisted Alignment Search Tool. <i>BMC Bioinformatics</i> , 2011 , 12, 293	3.6	5
120	RSpred, a set of Hidden Markov Models to detect and classify the RIFIN and STEVOR proteins of <i>Plasmodium falciparum</i> . <i>BMC Genomics</i> , 2011 , 12, 119	4.5	9
119	An unbiased metagenomic search for infectious agents using monozygotic twins discordant for chronic fatigue. <i>BMC Microbiology</i> , 2011 , 11, 2	4.5	17
118	The insulin receptor substrate-4 (IRS-4) gene and schizophrenia: no evidence for a main genetic factor, however one report of a single schizophrenia patient with a mutation. <i>Neuroendocrinology Letters</i> , 2011 , 32, 52-8	0.3	2

117	Association between body mass index and insulin receptor substrate-4 (IRS-4) gene polymorphisms in patients with schizophrenia. <i>Neuroendocrinology Letters</i> , 2011 , 32, 634-40	0.3	3
116	Classification of the short-chain dehydrogenase/reductase superfamily using hidden Markov models. <i>FEBS Journal</i> , 2010 , 277, 2375-86	5.7	118
115	Subdivision of the MDR superfamily of medium-chain dehydrogenases/reductases through iterative hidden Markov model refinement. <i>BMC Bioinformatics</i> , 2010 , 11, 534	3.6	31
114	Functionally important amino acids in the Arabidopsis thylakoid phosphate transporter: homology modeling and site-directed mutagenesis. <i>Biochemistry</i> , 2010 , 49, 6430-9	3.2	11
113	Superfamilies SDR and MDR: from early ancestry to present forms. Emergence of three lines, a Zn-metalloenzyme, and distinct variabilities. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 396, 125-30	3.4	56
112	Enrichment of ligands with molecular dockings and subsequent characterization for human alcohol dehydrogenase 3. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 3005-15	10.3	7
111	Model of the complex of Parathyroid hormone-2 receptor and Tuberoinfundibular peptide of 39 residues. <i>BMC Research Notes</i> , 2010 , 3, 270	2.3	3
110	Quasispecies dynamics and molecular evolution of human norovirus capsid P region during chronic infection. <i>Journal of General Virology</i> , 2009 , 90, 432-441	4.9	23
109	BRICHOS - a superfamily of multidomain proteins with diverse functions. <i>BMC Research Notes</i> , 2009 , 2, 180	2.3	64
108	The SDR (short-chain dehydrogenase/reductase and related enzymes) nomenclature initiative. <i>Chemico-Biological Interactions</i> , 2009 , 178, 94-8	5	273
107	Autoimmune T cell responses to antigenic peptides presented by bronchoalveolar lavage cell HLA-DR molecules in sarcoidosis. <i>Clinical Immunology</i> , 2009 , 133, 353-63	9	48
106	Investigation and prediction of the severity of p53 mutants using parameters from structural calculations. <i>FEBS Journal</i> , 2009 , 276, 4142-55	5.7	12
105	A Super-Family of Medium-Chain Dehydrogenases/Reductases (MDR). <i>FEBS Journal</i> , 2008 , 226, 15-22		3
104	Carbamazepine protects against neuronal hyperplasia and abnormal gene expression in the megencephaly mouse. <i>Neurobiology of Disease</i> , 2008 , 32, 364-76	7.5	7
103	The fellowship of the RING: the RING-B-box linker region interacts with the RING in TRIM21/Ro52, contains a native autoantigenic epitope in Sjögren syndrome, and is an integral and conserved region in TRIM proteins. <i>Journal of Molecular Biology</i> , 2008 , 377, 431-49	6.5	22
102	Epstein-barr virus encodes three bona fide ubiquitin-specific proteases. <i>Journal of Virology</i> , 2008 , 82, 10477-86	6.6	32
101	Molecular dynamics studies of alpha-helix stability in fibril-forming peptides. <i>Journal of Computer-Aided Molecular Design</i> , 2008 , 22, 53-8	4.2	13
100	Medium- and short-chain dehydrogenase/reductase gene and protein families : the MDR superfamily. <i>Cellular and Molecular Life Sciences</i> , 2008 , 65, 3879-94	10.3	125

99	Medium- and short-chain dehydrogenase/reductase gene and protein families : the SDR superfamily: functional and structural diversity within a family of metabolic and regulatory enzymes. <i>Cellular and Molecular Life Sciences</i> , 2008 , 65, 3895-906	10.3	583
98	Quantitative membrane proteomics applying narrow range peptide isoelectric focusing for studies of small cell lung cancer resistance mechanisms. <i>Proteomics</i> , 2008 , 8, 3008-18	4.8	61
97	Characterization of oligopeptide patterns in large protein sets. <i>BMC Genomics</i> , 2007 , 8, 346	4.5	10
96	A new polymorphism in the coding region of exon four in HSD17B2 in relation to risk of sporadic and hereditary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007 , 106, 57-64	4.4	9
95	Disruption of the GDNF binding site in NCAM dissociates ligand binding and homophilic cell adhesion. <i>Journal of Biological Chemistry</i> , 2007 , 282, 12734-40	5.4	21
94	Identification of HLA-DR-bound peptides presented by human bronchoalveolar lavage cells in sarcoidosis. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3576-82	15.9	80
93	Ontology annotation treebrowser : an interactive tool where the complementarity of medical subject headings and gene ontology improves the interpretation of gene lists. <i>Applied Bioinformatics</i> , 2006 , 5, 225-36		11
92	A promiscuous glutathione transferase transformed into a selective thiolester hydrolase. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 90-7	3.9	3
91	Molecular model of human CYP21 based on mammalian CYP2C5: structural features correlate with clinical severity of mutations causing congenital adrenal hyperplasia. <i>Molecular Endocrinology</i> , 2006 , 20, 2946-64		74
90	Prediction of coenzyme specificity in dehydrogenases/reductases. A hidden Markov model-based method and its application on complete genomes. <i>FEBS Journal</i> , 2006 , 273, 1177-84	5.7	43
89	Analysis of ancient sequence motifs in the H-PPase family. <i>FEBS Journal</i> , 2006 , 273, 5183-93	5.7	14
88	Mutation analysis of the human 5-lipoxygenase C-terminus: support for a stabilizing C-terminal loop. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2005 , 1749, 123-31	4	7
87	Bioinformatic and enzymatic characterization of the MAPEG superfamily. <i>FEBS Journal</i> , 2005 , 272, 1688-703	5.7	98
86	Comparative analysis of amino acid distributions in integral membrane proteins from 107 genomes. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005 , 60, 606-16	4.2	95
85	Folding into a beta-hairpin can prevent amyloid fibril formation. <i>Biochemistry</i> , 2004 , 43, 4655-61	3.2	23
84	Unfolding a folding disease: folding, misfolding and aggregation of the marble brain syndrome-associated mutant H107Y of human carbonic anhydrase II. <i>Journal of Molecular Biology</i> , 2004 , 342, 619-33	6.5	47
83	Short-chain dehydrogenases/reductases (SDR): the 2002 update. <i>Chemico-Biological Interactions</i> , 2003 , 143-144, 247-53	5	483
82	Coenzyme-based functional assignments of short-chain dehydrogenases/reductases (SDRs). <i>Chemico-Biological Interactions</i> , 2003 , 143-144, 271-8	5	160

81	Multiplicity of eukaryotic ADH and other MDR forms. <i>Chemico-Biological Interactions</i> , 2003 , 143-144, 255-61	5	15
80	Prediction of partial membrane protein topologies using a consensus approach. <i>Protein Science</i> , 2002 , 11, 2974-80	6.3	33
79	Short-chain dehydrogenase/reductase (SDR) relationships: a large family with eight clusters common to human, animal, and plant genomes. <i>Protein Science</i> , 2002 , 11, 636-41	6.3	173
78	Medium-chain dehydrogenases/reductases (MDR). Family characterizations including genome comparisons and active site modeling. <i>FEBS Journal</i> , 2002 , 269, 4267-76		131
77	Short-chain dehydrogenases/reductases (SDRs). <i>FEBS Journal</i> , 2002 , 269, 4409-17		312
76	Catalytic activities of human alpha class glutathione transferases toward carcinogenic dibenzo[a,l]pyrene diol epoxides. <i>Chemical Research in Toxicology</i> , 2002 , 15, 825-31	4	27
75	Human type 10 17 beta-hydroxysteroid dehydrogenase: molecular modelling and substrate docking. <i>Journal of Molecular Graphics and Modelling</i> , 2001 , 19, 514-20, 591-3	2.8	11
74	Variations and constant patterns in eukaryotic MDR enzymes. Conclusions from novel structures and characterized genomes. <i>Chemico-Biological Interactions</i> , 2001 , 130-132, 491-8	5	10
73	Prediction of amyloid fibril-forming proteins. <i>Journal of Biological Chemistry</i> , 2001 , 276, 12945-50	5.4	240
72	Biochemical defects in 11-cis-retinol dehydrogenase mutants associated with fundus albipunctatus. <i>Journal of Biological Chemistry</i> , 2001 , 276, 49251-7	5.4	28
71	Cloning of a novel growth hormone-regulated rat complementary deoxyribonucleic acid with homology to the human alpha1B-glycoprotein, characterizing a new protein family. <i>Endocrinology</i> , 2001 , 142, 2695-701	4.8	11
70	Tetra- and Nonapeptidyl Motifs in the Origin and Evolution of Photosynthetic Bioenergy Conversion 2001 , 173-178		3
69	Pharmacogenetics of the alcohol dehydrogenase system. <i>Pharmacology</i> , 2000 , 61, 184-91	2.3	46
68	The N-terminal domain of 5-lipoxygenase binds calcium and mediates calcium stimulation of enzyme activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 38787-93	5.4	130
67	Molecular basis for differential substrate specificity in class IV alcohol dehydrogenases: a conserved function in retinoid metabolism but not in ethanol oxidation. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25180-7	5.4	33
66	Consensus predictions of membrane protein topology. <i>FEBS Letters</i> , 2000 , 486, 267-9	3.8	83
65	Membrane-associated proteins in eicosanoid and glutathione metabolism (MAPEG). A widespread protein superfamily. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 161, S20-4	10.2	116
64	Human liver class I alcohol dehydrogenase gammagamma isozyme: the sole cytosolic 3beta-hydroxysteroid dehydrogenase of iso bile acids. <i>Hepatology</i> , 2000 , 31, 990-6	11.2	23

63	Bioinformatics in protein analysis. <i>Exs</i> , 2000 , 88, 215-31		41
62	Common structural features of MAPEG -- a widespread superfamily of membrane associated proteins with highly divergent functions in eicosanoid and glutathione metabolism. <i>Protein Science</i> , 1999 , 8, 689-92	6.3	248
61	Structural and enzymatic properties of a gastric NADP(H)- dependent and retinal-active alcohol dehydrogenase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26021-6	5.4	27
60	Elapid venom toxins: multiple recruitments of ancient scaffolds. <i>FEBS Journal</i> , 1999 , 259, 225-34		41
59	T-cell-epitope mapping of the idiotypic monoclonal IgG heavy and light chains in multiple myeloma. <i>International Journal of Cancer</i> , 1999 , 80, 671-80	7.5	38
58	Immunocytochemical detection and mapping of a cytokeratin 18 neo-epitope exposed during early apoptosis. <i>Journal of Pathology</i> , 1999 , 187, 567-72	9.4	500
57	SDR and MDR: completed genome sequences show these protein families to be large, of old origin, and of complex nature. <i>FEBS Letters</i> , 1999 , 445, 261-4	3.8	153
56	Structure and chromosomal assignment of the sterol 12alpha-hydroxylase gene (CYP8B1) in human and mouse: eukaryotic cytochrome P-450 gene devoid of introns. <i>Genomics</i> , 1999 , 56, 184-96	4.3	63
55	Bioinformatics in studies of SDR and MDR enzymes. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 463, 373-7	3.6	6
54	Structure-function relationships of 3 beta-hydroxysteroid dehydrogenases involved in bile acid metabolism. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 463, 389-94	3.6	2
53	A highly active microsomal glutathione transferase from frog (<i>Xenopus laevis</i>) liver that is not activated by N-ethylmaleimide. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 246, 466-9	3.4	6
52	Sorbitol dehydrogenase of <i>Drosophila</i> . Gene, protein, and expression data show a two-gene system. <i>Journal of Biological Chemistry</i> , 1998 , 273, 34293-301	5.4	15
51	Cellular UDP-glucose deficiency caused by a single point mutation in the UDP-glucose pyrophosphorylase gene. <i>Journal of Biological Chemistry</i> , 1997 , 272, 23784-91	5.4	66
50	Guinea pig and bovine zeta-crystallins have distinct functional characteristics highlighting replacements in otherwise similar structures. <i>Biochemistry</i> , 1997 , 36, 5353-62	3.2	31
49	Active site directed mutagenesis of 3 beta/17 beta-hydroxysteroid dehydrogenase establishes differential effects on short-chain dehydrogenase/reductase reactions. <i>Biochemistry</i> , 1997 , 36, 34-40	3.2	134
48	Mycothiol-dependent formaldehyde dehydrogenase, a prokaryotic medium-chain dehydrogenase/reductase, phylogenetically links different eukaryotic alcohol dehydrogenases--primary structure, conformational modelling and functional correlations. <i>FEBS Journal</i> , 1997 , 248, 282-9		41
47	Function, gene organization and protein structures of 11beta-hydroxysteroid dehydrogenase isoforms. <i>FEBS Journal</i> , 1997 , 249, 355-60		56
46	Prediction of membrane protein topology utilizing multiple sequence alignments. <i>The Protein Journal</i> , 1997 , 16, 453-7		99

45	Structure-function relationships of SDR hydroxysteroid dehydrogenases. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 414, 403-15	3.6	28
44	Molecular modelling of human gastric alcohol dehydrogenase (class IV) and substrate docking: differences towards the classical liver enzyme (class I). <i>FEBS Letters</i> , 1996 , 395, 99-102	3.8	20
43	Primary structure and homology. <i>FEBS Letters</i> , 1996 , 380, 301	3.8	
42	Arabidopsis formaldehyde dehydrogenase. Molecular properties of plant class III alcohol dehydrogenase provide further insights into the origins, structure and function of plant class p and liver class I alcohol dehydrogenases. <i>FEBS Journal</i> , 1996 , 241, 849-57		68
41	Topology prediction of membrane proteins. <i>Protein Science</i> , 1996 , 5, 363-71	6.3	97
40	Alcohol Dehydrogenase Variability. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 281-289	3.6	7
39	Ethanol utilization regulatory protein: profile alignments give no evidence of origin through aldehyde and alcohol dehydrogenase gene fusion. <i>Protein Science</i> , 1995 , 4, 2621-4	6.3	2
38	Short-chain dehydrogenases/reductases (SDR). <i>Biochemistry</i> , 1995 , 34, 6003-13	3.2	1123
37	Protein structure prediction: recognition of primary, secondary, and tertiary structural features from amino acid sequence. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 1995 , 30, 1-94	8.7	113
36	TMAP: a new email and WWW service for membrane-protein structural predictions. <i>Trends in Biochemical Sciences</i> , 1995 , 20, 204-5	10.3	51
35	The alcohol dehydrogenase system. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 372, 281-94	3.6	42
34	Short-chain dehydrogenases/reductases. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 372, 383-95	3.6	22
33	MPSA short communications. <i>The Protein Journal</i> , 1994 , 13, 431-512		
32	Prediction of transmembrane segments in proteins utilising multiple sequence alignments. <i>Journal of Molecular Biology</i> , 1994 , 237, 182-92	6.5	422
31	A super-family of medium-chain dehydrogenases/reductases (MDR). Sub-lines including zeta-crystallin, alcohol and polyol dehydrogenases, quinone oxidoreductase enoyl reductases, VAT-1 and other proteins. <i>FEBS Journal</i> , 1994 , 226, 15-22		136
30	Glucose-6-phosphate dehydrogenase. Structure-function relationships and the <i>Pichia jadinii</i> enzyme structure. <i>FEBS Journal</i> , 1993 , 212, 41-9		17
29	Basic features of class-I alcohol dehydrogenase: variable and constant segments coordinated by inter-class and intra-class variability. Conclusions from characterization of the alligator enzyme. <i>FEBS Journal</i> , 1993 , 216, 49-56		30
28	Variability patterns of dehydrogenases versus peptide hormones and proteases/antiproteases. <i>FEBS Letters</i> , 1993 , 335, 69-72	3.8	5

27	Dual relationships of xylitol and alcohol dehydrogenases in families of two protein types. <i>FEBS Letters</i> , 1993 , 324, 9-14	3.8	38
26	Zeta-crystallin versus other members of the alcohol dehydrogenase super-family. Variability as a functional characteristic. <i>FEBS Letters</i> , 1993 , 322, 240-4	3.8	17
25	Alcohol Dehydrogenases: Patterns of Protein Evolution 1993 , 275-282		2
24	Characterization of two platelet aggregation inhibitor-like polypeptides from viper venom. <i>Peptides</i> , 1992 , 13, 1033-7	3.8	6
23	Characterization of 4-hydroxyphenylpyruvate dioxygenase. Primary structure of the Pseudomonas enzyme. <i>FEBS Journal</i> , 1992 , 205, 459-66		39
22	Proton-translocating transhydrogenase from photosynthetic bacteria. <i>Biochemical Society Transactions</i> , 1991 , 19, 573-5	5.1	4
21	Functionally important regions of glucose-6-phosphate dehydrogenase defined by the <i>Saccharomyces cerevisiae</i> enzyme and its differences from the mammalian and insect forms. <i>FEBS Journal</i> , 1991 , 198, 485-91		16
20	Characteristics of short-chain alcohol dehydrogenases and related enzymes. <i>FEBS Journal</i> , 1991 , 200, 537-43		380
19	Different segment similarities in long-chain dehydrogenases. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 177, 218-23	3.4	18
18	Lipoprotein lipases and vitellogenins in relation to the known three-dimensional structure of pancreatic lipase. <i>FEBS Letters</i> , 1991 , 288, 33-6	3.8	19
17	A fragment of triosephosphate isomerase competes with the vasoactive intestinal polypeptide (VIP) for binding to the VIP receptor. <i>Acta Chemica Scandinavica</i> , 1991 , 45, 63-7		
16	Alcohol dehydrogenases. <i>Biochemical Society Transactions</i> , 1990 , 18, 169-71	5.1	14
15	Sea snake (<i>Microcephalophis gracilis</i>) hemoglobin: primary structure and relationships to other forms. <i>The Protein Journal</i> , 1990 , 9, 533-41		12
14	Fast atom bombardment mass spectrometry and chemical analysis in determinations of acyl-blocked protein structures. <i>FEBS Letters</i> , 1990 , 269, 194-6	3.8	9
13	Primary structure of the hemoglobin beta-chain of rose-ringed parakeet (<i>Psittacula krameri</i>). <i>The Protein Journal</i> , 1989 , 8, 481-6		3
12	Structural features of lipoprotein lipase. Lipase family relationships, binding interactions, non-equivalence of lipase cofactors, vitellogenin similarities and functional subdivision of lipoprotein lipase. <i>FEBS Journal</i> , 1989 , 179, 39-45		119
11	Human insulin-like growth-factor-binding protein. Low-molecular-mass form: protein sequence and cDNA cloning. <i>FEBS Journal</i> , 1989 , 180, 259-65		35
10	Eye lens zeta-crystallin relationships to the family of "long-chain" alcohol/polyol dehydrogenases. Protein trimming and conservation of stable parts. <i>Biochemistry</i> , 1989 , 28, 6133-9	3.2	94

9	Isolation and characterization of porcine diazepam-binding inhibitor, a polypeptide not only of cerebral occurrence but also common in intestinal tissues and with effects on regulation of insulin release. <i>FEBS Journal</i> , 1988 , 174, 239-45	115
8	Primary structure of the hemoglobin alpha-chain of rose-ringed parakeet (<i>Psittacula krameri</i>). <i>The Protein Journal</i> , 1988 , 7, 561-9	11
7	Alcohol dehydrogenases and aldehyde dehydrogenases. <i>Biochemical Society Transactions</i> , 1988 , 16, 223-3.1	11
6	Novel N-terminal fragments of pro-gamma-melanocyte-stimulating hormone isolated from pig pituitary. <i>Regulatory Peptides</i> , 1987 , 19, 325-33	
5	Characteristics of alcohol/polyol dehydrogenases. The zinc-containing long-chain alcohol dehydrogenases. <i>FEBS Journal</i> , 1987 , 167, 195-201	235
4	Sequence determinants of cytosolic N-terminal protein processing. <i>FEBS Journal</i> , 1986 , 154, 193-6	271
3	Structures of N-terminally acetylated proteins. <i>FEBS Journal</i> , 1985 , 152, 523-7	162
2	Amino acid sequence restriction in relation to proteolysis. <i>Bioscience Reports</i> , 1983 , 3, 225-32	4.1 16
1	Cloning of a Novel Growth Hormone-Regulated Rat Complementary Deoxyribonucleic Acid with Homology to the Human β -Glycoprotein, Characterizing a New Protein Family	6