

# Thomas J Givnish

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8696797/publications.pdf>

Version: 2024-02-01

80  
papers

8,721  
citations

53660

45  
h-index

71532

76  
g-index

82  
all docs

82  
docs citations

82  
times ranked

9435  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | COMPARATIVE STUDIES OF LEAF FORM: ASSESSING THE RELATIVE ROLES OF SELECTIVE PRESSURES AND PHYLOGENETIC CONSTRAINTS. <i>New Phytologist</i> , 1987, 106, 131-160.   | 3.5 | 510       |
| 2  | Phylogeny, adaptive radiation, and historical biogeography in Bromeliaceae: Insights from an eightâ€ locus plastid phylogeny. <i>American Journal of Botany</i> , 2011, 98, 872-895.   | 0.8 | 401       |
| 3  | Adaptive significance of evergreen vs. deciduous leaves: solving the triple paradox. <i>Silva Fennica</i> , 2002, 36, .  | 0.5 | 399       |
| 4  | On the Adaptive Significance of Leaf Height in Forest Herbs. <i>American Naturalist</i> , 1982, 120, 353-381.  | 1.0 | 387       |
| 5  | Orchid phylogenomics and multiple drivers of their extraordinary diversification. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151553.  | 1.2 | 361       |
| 6  | On the causes of gradients in tropical tree diversity. <i>Journal of Ecology</i> , 1999, 87, 193-210.  | 1.9 | 351       |
| 7  | Sizes and Shapes of Liane Leaves. <i>American Naturalist</i> , 1976, 110, 743-778.   | 1.0 | 338       |
| 8  | Adaptive radiation, correlated and contingent evolution, and net species diversification in Bromeliaceae. <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 55-78.  | 1.2 | 333       |
| 9  | Carnivory in the Bromeliad <i>Brocchinia reducta</i> , with a Cost/Benefit Model for the General Restriction of Carnivorous Plants to Sunny, Moist, Nutrient-Poor Habitats. <i>American Naturalist</i> , 1984, 124, 479-497.                                   | 1.0 | 327       |
| 10 | Origin, adaptive radiation and diversification of the Hawaiian lobeliads (Asterales: Campanulaceae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 407-416.  | 1.2 | 312       |
| 11 | On the Adaptive Significance of Leaf Form. , 1979, , 375-407.  |     | 244       |
| 12 | Ecology of plant speciation. <i>Taxon</i> , 2010, 59, 1326-1366.   | 0.4 | 241       |
| 13 | Relationships among arbuscular mycorrhizal fungi, vascular plants and environmental conditions in oak savannas. <i>New Phytologist</i> , 2004, 164, 493-504.   | 3.5 | 227       |
| 14 | Assembling the Tree of the Monocotyledons: Plastome Sequence Phylogeny and Evolution of Poales<sup>1</sup>. <i>Annals of the Missouri Botanical Garden</i> , 2010, 97, 584-616.  | 1.3 | 202       |
| 15 | Ancient Vicariance or Recent Longâ€ Distance Dispersal? Inferences about Phylogeny and South Americanâ€ African Disjunctions in Rapateaceae and Bromeliaceae Based on ndhF Sequence Data. <i>International Journal of Plant Sciences</i> , 2004, 165, S35-S54. | 0.6 | 187       |
| 16 | Adaptive radiation versus â€ radiationâ€™ and â€ explosive diversificationâ€™: why conceptual distinctions are fundamental to understanding evolution. <i>New Phytologist</i> , 2015, 207, 297-303.  | 3.5 | 187       |
| 17 | ECOLOGICAL CONSTRAINTS ON THE EVOLUTION OF BREEDING SYSTEMS IN SEED PLANTS: DIOECY AND DISPERSAL IN GYMNOSPERMS. <i>Evolution; International Journal of Organic Evolution</i> , 1980, 34, 959-972.   | 1.1 | 178       |
| 18 | Multigene Analyses of Monocot Relationships. <i>Aliso</i> , 2006, 22, 63-75.   | 0.4 | 164       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Monocot plastid phylogenomics, timeline, net rates of species diversification, the power of multi-gene analyses, and a functional model for the origin of monocots. <i>American Journal of Botany</i> , 2018, 105, 1888-1910.                        | 0.8  | 161       |
| 20 | PHYLOGENY, CONCERTED CONVERGENCE, AND PHYLOGENETIC NICHE CONSERVATISM IN THE CORE LILIALES: INSIGHTS FROM <i>rbcL</i> AND <i>ndhF</i> SEQUENCE DATA. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 233-252.               | 1.1  | 153       |
| 21 | <i>Plant Stems.</i> , 1995, , 3-49.  |      | 151       |
| 22 | Adaptive radiation of photosynthetic physiology in the Hawaiian lobeliads: light regimes, static light responses, and whole-plant compensation points. <i>American Journal of Botany</i> , 2004, 91, 228-246.  | 0.8  | 148       |
| 23 | Does diversity beget stability?. <i>Nature</i> , 1994, 371, 113-114.   | 13.7 | 141       |
| 24 | GRADIENTS IN THE COMPOSITION, STRUCTURE, AND DIVERSITY OF REMNANT OAK SAVANNAS IN SOUTHERN WISCONSIN. <i>Ecological Monographs</i> , 1999, 69, 353-374.  | 2.4  | 128       |
| 25 | Orchid historical biogeography, diversification, Antarctica and the paradox of orchid dispersal. <i>Journal of Biogeography</i> , 2016, 43, 1905-1916.   | 1.4  | 127       |
| 26 | A phylogenomic assessment of ancient polyploidy and genome evolution across the Poales. <i>Genome Biology and Evolution</i> , 2016, 8, evw060.   | 1.1  | 117       |
| 27 | Elevated carbon dioxide ameliorates the effects of ozone on photosynthesis and growth: species respond similarly regardless of photosynthetic pathway or plant functional group. <i>New Phytologist</i> , 1998, 138, 315-325.                        | 3.5  | 114       |
| 28 | Ecological constraints on the evolution of plasticity in plants. <i>Evolutionary Ecology</i> , 2002, 16, 213-242.  | 0.5  | 110       |
| 29 | Outcrossing Versus Ecological Constraints in the Evolution of Dioecy. <i>American Naturalist</i> , 1982, 119, 849-865.   | 1.0  | 101       |
| 30 | Repeated evolution of net venation and fleshy fruits among monocots in shaded habitats confirms a priori predictions: evidence from an <i>ndhF</i> phylogeny. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 1481-1490. | 1.2  | 100       |
| 31 | Plastid phylogenomics and molecular evolution of Alismatales. <i>Cladistics</i> , 2016, 32, 160-178.   | 1.5  | 98        |
| 32 | Determinants of maximum tree height in <i>Eucalyptus</i> species along a rainfall gradient in Victoria, Australia. <i>Ecology</i> , 2014, 95, 2991-3007.   | 1.5  | 97        |
| 33 | Tracking lags in historical plant species' shifts in relation to regional climate change. <i>Global Change Biology</i> , 2017, 23, 1305-1315.  | 4.2  | 92        |
| 34 | Spatial and temporal patterns of recent forest encroachment in montane grasslands of the Valles Caldera, New Mexico, USA. <i>Journal of Biogeography</i> , 2007, 34, 914-927.  | 1.4  | 90        |
| 35 | Geographic cohesion, chromosomal evolution, parallel adaptive radiations, and consequent floral adaptations in <i>Calochortus</i> (Calochortaceae): evidence from a cpDNA phylogeny. <i>New Phytologist</i> , 2004, 161, 253-264.                    | 3.5  | 84        |
| 36 | Vegetation differentiation in the patterned landscape of the central Everglades: importance of local and landscape drivers. <i>Global Ecology and Biogeography</i> , 2008, 17, 384-402.  | 2.7  | 82        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | SEROTINY, GEOGRAPHY, AND FIRE IN THE PINE BARRENS OF NEW JERSEY. <i>Evolution; International Journal of Organic Evolution</i> , 1981, 35, 101-123.   | 1.1 | 81        |
| 38 | New evidence on the origin of carnivorous plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10-11.   | 3.3 | 79        |
| 39 | Biogeography of the cosmopolitan sedges (Cyperaceae) and the areaâ€ richness correlation in plants. <i>Journal of Biogeography</i> , 2016, 43, 1893-1904.  | 1.4 | 79        |
| 40 | Lightâ€ induced plasticity in leaf hydraulics, venation, anatomy, and gas exchange in ecologically diverse Hawaiian lobeliads. <i>New Phytologist</i> , 2015, 207, 43-58.                                | 3.5 | 77        |
| 41 | Phylogeny, divergence times, and historical biogeography of New World Dryopteris (Dryopteridaceae). <i>American Journal of Botany</i> , 2012, 99, 730-750.   | 0.8 | 68        |
| 42 | Leaf phenology in relation to canopy closure in southern Appalachian trees. <i>American Journal of Botany</i> , 2008, 95, 1395-1407.   | 0.8 | 63        |
| 43 | Recent and Historic Drivers of Landscape Change in the Everglades Ridge, Slough, and Tree Island Mosaic. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 344-381.            | 6.6 | 62        |
| 44 | Phylogenomics and historical biogeography of the monocot order Liliales: out of Australia and through Antarctica. <i>Cladistics</i> , 2016, 32, 581-605.   | 1.5 | 61        |
| 45 | The pace of plant community change is accelerating in remnant prairies. <i>Science Advances</i> , 2016, 2, e1500975.   | 4.7 | 57        |
| 46 | Absorptive Trichomes in <i>Brocchinia reducta</i> (Bromeliaceae) and Their Evolutionary and Systematic Significance. <i>Systematic Botany</i> , 1985, 10, 81.  | 0.2 | 56        |
| 47 | Carbon and sediment accumulation in the Everglades (USA) during the past 4000 years: Rates, drivers, and sources of error. <i>Journal of Geophysical Research</i> , 2012, 117, .                         | 3.3 | 55        |
| 48 | Evolution of geographical place and niche space: Patterns of diversification in the North American sedge (Cyperaceae) flora. <i>Molecular Phylogenetics and Evolution</i> , 2016, 95, 183-195.           | 1.2 | 40        |
| 49 | Gradient analysis of reversed treelines and grasslands of the Valles Caldera, New Mexico. <i>Journal of Vegetation Science</i> , 2007, 18, 43-54.  | 1.1 | 33        |
| 50 | Leaf form and photosynthetic physiology of <i>Dryopteris</i> species distributed along light gradients in eastern North America. <i>Functional Ecology</i> , 2014, 28, 108-123.                          | 1.7 | 33        |
| 51 | Distribution of black spruce versus eastern larch along peatland gradients: relationship to relative stature, growth rate, and shade tolerance. <i>Canadian Journal of Botany</i> , 1996, 74, 1514-1532. | 1.2 | 31        |
| 52 | Causes of ecological gradients in leaf margin entirety: Evaluating the roles of biomechanics, hydraulics, vein geometry, and bud packing. <i>American Journal of Botany</i> , 2017, 104, 354-366.        | 0.8 | 29        |
| 53 | Fire adaptation in <i>Neblinaria celiae</i> (Theaceae), a high-elevation rosette shrub endemic to a wet equatorial tepui. <i>Oecologia</i> , 1986, 70, 481-485.  | 0.9 | 28        |
| 54 | Spatial genetic structure in four understory <i>Psychotria</i> species (Rubiaceae) and implications for tropical forest diversity. <i>American Journal of Botany</i> , 2014, 101, 1189-1199.             | 0.8 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Common-garden studies on adaptive radiation of photosynthetic physiology among Hawaiian lobeliads. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132944.   | 1.2 | 27        |
| 56 | A new carnivorous plant lineage ( <i>Triantha</i> ) with a unique sticky-inflorescence trap. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .                                     | 3.3 | 26        |
| 57 | Paramagnetic Cellulose DNA Isolation Improves DNA Yield and Quality Among Diverse Plant Taxa. <i>Applications in Plant Sciences</i> , 2014, 2, 1400048.  | 0.8 | 24        |
| 58 | Spatial phylogenetics reveals evolutionary constraints on the assembly of a large regional flora. <i>American Journal of Botany</i> , 2018, 105, 1938-1950.  | 0.8 | 21        |
| 59 | Population genetics and phylogeography of endangered <i>Oxytropis campestris</i> var. <i>chartacea</i> and relatives: arctic-alpine disjuncts in eastern North America. <i>Molecular Ecology</i> , 2004, 13, 3657-3673.                | 2.0 | 19        |
| 60 | Giant lobelias exemplify convergent evolution. <i>BMC Biology</i> , 2010, 8, 3.  | 1.7 | 16        |
| 61 | Inbreeding, low genetic diversity, and spatial genetic structure in the endemic Hawaiian lobeliads <i>Clermontia fauriei</i> and <i>Cyanea pilosa</i> ssp. <i>longipedunculata</i> . <i>Conservation Genetics</i> , 2016, 17, 497-502. | 0.8 | 15        |
| 62 | Evolution of carnivory in angiosperms. , 2018, , .   |     | 14        |
| 63 | Relative Roles of Soil Moisture, Nutrient Supply, Depth, and Mechanical Impedance in Determining Composition and Structure of Wisconsin Prairies. <i>PLoS ONE</i> , 2015, 10, e0137963.  | 1.1 | 11        |
| 64 | Photoprotection of PSII in Hawaiian lobeliads from diverse light environments. <i>Functional Plant Biology</i> , 2008, 35, 595.  | 1.1 | 10        |
| 65 | Mistletoes and their eucalypt hosts differ in the response of leaf functional traits to climatic moisture supply. <i>Oecologia</i> , 2021, 195, 759-771.   | 0.9 | 10        |
| 66 | Phylogeny, Floral Evolution, and Inter-Island Dispersal in Hawaiian <i>Clermontia</i> (Campanulaceae) Based on ISSR Variation and Plastid Spacer Sequences. <i>PLoS ONE</i> , 2013, 8, e62566.   | 1.1 | 10        |
| 67 | Mesophyll photosynthetic sensitivity to leaf water potential in <i>Eucalyptus</i> : a new dimension of plant adaptation to native moisture supply. <i>New Phytologist</i> , 2021, 230, 1844-1855.                                      | 3.5 | 9         |
| 68 | Fine-scale environmental heterogeneity and spatial niche partitioning among spring-flowering forest herbs. <i>American Journal of Botany</i> , 2021, 108, 63-73.   | 0.8 | 9         |
| 69 | A New World of plants. <i>Science</i> , 2017, 358, 1535-1536.  | 6.0 | 8         |
| 70 | Why are plants carnivorous? Cost/benefit analysis, whole-plant growth, and the context-specific advantages of botanical carnivory. , 2018, , .   |     | 8         |
| 71 | Hydroscares, hydroscape plasticity and relationships to functional traits and mesophyll photosynthetic sensitivity to leaf water potential in <i>Eucalyptus</i> species. <i>Plant, Cell and Environment</i> , 2022, 45, 2573-2588.     | 2.8 | 8         |
| 72 | Plant distribution, stature, rarity, and diversity in a patterned calcareous fen: tests of geochemical and leaf-height models. <i>American Journal of Botany</i> , 2019, 106, 807-820.   | 0.8 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The Adaptive Geometry of Trees Revisited. <i>American Naturalist</i> , 2020, 195, 935-947.  | 1.0 | 6         |
| 74 | Spatial scales of genetic structure and gene flow in <i>Calochortus albus</i> (Liliaceae). <i>Ecology and Evolution</i> , 2013, 3, 1461-1470.   | 0.8 | 4         |
| 75 | Tree diversity in relation to tree height: alternative perspectives. <i>Ecology Letters</i> , 2017, 20, 395-397.  | 3.0 | 4         |
| 76 | Adaptive associations among life history, reproductive traits, environment, and origin in the Wisconsin angiosperm flora. <i>American Journal of Botany</i> , 2020, 107, 1677-1692.   | 0.8 | 4         |
| 77 | Gradient analysis of reversed treelines and grasslands of the Valles Caldera, New Mexico. , 2007, 18, 43.   |     | 4         |
| 78 | Bromeliaceae: Profile of an Adaptive Radiation.â€”D. H. Benzing (with contributions from B. Bennet, G.) Tj ETQq0 0 0 rgBT /Overlock 10 Cambridge, U.K. xii + 690 pp. ISBN 0â€“521â€“43031â€“3. \$160.00 (hard cover).. <i>Systematic Biology</i> , 2005, 54, 340-344. | 2.7 | 3         |
| 79 | Short-distance gene flow and morphological divergence in <i>Eschscholzia parishii</i> (Papaveraceae): implications for speciation in desert winter annuals. <i>Botanical Journal of the Linnean Society</i> , 2022, 200, 255-269.                                     | 0.8 | 1         |
| 80 | Turning to the dark side. <i>Nature Plants</i> , 2022, 8, 324-325.  | 4.7 | 0         |