

Yoshihiko Hoshida

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8697049/yoshihiko-hoshida-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,968
citations

34
h-index

53
g-index

80
ext. papers

3,205
ext. citations

4.5
avg, IF

3.88
L-index

#	Paper	IF	Citations
77	Prognostic significance of activated Akt expression in pancreatic ductal adenocarcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 2846-50	12.9	214
76	Pyothorax-associated lymphoma: a review of 106 cases. <i>Journal of Clinical Oncology</i> , 2002 , 20, 4255-60	2.2	206
75	Lymphoproliferative disorders in rheumatoid arthritis: clinicopathological analysis of 76 cases in relation to methotrexate medication. <i>Journal of Rheumatology</i> , 2007 , 34, 322-31	4.1	190
74	VCP (p97) regulates NFkappaB signaling pathway, which is important for metastasis of osteosarcoma cell line. <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 296-304		119
73	Cancer risk after renal transplantation in Japan. <i>International Journal of Cancer</i> , 1997 , 71, 517-20	7.5	110
72	Lymphoproliferative disorders in renal transplant patients in Japan. <i>International Journal of Cancer</i> , 2001 , 91, 869-75	7.5	109
71	Expression of hepatoma-derived growth factor is correlated with lymph node metastasis and prognosis of gastric carcinoma. <i>Clinical Cancer Research</i> , 2006 , 12, 117-22	12.9	107
70	Elevated expression of valosin-containing protein (p97) in hepatocellular carcinoma is correlated with increased incidence of tumor recurrence. <i>Journal of Clinical Oncology</i> , 2003 , 21, 447-52	2.2	99
69	AML1-ETO rapidly induces acute myeloblastic leukemia in cooperation with the Wilms tumor gene, WT1. <i>Blood</i> , 2006 , 107, 3303-12	2.2	96
68	Elevated expression of valosin-containing protein (p97) is associated with poor prognosis of prostate cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 3007-12	12.9	91
67	Hepatoma-derived growth factor is a novel prognostic factor for patients with pancreatic cancer. <i>Clinical Cancer Research</i> , 2006 , 12, 6043-8	12.9	90
66	Primary non-Hodgkin malignant lymphoma of the breast. An immunohistochemical study of seven patients and literature review of 152 patients with breast lymphoma in Japan. <i>Cancer</i> , 1992 , 70, 2451-9	6.4	82
65	Hepatoma-derived growth factor is a novel prognostic factor for hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2006 , 13, 159-67	3.1	76
64	Expression level of valosin-containing protein is strongly associated with progression and prognosis of gastric carcinoma. <i>Journal of Clinical Oncology</i> , 2003 , 21, 2537-44	2.2	75
63	Expression of tetraspanins in human lung cancer cells: frequent downregulation of CD9 and its contribution to cell motility in small cell lung cancer. <i>Oncogene</i> , 2003 , 22, 674-87	9.2	67
62	Expression of valosin-containing protein in colorectal carcinomas as a predictor for disease recurrence and prognosis. <i>Clinical Cancer Research</i> , 2004 , 10, 651-7	12.9	58
61	Malignant lymphoma of the kidney. <i>Journal of Surgical Oncology</i> , 1997 , 64, 207-11	2.8	56

60	Prognostic significance of activated AKT expression in soft-tissue sarcoma. <i>Clinical Cancer Research</i> , 2006 , 12, 3070-7	12.9	55
59	Increased expression of valosin-containing protein (p97) is associated with lymph node metastasis and prognosis of pancreatic ductal adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2004 , 11, 165-72	3.1	55
58	Expression level of valosin-containing protein (p97) is associated with prognosis of esophageal carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 5558-65	12.9	53
57	Lymphoproliferative disorders in autoimmune diseases in Japan: analysis of clinicopathological features and Epstein-Barr virus infection. <i>International Journal of Cancer</i> , 2004 , 108, 443-9	7.5	52
56	Expression level of valosin-containing protein (p97) is correlated with progression and prognosis of non-small-cell lung carcinoma. <i>Annals of Surgical Oncology</i> , 2004 , 11, 697-704	3.1	51
55	Expression level of hepatoma-derived growth factor correlates with tumor recurrence of esophageal carcinoma. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2141-9	3.1	50
54	Primary pancreatic lymphoma: clinicopathological analysis of 19 cases from Japan and review of the literature. <i>Oncology</i> , 2001 , 60, 322-9	3.6	45
53	Excision repair cross-complementing group 1 may predict the efficacy of chemoradiation therapy for muscle-invasive bladder cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 2561-9	12.9	44
52	Cronkhite-Canada syndrome with colon cancer, portal thrombosis, high titer of antinuclear antibodies, and membranous glomerulonephritis. <i>Journal of Gastroenterology</i> , 2003 , 38, 791-5	6.9	44
51	WT1 peptide vaccination combined with BCG-CWS is more efficient for tumor eradication than WT1 peptide vaccination alone. <i>Cancer Immunology, Immunotherapy</i> , 2004 , 53, 617-24	7.4	43
50	Increased expression of valosin-containing protein (p97) is correlated with disease recurrence in follicular thyroid cancer. <i>Annals of Surgical Oncology</i> , 2005 , 12, 925-34	3.1	39
49	Effect of interleukin-6 receptor blockage on renal injury in apolipoprotein E-deficient mice. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F679-84	4.3	38
48	Adiponectin binds to chemokines via the globular head and modulates interactions between chemokines and heparan sulfates. <i>Experimental Hematology</i> , 2007 , 35, 947-56	3.1	38
47	Prognostic significance of CD100 expression in soft tissue sarcoma. <i>Cancer</i> , 2007 , 110, 164-72	6.4	37
46	Expression of uridine diphosphate N-acetyl-alpha-D-galactosamine: polypeptide N-acetylgalactosaminyl transferase 3 in adenocarcinoma of the pancreas. <i>Pathobiology</i> , 2004 , 71, 12-8	3.6	35
45	Analysis of p53, K-ras, c-kit, and beta-catenin gene mutations in sinonasal NK/T cell lymphoma in northeast district of China. <i>Cancer Science</i> , 2003 , 94, 297-301	6.9	35
44	Hypermethylation of death-associated protein (DAP) kinase CpG island is frequent not only in B-cell but also in T- and natural killer (NK)/T-cell malignancies. <i>Cancer Science</i> , 2003 , 94, 87-91	6.9	34
43	Life-style and environmental factors in the development of nasal NK/T-cell lymphoma: a case-control study in East Asia. <i>International Journal of Cancer</i> , 2007 , 120, 406-10	7.5	33

42	Malignancies in organ transplant recipients. <i>Pathology International</i> , 2004 , 54, 649-58	1.8	33
41	Distinct pattern of gene expression in pyothorax-associated lymphoma (PAL), a lymphoma developing in long-standing inflammation. <i>Cancer Science</i> , 2004 , 95, 828-34	6.9	32
40	Renal neoplasias in patients receiving dialysis and renal transplantation: clinico-pathological features and p53 gene mutations. <i>Transplantation</i> , 1999 , 68, 385-90	1.8	30
39	Gene mutations in lymphoproliferative disorders of T and NK/T cell phenotypes developing in renal transplant patients. <i>Laboratory Investigation</i> , 2002 , 82, 257-64	5.9	27
38	Reassessment of gastric lymphoma in light of the concept of mucosa-associated lymphoid tissue lymphoma 1997 , 80, 1151-1159		22
37	Valosin-containing protein (p97) and Ki-67 expression is a useful marker in detecting malignant behavior of pancreatic endocrine neoplasms. <i>Oncology</i> , 2004 , 66, 468-75	3.6	19
36	Multifocal nodular oncocytic hyperplasia of bilateral parotid glands: A case report with a histological variant of clear cells. <i>Pathology Research and Practice</i> , 2011 , 207, 452-5	3.4	15
35	Splenic and pulmonary metastases from renal cell carcinoma: report of a case. <i>Surgery Today</i> , 2001 , 31, 463-5	3	15
34	Poroid hidradenoma. Report of a case with cytologic findings on fine needle aspiration. <i>Acta Cytologica</i> , 1999 , 43, 471-4	3	13
33	Long-term suppressive effect of octreotide on progression of metastatic gastrinoma with multiple endocrine neoplasia type 1: seven-year follow up. <i>Internal Medicine</i> , 2010 , 49, 1557-63	1.1	12
32	TP53 gene mutation, an unfavorable prognostic factor for malignant lymphomas in autoimmune diseases. <i>Oncology</i> , 2005 , 69, 175-83	3.6	11
31	Recovery from established graft-vs-host disease achieved by bone marrow transplantation from a third-party allogeneic donor. <i>Experimental Hematology</i> , 2008 , 36, 1216-25	3.1	9
30	Inflammatory pseudotumor of the abdomen: report of a case. <i>Surgery Today</i> , 1998 , 28, 1172-4	3	8
29	Clinical importance of human herpes virus-8 and human immunodeficiency virus infection in primary effusion lymphoma. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1947-52	1.9	7
28	Interstitial pneumonia induced by combined intraarterial 5-fluorouracil and subcutaneous interferon-alpha therapy for advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2004 , 39, 793-7	6.9	7
27	Voided urine cytology of papillary renal cell carcinoma and renal calculus: report of a case with emphasis on the importance of cytologic screening in high-risk individuals. <i>Acta Cytologica</i> , 2001 , 45, 771-4	3	7
26	Parathyroid hormone and premature thymus ageing in patients with chronic kidney disease. <i>Scientific Reports</i> , 2019 , 9, 813	4.9	6
25	F-18 FDG PET imaging of cervical tuberculous lymphadenitis. <i>Clinical Nuclear Medicine</i> , 2007 , 32, 474-5	1.7	6

24	Catheterized urine cytology of mucinous carcinoma arising in the renal pelvis. A case report. <i>Acta Cytologica</i> , 2000 , 44, 442-4	3	6
23	Lymphoepithelial lesion in MALT lymphoma. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 130-2	6.7	5
22	Peripheral T-cell lymphoma developing at ileocolonic anastomosis site after colectomy for adenocarcinoma. <i>Pathology Research and Practice</i> , 2010 , 206, 376-8	3.4	4
21	Castleman's disease of the rectum: report of a case. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 389-94	3.1	4
20	Analysis of p53 and Bak gene mutations in lymphoproliferative disorders developing in rheumatoid arthritis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 125-33	4.9	4
19	Hemophagocytic lymphohistiocytosis with leukoencephalopathy in a patient with dermatomyositis accompanied with peripheral T-cell lymphoma: a case report. <i>Journal of Medical Case Reports</i> , 2016 , 10, 212	1.2	4
18	Sporotrichal Tenosynovitis Diagnosed Helpfully by Musculoskeletal Ultrasonography. <i>Internal Medicine</i> , 2017 , 56, 1243-1246	1.1	3
17	Successful treatment with rituximab for angioimmunoblastic T-cell lymphoma. <i>Leukemia Research Reports</i> , 2013 , 2, 36-8	0.6	3
16	An immunohistochemical and ultrastructural study of case of small-cell neuroendocrine carcinoma in the ampullary region of the duodenum. <i>Pathology International</i> , 1992 , 42, 529-35	1.8	3
15	Amebic liver abscess rupturing into the lesser omentum space. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2006 , 13, 252-5		3
14	Marked hyperbilirubinemia caused by acute cellular rejection combined with preservation injury in an infant undergoing living-related liver transplantation. <i>Pediatric Transplantation</i> , 2002 , 6, 513-7	1.8	3
13	Malignant peripheral nerve sheath tumor with prominent intracytoplasmic vacuolation: report of a case. <i>Pathology International</i> , 1994 , 44, 865-73	1.8	3
12	Invasive carcinoma with neuroendocrine differentiation of the breast showing triple negative, large and basal cell-like features. <i>Pathology International</i> , 2019 , 69, 502-504	1.8	2
11	Epstein-Barr virus in malignancies in renal transplant recipients in Japan. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997 , 123, 509-13	4.9	2
10	Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma. <i>International Journal of Hematology</i> , 2006 , 83, 363-5	2.3	2
9	Infliximab-associated lymphoproliferative disorders. <i>International Journal of Hematology</i> , 2005 , 81, 356-7.3		2
8	Prognostic significance of CD40 expression in malignant lymphoma developing in rheumatoid arthritis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2005 , 131, 797-802	4.9	2
7	Expression of vimentin and epithelial membrane antigen in human malignant lymphomas. <i>Pathology International</i> , 1990 , 40, 581-7	1.8	2

6	Apocrine adenocarcinoma originating from the Mollis gland of the eyelid: report of a case. <i>European Journal of Plastic Surgery</i> , 2008 , 31, 333-336	0.6	1
5	Gene mutation analysis of sinonasal lymphomas in Indonesia. <i>Oncology Reports</i> , 2006 , 15, 1257	3.5	1
4	Epstein-Barr virus in malignancies in renal transplant recipients in Japan 1997 , 123, 509		1
3	Pathological assessment of the lymph node biopsies for lymphadenopathy in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020 , 30, 835-842	3.3	1
2	Synchronous tumor with diffuse large B-cell lymphoma and ameboma. <i>Journal of Clinical Oncology</i> , 2011 , 29, e769-71	2.2	
1	Two Case Reports of Resectable Cancer in the Remnant Pancreas after Pancreatectomy for Invasive Ductal Carcinoma of the Pancreas. <i>International Surgery</i> , 2018 , 103, 542-547	0.1	