

Thomas W Custer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8698750/thomas-w-custer-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,932
citations

28
h-index

39
g-index

81
ext. papers

2,058
ext. citations

4
avg, IF

4.25
L-index

#	Paper	IF	Citations
80	Using tree swallows to assess reductions in PCB exposure as a result of dredging at Great Lakes Restoration Initiative (GLRI) sites in the Upper Midwest, USA. <i>Ecotoxicology</i> , 2021 , 30, 1116-1125	2.9	0
79	Legacy and Contaminants of Emerging Concern in Tree Swallows Along an Agricultural to Industrial Gradient: Maumee River, Ohio. <i>Environmental Toxicology and Chemistry</i> , 2020 , 39, 1936-1952	3.8	2
78	Element Concentrations in Tree Swallows (<i>Tachycineta bicolor</i>) from the U.S. and Binational Great Lakes Areas of Concern. <i>Archives of Environmental Contamination and Toxicology</i> , 2019 , 76, 414-424	3.2	1
77	Perfluoroalkyl Contaminant Exposure and Effects in Tree Swallows Nesting at Clarks Marsh, Oscoda, Michigan, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2019 , 77, 1-13	3.2	14
76	Annual variation in polychlorinated biphenyl (PCB) exposure in tree swallow (<i>Tachycineta bicolor</i>) eggs and nestlings at Great Lakes Restoration Initiative (GLRI) study sites. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 227	3.1	3
75	Reproductive success and contaminant associations in tree swallows (<i>Tachycineta bicolor</i>) used to assess a Beneficial Use Impairment in U.S. and Binational Great Lakes Areas of Concern. <i>Ecotoxicology</i> , 2018 , 27, 457-476	2.9	7
74	EROD activity, chromosomal damage, and oxidative stress in response to contaminants exposure in tree swallow (<i>Tachycineta bicolor</i>) nestlings from Great Lakes Areas of Concern. <i>Ecotoxicology</i> , 2017 , 26, 1392-1407	2.9	10
73	Organic contamination in tree swallow (<i>Tachycineta bicolor</i>) nestlings at United States and binational Great Lakes Areas of Concern. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 735-748	3.8	18
72	Concentrations and spatial patterns of organic contaminants in tree swallow (<i>Tachycineta bicolor</i>) eggs at United States and binational Great Lakes Areas of Concern, 2010-2015. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 3071-3092	3.8	16
71	Mercury Concentrations in Eggs of Red-Winged Blackbirds and Tree Swallows Breeding in Voyageurs National Park, Minnesota. <i>Archives of Environmental Contamination and Toxicology</i> , 2016 , 71, 16-25	3.2	1
70	Chromosomal damage and EROD induction in tree swallows (<i>Tachycineta bicolor</i>) along the Upper Mississippi River, Minnesota, USA. <i>Ecotoxicology</i> , 2015 , 24, 1028-39	2.9	3
69	Incubation stage and polychlorinated biphenyl (PCB) congener patterns in an altricial and precocial bird species. <i>Environmental Pollution</i> , 2014 , 195, 109-14	9.3	4
68	Contaminant exposure of birds nesting in Green Bay, Wisconsin, USA. <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 1832-9	3.8	10
67	Changes in polychlorinated biphenyl (PCB) exposure in tree swallows (<i>Tachycineta bicolor</i>) nesting along the Sheboygan River, WI, USA. <i>Ecotoxicology</i> , 2014 , 23, 1439-46	2.9	3
66	Exposure and effects of perfluoroalkyl substances in tree swallows nesting in Minnesota and Wisconsin, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2014 , 66, 120-38	3.2	48
65	Dredging and contaminant exposure to tree swallows nesting on the upper Mississippi River. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 9043-53	3.1	8
64	Perfluorinated compound concentrations in great blue heron eggs near St. Paul, Minnesota, USA, in 1993 and 2010-2011. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 1077-83	3.8	13

63	Mercury and other element exposure in tree swallows nesting at low pH and neutral pH lakes in northern Wisconsin USA. <i>Environmental Pollution</i> , 2012 , 163, 68-76	9.3	13
62	Exposure and effects of perfluoroalkyl compounds on tree swallows nesting at Lake Johanna in east central Minnesota, USA. <i>Reproductive Toxicology</i> , 2012 , 33, 556-562	3.4	46
61	Adult tree swallow survival on the polychlorinated biphenyl-contaminated Hudson River, New York, USA, between 2006 and 2010. <i>Environmental Toxicology and Chemistry</i> , 2012 , 31, 1788-92	3.8	12
60	Perfluorinated Compounds and Polybrominated Diphenyl Ethers in Great Blue Heron Eggs from Three Colonies on the Mississippi River, Minnesota. <i>Waterbirds</i> , 2010 , 33, 86-95	0.5	19
59	Polychlorinated biphenyls, dioxins, furans, and organochlorine pesticides in spotted sandpiper eggs from the upper Hudson River basin, New York. <i>Ecotoxicology</i> , 2010 , 19, 391-404	2.9	17
58	Polychlorinated biphenyls, dioxins, furans, and organochlorine pesticides in belted kingfisher eggs from the upper Hudson River basin, New York, USA. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 99-110	3.8	18
57	Patterns of organic contaminants in eggs of an insectivorous, an omnivorous, and a piscivorous bird nesting on the Hudson River, New York, USA. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 2286-96	3.8	39
56	Effects of egg order on organic and inorganic element concentrations and egg characteristics in tree swallows, <i>Tachycineta bicolor</i> . <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 909-21	3.8	28
55	PCBs and DDE in tree swallow (<i>Tachycineta bicolor</i>) eggs and nestlings from an estuarine PCB superfund site, New Bedford Harbor, MA, U.S.A. <i>Environmental Science & Technology</i> , 2009 , 43, 8387-92	10.2	16
54	Perfluorinated compounds and polybrominated diphenyl ethers in great blue heron eggs from Indiana Dunes National Lakeshore, Indiana. <i>Journal of Great Lakes Research</i> , 2009 , 35, 401-405	3	11
53	Mercury and other element exposure to tree swallows (<i>Tachycineta bicolor</i>) nesting on Lostwood National Wildlife Refuge, North Dakota. <i>Environmental Pollution</i> , 2008 , 155, 217-26	9.3	24
52	Element patterns in feathers of nestling black-crowned night-herons, <i>Nycticorax nycticorax</i> L., from four colonies in Delaware, Maryland, and Minnesota. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008 , 81, 147-51	2.7	9
51	Corticosterone stress response in tree swallows nesting near polychlorinated biphenyl- and dioxin-contaminated rivers. <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 2326-31	3.8	28
50	Contaminant Exposure and Biomarker Response in Embryos of Black-crowned Night-herons (<i>Nycticorax nycticorax</i>) Nesting near Lake Calumet, Illinois. <i>Journal of Great Lakes Research</i> , 2007 , 33, 791-805	3	9
49	Relationships of cadmium, mercury, and selenium with nutrient reserves of female lesser scaup (<i>Aythya affinis</i>) during winter and spring migration. <i>Environmental Toxicology and Chemistry</i> , 2007 , 26, 515-20	3.8	34
48	Adult tree swallow (<i>Tachycineta bicolor</i>) survival on the polychlorinated biphenyl-contaminated Housatonic River, Massachusetts, USA. <i>Environmental Toxicology and Chemistry</i> , 2007 , 26, 1056-65	3.8	18
47	Mercury exposure and effects on cavity-nesting birds from the Carson River, Nevada. <i>Archives of Environmental Contamination and Toxicology</i> , 2007 , 52, 129-36	3.2	32
46	Selenium and metal concentrations in waterbird eggs and chicks at Agassiz National Wildlife Refuge, Minnesota. <i>Archives of Environmental Contamination and Toxicology</i> , 2007 , 53, 103-9	3.2	29

45	Water level management and contaminant exposure to tree swallows nesting on the Upper Mississippi River. <i>Environmental Monitoring and Assessment</i> , 2007 , 133, 335-45	3.1	18
44	Pathogens, Nutritional Deficiency, and Climate Influences on a Declining Moose Population. <i>Wildlife Monographs</i> , 2006 , 166, 1-30	3.7	113
43	Contaminant exposure of barn swallows nesting on Bayou d'Inde, Calcasieu Estuary, Louisiana, USA. <i>Environmental Monitoring and Assessment</i> , 2006 , 121, 543-60	3.1	9
42	Trace element concentrations and bioindicator responses in tree swallows from northwestern Minnesota. <i>Environmental Monitoring and Assessment</i> , 2006 , 118, 247-66	3.1	31
41	Exposure and effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin in tree swallows (<i>Tachycineta bicolor</i>) nesting along the Woonasquatucket River, Rhode Island, USA. <i>Environmental Toxicology and Chemistry</i> , 2005 , 24, 93-109	3.8	55
40	Trace elements in moose (<i>Alces alces</i>) found dead in Northwestern Minnesota, USA. <i>Science of the Total Environment</i> , 2004 , 330, 81-7	10.2	15
39	Trace elements in lesser scaup (<i>Aythya affinis</i>) from the Mississippi flyway. <i>Ecotoxicology</i> , 2003 , 12, 47-54	4.9	47
38	Exposure and effects of chemical contaminants on tree swallows nesting along the Housatonic River, Berkshire County, Massachusetts, USA, 1998-2000. <i>Environmental Toxicology and Chemistry</i> , 2003 , 22, 1605-1621	3.8	12
37	. <i>Environmental Toxicology and Chemistry</i> , 2003 , 22, 1605	3.8	9
36	Exposure and effects of chemical contaminants on tree swallows nesting along the Housatonic River, Berkshire County, Massachusetts, USA, 1998-2000. <i>Environmental Toxicology and Chemistry</i> , 2003 , 22, 1605-21	3.8	65
35	A Mining Impacted Stream 2002 ,		2
34	Improved method for quantifying the avicide 3-chloro-p-toluidine hydrochloride in bird tissues using a deuterated surrogate/GC/MS method. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 732-8	5.7	4
33	Polycyclic aromatic hydrocarbons, aliphatic hydrocarbons, trace elements, and monooxygenase activity in birds nesting on the North Platte River, Casper, Wyoming, USA. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 624-631	3.8	42
32	Polycyclic aromatic hydrocarbons, aliphatic hydrocarbons, trace elements, and monooxygenase activity in birds nesting on the North Platte River, Casper, Wyoming, USA 2001 , 20, 624		8
31	Organochlorine and trace element contamination in wintering and migrating diving ducks in the southern great lakes, USA, since the zebra mussel invasion. <i>Environmental Toxicology and Chemistry</i> , 2000 , 19, 2821-2829	3.8	44
30	Organochlorine contaminants and reproductive success of double-crested cormorants from Green Bay, Wisconsin, USA. <i>Environmental Toxicology and Chemistry</i> , 1999 , 18, 1209-1217	3.8	63
29	. <i>Environmental Toxicology and Chemistry</i> , 1999 , 18, 1209	3.8	58
28	Lead effects on body composition and organ size of wintering canvasbacks <i>Aythya valisineria</i> in Louisiana. <i>Wildlife Biology</i> , 1999 , 5, 3	1.7	1

27	Reproduction and environmental contamination in tree swallows nesting in the Fox River Drainage and Green Bay, Wisconsin, USA. <i>Environmental Toxicology and Chemistry</i> , 1998 , 17, 1786-1798	3.8	70
26	Organochlorines, Mercury, and Selenium in Great Blue Heron Eggs from Indiana Dunes National Lakeshore, Indiana. <i>Journal of Great Lakes Research</i> , 1998 , 24, 3-11	3	10
25	Reproduction and environmental contamination in tree swallows nesting in the Fox River Drainage and Green Bay, Wisconsin, USA 1998 , 17, 1786		7
24	Contaminant concentrations and biomarker response in great blue heron eggs from 10 colonies on the upper Mississippi River, USA. <i>Environmental Toxicology and Chemistry</i> , 1997 , 16, 260-271	3.8	55
23	Distribution of organochlorine contaminants in double-crested cormorant eggs and sibling embryos. <i>Environmental Toxicology and Chemistry</i> , 1997 , 16, 1646-1649	3.8	20
22	Cytochrome p450 and contaminant concentrations in nestling black-crowned night-herons and their interrelation with sibling embryos. <i>Environmental Toxicology and Chemistry</i> , 1996 , 15, 715-721	3.8	25
21	Cytochrome p450 and contaminant concentrations in nestling black-crowned night-herons and their interrelation with sibling embryos 1996 , 15, 715		2
20	Transfer and accumulation of organochlorines from black-crowned night-heron eggs to chicks. <i>Environmental Toxicology and Chemistry</i> , 1995 , 14, 533-536	3.8	33
19	Evaluation of an Extendable Pole-Net to Collect Heron Eggs in the Canopy of Tall Trees. <i>Waterbirds</i> , 1995 , 18, 120		7
18	Relation among cytochrome p450, ah-active pcb congeners and dioxin equivalents in pipping black-crowned night-heron embryos. <i>Environmental Toxicology and Chemistry</i> , 1994 , 13, 1805-1812	3.8	46
17	Reproductive success of barn swallows nesting near a selenium-contaminated lake in east Texas, USA. <i>Environmental Pollution</i> , 1994 , 84, 53-8	9.3	27
16	Trace elements in canvasbacks (<i>Aythya valisineria</i>) wintering in Louisiana, USA, 1987-1988. <i>Environmental Pollution</i> , 1994 , 84, 253-9	9.3	19
15	Trace elements and organochlorines in the shoalgrass community of the lower Laguna Madre, Texas. <i>Environmental Monitoring and Assessment</i> , 1993 , 25, 235-46	3.1	12
14	Biomonitoring environmental contamination with pipping black-crowned night heron embryos: Induction of cytochrome P450. <i>Environmental Toxicology and Chemistry</i> , 1993 , 12, 1719-1732	3.8	72
13	Effects of mercury, selenium, and organochlorine contaminants on reproduction of Forster's terns and black skimmers nesting in a contaminated Texas Bay. <i>Archives of Environmental Contamination and Toxicology</i> , 1991 , 20, 32-40	3.2	29
12	Contaminant exposure of willets feeding in agricultural drainages of the Lower Rio Grande Valley of South Texas. <i>Environmental Monitoring and Assessment</i> , 1991 , 16, 189-200	3.1	8
11	Within-and among-clutch variation of organochlorine residues in eggs of black-crowned night-herons. <i>Environmental Monitoring and Assessment</i> , 1990 , 15, 83-9	3.1	46
10	Organochlorine contaminants in eggs of Common Terns from the Canadian Great Lakes, 1981. <i>Environmental Pollution</i> , 1989 , 59, 141-60	9.3	32

9	Organochlorines and Mercury in Eggs of Coastal Terns and Herons in California, USA. <i>Waterbirds</i> , 1988 , 11, 85		28
8	Exposure to insecticides of brushland wildlife within the Lower Rio Grande Valley, Texas, USA. <i>Environmental Pollution</i> , 1987 , 45, 207-20	9.3	13
7	Reproductive success and heavy metal contamination in Rhode Island common terns. <i>Environmental Pollution Series A, Ecological and Biological</i> , 1986 , 41, 33-52		16
6	Organochlorine Concentrations in Prefledgling Common Terns at Three Rhode Island Colonies. <i>Waterbirds</i> , 1985 , 8, 150		9
5	Tissue lead distribution and hematologic effects in American kestrels (<i>Falco sparverius</i> L.) fed biologically incorporated lead. <i>Journal of Wildlife Diseases</i> , 1984 , 20, 39-43	1.3	62
4	Organochlorine Residues in Common Tern Eggs from Nine Atlantic Coast Colonies, 1980. <i>Waterbirds</i> , 1983 , 6, 197		16
3	Clutch Size, Reproductive Success, and Organochlorine Contaminants in Atlantic Coast Black-Crowned Night-Herons. <i>Auk</i> , 1983 , 100, 699-710	2.1	57
2	Heavy metal residues in prefledgling black-crowned night-herons from three Atlantic coast colonies. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1983 , 30, 178-85	2.7	28
1	Reproductive success and nest attentiveness of mallard ducks fed Aroclor 1254. <i>Environmental Pollution Series A, Ecological and Biological</i> , 1980 , 21, 313-318		24