
Jonathan Evans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8699222/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combined polygenic risk scores of different psychiatric traits predict general and specific psychopathology in childhood. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 636-645.	5.2	14
2	Maternal Prenatal Mood, Pregnancy-Specific Worries, and Early Child Psychopathology: Findings From the DREAM BIG Consortium. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 186-197.	0.5	40
3	Epidemiology of Prenatal Stress: Depression and Anxiety. , 2021, , 13-19.		0
4	Investigating the causal relationship between allergic disease and mental health. Clinical and Experimental Allergy, 2021, 51, 1449-1458.	2.9	17
5	Mendelian randomisation for nutritional psychiatry. Lancet Psychiatry,the, 2020, 7, 208-216.	7.4	23
6	Risk of Depression in the Adolescent and Adult Offspring of Mothers With Perinatal Depression. JAMA Network Open, 2020, 3, e208783.	5.9	57
7	Can the Positive and Negative Syndrome scale (PANSS) differentiate treatment-resistant from non-treatment-resistant schizophrenia? A factor analytic investigation based on data from the Pattern cohort study. Psychiatry Research, 2019, 276, 210-217.	3.3	11
8	General psychopathology, internalising and externalising in children and functional outcomes in late adolescence. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1183-1190.	5.2	45
9	Does maternal somatic anxiety in pregnancy predispose children to hyperactivity?. European Child and Adolescent Psychiatry, 2019, 28, 1475-1486.	4.7	9
10	Protocol for a feasibility randomised trial of low-intensity interventions for antenatal depression: ADAGIO trial comparing interpersonal counselling with cognitive behavioural therapy. BMJ Open, 2019, 9, e032649.	1.9	2
11	<p>Correlation of Health-Related Quality of Life in Clinically Stable Outpatients with Schizophrenia</p> . Neuropsychiatric Disease and Treatment, 2019, Volume 15, 3475-3486.	2.2	8
12	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. Psychiatry Research, 2018, 267, 56-62.	3.3	26
13	Health-related quality of life in outpatients with schizophrenia: factors that determine changes over time. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 239-248.	3.1	8
14	The Association Between Prenatal Stress andÂExternalizing Symptoms in Childhood: Evidence From the Avon Longitudinal Study ofÂParents and Children. Biological Psychiatry, 2018, 83, 100-108.	1.3	103
15	Vegetarian diets and depressive symptoms among men. Journal of Affective Disorders, 2018, 225, 13-17.	4.1	77
16	Do mothers who are anxious during pregnancy have inattentive children?. Journal of Affective Disorders, 2018, 236, 120-126.	4.1	8
17	Stressful Life Events During Pregnancy and Offspring Depression: Evidence From a Prospective Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 709-716.e2.	0.5	50
18	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. Memory, 2016, 24, 348-363.	1.7	18

JONATHAN EVANS

#	Article	IF	CITATIONS
19	Maternal perinatal mental health and offspring academic achievement at age 16: the mediating role of childhood executive function. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 491-501.	5.2	103
20	Are female children more vulnerable to the long-term effects of maternal depression during pregnancy?. Journal of Affective Disorders, 2016, 189, 329-335.	4.1	70
21	Mechanisms of Resilience in Children of Mothers Who Self-Report with Depressive Symptoms in the First Postnatal Year. PLoS ONE, 2015, 10, e0142898.	2.5	21
22	Associations of maternal and paternal antenatal mood with offspring anxiety disorder at age 18 years. Journal of Affective Disorders, 2015, 187, 20-26.	4.1	121
23	Infant outcomes following treatment of antenatal depression: Findings from a pilot randomized controlled trial. Journal of Affective Disorders, 2015, 188, 252-256.	4.1	37
24	Hemispheric Language Asymmetry in First Episode Psychosis and Schizotypy: The Role of Cannabis Consumption and Cognitive Disorganization. Schizophrenia Bulletin, 2015, 41, S455-S464.	4.3	11
25	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. Schizophrenia Research, 2015, 169, 234-240.	2.0	29
26	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. Archives of Suicide Research, 2014, 18, 131-143.	2.3	13
27	MOTHERS' OWN RECOLLECTIONS OF BEING PARENTED AND RISK OF OFFSPRING DEPRESSION 18 YEARS LATER: A PROSPECTIVE COHORT STUDY. Depression and Anxiety, 2014, 31, 38-43.	4.1	6
28	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 193-203.	3.1	34
29	The longitudinal association between social functioning and theory of mind in first-episode psychosis. Cognitive Neuropsychiatry, 2014, 19, 58-80.	1.3	19
30	Perinatal depression and omega-3 fatty acids: A Mendelian randomisation study. Journal of Affective Disorders, 2014, 166, 124-131.	4.1	38
31	Perinatal maternal life events and psychotic experiences in children at twelve years in a birth cohort study. Schizophrenia Research, 2014, 152, 158-163.	2.0	36
32	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 330-338.	1.2	17
33	â€When You're in the Hospital, You're in a Sort of Bubble.― Crisis, 2014, 35, 154-160.	1.2	30
34	Theory of mind and social functioning in first episode psychosis. Cognitive Neuropsychiatry, 2013, 18, 219-242.	1.3	18
35	Psychotic experiences and social functioning: a longitudinal study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1053-1065.	3.1	9
36	A pilot randomised controlled trial of cognitive behavioural therapy for antenatal depression. BMC Psychiatry, 2013, 13, 33.	2.6	56

Jonathan Evans

#	Article	IF	CITATIONS
37	The normalisation of disrupted attentional processing of infant distress in depressed pregnant women following Cognitive Behavioural Therapy. Journal of Affective Disorders, 2013, 145, 208-213.	4.1	27
38	No Moderating Effect of 5-HTTLPR on Associations Between Antenatal Anxiety and Infant Behavior. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 519-526.	0.5	32
39	Maternal Depression During Pregnancy and the Postnatal Period. JAMA Psychiatry, 2013, 70, 1312.	11.0	467
40	Association Between Maternal Depressogenic Cognitive Style During Pregnancy and Offspring Cognitive Style 18 Years Later. American Journal of Psychiatry, 2013, 170, 434-441.	7.2	37
41	Prevalence and Characteristics of Probable Major Depression and Bipolar Disorder within UK Biobank: Cross-Sectional Study of 172,751 Participants. PLoS ONE, 2013, 8, e75362.	2.5	288
42	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. Memory, 2012, 20, 300-320.	1.7	56
43	Hemispheric asymmetry and theory of mind: Is there an association?. Cognitive Neuropsychiatry, 2012, 17, 371-396.	1.3	3
44	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. BMC Psychiatry, 2012, 12, 69.	2.6	102
45	The timing of maternal depressive symptoms and child cognitive development: a longitudinal study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 632-640.	5.2	144
46	Attentional processing of infant emotion during late pregnancy and mother–infant relations after birth. Archives of Women's Mental Health, 2011, 14, 23-31.	2.6	66
47	Cannabis, <i>COMT</i> and psychotic experiences. British Journal of Psychiatry, 2011, 199, 380-385.	2.8	111
48	Previous prenatal loss as a predictor of perinatal depression and anxiety. British Journal of Psychiatry, 2011, 198, 373-378.	2.8	186
49	A meta-analysis of the associations between common variation in the PDE8B gene and thyroid hormone parameters, including assessment of longitudinal stability of associations over time and effect of thyroid hormone replacement. European Journal of Endocrinology, 2011, 164, 773-780.	3.7	36
50	Common Variation in the DIO2 Gene Predicts Baseline Psychological Well-Being and Response to Combination Thyroxine Plus Triiodothyronine Therapy in Hypothyroid Patients. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 1623-1629.	3.6	287
51	Emotional symptoms in children: The effect of maternal depression, life events, and COMT genotype. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 209-218.	1.7	21
52	Effects of stressful life events, maternal depression and 5â€HTTLPR genotype on emotional symptoms in preâ€adolescent children. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 670-682.	1.7	53
53	A paradoxical difference in relationship between anxiety, depression and thyroid function in subjects on and not on T4: findings from the HUNT study. Clinical Endocrinology, 2009, 71, 574-580.	2.4	98
54	The effects of pre―and postnatal depression in fathers: a natural experiment comparing the effects of exposure to depression on offspring. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 1069-1078.	5.2	161

JONATHAN EVANS

#	Article	IF	CITATIONS
55	Depression in Men in the Postnatal Period and Later Child Psychopathology: A Population Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 390-398.	0.5	379
56	A Common Variation in Deiodinase 1 Gene DIO1 Is Associated with the Relative Levels of Free Thyroxine and Triiodothyronine. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 3075-3081.	3.6	133
57	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. BMJ: British Medical Journal, 2008, 337, a2278-a2278.	2.3	71
58	Association of Adult Body Mass Index and Height with Anxiety, Depression, and Suicide in the General Population: The HUNT Study. American Journal of Epidemiology, 2007, 167, 193-202.	3.4	198
59	Depressive symptoms during pregnancy and low birth weight at term. British Journal of Psychiatry, 2007, 191, 84-85.	2.8	89
60	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. British Journal of Psychiatry, 2005, 187, 186-187.	2.8	80
61	Paternal Depression in the Postnatal Period and Child Development: A Prospective Population Study. Obstetrical and Gynecological Survey, 2005, 60, 789-790.	0.4	5
62	Paternal depression in the postnatal period and child development: a prospective population study. Lancet, The, 2005, 365, 2201-2205.	13.7	679
63	Negative self-schemas and the onset of depression in women: longitudinal study. British Journal of Psychiatry, 2005, 186, 302-307.	2.8	111
64	Deciding who gets treatment for depression and anxiety: a study of consecutive GP attenders. British Journal of General Practice, 2005, 55, 846-53.	1.4	23
65	The course of anxiety and depression through pregnancy and the postpartum in a community sample. Journal of Affective Disorders, 2004, 80, 65-73.	4.1	964
66	Social fragmentation, severe mental illness and suicide. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 165-170.	3.1	65
67	Impact of the ICD–10 Primary Health Care (PHC) diagnostic and management guidelines for mental disorders on detection and outcome in primary care. British Journal of Psychiatry, 2003, 182, 20-30.	2.8	71
68	Cohort study of depressed mood during pregnancy and after childbirth. BMJ: British Medical Journal, 2001, 323, 257-260.	2.3	1,057
69	A national survey of the hospital services for the management of adult deliberate self-harm. Psychiatric Bulletin, 2001, 25, 53-55.	0.3	20
70	A CAT-derived one to three session intervention for repeated deliberate self-harm: A description of the model and initial experience of trainee psychiatrists in using it. The British Journal of Medical Psychology, 2000, 73, 179-196.	0.5	28
71	Interventions to reduce repetition of deliberate self-harm. International Review of Psychiatry, 2000, 12, 44-47.	2.8	15