

# Polymnia Georgiou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8699405/publications.pdf>

Version: 2024-02-01

37  
papers

3,242  
citations

304602

22  
h-index

345118

36  
g-index

39  
all docs

39  
docs citations

39  
times ranked

3927  
citing authors

#	ARTICLE	IF	CITATIONS
1	Negative Allosteric Modulation of Gamma-Aminobutyric Acid A Receptors at $\hat{1}\pm 5$ Subunit $\hat{1}$ Containing Benzodiazepine Sites Reverses Stress-Induced Anhedonia and Weakened Synaptic Function in Mice. <i>Biological Psychiatry</i> , 2022, 92, 216-226.	0.7	14
2	Hydroxynorketamines: Pharmacology and Potential Therapeutic Applications. <i>Pharmacological Reviews</i> , 2021, 73, 763-791.	7.1	54
3	Post-weaning A1/A2 $\hat{1}^2$ -casein milk intake modulates depressive-like behavior, brain $\hat{1}^3/4$ -opioid receptors, and the metabolome of rats. <i>IScience</i> , 2021, 24, 103048.	1.9	8
4	Classical conditioning of antidepressant placebo effects in mice. <i>Psychopharmacology</i> , 2020, 237, 93-102.	1.5	7
5	Sex-Specific Involvement of Estrogen Receptors in Behavioral Responses to Stress and Psychomotor Activation. <i>Frontiers in Psychiatry</i> , 2019, 10, 81.	1.3	17
6	( <i>2R,6R</i> )-hydroxynorketamine exerts mGlu <sub>2</sub> receptor-dependent antidepressant actions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6441-6450.	3.3	112
7	Group II metabotropic glutamate receptor blockade promotes stress resilience in mice. <i>Neuropsychopharmacology</i> , 2019, 44, 1788-1796.	2.8	45
8	( <i>R</i> )-ketamine exerts antidepressant actions partly via conversion to ( <i>2R,6R</i> )-hydroxynorketamine, while causing adverse effects at subanaesthetic doses. <i>British Journal of Pharmacology</i> , 2019, 176, 2573-2592.	2.7	61
9	Chronic nicotine administration restores brain region specific upregulation of oxytocin receptor binding levels in a G72 mouse model of schizophrenia. <i>European Journal of Neuroscience</i> , 2019, 50, 2255-2263.	1.2	6
10	Inhibition of $\alpha 7$ nicotinic receptors in the ventral hippocampus selectively attenuates reinstatement of morphine-conditioned place preference and associated changes in AMPA receptor binding. <i>Addiction Biology</i> , 2019, 24, 590-603.	1.4	28
11	Methamphetamine withdrawal induces activation of CRF neurons in the brain stress system in parallel with an increased activity of cardiac sympathetic pathways. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 423-434.	1.4	11
12	Glutamatergic Ventral Pallidal Neurons Modulate Activity of the Habenula Tegmental Circuitry and Constrain Reward Seeking. <i>Biological Psychiatry</i> , 2018, 83, 1012-1023.	0.7	113
13	Wheel running during chronic nicotine exposure is protective against mecamylamine-precipitated withdrawal and upregulates hippocampal $\hat{1}\pm 7$ nACh receptors in mice. <i>British Journal of Pharmacology</i> , 2018, 175, 1928-1943.	2.7	10
14	F102. Human Experimenter Sex Modulates Mouse Behavioral Responses to Stress and to the Antidepressant Ketamine. <i>Biological Psychiatry</i> , 2018, 83, S277.	0.7	6
15	Oxytocin and opioid addiction revisited: old drug, new applications. <i>British Journal of Pharmacology</i> , 2018, 175, 2809-2824.	2.7	42
16	T89. Group II Metabotropic Glutamate Receptor Blockade Promotes Stress Resilience. <i>Biological Psychiatry</i> , 2018, 83, S163.	0.7	0
17	Ketamine and Ketamine Metabolite Pharmacology: Insights into Therapeutic Mechanisms. <i>Pharmacological Reviews</i> , 2018, 70, 621-660.	7.1	723
18	Environmental enrichment enhances conditioned place preference to ethanol via an oxytocinergic-dependent mechanism in male mice. <i>Neuropharmacology</i> , 2018, 138, 267-274.	2.0	38

#	ARTICLE	IF	CITATIONS
19	7B2 chaperone knockout in APP model mice results in reduced plaque burden. <i>Scientific Reports</i> , 2018, 8, 9813.	1.6	3
20	Dopamine and Stress System Modulation of Sex Differences in Decision Making. <i>Neuropsychopharmacology</i> , 2018, 43, 313-324.	2.8	53
21	Animal models to improve our understanding and treatment of suicidal behavior. <i>Translational Psychiatry</i> , 2017, 7, e1092-e1092.	2.4	61
22	Transient anhedonia phenotype and altered circadian timing of behaviour during night-time dim light exposure in <i>Per3<sup>fl/fl</sup></i> mice, but not wildtype mice. <i>Scientific Reports</i> , 2017, 7, 40399.	1.6	18
23	790. Ketamine Exerts NMDAR Inhibition-Independent Antidepressant Actions via Its Hydroxynorketamine Metabolites. <i>Biological Psychiatry</i> , 2017, 81, S321.	0.7	1
24	Zanos et al. reply. <i>Nature</i> , 2017, 546, E4-E5.	13.7	29
25	Seasonality of blood neopterin levels in the Old Order Amish. <i>Pteridines</i> , 2017, 28, 163-176.	0.5	3
26	A Negative Allosteric Modulator for $\hat{5}$ Subunit-Containing GABA Receptors Exerts a Rapid and Persistent Antidepressant-Like Action without the Side Effects of the NMDA Receptor Antagonist Ketamine in Mice. <i>ENeuro</i> , 2017, 4, ENEURO.0285-16.2017.	0.9	88
27	NMDAR inhibition-independent antidepressant actions of ketamine metabolites. <i>Nature</i> , 2016, 533, 481-486.	13.7	1,246
28	Cocaine abstinence induces emotional impairment and brain region-specific upregulation of the oxytocin receptor binding. <i>European Journal of Neuroscience</i> , 2016, 44, 2446-2454.	1.2	30
29	Motor neuron disease, TDP-43 pathology, and memory deficits in mice expressing ALS/FTD-linked <i>UBQLN2</i> mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E7580-E7589.	3.3	77
30	A critical role of striatal $A_{2A}$ -mGlu <sub>5</sub> R interactions in modulating the psychomotor and drug-seeking effects of methamphetamine. <i>Addiction Biology</i> , 2016, 21, 811-825.	1.4	23
31	Methamphetamine abstinence induces changes in $\hat{1/4}$ -opioid receptor, oxytocin and CRF systems: Association with an anxiogenic phenotype. <i>Neuropharmacology</i> , 2016, 105, 520-532.	2.0	44
32	Emotional Impairment and Persistent Upregulation of mGlu <sub>5</sub> Receptor following Morphine Abstinence: Implications of an mGlu <sub>5</sub> -MOPr Interaction. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw011.	1.0	15
33	Differential regulation of mGlu <sub>5</sub> R and $\hat{1/2}$ OPr by priming and cue-induced reinstatement of cocaine-seeking behaviour in mice. <i>Addiction Biology</i> , 2015, 20, 902-912.	1.4	31
34	The oxytocin analogue carbetocin prevents priming-induced reinstatement of morphine-seeking: Involvement of dopaminergic, noradrenergic and MOPr systems. <i>European Neuropsychopharmacology</i> , 2015, 25, 2459-2464.	0.3	41
35	Region-specific up-regulation of oxytocin receptor binding in the brain of mice following chronic nicotine administration. <i>Neuroscience Letters</i> , 2015, 600, 33-37.	1.0	21
36	Chronic methamphetamine treatment induces oxytocin receptor up-regulation in the amygdala and hypothalamus via an adenosine A <sub>2A</sub> receptor-independent mechanism. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 119, 72-79.	1.3	51

#	ARTICLE	IF	CITATIONS
37	The Oxytocin Analogue Carbetocin Prevents Emotional Impairment and Stress-Induced Reinstatement of Opioid-Seeking in Morphine-Abstinent Mice. <i>Neuropsychopharmacology</i> , 2014, 39, 855-865.	2.8	108