

Juana Rodriguez Flores

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8699846/juana-rodriguez-flores-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	1,358 citations	21 h-index	30 g-index
82 ext. papers	1,436 ext. citations	4.4 avg, IF	4.06 L-index

#	Paper	IF	Citations
82	Study of the bioremediatory capacity of wild yeasts. <i>Scientific Reports</i> , 2020 , 10, 11265	4.9	9
81	Electrochemical sensor for leukemia drug imatinib determination in urine by adsorptive stripping square wave voltammetry using modified screen-printed electrodes. <i>Electrochimica Acta</i> , 2018 , 269, 668-675	6.7	21
80	A Rapid, Direct and Validated HPLC- Fluorescence Method for the Quantification of Abiraterone and Abiraterone Acetate in Urine and Serum Samples from Patients with Castration- Resistant Prostate Cancer. <i>Current Pharmaceutical Analysis</i> , 2018 , 14, 233-238	0.6	1
79	Simultaneous Determination of Erlotinib and its Metabolites in Human Urine and Serum Samples by High-Performance Liquid Chromatography. <i>Chromatographia</i> , 2017 , 80, 409-415	2.1	6
78	Sublethal effects induced by captopril on <i>Cyprinus carpio</i> as determined by oxidative stress biomarkers. <i>Science of the Total Environment</i> , 2017 , 605-606, 811-823	10.2	11
77	Effect of amoxicillin exposure on brain, gill, liver, and kidney of common carp (<i>Cyprinus carpio</i>): The role of amoxicilloic acid. <i>Environmental Toxicology</i> , 2017 , 32, 1102-1120	4.2	21
76	Micellar electrokinetic chromatographic method for the dabrafenib determination in biological samples. <i>Electrophoresis</i> , 2016 , 37, 1296-302	3.6	3
75	Quantitation of sunitinib, an oral multitarget tyrosine kinase inhibitor, and its metabolite in urine samples by nonaqueous capillary electrophoresis time of flight mass spectrometry. <i>Electrophoresis</i> , 2015 , 36, 1580-7	3.6	7
74	Development and validation of a non-aqueous capillary electrophoresis method for the determination of imatinib, codeine and morphine in human urine. <i>Analytical Methods</i> , 2014 , 6, 3842	3.2	13
73	Simultaneous determination of erlotinib and metabolites in human urine using capillary electrophoresis. <i>Electrophoresis</i> , 2014 , 35, 1489-95	3.6	10
72	Rapid determination of letrozole, citalopram and their metabolites by high performance liquid chromatography-fluorescence detection in urine: Method validation and application to real samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 913-914, 12-8	3.2	15
71	Direct determination of pregabalin in human urine by nonaqueous CE-TOF-MS. <i>Electrophoresis</i> , 2013 , 34, 1429-36	3.6	15
70	Determination of morphine, codeine, and paclitaxel in human serum and plasma by micellar electrokinetic chromatography. <i>Journal of Separation Science</i> , 2012 , 35, 2297-306	3.4	9
69	Direct and fast determination of paclitaxel, morphine and codeine in urine by micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2012 , 1231, 66-72	4.5	28
68	Screening and confirmatory methods for the analysis of macrocyclic lactone mycotoxins by CE with amperometric detection. <i>Electrophoresis</i> , 2009 , 30, 499-506	3.6	20
67	Rapid quantitative analysis of letrozole, fluoxetine and their metabolites in biological and environmental samples by MEKC. <i>Electrophoresis</i> , 2009 , 30, 624-32	3.6	14
66	Micellar electrokinetic chromatographic screening of letrozole and its metabolite in human urine: validation and robustness/ruggedness evaluation. <i>Electrophoresis</i> , 2008 , 29, 811-8	3.6	7

65	Rapid characterization of fatty alcohol ethoxylates by non-aqueous capillary electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 3060-8	3.6	9
64	Micellar electrokinetic chromatographic method for the determination of letrozole, citalopram and their metabolites in human urine. <i>Journal of Chromatography A</i> , 2008 , 1185, 281-90	4.5	20
63	Determination of ibuprofen and tetrazepam in human urine by micellar electrokinetic capillary chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 384, 208-14	4.4	7
62	Development and validation of a capillary zone electrophoresis method for the determination of propranolol and N-desisopropylpropranolol in human urine. <i>Analytica Chimica Acta</i> , 2006 , 559, 9-14	6.6	20
61	Nonaqueous capillary electrophoresis method for the analysis of tamoxifen, imipramine and their main metabolites in urine. <i>Talanta</i> , 2005 , 65, 155-62	6.2	39
60	Voltammetric determination of Imatinib (Gleevec) and its main metabolite using square-wave and adsorptive stripping square-wave techniques in urine samples. <i>Talanta</i> , 2005 , 66, 202-9	6.2	16
59	Development and validation strategies for qualitative spot tests: application to nitrite control in waters. <i>Analytica Chimica Acta</i> , 2005 , 537, 223-230	6.6	10
58	Nonaqueous capillary electrophoresis method for the analysis of gleevec and its main metabolite in human urine. <i>Journal of Chromatography A</i> , 2005 , 1068, 175-82	4.5	22
57	Development and validation method for determination of fluoxetine and its main metabolite norfluoxetine by nonaqueous capillary electrophoresis in human urine. <i>Talanta</i> , 2005 , 65, 163-71	6.2	40
56	Capillary electrophoretic determination of triamterene, methotrexate, and creatinine in human urine. <i>Journal of Separation Science</i> , 2005 , 28, 658-64	3.4	9
55	Analytical approaches to expanding the use of capillary electrophoresis in routine food analysis. <i>Journal of Separation Science</i> , 2005 , 28, 915-24	3.4	16
54	Voltammetric Behavior of Mifepristone (RU-486) Using Square-Wave and Adsorptive Stripping-Wave Techniques. Determination in Urine Samples. <i>Electroanalysis</i> , 2004 , 16, 661-666	3	2
53	Development and validation method for determination of Paroxetine and its metabolites by nonaqueous capillary electrophoresis in human urine. Experimental design for evaluating the ruggedness of the method. <i>Electrophoresis</i> , 2004 , 25, 454-62	3.6	18
52	Development of a capillary zone electrophoretic method to determine six antidepressants in their pharmaceutical preparations. Experimental design for evaluating the ruggedness of method. <i>Journal of Separation Science</i> , 2004 , 27, 33-40	3.4	33
51	Non-aqueous capillary zone electrophoresis method for the analysis of paroxetine, tamoxifen, and their main metabolites in urine. <i>Analytica Chimica Acta</i> , 2004 , 512, 287-295	6.6	23
50	Very fast and direct capillary zone electrophoresis method for the determination of creatinine and creatine in human urine. <i>Analytica Chimica Acta</i> , 2004 , 521, 53-59	6.6	19
49	Determination of sildenafil citrate (viagra) and its metabolite (UK-103,320) by square-wave and adsorptive stripping square-wave voltammetry. Total determination in biological samples. <i>Talanta</i> , 2004 , 62, 427-32	6.2	24
48	Development of a Micellar electrokinetic capillary chromatography method for the determination of three drugs employed in the erectile dysfunction therapy. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 231-6	3.2	26

47	Determination of drugs used in advanced breast cancer by capillary gas chromatography of pharmaceutical formulations. <i>Journal of Separation Science</i> , 2003 , 26, 908-914	3.4	18
46	Capillary gas chromatographic determination of Tamoxifen in the presence of a number of antidepressants in urine. <i>Journal of Separation Science</i> , 2003 , 26, 915-922	3.4	11
45	Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 794, 381-8	3.2	20
44	Micellar electrokinetic capillary chromatographic method for simultaneous determination of drugs used to treat advanced breast cancer. <i>Chromatographia</i> , 2002 , 56, 283-288	2.1	4
43	Validation of a capillary gas chromatographic method for the determination of Sildenafil Citrate in its pharmaceutical formulations (Viagra). Experimental design for evaluating the ruggedness of the method. <i>Chromatographia</i> , 2002 , 55, 601-606	2.1	23
42	Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2002 , 953, 279-86	4.5	38
41	Micellar electrokinetic capillary chromatography for the determination of Viagra and its metabolite (UK-103,320) in human serum. <i>Electrophoresis</i> , 2001 , 22, 2004-9	3.6	13
40	Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques: Determination in pharmaceutical products. <i>Analytica Chimica Acta</i> , 2000 , 417, 143-148	6.6	44
39	Spectrophotometric resolution of ternary mixtures of Tartrazine, Patent Blue V and Indigo Carmine in commercial products. <i>Analytica Chimica Acta</i> , 1999 , 391, 353-364	6.6	69
38	Determination of ethinylestradiol and gestodene in oral contraceptives by micellar electrokinetic chromatography. <i>Chromatographia</i> , 1999 , 49, 65-70	2.1	16
37	Simultaneous spectrophotometric determination of tartrazine, patent blue V, and indigo carmine in commercial products by partial least squares and principal component regression methods. <i>Talanta</i> , 1999 , 48, 895-903	6.2	34
36	Resolution of ternary mixtures of Tartrazine, Sunset yellow and Ponceau 4R by derivative spectrophotometric ratio spectrum-zero crossing method in commercial foods. <i>Talanta</i> , 1998 , 46, 933-42	6.2	54
35	Simultaneous determination of ethinylestradiol and levonorgestrel in oral contraceptives by derivative spectrophotometry. <i>Analyst</i> , 1997 , 122, 41-4	5	36
34	Square wave adsorptive voltammetric determination of sunset yellow. <i>Talanta</i> , 1997 , 44, 467-74	6.2	44
33	Adsorptive stripping voltammetry of Tartrazine at the hanging mercury drop electrode in soft drinks. <i>Fresenius Journal of Analytical Chemistry</i> , 1997 , 357, 989-994		27
32	Voltammetric behavior of sulfadimethoxol using square-wave and adsorptive stripping square-wave techniques. <i>Electroanalysis</i> , 1997 , 9, 474-477	3	3
31	Simultaneous spectrophotometric determination of ethinylestradiol and levonorgestrel by partial least squares and principal component regression multivariate calibration. <i>Analytica Chimica Acta</i> , 1997 , 340, 257-265	6.6	58
30	Partial least squares method in the analysis by square wave voltammetry. Simultaneous determination of sulphamethoxypyridazine and trimethoprim. <i>Analytica Chimica Acta</i> , 1997 , 349, 303-311	6.6	19

29	Voltammetric behavior of pyrimethamine in veterinary formulations using square-wave and adsorptive square-wave techniques. <i>Electroanalysis</i> , 1995 , 7, 1156-1160	3	1
28	Simultaneous Determination of Quinoline Yellow And Sunset Yellow by Derivative Spectrophotometry and Ratio Spectra Derivative. <i>Analytical Letters</i> , 1994 , 27, 1009-1029	2.2	37
27	Simultaneous determination of tartrazine, riboflavine, curcumin and erythrosine by derivative spectrophotometry. <i>Fresenius Journal of Analytical Chemistry</i> , 1994 , 350, 610-613		19
26	Simultaneous determination of tartrazine and sunset yellow by derivative spectrophotometry and ratio spectra derivative. <i>Talanta</i> , 1993 , 40, 1391-6	6.2	19
25	Adsorptive stripping voltammetric behaviour of sulphaquinoxaline using differential-pulse and square-wave techniques. <i>Analytica Chimica Acta</i> , 1993 , 273, 369-375	6.6	5
24	Use of a data treatment software for the resolution of overlapping differential pulse polarographic peaks. <i>Fresenius Journal of Analytical Chemistry</i> , 1992 , 342, 273-275		12
23	Adsorptive stripping square-wave voltammetric behavior of the enzyme adenosine deaminase. <i>Electroanalysis</i> , 1992 , 4, 347-354	3	5
22	Study of the adsorptive stripping square-wave voltammetry of bovine serum albumin. <i>Electroanalysis</i> , 1991 , 3, 405-408	3	8
21	Determination of sulphamethizole in the presence of nitrofurantoin by derivative spectrophotometry and ratio spectra derivative. <i>Talanta</i> , 1991 , 38, 1261-4	6.2	16
20	Determination of orotic acid (vitamin B13) in milk by differential pulse polarography (DPP). <i>Fresenius Journal of Analytical Chemistry</i> , 1990 , 338, 80-81		1
19	Direct Electrochemical Immunoassays Involving Adsorbed or Immobilised Species 1990 , 367-371		
18	Purification of human glutamate dehydrogenase (GDH) and an adsorptive voltammetric investigation of the interaction of GDH with rabbit anti-human GDH antibody. <i>Analyst, The</i> , 1990 , 115, 617-21	5	5
17	Determination of amoxicillin and cephalexin in mixtures by second-derivative spectrophotometry. <i>Analyst, The</i> , 1990 , 115, 1117-1119	5	16
16	The application of adsorptive voltammetry to the study of the interaction of human chronic lymphocytic leukemia cells with two murine monoclonal antibodies raised against them. <i>Electroanalysis</i> , 1989 , 1, 431-435	3	5
15	Adsorptive stripping voltammetry of F(ab) ₂ and Fab fragments of anti-mouse immunoglobulin G. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1989 , 7, 543-7	3.5	3
14	Adsorptive stripping voltammetry of human chorionic gonadotropin and two of its specific antibodies. <i>Biosensors</i> , 1989 , 4, 1-13		9
13	Application of adsorptive stripping voltammetry to the study of immunoglobulin A and its interaction with benzodiazepine drugs. <i>Analyst, The</i> , 1989 , 114, 393-6	5	6
12	Adsorptive stripping voltammetry of bovine serum albumin. <i>Analytica Chimica Acta</i> , 1988 , 212, 355-358	6.6	7

11	Adsorptive stripping voltammetry of anti-human myoglobin. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , 1988 , 256, 77-82		1
10	Cathodic stripping voltammetry of orotic acid (vitamin B13) at the hanging mercury drop electrode (HMDE). <i>Fresenius Zeitschrift Für Analytische Chemie</i> , 1988 , 330, 146-148		1
9	Application of adsorptive stripping voltammetry to the study of the reaction of immunoglobulin E with anti-immunoglobulin E. <i>Analyst, The</i> , 1988 , 113, 1795-8	5	4
8	Adsorptive stripping voltammetry—versatile technique. <i>Analytical Proceedings</i> , 1988 , 25, 263-266		4
7	Voltammetric investigation of the interaction of concanavalin A with mannose. <i>Analyst, The</i> , 1988 , 113, 525-6	5	15
6	Determination of orotic acid (vitamin B13) in human serum and urine by differential-pulse polarography. <i>Analyst, The</i> , 1988 , 113, 321-3	5	5
5	Application of adsorptive stripping voltammetry for a study of the reaction of mouse IgG with anti-mouse IgG. <i>Analyst, The</i> , 1988 , 113, 31-3	5	21
4	Adsorptive Stripping Voltammetry of Phytohemagglutinin. <i>Analytical Letters</i> , 1988 , 21, 211-223	2.2	5
3	Cathodic stripping voltammetry of 2-thioorotic acid at the hanging mercury drop electrode. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , 1987 , 237, 105-112		2
2	The application of adsorptive stripping voltammetry for a study of the reaction of human serum albumin with anti-human serum albumin. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , 1987 , 235, 317-326		30
1	1,8-Dihydroxyanthraquinone-Mg(II) complex. <i>Microchemical Journal</i> , 1985 , 31, 118-123	4.8	2