
## Markus Mitterhauser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8700130/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Assessment of left and right ventricular functional parameters using dynamic dual-tracer [13N]NH3<br>and [18F]FDG PET/MRI. Journal of Nuclear Cardiology, 2022, 29, 1003-1017.   | 1.4 | 6         |
| 2  | Identification of tumor tissue-derived DNA methylation biomarkers for the detection and therapy<br>response evaluation of metastatic castration resistant prostate cancer in liquid biopsies. Molecular<br>Cancer, 2022, 21, 7.  | 7.9 | 10        |
| 3  | Simultaneous radiomethylation of [11C]harmine and [11C]DASB and kinetic modeling approach for serotonergic brain imaging in the same individual. Scientific Reports, 2022, 12, 3283.   | 1.6 | 0         |
| 4  | Experimental Nuclear Medicine Meets Tumor Biology. Pharmaceuticals, 2022, 15, 227.   | 1.7 | 4         |
| 5  | Cyclotrons Operated for Nuclear Medicine and Radiopharmacy in the German Speaking D-A-CH<br>Countries: An Update on Current Status and Trends. Frontiers in Nuclear Medicine, 2022, 2, .   | 0.7 | 3         |
| 6  | Feasibility and Optimal Time Point of [68Ga]Gallium-labeled Prostate-specific Membrane Antigen Ligand<br>Positron Emission Tomography Imaging in Patients Undergoing Cytoreductive Surgery After Systemic<br>Therapy for Primary Oligometastatic Prostate Cancer: Implications for Patient Selection and Extent of<br>Surgery. European Urology Open Science, 2022, 40, 117-124. | 0.2 | 1         |
| 7  | A Microdosing Study with <sup>99m</sup> Tc-PHC-102 for the SPECT/CT Imaging of Primary and<br>Metastatic Lesions in Renal Cell Carcinoma Patients. Journal of Nuclear Medicine, 2021, 62, 360-365.   | 2.8 | 20        |
| 8  | Thyroid and androgen receptor signaling are antagonized by μâ€Crystallin in prostate cancer.<br>International Journal of Cancer, 2021, 148, 731-747.   | 2.3 | 17        |
| 9  | Supervised machine learning enables non-invasive lesion characterization in primary prostate cancer<br>with [68Ca]Ga-PSMA-11 PET/MRI. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48,<br>1795-1805.  | 3.3 | 72        |
| 10 | Differential impact of radiation therapy after radical prostatectomy on recurrence patterns: an assessment using [68Ga]Ga-PSMA ligand PET/CT(MRI). Prostate Cancer and Prostatic Diseases, 2021, 24, 439-447.  | 2.0 | 0         |
| 11 | Prediction of response and survival after standardized treatment with 7400ÂMBq 177Lu-PSMA-617 every<br>4Âweeks in patients with metastatic castration-resistant prostate cancer. European Journal of Nuclear<br>Medicine and Molecular Imaging, 2021, 48, 1650-1657.   | 3.3 | 21        |
| 12 | Association of norepinephrine transporter methylation with in vivo NET expression and<br>hyperactivity–impulsivity symptoms in ADHD measured with PET. Molecular Psychiatry, 2021, 26,<br>1009-1018.   | 4.1 | 23        |
| 13 | Disrupted relationship between blood glucose and brain dopamine D2/3 receptor binding in patients with first-episode schizophrenia. NeuroImage: Clinical, 2021, 32, 102813.  | 1.4 | 5         |
| 14 | Response and Toxicity to the Second Course of 3 Cycles of 177Lu-PSMA Therapy Every 4 Weeks in Patients with Metastatic Castration-Resistant Prostate Cancer. Cancers, 2021, 13, 2489.  | 1.7 | 6         |
| 15 | PSMA Expression in 122 Treatment Naive Glioma Patients Related to Tumor Metabolism in 11C-Methionine PET and Survival. Journal of Personalized Medicine, 2021, 11, 624.  | 1.1 | 11        |
| 16 | Cross-Modality Imaging of Murine Tumor Vasculature—a Feasibility Study. Molecular Imaging and<br>Biology, 2021, 23, 874-893.   | 1.3 | 7         |
| 17 | Single-lesion Prostate-specific Membrane Antigen Protein Expression (PSMA) and Response to<br>[177Lu]-PSMA-ligand Therapy in Patients with Castration-resistant Prostate Cancer. European Urology<br>Open Science, 2021, 30, 63-66.  | 0.2 | 4         |
| 18 | If It Works, Don't Touch It? A Cell-Based Approach to Studying 2-[18F]FDG Metabolism. Pharmaceuticals,<br>2021, 14, 910.   | 1.7 | 2         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Renal and Salivary Gland Functions after Three Cycles of PSMA-617 Therapy Every Four Weeks in<br>Patients with Metastatic Castration-Resistant Prostate Cancer. Current Oncology, 2021, 28, 3692-3704.   | 0.9 | 5         |
| 20 | Discovery of melaninâ€concentrating hormone receptor 1 in brown adipose tissue. Annals of the New<br>York Academy of Sciences, 2021, 1494, 70-86.  | 1.8 | 2         |
| 21 | First-in-human brain PET imaging of the GluN2B-containing N-methyl-D-aspartate receptor with (R)-11C-Me-NB1. Journal of Nuclear Medicine, 2021, , jnumed.121.262427.   | 2.8 | 14        |
| 22 | Immune Checkpoint Inhibitor Therapy Induces Inflammatory Activity in the Large Arteries of Lymphoma<br>Patients under 50 Years of Age. Biology, 2021, 10, 1206.  | 1.3 | 3         |
| 23 | Advancing Biomarker Development Through Convergent Engagement: Summary Report of the 2nd<br>International Danube Symposium on Biomarker Development, Molecular Imaging and Applied<br>Diagnostics; March 14–16, 2018; Vienna, Austria. Molecular Imaging and Biology, 2020, 22, 47-65. | 1.3 | 4         |
| 24 | Brain glucose uptake during transcranial direct current stimulation measured with functional [18F]FDG-PET. Brain Imaging and Behavior, 2020, 14, 477-484.  | 1.1 | 5         |
| 25 | Response assessment using [ <sup>68</sup> Ga]Gaâ€PSMA ligand PET in patients undergoing systemic therapy for metastatic castrationâ€resistant prostate cancer. Prostate, 2020, 80, 74-82.  | 1.2 | 49        |
| 26 | Clinical outcome of standardized 177Lu-PSMA-617 therapy in metastatic prostate cancer patients<br>receiving 7400 MBq every 4 weeks. European Journal of Nuclear Medicine and Molecular Imaging, 2020,<br>47, 713-720.  | 3.3 | 46        |
| 27 | Enhanced arecoline derivatives as muscarinic acetylcholine receptor M1 ligands for potential application as PET radiotracers. European Journal of Medicinal Chemistry, 2020, 204, 112623.  | 2.6 | 8         |
| 28 | Immune Checkpoint Inhibitor Therapy Induces Inflammatory Activity in Large Arteries. Circulation, 2020, 142, 2396-2398.  | 1.6 | 45        |
| 29 | The relationship between cholecystokinin secretion and pancreatic [11C]methionine uptake in patients after partial pancreaticoduodenectomy. Annals of Nuclear Medicine, 2020, 34, 691-695.   | 1.2 | 0         |
| 30 | Association of dopamine D2/3 receptor binding potential measured using PET and [11C]-(+)-PHNO with post-mortem DRD2/3 gene expression in the human brain. NeuroImage, 2020, 223, 117270.   | 2.1 | 11        |
| 31 | Sorbitol as a Polar Pharmacological Modifier to Enhance the Hydrophilicity of<br>99mTc-Tricarbonyl-Based Radiopharmaceuticals. Molecules, 2020, 25, 2680.  | 1.7 | 2         |
| 32 | Topologically Guided Prioritization of Candidate Gene Transcripts Coexpressed with the 5-HT1A<br>Receptor by Combining In Vivo PET and Allen Human Brain Atlas Data. Cerebral Cortex, 2020, 30,<br>3771-3780.  | 1.6 | 10        |
| 33 | Utility of Absolute Quantification in Non-lesional Extratemporal Lobe Epilepsy Using FDG PET/MR<br>Imaging. Frontiers in Neurology, 2020, 11, 54.  | 1.1 | 21        |
| 34 | On the relationship of first-episode psychosis to the amphetamine-sensitized state: a dopamine D2/3 receptor agonist radioligand study. Translational Psychiatry, 2020, 10, 2.   | 2.4 | 25        |
| 35 | Machine learning classification of ADHD and HC by multimodal serotonergic data. Translational<br>Psychiatry, 2020, 10, 104.  | 2.4 | 39        |
| 36 | Inhibition of Lipid Accumulation in Skeletal Muscle and Liver Cells: A Protective Mechanism of<br>Bilirubin Against Diabetes Mellitus Type 2. Frontiers in Pharmacology, 2020, 11, 636533.   | 1.6 | 5         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | SNAPshots of the MCHR1: a Comparison Between the PET-Tracers [18F]FE@SNAP and [11C]SNAP-7941.<br>Molecular Imaging and Biology, 2019, 21, 257-268.  | 1.3 | 5         |
| 38 | Prospective non-invasive evaluation of CXCR4 expression for the diagnosis of MALT lymphoma using<br>[ <sup>68</sup> Ga]Ga-Pentixafor-PET/MRI. Theranostics, 2019, 9, 3653-3658.   | 4.6 | 42        |
| 39 | Serotonin Transporter Binding in the Human Brain After Pharmacological Challenge Measured Using PET and PET/MR. Frontiers in Molecular Neuroscience, 2019, 12, 172.   | 1.4 | 6         |
| 40 | Prospective evaluation of the performance of [68Ga]Ga-PSMA-11 PET/CT(MRI) for lymph node staging in patients undergoing superextended salvage lymph node dissection after radical prostatectomy. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2169-2177. | 3.3 | 30        |
| 41 | In vitro Radiopharmaceutical Evidence for MCHR1 Binding Sites in Murine Brown Adipocytes. Frontiers in Endocrinology, 2019, 10, 324.  | 1.5 | 6         |
| 42 | Synthesis and in vitro evaluation of new translocator protein ligands designed for positron emission tomography. Future Medicinal Chemistry, 2019, 11, 539-550.   | 1.1 | 3         |
| 43 | Toward the Optimization of (+)-[11C]PHNO Synthesis: Time Reduction and Process Validation. Contrast<br>Media and Molecular Imaging, 2019, 2019, 1-13.   | 0.4 | 1         |
| 44 | Sex-differences in [68Ga]Ga-DOTANOC biodistribution. Nuclear Medicine and Biology, 2019, 76-77, 15-20.  | 0.3 | 4         |
| 45 | Epistasis of HTR1A and BDNF risk genes alters cortical 5-HT1A receptor binding: PET results link genotype to molecular phenotype in depression. Translational Psychiatry, 2019, 9, 5.   | 2.4 | 7         |
| 46 | Binding Affinity of Some Endogenous and Synthetic TSPO Ligands Regarding the rs6971 Polymorphism.<br>International Journal of Molecular Sciences, 2019, 20, 563.  | 1.8 | 13        |
| 47 | Multimodal [18F]FDG PET/CT Is a Direct Readout for Inflammatory Bone Repair: A Longitudinal Study in TNFα Transgenic Mice. Journal of Bone and Mineral Research, 2019, 34, 1632-1645.   | 3.1 | 8         |
| 48 | Modeling the acute pharmacological response to selective serotonin reuptake inhibitors in human<br>brain using simultaneous PET/MR imaging. European Neuropsychopharmacology, 2019, 29, 711-719.  | 0.3 | 11        |
| 49 | (R)-[18F]NEBIFQUINIDE: A promising new PET tracer for TSPO imaging. European Journal of Medicinal Chemistry, 2019, 176, 410-418.  | 2.6 | 14        |
| 50 | Technical Aspect of the Automated Synthesis and Real-Time Kinetic Evaluation of<br>[ <sup>11</sup> C]SNAP-7941. Journal of Visualized Experiments, 2019, , .  | 0.2 | 2         |
| 51 | Characterization of pharmacological response to selective serotonin reuptake inhibitors using clustering of resting-state hybrid PET/MR data. European Neuropsychopharmacology, 2019, 29, S603-S604.  | 0.3 | 0         |
| 52 | Characterization of Bone Lesions in Myeloma Before and During Anticancer Therapy Using<br><sup>18</sup> F-FDG-PET/CT and <sup>18</sup> F-NaF-PET/CT. Anticancer Research, 2019, 39, 1943-1952.  | 0.5 | 3         |
| 53 | Attenuation Correction Approaches for Serotonin Transporter Quantification With PET/MRI.<br>Frontiers in Physiology, 2019, 10, 1422.  | 1.3 | 5         |
| 54 | Response assessment using 68Ga-PSMA ligand PET in patients undergoing 177Lu-PSMA radioligand therapy for metastatic castration-resistant prostate cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 1063-1072.  | 3.3 | 100       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | The effect of electroconvulsive therapy on cerebral monoamine oxidase A expression in treatment-resistant depression investigated using positron emission tomography. Brain Stimulation, 2019, 12, 714-723.   | 0.7 | 24        |
| 56 | Optimization of the Automated Synthesis of [11C]mHED—Administered and Apparent Molar Activities.<br>Pharmaceuticals, 2019, 12, 12.  | 1.7 | 1         |
| 57 | Parcellation of the Human Cerebral Cortex Based on Molecular Targets in the Serotonin System<br>Quantified by Positron Emission Tomography In vivo. Cerebral Cortex, 2019, 29, 372-382.   | 1.6 | 12        |
| 58 | Explorative analysis of retrospective data of patients with esophageal cancer at the Department of<br>Nuclear Medicine at the Medical University of Vienna: Predicting 30-month survival and progress-free<br>survival using Supervised Machine Learning. Nuklearmedizin - NuclearMedicine, 2019, 58, . | 0.3 | 0         |
| 59 | Task-relevant brain networks identified with simultaneous PET/MR imaging of metabolism and connectivity. Brain Structure and Function, 2018, 223, 1369-1378.  | 1.2 | 34        |
| 60 | [ <sup>18</sup> F]FEPPA: Improved Automated Radiosynthesis, Binding Affinity, and Preliminary in Vitro<br>Evaluation in Colorectal Cancer. ACS Medicinal Chemistry Letters, 2018, 9, 177-181.   | 1.3 | 15        |
| 61 | A new method measuring the interaction of radiotracers with the human P-glycoprotein (P-gp)<br>transporter. Nuclear Medicine and Biology, 2018, 60, 29-36.  | 0.3 | 5         |
| 62 | [11C]acetate PET as a tool for diagnosis of liver steatosis. Abdominal Radiology, 2018, 43, 2963-2969.  | 1.0 | 3         |
| 63 | Assessment of Ketamine Binding of the Serotonin Transporter in Humans with Positron Emission<br>Tomography. International Journal of Neuropsychopharmacology, 2018, 21, 145-153.  | 1.0 | 22        |
| 64 | Probing the association between serotonin-1A autoreceptor binding and amygdala reactivity in healthy volunteers. NeuroImage, 2018, 171, 1-5.  | 2.1 | 6         |
| 65 | Spatial analysis and high resolution mapping of the human whole-brain transcriptome for integrative analysis in neuroimaging. NeuroImage, 2018, 176, 259-267.   | 2.1 | 87        |
| 66 | Microfluidic <sup>68</sup> Ga-labeling: a proof of principle study. Dalton Transactions, 2018, 47, 5997-6004.   | 1.6 | 9         |
| 67 | Changes in Tumor Biology During Chemoradiation of Cervix Cancer Assessed by Multiparametric MRI<br>and Hypoxia PET. Molecular Imaging and Biology, 2018, 20, 160-169.   | 1.3 | 16        |
| 68 | Visual and semiquantitative 11C-methionine PET: an independent prognostic factor for survival of newly diagnosed and treatment-naÃ <sup>-</sup> ve gliomas. Neuro-Oncology, 2018, 20, 411-419.  | 0.6 | 22        |
| 69 | [68Ga]Pentixafor-PET/MRI for the detection of Chemokine receptor 4 expression in atherosclerotic plaques. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 558-566.  | 3.3 | 60        |
| 70 | Glioma Survival Prediction with Combined Analysis of In Vivo <sup>11</sup> C-MET PET Features, Ex<br>Vivo Features, and Patient Features by Supervised Machine Learning. Journal of Nuclear Medicine, 2018,<br>59, 892-899.   | 2.8 | 94        |
| 71 | Expanding LogP: Present possibilities. Nuclear Medicine and Biology, 2018, 58, 20-32.   | 0.3 | 17        |
| 72 | EANM guideline for radionuclide therapy with radium-223 of metastatic castration-resistant prostate cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 824-845.  | 3.3 | 108       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Development and evaluation of a rapid analysis for HEPES determination in 68Ga-radiotracers. EJNMMI<br>Research, 2018, 8, 95.  | 1.1 | 8         |
| 74 | Comparison of fully-automated radiosyntheses of [11C]erlotinib for preclinical and clinical use starting from in target produced [11C]CO2 or [11C]CH4. EJNMMI Radiopharmacy and Chemistry, 2018, 3, 8.                                 | 1.8 | 10        |
| 75 | Brain monoamine oxidase A in seasonal affective disorder and treatment with bright light therapy.<br>Translational Psychiatry, 2018, 8, 198.   | 2.4 | 22        |
| 76 | EGFR is required for FOSâ€dependent bone tumor development via RSK2/CREB signaling. EMBO Molecular<br>Medicine, 2018, 10, .  | 3.3 | 24        |
| 77 | Molar activity – The keystone in 11C-radiochemistry: An explorative study using the gas phase method.<br>Nuclear Medicine and Biology, 2018, 67, 21-26.  | 0.3 | 4         |
| 78 | L-[S-methyl-11C]methionine – An example of radiosynthetic optimization. Applied Radiation and<br>Isotopes, 2018, 141, 107-111.   | 0.7 | 3         |
| 79 | Reduced task durations in functional PET imaging with [18F]FDG approaching that of functional MRI.<br>NeuroImage, 2018, 181, 323-330.  | 2.1 | 59        |
| 80 | Preclinical <i> In Vitro</i> and <i> In Vivo</i> Evaluation of [ <sup>18</sup> F]FE@SUPPY for Cancer PET<br>Imaging: Limitations of a Xenograft Model for Colorectal Cancer. Contrast Media and Molecular<br>Imaging, 2018, 2018, 1-9. | 0.4 | 5         |
| 81 | An Overview of PET Radiochemistry, Part 1: The Covalent Labels <sup>18</sup> F, <sup>11</sup> C, and <sup>13</sup> N. Journal of Nuclear Medicine, 2018, 59, 1350-1354.  | 2.8 | 26        |
| 82 | PSMA Ligand PET/MRI for Primary Prostate Cancer: Staging Performance and Clinical Impact. Clinical Cancer Research, 2018, 24, 6300-6307.   | 3.2 | 112       |
| 83 | Speed matters to raise molar radioactivity: Fast HPLC shortens the quality control of C-11 PET-tracers.<br>Nuclear Medicine and Biology, 2018, 57, 28-33.  | 0.3 | 12        |
| 84 | **-Postprandial pancreatic [11C]methionine uptake after pancreaticoduodenectomy mirrors basal beta<br>cell function and insulin release. European Journal of Nuclear Medicine and Molecular Imaging, 2017,<br>44, 509-516.             | 3.3 | 3         |
| 85 | Simple and rapid quantification of serotonin transporter binding using [11C]DASB bolus plus constant infusion. Neurolmage, 2017, 149, 23-32.   | 2.1 | 19        |
| 86 | New approaches for the reliable in vitro assessment of binding affinity based on high-resolution real-time data acquisition of radioligand-receptor binding kinetics. EJNMMI Research, 2017, 7, 22.                                    | 1.1 | 24        |
| 87 | Association Between Osteogenesis and Inflammation During the Progression of Calcified Plaque<br>Evaluated by <sup>18</sup> F-Fluoride and <sup>18</sup> F-FDG. Journal of Nuclear Medicine, 2017, 58,<br>968-974.                      | 2.8 | 40        |
| 88 | Association of Protein Distribution and Gene Expression Revealed by PET and Post-Mortem<br>Quantification in the Serotonergic System of the Human Brain. Cerebral Cortex, 2017, 27, 117-130.   | 1.6 | 30        |
| 89 | The influence of the rs6295 gene polymorphism on serotonin-1A receptor distribution investigated<br>with PET in patients with major depression applying machine learning. Translational Psychiatry, 2017, 7,<br>e1150-e1150.           | 2.4 | 22        |
| 90 | Log P , a yesterday's value?. Nuclear Medicine and Biology, 2017, 50, 1-10.  | 0.3 | 62        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | In vivo evaluation of radiotracers targeting the melanin-concentrating hormone receptor 1:<br>[11C]SNAP-7941 and [18F]FE@SNAP reveal specific uptake in the ventricular system. Scientific Reports,<br>2017, 7, 8054.   | 1.6 | 6         |
| 92  | Reconsider logP!. Nuclear Medicine and Biology, 2017, 54, 42.   | 0.3 | 3         |
| 93  | In vivo magnetic resonance imaging of pancreatic tumors using iron oxide nanoworms targeted with PTR86 peptide. Colloids and Surfaces B: Biointerfaces, 2017, 158, 423-430.   | 2.5 | 11        |
| 94  | Impact of hybrid PET/MR technology on multiparametric imaging and treatment response assessment of cervix cancer. Radiotherapy and Oncology, 2017, 125, 420-425.  | 0.3 | 25        |
| 95  | The value of [11C]-acetate PET and [18F]-FDG PET in hepatocellular carcinoma before and after treatment with transarterial chemoembolization and bevacizumab. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1732-1741.                          | 3.3 | 20        |
| 96  | Altered interregional molecular associations of the serotonin transporter in attention deficit/hyperactivity disorder assessed with PET. Human Brain Mapping, 2017, 38, 792-802.  | 1.9 | 21        |
| 97  | Monoamine oxidase A distribution volume as a correlate for electroconvulsive therapy – preliminary results. European Neuropsychopharmacology, 2017, 27, S708-S709.  | 0.3 | 1         |
| 98  | Influence of serotonergic gene variants on serotonin transporter binding in ADHD. European<br>Neuropsychopharmacology, 2017, 27, S707.  | 0.3 | 0         |
| 99  | Investigating dose dependency of ketamine binding on the serotonin transporter with positron emission tomography. European Neuropsychopharmacology, 2017, 27, S779.   | 0.3 | Ο         |
| 100 | Effects of Selective Serotonin Reuptake Inhibitors on Interregional Relation of Serotonin<br>Transporter Availability in Major Depression. Frontiers in Human Neuroscience, 2017, 11, 48.   | 1.0 | 50        |
| 101 | Multiparametric [11C]Acetate positron emission tomography-magnetic resonance imaging in the assessment and staging of prostate cancer. PLoS ONE, 2017, 12, e0180790.  | 1.1 | 7         |
| 102 | Development of a radiolabeled caninized anti-EGFR antibody for comparative oncology trials.<br>Oncotarget, 2017, 8, 83128-83141.  | 0.8 | 7         |
| 103 | Multiparametric [18F]Fluorodeoxyglucose/ [18F]Fluoromisonidazole Positron Emission Tomography/<br>Magnetic Resonance Imaging of Locally Advanced Cervical Cancer for the Non-Invasive Detection of<br>Tumor Heterogeneity: A Pilot Study. PLoS ONE, 2016, 11, e0155333. | 1.1 | 45        |
| 104 | PM478. Imaging the effects of d-amphetamine in the human brain for modelling dopaminergic alterations in schizophrenia. International Journal of Neuropsychopharmacology, 2016, 19, 74-74.  | 1.0 | 1         |
| 105 | PS168. Hybrid PET/MR imaging of serotonin transporter occupancy and brain activation to elucidate the mechanism of action of selective serotonin reuptake inhibitors. International Journal of Neuropsychopharmacology, 2016, 19, 60-61.                                | 1.0 | 0         |
| 106 | Quantification of Task-Specific Glucose Metabolism with Constant Infusion of <sup>18</sup> F-FDG.<br>Journal of Nuclear Medicine, 2016, 57, 1933-1940.  | 2.8 | 64        |
| 107 | Attenuation of habenula–default mode network connectivity by selective serotonin reuptake<br>inhibitors, a pharmacological hybrid PET/MR study. European Neuropsychopharmacology, 2016, 26,<br>S317.  | 0.3 | 1         |
| 108 | Neurochemical and behavioral sensitization to d-amphetamine in healthy subjects measured with<br>[ <sup>11</sup> C]-(+)-PHNO-PET. European Psychiatry, 2016, 33, S105-S106.   | 0.1 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | [18F]FMeNER-D2: A systematic in vitro analysis of radio-metabolism. Nuclear Medicine and Biology, 2016,<br>43, 490-495.  | 0.3 | 6         |
| 110 | [18F]FE@SNAP—a specific PET tracer for melanin-concentrating hormone receptor 1 imaging?. EJNMMI<br>Research, 2016, 6, 31.   | 1.1 | 8         |
| 111 | Effects of norepinephrine transporter gene variants on <scp>NET</scp> binding in <scp>ADHD</scp> and healthy controls investigated by <scp>PET</scp> . Human Brain Mapping, 2016, 37, 884-895.   | 1.9 | 37        |
| 112 | Development of a Novel Nonpeptidic <sup>18</sup> F-Labeled Radiotracer for in Vivo Imaging of<br>Oxytocin Receptors with Positron Emission Tomography. Journal of Medicinal Chemistry, 2016, 59,<br>1800-1817.   | 2.9 | 17        |
| 113 | Clinical Value of 18F-fluorodihydroxyphenylalanine Positron Emission<br>Tomography/Contrast-enhanced Computed Tomography (18F-DOPA PET/CT) in Patients with Suspected<br>Paraganglioma. Anticancer Research, 2016, 36, 4187-93.  | 0.5 | 3         |
| 114 | P.1.i.047 Interregional changes in serotonin transporter availability upon treatment with selective serotonin reuptake inhibitors. European Neuropsychopharmacology, 2015, 25, S327-S328.  | 0.3 | 0         |
| 115 | Radiosynthesis and first preclinical evaluation of the novel norepinephrine transporter pet-ligand [11C]ME@HAPTHI. EJNMMI Research, 2015, 5, 113.  | 1.1 | 11        |
| 116 | Evaluation of fatty acid synthase in prostate cancer recurrence: SUV of [ <sup>11</sup> C]acetate PET as a prognostic marker. Prostate, 2015, 75, 1760-1767.   | 1.2 | 28        |
| 117 | 2-Fluoro-N-methyl-N-({(3S,4S)-4-[2-(trifluoromethyl)phenoxy]-3,4-dihydro-1H-isochromen-3-yl}methyl)ethanamine<br>MolBank, 2015, 2015, M858.  | 0.2 | 0         |
| 118 | 1-(3-Amino-1-phenylpropyl)-3-(2-fluorophenyl)-1,3-dihydro-2H-benzimidazol-2-one. MolBank, 2015, 2015,<br>M867.   | 0.2 | 0         |
| 119 | Synthesis and in Silico Evaluation of Novel Compounds for PET-Based Investigations of the Norepinephrine Transporter. Molecules, 2015, 20, 1712-1730.  | 1.7 | 6         |
| 120 | 2-Fluoro-N-methyl-N-{[(3S*,4S*)-4-(2-methylphenoxy)-3,4-dihydro-1H-isochromen-3-yl]methyl}ethanamine.<br>MolBank, 2015, 2015, M862.  | 0.2 | 0         |
| 121 | Parameter evaluation and fully-automated radiosynthesis of [ 11 C]harmine for imaging of MAO-A for clinical trials. Applied Radiation and Isotopes, 2015, 97, 182-187.   | 0.7 | 16        |
| 122 | [18F]FE@SUPPY: a suitable PET tracer for the adenosine A3 receptor? An in vivo study in rodents.<br>European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 741-749.   | 3.3 | 5         |
| 123 | High-Dose Testosterone Treatment Increases Serotonin Transporter Binding in Transgender People.<br>Biological Psychiatry, 2015, 78, 525-533.   | 0.7 | 75        |
| 124 | Interaction between 5-HTTLPR and 5-HT1B genotype status enhances cerebral 5-HT1A receptor binding.<br>NeuroImage, 2015, 111, 505-512.  | 2.1 | 12        |
| 125 | Hide and seek: a comparative autoradiographic in vitro investigation of the adenosine A3 receptor.<br>European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 928-939.   | 3.3 | 17        |
| 126 | Effects of Silexan on the Serotonin-1A Receptor and Microstructure of the Human Brain: A<br>Randomized, Placebo-Controlled, Double-Blind, Cross-Over Study with Molecular and Structural<br>Neuroimaging. International Journal of Neuropsychopharmacology, 2015, 18, pyu063-pyu063. | 1.0 | 49        |

MARKUS MITTERHAUSER

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | P.1.i.037 Effects of norepinephrine transporter gene variants on protein binding in patients with ADHD using PET. European Neuropsychopharmacology, 2015, 25, S321-S322.   | 0.3 | 0         |
| 128 | Detection of Bone Metastases Using 11C-Acetate PET in Patients with Prostate Cancer with Biochemical Recurrence. Anticancer Research, 2015, 35, 6787-91.   | 0.5 | 15        |
| 129 | A One-Step Microwave-Assisted Synthetic Method for an O/S-Chemoselective Route to Derivatives of the First Adenosine A3 PET Radiotracer. Molecules, 2014, 19, 4076-4082.   | 1.7 | Ο         |
| 130 | <sup>11</sup> C-Methionine PET/CT Imaging of <sup>99m</sup> Tc-MIBI-SPECT/CT-Negative Patients With<br>Primary Hyperparathyroidism and Previous Neck Surgery. Journal of Clinical Endocrinology and<br>Metabolism, 2014, 99, 4199-4205.                      | 1.8 | 32        |
| 131 | Attenuated serotonin transporter association between dorsal raphe and ventral striatum in major depression. Human Brain Mapping, 2014, 35, 3857-3866.  | 1.9 | 50        |
| 132 | The Norepinephrine Transporter in Attention-Deficit/Hyperactivity Disorder Investigated With<br>Positron Emission Tomography. JAMA Psychiatry, 2014, 71, 1340.   | 6.0 | 44        |
| 133 | Imaging Biomarkers or Biomarker Imaging?. Pharmaceuticals, 2014, 7, 765-778.   | 1.7 | 13        |
| 134 | Effects of hormone replacement therapy on cerebral serotonin-1A receptor binding in postmenopausal women examined with [carbonyl-11C]WAY-100635. Psychoneuroendocrinology, 2014, 45, 1-10.   | 1.3 | 23        |
| 135 | Relation of progesterone and DHEAS serum levels to 5-HT1A receptor binding potential in pre- and postmenopausal women. Psychoneuroendocrinology, 2014, 46, 52-63.  | 1.3 | 19        |
| 136 | Impact of COMT genotype on serotonin-1A receptor binding investigated with PET. Brain Structure and Function, 2014, 219, 2017-2028.  | 1.2 | 13        |
| 137 | Cerebral serotonin transporter asymmetry in females, males and male-to-female transsexuals measured by PET in vivo. Brain Structure and Function, 2014, 219, 171-183.  | 1.2 | 28        |
| 138 | In vivo P-glycoprotein function before and after epilepsy surgery. Neurology, 2014, 83, 1326-1331.   | 1.5 | 37        |
| 139 | Development of potential selective and reversible pyrazoline based MAO-B inhibitors as MAO-B PET tracer precursors and reference substances for the early detection of Alzheimer's disease. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 4490-4495. | 1.0 | 9         |
| 140 | Regional differences in SERT occupancy after acute and prolonged SSRI intake investigated by brain<br>PET. NeuroImage, 2014, 88, 252-262.  | 2.1 | 54        |
| 141 | Pioglitazone decreases portosystemic shunting by modulating inflammation and angiogenesis in cirrhotic and non-cirrhotic portal hypertensive rats. Journal of Hepatology, 2014, 60, 1135-1142.   | 1.8 | 39        |
| 142 | Comparative autoradiographic in vitro investigation of melanin concentrating hormone receptor 1 ligands in the central nervous system. European Journal of Pharmacology, 2014, 735, 177-183.   | 1.7 | 10        |
| 143 | Exploring the Impact of BDNF Val66Met Genotype on Serotonin Transporter and Serotonin-1A Receptor<br>Binding. PLoS ONE, 2014, 9, e106810.  | 1.1 | 11        |
| 144 | Gadoxetate-enhanced versus diffusion-weighted MRI for fused Ga-68-DOTANOC PET/MRI in patients with neuroendocrine tumours of the upper abdomen. European Radiology, 2013, 23, 1978-1985.   | 2.3 | 41        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Nebivolol treatment increases splanchnic blood flow and portal pressure in cirrhotic rats via modulation of nitric oxide signalling. Liver International, 2013, 33, 561-568.   | 1.9 | 16        |
| 146 | Preclinical in vitro & in vivo evaluation of [11C]SNAP-7941 – the first PET tracer for the melanin concentrating hormone receptor 1. Nuclear Medicine and Biology, 2013, 40, 919-925.  | 0.3 | 20        |
| 147 | P.2.b.044 Serotonin transporter association between dorsal raphe and ventral striatum is diminished in major depression. European Neuropsychopharmacology, 2013, 23, S345.   | 0.3 | 0         |
| 148 | Synthesis, radiosynthesis and first in vitro evaluation of novel PET-tracers for the dopamine transporter: [11C]IPCIT and [18F]FE@IPCIT. Bioorganic and Medicinal Chemistry, 2013, 21, 7562-7569.  | 1.4 | 8         |
| 149 | Impact of electroconvulsive therapy on 5-HT1A receptor binding in major depression. Molecular Psychiatry, 2013, 18, 1-1.   | 4.1 | 10        |
| 150 | Reliable set-up for in-loop 11C-carboxylations using Grignard reactions for the preparation of [carbonyl-11C]WAY-100635 and [11C]-(+)-PHNO. Applied Radiation and Isotopes, 2013, 82, 75-80.   | 0.7 | 20        |
| 151 | [18F]FMeNER-D2: Reliable fully-automated synthesis for visualization of the norepinephrine transporter. Nuclear Medicine and Biology, 2013, 40, 1049-1054.   | 0.3 | 17        |
| 152 | Application of image-derived and venous input functions in major depression using<br>[carbonyl-11C]WAY-100635. Nuclear Medicine and Biology, 2013, 40, 371-377.  | 0.3 | 62        |
| 153 | Development and automation of a novel NET-PET tracer: [11C]Me@APPI. Nuclear Medicine and Biology, 2013, 40, 295-303.   | 0.3 | 11        |
| 154 | Interaction of <sup>11</sup> C-Tariquidar and <sup>11</sup> C-Elacridar with P-Glycoprotein and<br>Breast Cancer Resistance Protein at the Human Blood–Brain Barrier. Journal of Nuclear Medicine,<br>2013, 54, 1181-1187.                                 | 2.8 | 45        |
| 155 | Preparation and First Preclinical Evaluation of [18F]FE@SNAP: A Potential PET Tracer for the Melanin Concentrating Hormone Receptor 1 (MCHR1). Scientia Pharmaceutica, 2013, 81, 625-639.  | 0.7 | 14        |
| 156 | Global decrease of serotonin-1A receptor binding after electroconvulsive therapy in major depression measured by PET. Molecular Psychiatry, 2013, 18, 93-100.  | 4.1 | 98        |
| 157 | Syntheses of Precursors and Reference Compounds of the Melanin-Concentrating Hormone Receptor<br>1 (MCHR1) Tracers [11C]SNAP-7941 and [18F]FE@SNAP for Positron Emission Tomography. Molecules,<br>2013, 18, 12119-12143.                                  | 1.7 | 5         |
| 158 | Differential modulation of the default mode network via serotonin-1A receptors. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 2619-2624.   | 3.3 | 109       |
| 159 | Quantification of the radio-metabolites of the serotonin-1A receptor radioligand<br>[carbonyl-11C]WAY-100635 in human plasma: An HPLC-assay which enables measurement of two patients<br>in parallel. Applied Radiation and Isotopes, 2012, 70, 2730-2736. | 0.7 | 3         |
| 160 | P.4.002 Serotonin transporter ratio between raphe nuclei and projection areas predicts SSRI treatment response in major depression. European Neuropsychopharmacology, 2012, 22, S85.   | 0.3 | 0         |
| 161 | Light-dependent alteration of serotonin-1A receptor binding in cortical and subcortical limbic regions in the human brain. World Journal of Biological Psychiatry, 2012, 13, 413-422.  | 1.3 | 57        |
| 162 | Radiosynthesis of [11C]SNAP-7941—the first PET-tracer for the melanin concentrating hormone<br>receptor 1 (MCHR1). Applied Radiation and Isotopes, 2012, 70, 2287-2294.  | 0.7 | 15        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Optimization of [11C]DASB-synthesis: Vessel-based and flow-through microreactor methods. Applied Radiation and Isotopes, 2012, 70, 2615-2620.  | 0.7 | 14        |
| 164 | [18F]FE@SNAP—A new PET tracer for the melanin concentrating hormone receptor 1 (MCHR1):<br>Microfluidic and vessel-based approaches. Bioorganic and Medicinal Chemistry, 2012, 20, 5936-5940.              | 1.4 | 28        |
| 165 | Combining image-derived and venous input functions enables quantification of serotonin-1A receptors with [carbonyl-11C]WAY-100635 independent of arterial sampling. NeuroImage, 2012, 62, 199-206.         | 2.1 | 19        |
| 166 | Normative database of the serotonergic system in healthy subjects using multi-tracer PET. NeuroImage, 2012, 63, 447-459.   | 2.1 | 126       |
| 167 | Prediction of SSRI treatment response in major depression based on serotonin transporter interplay between median raphe nucleus and projection areas. NeuroImage, 2012, 63, 874-881.                       | 2.1 | 124       |
| 168 | Serotonin-1A receptor binding is positively associated with gray matter volume — A multimodal neuroimaging study combining PET and structural MRI. NeuroImage, 2012, 63, 1091-1098.                        | 2.1 | 27        |
| 169 | Radiolabeling of [18F]altanserin — a microfluidic approach. Nuclear Medicine and Biology, 2012, 39,<br>1087-1092.  | 0.3 | 25        |
| 170 | Pgp-Mediated Interaction Between (R)-[11C]Verapamil and Tariquidar at the Human Blood–Brain<br>Barrier: A Comparison With Rat Data. Clinical Pharmacology and Therapeutics, 2012, 91, 227-233.             | 2.3 | 108       |
| 171 | FC10-05 - Attenuated serotonin transporter association between midbrain and nucleus accumbens in major depression. European Psychiatry, 2011, 26, 1868-1868.   | 0.1 | 0         |
| 172 | Multimodal imaging of an astrocytoma affecting the amygdalar region. European Psychiatry, 2011, 26,<br>924-924.  | 0.1 | 0         |
| 173 | Cortisol plasma levels are associated with serotonin - 1A receptor binding in postmenopausal women.<br>European Psychiatry, 2011, 26, 933-933.   | 0.1 | 0         |
| 174 | The stability of methyl-, ethyl- and fluoroethylesters against carboxylesterases in vitro: there is no difference. Nuclear Medicine and Biology, 2011, 38, 13-17.  | 0.3 | 6         |
| 175 | Microfluidic preparation of [18F]FE@SUPPY and [18F]FE@SUPPY:2 — comparison with conventional radiosyntheses. Nuclear Medicine and Biology, 2011, 38, 427-434.  | 0.3 | 25        |
| 176 | Radiopharmaceutical considerations on bone seeker uptake: should we learn from therapeutical targets of bisphosphonates?. Nuclear Medicine and Biology, 2011, 38, 617-618.                                 | 0.3 | 2         |
| 177 | Optimization of the radiosynthesis of the Alzheimer tracer<br>2-(4-N-[11C]methylaminophenyl)-6-hydroxybenzothiazole ([11C]PIB). Applied Radiation and Isotopes, 2011,<br>69, 1212-1217.                    | 0.7 | 26        |
| 178 | Progesterone Level Predicts Serotonin-1A Receptor Binding in the Male Human Brain.<br>Neuroendocrinology, 2011, 94, 84-88.   | 1.2 | 18        |
| 179 | Cortisol plasma levels in social anxiety disorder patients correlate with serotonin-1A receptor<br>binding in limbic brain regions. International Journal of Neuropsychopharmacology, 2010, 13, 1129-1143. | 1.0 | 54        |
| 180 | "Label and go―– A fast and easy radiolabelling method for pellets. Applied Radiation and Isotopes,<br>2010, 68, 399-403.   | 0.7 | 0         |

MARKUS MITTERHAUSER

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | The "Drill & Fill" Method. Scientia Pharmaceutica, 2010, 78, 650-650.  | 0.7 | Ο         |
| 182 | Escitalopram Enhances the Association of Serotonin-1A Autoreceptors to Heteroreceptors in Anxiety Disorders. Journal of Neuroscience, 2010, 30, 14482-14489.   | 1.7 | 52        |
| 183 | Segmentation of [11C]DASB and [carbonyl-11C]WAY-100635 PET brain images using linear discriminant analysis. NeuroImage, 2010, 52, S155-S156.   | 2.1 | 1         |
| 184 | Hypothalamic serotonin-1A receptor binding measured by PET predicts the plasma level of dehydroepiandrosterone sulfate in healthy women. Neuroscience Letters, 2010, 476, 161-165.   | 1.0 | 15        |
| 185 | Basics and principles of radiopharmaceuticals for PET/CT. European Journal of Radiology, 2010, 73, 461-469.  | 1.2 | 104       |
| 186 | [18F]FE@SUPPY and [18F]FE@SUPPY:2 — metabolic considerations. Nuclear Medicine and Biology, 2010,<br>37, 421-426.  | 0.3 | 15        |
| 187 | Central serotonin 1A receptor binding in temporal lobe epilepsy: A [carbonyl-11C]WAY-100635 PET study.<br>Epilepsy and Behavior, 2010, 19, 467-473.  | 0.9 | 37        |
| 188 | Radiosynthesis of a novel potential adenosine A3 receptor ligand, 5-ethyl<br>2,4-diethyl-3-((2-[18F]fluoroethyl)sulfanylcarbonyl)-6-phenylpyridine-5-carboxylate ([18F]FE@SUPPY:2).<br>Radiochimica Acta, 2009, 97, 753-758. | 0.5 | 5         |
| 189 | Aggression is related to frontal serotoninâ€lA receptor distribution as revealed by PET in healthy subjects. Human Brain Mapping, 2009, 30, 2558-2570.   | 1.9 | 84        |
| 190 | Influence of escitalopram treatment on 5-HT1A receptor binding in limbic regions in patients with anxiety disorders. Molecular Psychiatry, 2009, 14, 1040-1050.  | 4.1 | 87        |
| 191 | Simple and rapid preparation of [11C]DASB with high quality and reliability for routine applications.<br>Applied Radiation and Isotopes, 2009, 67, 1654-1660.  | 0.7 | 27        |
| 192 | Sorafenib attenuates the portal hypertensive syndrome in partial portal vein ligated rats. Journal of<br>Hepatology, 2009, 51, 865-873.  | 1.8 | 95        |
| 193 | Lateralization of the serotonin-1A receptor distribution in language areas revealed by PET.<br>NeuroImage, 2009, 45, 598-605.  | 2.1 | 72        |
| 194 | Automatisation and First Evaluation of [18F]FE@SUPPY:2, an Alternative PET-Tracer for the Adenosine<br>A3 Receptor: A Comparison with [18F]FE@SUPPY. The Open Nuclear Medicine Journal, 2009, 1, 15-23.                      | 0.2 | 8         |
| 195 | Adrenal Carcinoma – Radionuclide Imaging. , 2009, , 29-42.   |     | Ο         |
| 196 | The serotonin-1A receptor distribution in healthy men and women measured by PET and<br>[carbonyl-11C]WAY-100635. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35,<br>2159-2168.                         | 3.3 | 59        |
| 197 | Preparation and first evaluation of [18F]FE@SUPPY: a new PET tracer for the adenosine A3 receptor.<br>Nuclear Medicine and Biology, 2008, 35, 61-66.   | 0.3 | 28        |
| 198 | Metabolism and autoradiographic evaluation of [18F]FE@CIT: a Comparison with [123I]β-CIT and [123I]FP-CIT. Nuclear Medicine and Biology, 2008, 35, 475-479.  | 0.3 | 5         |

| #   | Article  | IF               | CITATIONS           |
|-----|--|------------------|---------------------|
| 199 | What to consider in the development of new bone seekers: mechanistic and tracer-related aspects.<br>Nuclear Medicine and Biology, 2008, 35, 817-824.   | 0.3              | 8                   |
| 200 | Preparation and pre-vivo evaluation of no-carrier-added, carrier-added and cross-complexed<br>[68Ga]-EDTMP formulations. European Journal of Pharmaceutics and Biopharmaceutics, 2008, 68,<br>406-412.               | 2.0              | 27                  |
| 201 | S.07.04 Progesterone and estradiol plasma levels modulate serotonin-1A binding in the human brain.<br>European Neuropsychopharmacology, 2008, 18, S168.  | 0.3              | 0                   |
| 202 | Multimodal imaging of human early visual cortex by combining functional and molecular measurements with fMRI and PET. NeuroImage, 2008, 41, 204-211.   | 2.1              | 32                  |
| 203 | 244 ANGIOGENESIS IN PORTAL HYPERTENSIVE NAD(P)HOXIDASE-KNOCKOUT-MICE IS MEDIATED BY A DIFFERENT PATHWAY THAN IN WILDTYPE ANIMALS. Journal of Hepatology, 2008, 48, S99.  | 1.8              | 1                   |
| 204 | Synthesis of in vivo Metabolites of the New Adenosine A3 Receptor PET-Radiotracer [18F]FE@SUPPY.<br>Heterocycles, 2008, 75, 339.   | 0.4              | 8                   |
| 205 | Radiosynthesis of the adenosine A3 receptor ligand 5-(2-[18F]fluoroethyl)<br>2,4-diethyl-3-(ethylsulfanylcarbonyl)- 6-phenylpyridine-5-carboxylate ([18F]FE@SUPPY). Radiochimica<br>Acta, 2008, 96, .                | 0.5              | 7                   |
| 206 | An in vitro model for the comparative evaluation of bone seeking pharmaceuticals. ALTEX: Alternatives<br>To Animal Experimentation, 2008, 25, 51-55.   | 0.9              | 6                   |
| 207 | Simple and fully automated preparation of [carbonyl-11C]WAY-100635. Radiochimica Acta, 2007, 95, .   | 0.5              | 28                  |
| 208 | Pre vivo, ex vivo and in vivo evaluations of [68Ga]-EDTMP. Nuclear Medicine and Biology, 2007, 34, 391-397.  | 0.3              | 37                  |
| 209 | Evaluation of novel tropane analogues. Nuclear Medicine and Biology, 2007, 34, 591-592.  | 0.3              | 0                   |
| 210 | 18F fluoroethylations: different strategies for the rapid translation of 11C-methylated radiotracers.<br>Nuclear Medicine and Biology, 2007, 34, 1019-1028.  | 0.3              | 20                  |
| 211 | Preparation and radiosynthesis of [18F]FE@CFN (2-[18F]fluoroethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf receptor imaging agent. Radiochimica Acta, 2007, 95, .   | 50 267 Tc<br>0.5 | l (4-[N-(1-oxo<br>3 |
| 212 | Reduced Serotonin-1A Receptor Binding in Social Anxiety Disorder. Biological Psychiatry, 2007, 61,<br>1081-1089.   | 0.7              | 276                 |
| 213 | In vitro evaluation of no carrier added, carrier added and cross-complexed [90Y]-EDTMP provides<br>evidence for a novel "foreign carrier theory― Nuclear Medicine and Biology, 2006, 33, 95-99.                      | 0.3              | 9                   |
| 214 | NCA nucleophilic radiofluorination on substituted benzaldehydes for the preparation of [18F]fluorinated aromatic amino acids. Applied Radiation and Isotopes, 2006, 64, 355-359.                                     | 0.7              | 5                   |
| 215 | Uptake of bone-seekers is solely associated with mineralisation! A study with 99mTc-MDP, 153Sm-EDTMP and 18F-fluoride on osteoblasts. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 491-494. | 3.3              | 74                  |
| 216 | [18F]FETO for adrenocortical PET imaging: a pilot study in healthy volunteers. European Journal of<br>Nuclear Medicine and Molecular Imaging, 2006, 33, 669-672.   | 3.3              | 33                  |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Imaging of adrenocortical metastases with [11C]metomidate. European Journal of Nuclear Medicine<br>and Molecular Imaging, 2006, 33, 974-974.   | 3.3 | 11        |
| 218 | [18F]FETO: metabolic considerations. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 928-931.  | 3.3 | 19        |
| 219 | 11C-Acetate Positron Emission Tomography Imaging and Image Fusion With Computed Tomography and<br>Magnetic Resonance Imaging in Patients With Recurrent Prostate Cancer. Journal of Clinical<br>Oncology, 2006, 24, 2513-2519.           | 0.8 | 114       |
| 220 | New aspects on the preparation of [11C]Methionine—a simple and fast online approach without preparative HPLC. Applied Radiation and Isotopes, 2005, 62, 441-445.   | 0.7 | 38        |
| 221 | In vitro and in vivo evaluation of [18F]ciprofloxacin for the imaging of bacterial infections with PET.<br>European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 143-150.  | 3.3 | 77        |
| 222 | Synthesis and biodistribution of [18F]FE@CIT, a new potential tracer for the dopamine transporter. Synapse, 2005, 55, 73-79.   | 0.6 | 16        |
| 223 | Binding studies of [18F]-fluoride and polyphosphonates radiolabelled with [99mTc], [111In], [153Sm] and [188Re] on bone compartments: Verification of the pre vivo model?. Bone, 2005, 37, 404-412.                                      | 1.4 | 20        |
| 224 | [ 18 F]Ciprofloxacin, a New Positron Emission Tomography Tracer for Noninvasive Assessment of the<br>Tissue Distribution and Pharmacokinetics of Ciprofloxacin in Humans. Antimicrobial Agents and<br>Chemotherapy, 2004, 48, 3850-3857. | 1.4 | 54        |
| 225 | Positron emission tomography imaging of adrenal masses: 18F-fluorodeoxyglucose and the<br>11?-hydroxylase tracer 11C-metomidate. European Journal of Nuclear Medicine and Molecular Imaging,<br>2004, 31, 1224-30.                       | 3.3 | 93        |
| 226 | Labelling of EDTMP (Multibone®) with [111In], [99mTc] and [188Re] using different carriers for "cross<br>complexation― Applied Radiation and Isotopes, 2004, 60, 653-658.  | 0.7 | 11        |
| 227 | New aspects on the preparation of [11C]acetate—a simple and fast approach via distillation. Applied Radiation and Isotopes, 2004, 61, 1147-1150.   | 0.7 | 19        |
| 228 | Binding studies of [18F]-fluoride and polyphosphonates radiolabelled with [1111n], [99mTc], [153Sm], and [188Re] on bone compartments: a new model for the pre vivo evaluation of bone seekers?. Bone, 2004, 34, 835-844.                | 1.4 | 16        |
| 229 | Biological evaluation of 2′-[18F]fluoroflumazenil ([18F]FFMZ), a potential GABA receptor ligand for<br>PET. Nuclear Medicine and Biology, 2004, 31, 291-295.   | 0.3 | 43        |
| 230 | Bone lesion detection with carrier-added 99mTc-EDTMP in comparison with 99mTc-DPD. Nuclear<br>Medicine Communications, 2004, 25, 361-365.  | 0.5 | 17        |
| 231 | In vivo and in vitro evaluation of [ 18 F]FETO with respect to the adrenocortical and GABAergic system in rats. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 1398-1401.   | 3.3 | 35        |
| 232 | Synthesis of [18F]FETO, a novel potential 11-? hydroxylase inhibitor. Journal of Labelled Compounds and Radiopharmaceuticals, 2003, 46, 379-388.   | 0.5 | 22        |
| 233 | A general method for the fluorine-18 labelling of fluoroquinolone antibiotics. Journal of Labelled<br>Compounds and Radiopharmaceuticals, 2003, 46, 715-727.   | 0.5 | 10        |
| 234 | Radiosynthesis of 3-(2′-[18F]fluoro)-flumazenil ([18F]FFMZ). Journal of Labelled Compounds and<br>Radiopharmaceuticals, 2003, 46, 1229-1240.   | 0.5 | 12        |

MARKUS MITTERHAUSER

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | The labelling of Nanocoll® with [111In] for dual-isotope scanning. Applied Radiation and Isotopes, 2003, 59, 337-342.   | 0.7 | 9         |
| 236 | Comparison of three different purification methods for the routine preparation of [11C] Metomidate.<br>Applied Radiation and Isotopes, 2003, 59, 125-128.   | 0.7 | 8         |
| 237 | Synthesis of fluorine-18-labeled ciprofloxacin for PET studies in humans. Nuclear Medicine and Biology, 2003, 30, 285-291.  | 0.3 | 123       |
| 238 | Pharmacokinetics of 2-methoxyphenylmetyrapone and 2-bromophenylmetyrapone in rats. European<br>Journal of Drug Metabolism and Pharmacokinetics, 1999, 24, 23-29.  | 0.6 | 0         |
| 239 | Simultaneous analysis of 2-methoxyphenylmetyrapone and its seven potential metabolites by high-performance liquid chromatography. Biomedical Applications, 1997, 704, 315-323.  | 1.7 | 1         |
| 240 | Spectral and chromatographic properties of 2-methoxyphenylmetyrapone and its potential metabolites. Journal of Pharmaceutical and Biomedical Analysis, 1997, 15, 479-486.   | 1.4 | 2         |
| 241 | Urinary metabolic profile in rat of 1-(2-methoxyphenyl)-2-methyl-2-(3-pyridyl)-1-propanone: a potential radioligand for functional diagnosis of adrenal pathology. Xenobiotica, 1996, 26, 211-219.  | 0.5 | 3         |
| 242 | Some new methods for the synthesis of cardiac neurotransmission PET radiotracers. Nuclear<br>Medicine and Biology, 1995, 22, 1037-1043.   | 0.3 | 4         |
| 243 | Metabolic and pharmacokinetic considerations in the design of 2-phenyl substituted metyrapone derivatives: 2-methoxyphenylmetyrapone as a radioligand for functional diagnosis of adrenal pathology. Nuclear Medicine and Biology, 1995, 22, 1067-1074. | 0.3 | 11        |
| 244 | The Potential Role of the MCHR1 in Diagnostic Imaging: Facts and Trends. , 0, , .   |     | 2         |
| 245 | Synthesis of [68Ga]Gallium Dota-(Tyr3)-Octreotide Acetate ([68Ga]-Dotatoc). , 0, , 321-334.   |     | 3         |
| 246 | Synthesis of 2-(4-N-[11C]Methylaminophenyl)-6-Hydroxybenzothiazole ([11C]6-OH-BTA-1; [11C]PIB). , 0, ,<br>177-189.  |     | 0         |
| 247 | Synthesis of 3-Amino-4-[2-(N-Methyl-N-[11C]Methyl-Amino-Methyl)Phenylsulfanyl]-Benzonitrile<br>([11C]DASB). , 0, , 285-296.   |     | 0         |