

# Srinivas Gaddam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/870091/publications.pdf>

Version: 2024-02-01

162  
papers

4,089  
citations

109137

35  
h-index

118652

62  
g-index

164  
all docs

164  
docs citations

164  
times ranked

3435  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | US Nationwide Insight Into All-cause 30-day Readmissions following Inpatient Endoscopic Retrograde Cholangiopancreatography. <i>Journal of Clinical Gastroenterology</i> , 2023, 57, 515-523.   | 1.1 | 4         |
| 2  | Characteristics of Patients Undergoing Endoscopic Retrograde Cholangiopancreatography for Sphincter of Oddi Disorders. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e627-e634.   | 2.4 | 3         |
| 3  | Endoscopic Suturing for the Prevention and Treatment of Complications Associated with Endoscopic Mucosal Resection of Large Duodenal Adenomas. <i>Clinical Endoscopy</i> , 2022, 55, 95-100.  | 0.6 | 6         |
| 4  | Management of Difficult Choledocholithiasis. <i>Digestive Diseases and Sciences</i> , 2022, 67, 1613-1623.  | 1.1 | 3         |
| 5  | Rio de Janeiro Global Consensus on Landmarks, Definitions, and Classifications in Barrett's Esophagus: World Endoscopy Organization Delphi Study. <i>Gastroenterology</i> , 2022, 163, 84-96.e2.  | 0.6 | 6         |
| 6  | Incidence of Pancreatic Cancer by Age and Sex in the US From 2000 to 2018—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1402.   | 3.8 | 0         |
| 7  | Predicting pancreatic ductal adenocarcinoma using artificial intelligence analysis of pre-diagnostic computed tomography images. <i>Cancer Biomarkers</i> , 2022, 33, 211-217.  | 0.8 | 32        |
| 8  | Novel Endoscopic Polypectomy Surveillance Technique for Fundic Gland Polyps in Familial Adenomatous Polyposis Can Improve Early Detection of Dysplasia and Gastric Cancer. <i>American Journal of Gastroenterology</i> , 2022, 117, 1246-1254.  | 0.2 | 1         |
| 9  | Impact of site-specific metastases on survival outcomes in pancreatic adenocarcinoma (PDAC) patients: A national analysis.. <i>Journal of Clinical Oncology</i> , 2022, 40, e16270-e16270.  | 0.8 | 0         |
| 10 | OVER THE SCOPE LUMINAL STENTING: A TERTIARY CENTER'S EXPERIENCE OF AN INNOVATIVE TECHNIQUE. <i>Gastrointestinal Endoscopy</i> , 2022, 95, AB118-AB119.  | 0.5 | 0         |
| 11 | Trial in progress: A randomized phase II study of pembrolizumab with or without defactinib, a focal adhesion kinase inhibitor, following chemotherapy as a neoadjuvant and adjuvant treatment for resectable pancreatic ductal adenocarcinoma (PDAC).. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS4192-TPS4192. | 0.8 | 1         |
| 12 | ID: 3519617 COMPARISON OF NO STENT FIXATION, FULL-THICKNESS ENDOSCOPIC SUTURING, AND OVER-THE-SCOPE CLIP (OTSC) IN PREVENTING MIGRATION OF FULLY COVERED SELF EXPANDING METAL STENTS (FCSEMS). <i>Gastrointestinal Endoscopy</i> , 2021, 93, AB32-AB33.   | 0.5 | 1         |
| 13 | ID: 3526838 ENDOSCOPIC ULTRASOUND GUIDED SHEAR WAVE ELASTOGRAPHY (EUS-SWE) OF THE PANCREAS: PRELIMINARY FINDINGS FROM A PROSPECTIVE REGISTRY. <i>Gastrointestinal Endoscopy</i> , 2021, 93, AB237-AB238.  | 0.5 | 0         |
| 14 | Fluoroscopy-guided shaped endobiliary biopsy at endoscopic retrograde cholangiography can accurately diagnose biliary neoplasia: Results from a large cohort. <i>Endoscopy International Open</i> , 2021, 09, E1039-E1048.  | 0.9 | 1         |
| 15 | ID: 3525459 COMPARING REINTERVENTIONS AND READMISSIONS FOR EUS-GUIDED GASTROJEJUNOSTOMY (GJ) USING LUMEN-APPPOSING METAL STENT (LAMS) VS DUODENAL STENT FOR MANAGEMENT OF GASTRIC OUTLET OBSTRUCTION. <i>Gastrointestinal Endoscopy</i> , 2021, 93, AB225.  | 0.5 | 3         |
| 16 | Low Risk of Progression of Barrett's Esophagus to Neoplasia in Women. <i>Journal of Clinical Gastroenterology</i> , 2021, 55, 321-326.  | 1.1 | 11        |
| 17 | Incidence of Pancreatic Cancer by Age and Sex in the US, 2000-2018. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 2075.  | 3.8 | 63        |
| 18 | S127—Novel High-Pressure Water Jet-Based System Effectively Decreases Bioburden in the Preprocessing of Duodenoscope's Elevator Mechanism Immediately After an ERCP: Preliminary Findings of a Pilot Study. <i>American Journal of Gastroenterology</i> , 2021, 116, S53-S54.   | 0.2 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Is sore throat an underreported and under-estimated quality indicator for endoscopic procedures? Results from a large prospective cohort. <i>Endoscopy International Open</i> , 2020, 08, E1398-E1404.   | 0.9 | 0         |
| 20 | Impact of Tilt-Down Positioning Compared With Left Lateral Positioning on Ease of Colonoscope Insertion During Colonoscopy. <i>Journal of Clinical Gastroenterology</i> , 2020, 54, 558-560.   | 1.1 | 3         |
| 21 | The importance of the "endoscopic oncologist" in the treatment of nonoperable cholangiocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 1213-1215.   | 0.5 | 3         |
| 22 | S1246 The Development of an Evidence-Based Management Algorithm for Iatrogenic Endoscopic Perforations and Its Impact on Physician Knowledge: A Quality Improvement Project. <i>American Journal of Gastroenterology</i> , 2020, 115, S626-S626.             | 0.2 | 0         |
| 23 | Su1423 PREDICTORS OF UNPLANNED INTRA-PROCEDURAL CONVERSION FROM MONITORED ANESTHESIA CARE TO GENERAL ANESTHESIA DURING ERCP: A LARGE RETROSPECTIVE COHORT. <i>Gastrointestinal Endoscopy</i> , 2020, 91, AB339.  | 0.5 | 0         |
| 24 | Multiparametric Mapping Magnetic Resonance Imaging of Pancreatic Disease. <i>Frontiers in Physiology</i> , 2020, 11, 8.  | 1.3 | 19        |
| 25 | Six-dimensional quantitative DCE MR Multitasking of the entire abdomen: Method and application to pancreatic ductal adenocarcinoma. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 928-948.   | 1.9 | 16        |
| 26 | S0081 Virtual Reality Can Reduce Pain and Opioid Use in Sphincter of Oddi Dysfunction (SOD) Type III: A Prospective Pilot Study. <i>American Journal of Gastroenterology</i> , 2020, 115, S39-S40.   | 0.2 | 3         |
| 27 | S0082 Endoscopic Ultrasound Is Likely to Diagnose Early Stage, Resectable Pancreatic Ductal Adenocarcinoma After an Acute Pancreatitis Episode: Results From a Retrospective Cohort Study. <i>American Journal of Gastroenterology</i> , 2020, 115, S40-S40. | 0.2 | 0         |
| 28 | Lower Annual Rate of Progression of Short-Segment vs Long-Segment Barrett's Esophagus to Esophageal Adenocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 864-868.   | 2.4 | 51        |
| 29 | Su1372 OUTCOMES OF ENDOSCOPIC SUBMUCOSAL DISSECTION VERSUS SURGERY IN EARLY GASTRIC CANCER MEETING STANDARD AND EXPANDED INDICATIONS: A MULTICENTER NORTH AMERICAN COHORT. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB350-AB351.                        | 0.5 | 0         |
| 30 | Mo1051 UNDERSTANDING ATTITUDES AND UTILITY OF PRE-PROCEDURAL COMMUNICATION BETWEEN ENDOSCOPISTS AND ANESTHESIOLOGISTS. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB424.  | 0.5 | 1         |
| 31 | Sa1435 HILAR PLASTIC STENTS EXCHANGED AT REGULAR INTERVALS IMPROVE SURVIVAL IN PATIENTS WITH INOPERABLE HILAR CHOLANGIOCARCINOMA WHEN COMPARED TO METAL STENTS. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB229.   | 0.5 | 0         |
| 32 | Outcomes of endoscopic treatment of leaks and fistulae after sleeve gastrectomy: results from a large multicenter U.S. cohort. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 850-855.  | 1.0 | 15        |
| 33 | Lumen apposing metal stents are superior to plastic stents in pancreatic walled-off necrosis: a large international multicenter study. <i>Endoscopy International Open</i> , 2019, 07, E347-E354.  | 0.9 | 75        |
| 34 | Correction: Lumen-apposing stents versus plastic stents in the management of pancreatic pseudocysts: a large, comparative, international, multicenter study. <i>Endoscopy</i> , 2019, 51, C5-C5.   | 1.0 | 2         |
| 35 | 1180 Novel Capillary Catheter System Is Superior to Conventional Small Bowel Aspiration Catheter: An Important Development for Small Bowel Microbiome Assessment. <i>American Journal of Gastroenterology</i> , 2019, 114, S660-S663.                        | 0.2 | 1         |
| 36 | Low Frequency of Lymph Node Metastases in Patients in the United States With Early-stage Gastric Cancers That Fulfill Japanese Endoscopic Resection Criteria. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1763-1769.                         | 2.4 | 27        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Increasing prevalence of high-grade dysplasia and adenocarcinoma on index endoscopy in Barrett's esophagus over the past 2 decades: data from a multicenter U.S. consortium. <i>Gastrointestinal Endoscopy</i> , 2019, 89, 257-263.e3.  | 0.5 | 20        |
| 38 | Lumen-apposing stents versus plastic stents in the management of pancreatic pseudocysts: a large, comparative, international, multicenter study. <i>Endoscopy</i> , 2019, 51, 1035-1043.  | 1.0 | 42        |
| 39 | 523's Sore Throat an Under-Reported and Under-Estimated Quality Indicator of Endoscopic Procedures? Results From a Large Prospective Cohort. <i>American Journal of Gastroenterology</i> , 2019, 114, S304-S304.  | 0.2 | 0         |
| 40 | Prediction of Barrett's esophagus: are we there yet?. <i>Ecological Management and Restoration</i> , 2018, 31, .  | 0.2 | 0         |
| 41 | Development and Validation of a Model to Determine Risk of Progression of Barrett's Esophagus to Neoplasia. <i>Gastroenterology</i> , 2018, 154, 1282-1289.e2.  | 0.6 | 107       |
| 42 | Endoscopic ultrasound-guided through-the-needle microforceps biopsy in the evaluation of pancreatic cystic lesions: a multicenter study. <i>Endoscopy International Open</i> , 2018, 06, E1423-E1430.   | 0.9 | 42        |
| 43 | Tu1911 SAFETY AND EFFICACY OF THE ENDOSCOPIC MANAGEMENT OF STAPLE LINE LEAKS FOLLOWING SLEEVE GASTRECTOMY: EXPERIENCE OF A MULTICENTER COHORT.. <i>Gastrointestinal Endoscopy</i> , 2018, 87, AB607.  | 0.5 | 0         |
| 44 | Mo1336 THE USE OF AN ENDOSCOPIC ULTRASOUND-GUIDED THROUGH-THE-NEEDLE-FORCEPS BIOPSY IN THE EVALUATION OF PANCREATIC CYSTIC LESIONS: A MULTICENTER RETROSPECTIVE STUDY. <i>Gastrointestinal Endoscopy</i> , 2018, 87, AB451-AB452.   | 0.5 | 0         |
| 45 | Endoscopists With Lower Polyp Detection Rate Are Likely to Perform One-And-Done Colonoscopy: Analysis From a Large Multicenter Consortium of Endoscopy Practices in the United States. <i>American Journal of Gastroenterology</i> , 2018, 113, S142.   | 0.2 | 1         |
| 46 | Future of GERD Research in Asia. , 2018, , 167-175.   |     | 0         |
| 47 | Increasing Number of Passes Beyond 4 Does Not Increase Sensitivity of Detection of Pancreatic Malignancy by Endoscopic Ultrasound-Guided Fine-Needle Aspiration. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1071-1078.e2.  | 2.4 | 62        |
| 48 | Coeliac disease screening is suboptimal in a tertiary gastroenterology setting. <i>Postgraduate Medical Journal</i> , 2017, 93, 472-475.  | 0.9 | 1         |
| 49 | A Prospective Multicenter Study Evaluating Learning Curves and Competence in Endoscopic Ultrasound and Endoscopic Retrograde Cholangiopancreatography Among Advanced Endoscopy Trainees: The Rapid Assessment of Trainee Endoscopy Skills Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1758-1767.e11. | 2.4 | 83        |
| 50 | Evaluation of the 2015 AGA guidelines on pancreatic cystic neoplasms in a large surgically confirmed multicenter cohort. <i>Endoscopy International Open</i> , 2017, 05, E201-E208.   | 0.9 | 13        |
| 51 | Low Risk of High-Grade Dysplasia or Esophageal Adenocarcinoma Among Patients With Barrett's Esophagus Less Than 1 cm (Irregular Z Line) Within 5 Years of Index Endoscopy. <i>Gastroenterology</i> , 2017, 152, 987-992.  | 0.6 | 54        |
| 52 | Editorial: Best Practices in Surveillance of Barrett's Esophagus. <i>American Journal of Gastroenterology</i> , 2017, 112, 1056-1060.   | 0.2 | 17        |
| 53 | Su1710 Accurate Interpretation of Colon Polyp Size by Visual Inspection and Open Biopsy Forceps Method: Results From a Single Academic Center In-Vivo Blinded Randomized Controlled Study. <i>Gastrointestinal Endoscopy</i> , 2017, 85, AB404-AB405.   | 0.5 | 0         |
| 54 | Increased Recognition of HGD/EAC at Index Endoscopy Over the Past 2 Decades: Data from a Multi-Center U.S. Consortium. <i>Gastroenterology</i> , 2017, 152, S34.  | 0.6 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Neoplastic Progression in Patients with Short Segment Barrett's Esophagus: Long-Term Follow-up of Over a 1000 Patients in a Multi-Center Consortium. <i>Gastroenterology</i> , 2017, 152, S456.   | 0.6 | 0         |
| 56 | Pancreatic Fistula or Leak after Distal Pancreatectomy: Has Anything Changed? 13-Year Single Surgeon Experienc. <i>Gastroenterology</i> , 2017, 152, S1272-S1273.   | 0.6 | 0         |
| 57 | Recurrence of intestinal metaplasia and early neoplasia after endoscopic eradication therapy for Barrett's esophagus: a systematic review and meta-analysis. <i>Endoscopy International Open</i> , 2017, 05, E430-E449.   | 0.9 | 51        |
| 58 | The learning curve for interpretation of oesophageal high-resolution manometry: a prospective interventional cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 291-299.   | 1.9 | 5         |
| 59 | Resolution of Diffuse Intrahepatic Biliary Strictures after Chemotherapy for Metastatic Ovarian Cancer. <i>ACG Case Reports Journal</i> , 2017, 4, e77.   | 0.2 | 2         |
| 60 | Defining the Rates of Missed and Interval High-Grade Lesions in Patients With Barrett's Esophagus: Results From a Large Multicenter Study. <i>American Journal of Gastroenterology</i> , 2017, 112, S169-S170.  | 0.2 | 0         |
| 61 | Development and Validation of a Prediction Model Associated with Neoplastic Progression of Barrett's Esophagus (BE): Data from a Multi-Center Prospective Cohort. <i>American Journal of Gastroenterology</i> , 2016, 111, S191-S192.   | 0.2 | 1         |
| 62 | Predictors for Surgical Referral in Patients With Pancreatic Cystic Lesions Undergoing Endoscopic Ultrasound. <i>Pancreas</i> , 2016, 45, 51-57.  | 0.5 | 6         |
| 63 | Changes in symptom reflux association using dynamic pH thresholds during ambulatory pH monitoring: an observational cross-sectional study. <i>Ecological Management and Restoration</i> , 2016, 29, 1013-1019.  | 0.2 | 4         |
| 64 | 839 Should We Discontinue Surveillance in Patients With Irregular z line (<1 cm Barrett's) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T   | 0.6 | 0         |
| 65 | 1105 Per-Pass Analysis on the Diagnostic Yield of EUS-Guided FNA in Solid Pancreatic Mass Lesions: Analysis From a Multicenter Randomized Controlled Trial. <i>Gastroenterology</i> , 2016, 150, S222.  | 0.6 | 0         |
| 66 | 205 Endoscopic Ultrasound and Fine Needle Aspiration in the Management of Pancreatic Cystic Neoplasms: Evaluation of 2015 AGA Guidelines in a Large Multicenter Cohort. <i>Gastroenterology</i> , 2016, 150, S53-S54.   | 0.6 | 0         |
| 67 | 842 Determining Effectiveness and Recurrence Post Endoscopic Eradication Therapy (EET) in Barrett's Esophagus: Results From a Multicenter Cohort Study. <i>Gastroenterology</i> , 2016, 150, S178.  | 0.6 | 0         |
| 68 | A comparison between endoscopic ultrasound-guided rendezvous and percutaneous biliary drainage after failed ERCP for malignant distal biliary obstruction. <i>Endoscopy International Open</i> , 2016, 04, E980-E985.   | 0.9 | 24        |
| 69 | Tu1567 Fluoroscopy-Guided Shaped Endobiliary Biopsy (FSEB) at Endoscopic Retrograde Cholangiopancreatography (ERCP) can Accurately Diagnose Biliary Neoplasia: Results from a Large Cohort. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB610.  | 0.5 | 0         |
| 70 | 208 Prevalence of Multi-Drug Resistant Organisms (MDRO) in Surveillance Endoscopic Bile Fluid Cultures from Patients Undergoing Endoscopic Retrograde Cholangiopancreatography (ERCP): Interim Analysis from a Large Prospective Cohort. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB128. | 0.5 | 0         |
| 71 | Transpapillary drainage has no added benefit on treatment outcomes in patients undergoing EUS-guided transmural drainage of pancreatic pseudocysts: a large multicenter study. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 720-729.   | 0.5 | 85        |
| 72 | Prevalence of advanced histological features and synchronous neoplasia in patients with flat adenomas. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 795-799.   | 0.5 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Suboptimal accuracy of carcinoembryonic antigen in differentiation of mucinous and nonmucinous pancreatic cysts: results of a large multicenter study. <i>Gastrointestinal Endoscopy</i> , 2015, 82, 1060-1069.  | 0.5 | 77        |
| 74 | 1038 Characteristics and Outcomes of Pancreatic Cystic Neoplasms With Indeterminate CEA Levels Obtained by Endoscopic Ultrasound Guided Fine-Needle Aspiration (EUS-FNA): Results of a Multicenter Study. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB187-AB188.   | 0.5 | 1         |
| 75 | Su1673 Progress Report and Temporal Analysis on Health Disparity in Colorectal Cancer Care in the United States: Need for Targeted Intervention. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB373.  | 0.5 | 0         |
| 76 | Tu1603 Risk Factors for Stricture Formation After Wide Field Endoscopic Mucosal Resection (Wfemr) in Barrett's Esophagus (Be) Patients Undergoing Endoscopic Eradication Therapy: Results From a Large Tertiary Care Center. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB526.  | 0.5 | 0         |
| 77 | Su1629 Efficacy and Safety of the Double Guidewire Technique for ERCP: Systematic Review and Meta-Analysis. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB358.   | 0.5 | 0         |
| 78 | 207 Transpapillary Drainage Has No Benefit on Treatment Outcomes in Patients Undergoing EUS-Guided Transmural Drainage of Pancreatic Fluid Collections: a Multi-Center Study. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB122-AB123.   | 0.5 | 2         |
| 79 | Tu1617 A Comparison Between Endoscopic Ultrasound Guided Rendezvous and Percutaneous Biliary Drainage After Failed ERCP for Malignant Biliary Obstruction. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB531.  | 0.5 | 3         |
| 80 | Mo1557 Outcomes of Enteral Stent Placement to Relieve Duodenal Obstruction Caused by Pancreatico-Biliary Cancers: Results From a Large Retrospective Cohort.. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB465-AB466.   | 0.5 | 1         |
| 81 | Tu1565 Efficacy, Durability and Safety of Wide Field Endoscopic Mucosal Resection (wfEMR) in the Treatment of High Grade Dysplasia (HGD) and Intramucosal Adenocarcinoma (IMC) in Patients With Barrett's Esophagus (Be): Results From a Tertiary Care Referral Center. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB511-AB512. | 0.5 | 0         |
| 82 | Patterns of antiplatelet agent use in the US. <i>Endoscopy International Open</i> , 2015, 3, E173-E178.  | 0.9 | 8         |
| 83 | The Clinical Impact of Immediate On-Site Cytopathology Evaluation During Endoscopic Ultrasound-Guided Fine Needle Aspiration of Pancreatic Masses: A Prospective Multicenter Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2015, 110, 1429-1439.  | 0.2 | 128       |
| 84 | Clinical outcomes in patients with a diagnosis of "indefinite for dysplasia" in Barrett's esophagus: a multicenter cohort study. <i>Endoscopy</i> , 2015, 47, 669-674.   | 1.0 | 22        |
| 85 | Barrett's oesophagus length is established at the time of initial endoscopy and does not change over time: results from a large multicentre cohort. <i>Gut</i> , 2015, 64, 1874-1880.  | 6.1 | 11        |
| 86 | Evaluation of the updated confocal laser endomicroscopy criteria for Barrett's esophagus among gastrointestinal pathologists. <i>Ecological Management and Restoration</i> , 2014, 27, 623-629.  | 0.2 | 17        |
| 87 | Su1499 Creation of a Prediction Tool (M-PACT) to Accurately Identify Premalignant and Malignant Cysts in Patients Undergoing Endoscopic Ultrasound (EUS) for Evaluation of Pancreatic Cystic Lesions: Results From a Large Multicenter Cohort. <i>Gastroenterology</i> , 2014, 146, S-485.   | 0.6 | 1         |
| 88 | Effect of acid-suppressive therapy on narrow band imaging findings in gastroesophageal reflux disease: a pilot study. <i>Ecological Management and Restoration</i> , 2013, 26, 124-129.  | 0.2 | 15        |
| 89 | Endoscopic Mucosal Resection Results in Change of Histologic Diagnosis in Barrett's Esophagus Patients with Visible and Flat Neoplasia: A Multicenter Cohort Study. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1703-1709.  | 1.1 | 80        |
| 90 | 484 Development of a Prediction Model for Premalignant and Malignant Pancreatic Cystic Lesions Using Clinical and Endoscopic Ultrasound (EUS) Features: Implications for Risk Stratification. <i>Gastroenterology</i> , 2013, 144, S-88-S-89.  | 0.6 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Association Between Length of Barrett's Esophagus and Risk of High-grade Dysplasia or Adenocarcinoma in Patients Without Dysplasia. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1430-1436.                                   | 2.4 | 117       |
| 92  | Standard endoscopy with random biopsies versus narrow band imaging targeted biopsies in Barrett's oesophagus: a prospective, international, randomised controlled trial. <i>Gut</i> , 2013, 62, 15-21.                                       | 6.1 | 309       |
| 93  | Endoscopic Therapy of Barrett Esophagus. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2013, 23, 1-16.  | 0.6 | 6         |
| 94  | Endoscopic tumor diagnosis and treatment. <i>Gastrointestinal Endoscopy</i> , 2013, 78, 421-427.   | 0.5 | 4         |
| 95  | Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study. <i>Gastrointestinal Endoscopy</i> , 2013, 77, 711-718. | 0.5 | 33        |
| 96  | Sa1540 Cost Minimization Analysis of Onsite Cytopathologist (CyP) Evaluation During EUS FNA of Solid Pancreatic Lesions (SPL). <i>Gastrointestinal Endoscopy</i> , 2013, 77, AB243-AB244.  | 0.5 | 2         |
| 97  | Persistence of Nondysplastic Barrett's Esophagus Identifies Patients at Lower Risk for Esophageal Adenocarcinoma: Results From a Large Multicenter Cohort. <i>Gastroenterology</i> , 2013, 145, 548-553.e1.                                  | 0.6 | 81        |
| 98  | Su1459 A Detailed Analysis of Subsquamous Intestinal Metaplasia (SSIM) in Barrett's Esophagus (BE) Patients After Endoscopic Eradication Therapy (EET). <i>Gastrointestinal Endoscopy</i> , 2013, 77, AB331.                                 | 0.5 | 1         |
| 99  | Practice patterns among U.S. gastroenterologists regarding endoscopic management of Barrett's esophagus. <i>Gastrointestinal Endoscopy</i> , 2013, 78, 689-695.  | 0.5 | 39        |
| 100 | Cigarette smoking is a modifiable risk factor for Barrett's oesophagus. <i>United European Gastroenterology Journal</i> , 2013, 1, 430-437.  | 1.6 | 14        |
| 101 | Developing a database of high definition endoscopic videos and images in your institution. <i>Endoscopy</i> , 2013, 45, 370-376.   | 1.0 | 2         |
| 102 | The diagnostic accuracy of 22-gauge and 25-gauge needles in endoscopic ultrasound-guided fine needle aspiration of solid pancreatic lesions: a meta-analysis. <i>Endoscopy</i> , 2013, 45, 86-92.  | 1.0 | 214       |
| 103 | Weight loss can lead to resolution of gastroesophageal reflux disease symptoms: A prospective intervention trial. <i>Obesity</i> , 2013, 21, 284-290.  | 1.5 | 135       |
| 104 | Prevalence and Predictors of Columnar Lined Esophagus in Gastroesophageal Reflux Disease (GERD) Patients undergoing upper endoscopy. <i>American Journal of Gastroenterology</i> , 2012, 107, 1655-1661.                                     | 0.2 | 59        |
| 105 | Higher adenoma detection rates with cap-assisted colonoscopy: a randomised controlled trial. <i>Gut</i> , 2012, 61, 402-408.   | 6.1 | 125       |
| 106 | Assessment of concordance of symptom reflux association tests in ambulatory <sc>pH</sc> monitoring. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 1080-1087.   | 1.9 | 42        |
| 107 | Adequacy of esophageal squamous mucosa specimens obtained during endoscopy: are standard biopsies sufficient for postablation surveillance in Barrett's esophagus?. <i>Gastrointestinal Endoscopy</i> , 2012, 75, 11-18.                     | 0.5 | 64        |
| 108 | Su1291 Practice Patterns Among Gastroenterologists for Management of Anti-Platelet Agents During Endoscopy. <i>Gastrointestinal Endoscopy</i> , 2012, 75, AB281-AB282.   | 0.5 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Longer inspection time is associated with increased detection of high-grade dysplasia and esophageal adenocarcinoma in Barrett's esophagus. <i>Gastrointestinal Endoscopy</i> , 2012, 76, 531-538.  | 0.5 | 190       |
| 110 | Patients With Nondysplastic Barrett's Esophagus Have Low Risks for Developing Dysplasia or Esophageal Adenocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 220-227.e1.  | 2.4 | 211       |
| 111 | Quantitative Variability of Molecular Biomarkers in Barrett's Esophagus. <i>Gastroenterology</i> , 2011, 140, S-306.  | 0.6 | 0         |
| 112 | Impact of a Structured Group Patient Education Class on Compliance Rates for Screening Colonoscopy (SC). <i>Gastroenterology</i> , 2011, 140, S-552-S-553.  | 0.6 | 0         |
| 113 | Risk Factors for Progression of Low-Grade Dysplasia in Patients With Barrett's Esophagus. <i>Gastroenterology</i> , 2011, 141, 1179-1186.e1.  | 0.6 | 238       |
| 114 | A prospective, single-blind, randomized, controlled trial of EUS-guided FNA with and without a stylet. <i>Gastrointestinal Endoscopy</i> , 2011, 74, 58-64.   | 0.5 | 93        |
| 115 | 725 A Prospective, Randomized, Controlled Trial Comparing Cap Assisted Colonoscopy (CAC) and High Definition White Light Colonoscopy (HDWL) for the Detection of Colon Polyps. <i>Gastrointestinal Endoscopy</i> , 2011, 73, AB148-AB149.                                   | 0.5 | 2         |
| 116 | Sa1427 Accuracy of Endoscopic Ultrasonography (EUS) in Staging Early Neoplasia in Barrett's Esophagus (BE): Results From a Large Multicenter Cohort Study. <i>Gastrointestinal Endoscopy</i> , 2011, 73, AB166-AB167.   | 0.5 | 4         |
| 117 | Su1510 Does Cap-Assisted Colonoscopy (CAC) Significantly Impact Surveillance Interval Recommendations Compared to Standard Colonoscopy (SC)? Results From a Randomized Controlled Trial. <i>Gastrointestinal Endoscopy</i> , 2011, 73, AB287-AB288.                         | 0.5 | 2         |
| 118 | Mo1544 Can Novel Probe Based Confocal Laser Endomicroscopy (pCLE) Criteria Improve Accuracy for Diagnosing Dysplasia in Barrett's Esophagus (BE)?. <i>Gastrointestinal Endoscopy</i> , 2011, 73, AB381.   | 0.5 | 1         |
| 119 | Randomized, controlled trial of standard-definition white-light, high-definition white-light, and narrow-band imaging colonoscopy for the detection of colon polyps and prediction of polyp histology. <i>Gastrointestinal Endoscopy</i> , 2011, 74, 593-602.               | 0.5 | 142       |
| 120 | Endoscopy for upper GI cancer screening in the general population: a cost-utility analysis. <i>Gastrointestinal Endoscopy</i> , 2011, 74, 610-624.e2.   | 0.5 | 90        |
| 121 | Are Non-Polypoid (NP) Adenomas Associated With Advanced Histological Features and Synchronous Neoplasia?. <i>Gastroenterology</i> , 2011, 140, S-17.  | 0.6 | 0         |
| 122 | Agreement Among Expert Gastrointestinal Pathologists for Low-Grade Dysplasia (LGD) in Barrett's Esophagus (BE) and Implications for Progression: Results From a Large, Multicenter Cohort Study. <i>Gastroenterology</i> , 2011, 140, S-80.                                 | 0.6 | 4         |
| 123 | Relationship Between Barrett's Esophagus (BE) Length and the Risk of High Grade Dysplasia (HGD) and Esophageal Adenocarcinoma (EAC) in Patients With Non Dysplastic Barrett's Esophagus Results From a Large Multicenter Cohort. <i>Gastroenterology</i> , 2011, 140, S-81. | 0.6 | 5         |
| 124 | External Validation of Novel Probe-Based Confocal Laser Endomicroscopy (pCLE) Criteria for the Diagnosis of Dysplasia in Barrett's Esophagus (BE). <i>Gastroenterology</i> , 2011, 140, S-108.  | 0.6 | 2         |
| 125 | Probe Based Confocal Laser Endomicroscopy (pCLE) for the Diagnosis of Dysplasia in Barrett's Esophagus (BE): Accuracy and Interobserver Agreement Among Gastrointestinal Pathologists. <i>Gastroenterology</i> , 2011, 140, S-186.  | 0.6 | 1         |
| 126 | Temporal Effects of Weight Change on Gastroesophageal Reflux Disease (GERD) in Obese Subjects: A Large Prospective Study. <i>Gastroenterology</i> , 2011, 140, S-189-S-190.   | 0.6 | 3         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Longer Barrett's Inspection Time (Bit) is Associated With a Higher Detection Rate of High Grade Dysplasia (HGD) and Early Esophageal Adenocarcinoma (EAC). <i>Gastroenterology</i> , 2011, 140, S-198-S-199.                             | 0.6 | 2         |
| 128 | Perception of High Esophageal Cancer (EC) Risk is Associated With Decreased Quality of Life (QOL) in Patients With Barrett's Esophagus (BE). <i>Gastroenterology</i> , 2011, 140, S-199.   | 0.6 | 0         |
| 129 | Is the Extent of Low-Grade Dysplasia (LGD) in Barrett's Esophagus (BE) a Risk Factor for the Development of Esophageal Adenocarcinoma (EAC): Results From a Large, Multicenter Cohort Study. <i>Gastroenterology</i> , 2011, 140, S-217. | 0.6 | 0         |
| 130 | Diagnostic Endoscopic Mucosal Resection (EMR) Leads to a Change in Histologic Diagnosis in Barrett's Esophagus (BE) Patients With Visible and Flat Neoplasia. <i>Gastroenterology</i> , 2011, 140, S-217-S-218.                          | 0.6 | 1         |
| 131 | Esophageal Shortening as a Measure of Longitudinal Muscle Function on High-Resolution Manometry: A Pilot Feasibility Study. <i>Gastroenterology</i> , 2011, 140, S-226.  | 0.6 | 0         |
| 132 | Goblet Cell Density and Risk of Neoplastic Progression in Barrett's Esophagus. <i>Gastroenterology</i> , 2011, 140, S-306.   | 0.6 | 1         |
| 133 | Association of Right Sided Hyperplastic Polyps, Large Hyperplastic Polyps, and Other Serrated Polyps With Synchronous Colonic Neoplasia. <i>Gastroenterology</i> , 2011, 140, S-407.   | 0.6 | 4         |
| 134 | The controversy regarding ablation for Barrett's esophagus without dysplasia. <i>Current Opinion in Gastroenterology</i> , 2011, 27, 368-373.  | 1.0 | 2         |
| 135 | Risk Factors for Nocturnal Reflux in a Large GERD Cohort. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 764-768.   | 1.1 | 15        |
| 136 | Dilated intercellular spaces and lymphocytes on biopsy relate to symptoms in erosive GERD but not NERD. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1202-1208.   | 1.9 | 12        |
| 137 | A Comparative Study of Endoscopic Ultrasound Guided Fine Needle Aspiration With and Without a Stylet. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2409-2414.  | 1.1 | 75        |
| 138 | Shedding light on the epidemiology of gastroesophageal reflux disease in India—a big step forward. <i>Indian Journal of Gastroenterology</i> , 2011, 30, 105-107.  | 0.7 | 11        |
| 139 | Observer agreement in the assessment of narrowband imaging system surface patterns in Barrett's esophagus: a multicenter study. <i>Endoscopy</i> , 2011, 43, 745-751.  | 1.0 | 58        |
| 140 | Feasibility of MicroRNAs as Biomarkers for Barrett's Esophagus Progression: A Pilot Cross-Sectional, Phase 2 Biomarker Study. <i>American Journal of Gastroenterology</i> , 2011, 106, 1055-1063.  | 0.2 | 68        |
| 141 | Novel Probe-Based Confocal Laser Endomicroscopy Criteria and Interobserver Agreement for the Detection of Dysplasia in Barrett's Esophagus. <i>American Journal of Gastroenterology</i> , 2011, 106, 1961-1969.                          | 0.2 | 93        |
| 142 | The impact of pre-endoscopy proton pump inhibitor use on the classification of non-erosive reflux disease and erosive oesophagitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 1266-1274.                               | 1.9 | 21        |
| 143 | Advances in endoscopic diagnosis and treatment of Barrett's esophagus. <i>Journal of Digestive Diseases</i> , 2010, 11, 323-333.   | 0.7 | 12        |
| 144 | Greater Interobserver Agreement by Endoscopic Mucosal Resection Than Biopsy Samples in Barrett's Dysplasia. <i>Clinical Gastroenterology and Hepatology</i> , 2010, 8, 783-788.e2.   | 2.4 | 98        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | M1104 Predicting High-Grade Dysplasia (HGD) and Esophageal Adenocarcinoma (EAC) in Patients With Non-Dysplastic Barrett's Esophagus (BE): Results From a Large, Multicenter Cohort Study. <i>Gastroenterology</i> , 2010, 138, S-333.   | 0.6 | 3         |
| 146 | 1080c: A Multicenter, Prospective, Randomized Controlled Trial Comparing Standard Definition White Light (SDWL), High Definition White Light (HDWL) and Narrow Band Imaging (NBI) Colonoscopy for the Detection of Colon Polyps and Real Time Prediction of Histology. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB142. | 0.5 | 2         |
| 147 | S1416: Validation of the Prague C & M Criteria for the Endoscopic Grading of Barrett's Esophagus Among Gastroenterology Trainees: A Multicenter Study. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB156.   | 0.5 | 4         |
| 148 | S1490: High Prevalence of Columnar Lined Esophagus in Patients With Chronic Gastroesophageal Reflux Disease: Implications for Disease Definitions. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB175-AB176.   | 0.5 | 5         |
| 149 | S1544: Comparison of Standard Definition White Light (SD-WL), High Definition White Light (HD-WL), and Narrow Band Imaging (NBI) Colonoscopy: Impact on Surveillance Interval Recommendations. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB190.   | 0.5 | 1         |
| 150 | S1594: Use of Video-Autofluorescence Imaging (AFI) and Magnification Narrow Band Imaging (Zoom-NBI) in Barrett's Esophagus: An Inter-Observer Agreement Study. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB203.   | 0.5 | 2         |
| 151 | S1614: Development and Testing of Criteria for the Diagnosis of Dysplasia in Barrett's Esophagus (BE) Using Probe-Based Confocal Laser Endomicroscopy (pLE). <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB208.   | 0.5 | 0         |
| 152 | M1527: Prediction of Barrett's Esophagus (BE) in Patients With Gastroesophageal Reflux Disease (GERD) Using Logistic Regression Model (LRM) and Artificial Neural Network (ANN). <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB245.   | 0.5 | 1         |
| 153 | T1473: Is the Use of Stylet During Endoscopic Ultrasound (EUS)- Guided Fine Needle Aspiration (FNA) Worth the Effort? A Comparative Study of EUS-FNA With and Without a Stylet. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB286.  | 0.5 | 2         |
| 154 | 14 A Comparative Study of Dysplasia and Cancer Risk in Intestinal Metaplasia (IM) and Non-Intestinal Metaplasia Epithelia: Clinical Implications for the Definition of Barrett's Esophagus. <i>Gastroenterology</i> , 2010, 138, S-2.   | 0.6 | 2         |
| 155 | 475c Low Risk of Developing Dysplasia and Esophageal Adenocarcinoma (EAC) in Patients With Non-Dysplastic Barrett's Esophagus (BE): Results From a Large, Multicenter, Cohort Study. <i>Gastroenterology</i> , 2010, 138, S-63.   | 0.6 | 4         |
| 156 | S1056 The Prevalence of Dysplasia is Increasing in Patients With Newly Diagnosed Barrett's Esophagus (BE): Secular Trends From a Large, Multicenter, Cohort Study. <i>Gastroenterology</i> , 2010, 138, S-169.  | 0.6 | 1         |
| 157 | Multimodality Endoscopic Therapy for Complete Eradication of Barrett's Esophagus. <i>Gastroenterology</i> , 2010, 139, e18.   | 0.6 | 1         |
| 158 | How Accurate are Colonoscopy Surveillance Intervals Based on Real-Time Polyp Histology Prediction by Narrow Band Imaging (NBI)?. <i>American Journal of Gastroenterology</i> , 2010, 105, S565.   | 0.2 | 0         |
| 159 | A Prospective, Single Blinded, Randomized Controlled Trial of Endoscopic Ultrasound (EUS) - Guided Fine-Needle Aspiration (FNA) With and Without a Stylet. <i>American Journal of Gastroenterology</i> , 2010, 105, S528.   | 0.2 | 0         |
| 160 | Patient Attitudes Toward Colonoscopy. <i>American Journal of Gastroenterology</i> , 2008, 103, S204-S205.   | 0.2 | 0         |
| 161 | Patients Willingness for Colonoscopy. <i>American Journal of Gastroenterology</i> , 2008, 103, S206.  | 0.2 | 0         |
| 162 | Weight Loss Can Lead to Resolution of Gastroesophageal Reflux Disease Symptoms: A Prospective Intervention Trial. <i>Obesity</i> , 0, , .   | 1.5 | 5         |