

# Patrick Callaghan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8701101/publications.pdf>

Version: 2024-02-01

40  
papers

1,024  
citations

394286

19  
h-index

454834

30  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1486  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effect of Exercise on Depressive Symptoms in Adolescents: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 580-590.	0.3	149
2	Pragmatic randomised controlled trial of preferred intensity exercise in women living with depression. <i>BMC Public Health</i> , 2011, 11, 465.	1.2	73
3	Preferred intensity exercise for adolescents receiving treatment for depression: a pragmatic randomised controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 247.	1.1	69
4	The effect of physical activity on anxiety in children and young people: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 285, 10-21.	2.0	62
5	Bringing meaning to user involvement in mental health care planning: a qualitative exploration of service user perspectives. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2016, 23, 12-21.	1.2	61
6	The strengths based approach as a service delivery model for severe mental illness: a meta-analysis of clinical trials. <i>BMC Psychiatry</i> , 2014, 14, 243.	1.1	54
7	The effectiveness of the Penn Resiliency Programme (PRP) and its adapted versions in reducing depression and anxiety and improving explanatory style: A systematic review and meta-analysis. <i>Journal of Adolescence</i> , 2016, 52, 37-48.	1.2	45
8	Applying the Transtheoretical Model of Change to exercise in young Chinese people. <i>British Journal of Health Psychology</i> , 2002, 7, 267-282.	1.9	36
9	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <i>PLoS ONE</i> , 2018, 13, e0201533.	1.1	33
10	Evaluation of a co-delivered training package for community mental health professionals on service user and carer involved care planning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2017, 24, 358-366.	1.2	32
11	Evaluation of the impact of a psycho-educational intervention for people diagnosed with schizophrenia and their primary caregivers in Jordan: a randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 72.	1.1	31
12	Behavioural activation therapy for post-stroke depression: the BEADS feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-176.	1.3	29
13	<scp>EQUIP</scp> training the trainers: an evaluation of a training programme for service users and carers involved in training mental health professionals in user involved care planning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2017, 24, 367-376.	1.2	25
14	Qualitative process evaluation of a psycho-educational intervention targeted at people diagnosed with schizophrenia and their primary caregivers in Jordan. <i>BMC Psychiatry</i> , 2017, 17, 68.	1.1	24
15	“Our Care through Our Eyes”™. Impact of a co-produced digital educational programme on nurses’ knowledge, confidence and attitudes in providing care for children and young people who have self-harmed: a mixed-methods study in the UK. <i>BMJ Open</i> , 2017, 7, e014750.	0.8	23
16	Evaluating and Quantifying User and Carer Involvement in Mental Health Care Planning (EQUIP): Co-Development of a New Patient-Reported Outcome Measure. <i>PLoS ONE</i> , 2016, 11, e0149973.	1.1	23
17	A prospective evaluation of the Transtheoretical Model of Change applied to exercise in young people. <i>International Journal of Nursing Studies</i> , 2010, 47, 3-12.	2.5	22
18	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 348.	0.7	20

#	ARTICLE	IF	CITATIONS
19	Managing preconceived expectations: mental health service users experiences of going home from hospital: a grounded theory study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2015, 22, 715-723.	1.2	20
20	The effectiveness of a preferred intensity exercise programme on the mental health outcomes of young people with depression: a sequential mixed methods evaluation. <i>BMC Public Health</i> , 2012, 12, 187.	1.2	17
21	Cost-effectiveness of a preferred intensity exercise programme for young people with depression compared with treatment as usual: an economic evaluation alongside a clinical trial in the UK. <i>BMJ Open</i> , 2017, 7, e016211.	0.8	14
22	An oral health intervention for people with serious mental illness (Three Shires Early Intervention) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6</i>	0.7	13
23	Behavioural Activation Therapy for Depression after Stroke (BEADS): a study protocol for a feasibility randomised controlled pilot trial of a psychological intervention for post-stroke depression. <i>Pilot and Feasibility Studies</i> , 2016, 2, 45.	0.5	13
24	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. <i>Trials</i> , 2016, 17, 586.	0.7	13
25	An exploration of predictors of children's nurses' attitudes, knowledge, confidence and clinical behavioural intentions towards children and young people who self-harm. <i>Journal of Clinical Nursing</i> , 2018, 27, 2836-2846.	1.4	13
26	Monitoring oral health of people in Early Intervention for Psychosis (EIP) teams: The extended Three Shires randomised trial. <i>International Journal of Nursing Studies</i> , 2018, 77, 106-114.	2.5	11
27	Violence risk assessment and management in mental health: a conceptual, empirical and practice critique. <i>Journal of Mental Health Training, Education and Practice</i> , 2018, 13, 3-13.	0.3	11
28	A pragmatic randomised controlled trial of preferred intensity exercise in depressed adult women in the United Kingdom: secondary analysis of individual variability of depression. <i>BMC Public Health</i> , 2019, 19, 941.	1.2	11
29	Evaluation of the impact of a psycho-educational intervention on knowledge levels and psychological outcomes for people diagnosed with Schizophrenia and their caregivers in Jordan: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 17.	1.1	10
30	The effect of exercise on resilience, its mediators and moderators, in a general population during the UK COVID-19 pandemic in 2020: a cross-sectional online study. <i>BMC Public Health</i> , 2022, 22, 827.	1.2	10
31	The concept of compassion within UK media-generated discourse: A corpus-informed analysis. <i>Journal of Clinical Nursing</i> , 2018, 27, 3081-3090.	1.4	9
32	'We have got the tools': Qualitative evaluation of a mental health Wellness Recovery Action Planning (WRAP) education programme in Ireland. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 189-196.	1.2	8
33	Exploring Students' Participation in Universal, Depression and Anxiety, Prevention Programmes at School: A Meta-aggregation. <i>School Mental Health</i> , 2017, 9, 372-385.	1.1	8
34	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-140.	0.4	8
35	A mixed methods feasibility study to evaluate the use of a low-intensity, nurse-delivered cognitive behavioural therapy for the treatment of irritable bowel syndrome. <i>BMJ Open</i> , 2014, 4, e005262-e005262.	0.8	6
36	Meeting the physical health-care needs of people with substance misuse problems: Evaluation of a nurse-led blood-borne virus programme. <i>International Journal of Mental Health Nursing</i> , 2012, 21, 248-258.	2.1	5

#	ARTICLE	IF	CITATIONS
37	Psychometric Properties of the Five Facets Mindfulness Questionnaire in Moderate-to-Severe, Persistent Depression. <i>Mindfulness</i> , 2021, 12, 1009-1021.	1.6	4
38	Pragmatic Randomised Controlled Trial of an Exercise Programme to Improve Wellbeing Outcomes in Women with Depression: Findings from the Qualitative Component. <i>Psychology</i> , 2012, 03, 979-986.	0.3	4
39	Saudi service users' perceptions and experiences of the quality of their mental health care provision in the Kingdom of Saudi Arabia (KSA): A qualitative inquiry. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 300-316.	2.1	3
40	The feasibility of nurse-delivered, low-intensity cognitive behavioural therapy for irritable bowel syndrome. <i>Gastrointestinal Nursing</i> , 2017, 15, 39-49.	0.0	2