Yasuo Ohashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8702036/publications.pdf

Version: 2024-02-01

105	2,431	21 h-index	45
papers	citations		g-index
110	110	110	4059
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Sensitivity and specificity of mammography and adjunctive ultrasonography to screen for breast cancer in the Japan Strategic Anti-cancer Randomized Trial (J-START): a randomised controlled trial. Lancet, The, 2016, 387, 341-348.	13.7	445
2	Febuxostat Therapy for Patients With Stage 3 CKD and Asymptomatic Hyperuricemia: A Randomized Trial. American Journal of Kidney Diseases, 2018, 72, 798-810.	1.9	244
3	Effect of an intensified multifactorial intervention on cardiovascular outcomes and mortality in type 2 diabetes (J-DOIT3): an open-label, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2017, 5, 951-964.	11.4	228
4	Cardiovascular events and death in Japanese patients with chronic kidney disease. Kidney International, 2017, 91, 227-234.	5.2	93
5	When to conduct probabilistic linkage vs. deterministic linkage? A simulation study. Journal of Biomedical Informatics, 2015, 56, 80-86.	4.3	71
6	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. American Journal of Kidney Diseases, 2015, 66, 972-983.	1.9	70
7	Quality of life and survival survey of cancer cachexia in advanced non-small cell lung cancer patients—Japan nutrition and QOL survey in patients with advanced non-small cell lung cancer study. Supportive Care in Cancer, 2016, 24, 3473-3480.	2.2	68
8	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. PLoS ONE, 2014, 9, e108718.	2.5	52
9	Randomized Controlled Trial of Trastuzumab With or Without Chemotherapy for HER2-Positive Early Breast Cancer in Older Patients. Journal of Clinical Oncology, 2020, 38, 3743-3752.	1.6	50
10	Ultra-high-dose methylcobalamin in amyotrophic lateral sclerosis: a long-term phase II/III randomised controlled study. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 451-457.	1.9	47
11	Multifactorial intervention has a significant effect on diabetic kidney disease in patients with type 2 diabetes. Kidney International, 2021, 99, 256-266.	5.2	46
12	Venous thromboembolism in cancer patients: report of baseline data from the multicentre, prospective Cancer-VTE Registry. Japanese Journal of Clinical Oncology, 2020, 50, 1246-1253.	1.3	43
13	Association between Overall Lifestyle Changes and the Incidence of Proteinuria: A Population-based, Cohort Study. Internal Medicine, 2017, 56, 1475-1484.	0.7	38
14	Survival after recurrence in patients with gastric cancer who receive S-1 adjuvant chemotherapy: exploratory analysis of the ACTS-GC trial. BMC Cancer, 2018, 18, 449.	2.6	35
15	Continuing EGFR-TKI beyond radiological progression in patients with advanced or recurrent, EGFR mutation-positive non-small-cell lung cancer: an observational study. ESMO Open, 2017, 2, e000214.	4.5	30
16	Comparison of an ACâ€taxane versus ACâ€free regimen and paclitaxel versus docetaxel in patients with lymph nodeâ€positive breast cancer: Final results of the National Surgical Adjuvant Study of Breast Cancer 02 trial, a randomized comparative phase 3 study. Cancer, 2017, 123, 759-768.	4.1	29
17	Design of and rationale for the Japan Diabetes Optimal Integrated Treatment study for 3 major risk factors of cardiovascular diseases (J-DOIT3): a multicenter, open-label, randomized, parallel-group trial. BMJ Open Diabetes Research and Care, 2016, 4, e000123.	2.8	26
18	Effects of calcium channel blocker-based combinations on intra-individual blood pressure variability: post hoc analysis of the COPE trial. Hypertension Research, 2016, 39, 46-53.	2.7	26

#	Article	IF	CITATIONS
19	Patients with type 2 diabetes having higher glomerular filtration rate showed rapid renal function decline followed by impaired glomerular filtration rate: Japan Diabetes Complications Study. Journal of Diabetes and Its Complications, 2017, 31, 473-478.	2.3	26
20	The efficacy of adjuvant immunochemotherapy with OK-432 after curative resection of gastric cancer: an individual patient data meta-analysis of randomized controlled trials. Gastric Cancer, 2016, 19, 616-624.	5. 3	24
21	Absolute risk score for stroke, myocardial infarction, and all cardiovascular disease: Japan Arteriosclerosis Longitudinal Study. Hypertension Research, 2019, 42, 567-579.	2.7	24
22	Assessing the association between optimal energy intake and all ause mortality in older patients with diabetes mellitus using the Japanese Elderly Diabetes Intervention Trial. Geriatrics and Gerontology International, 2020, 20, 59-65.	1.5	24
23	Lisinopril versus lisinopril and losartan for mild childhood IgA nephropathy: a randomized controlled trial (JSKDC01 study). Pediatric Nephrology, 2019, 34, 837-846.	1.7	23
24	Comparison of concurrent treatment with vitamin K2 and risedronate compared with treatment with risedronate alone in patients with osteoporosis: Japanese Osteoporosis Intervention Trial-03. Journal of Bone and Mineral Metabolism, 2017, 35, 385-395.	2.7	22
25	Effectiveness of HPV vaccination against high grade cervical lesions in Japan. Vaccine, 2018, 36, 7913-7915.	3.8	22
26	Impact of Adverse Events on Health Utility and Health-Related Quality of Life in Patients Receiving First-Line Chemotherapy for Metastatic Breast Cancer: Results from the SELECT BC Study. Pharmacoeconomics, 2018, 36, 215-223.	3.3	21
27	Sustained Neutralizing Antibodies 6 Months Following Infection in 376 Japanese COVID-19 Survivors. Frontiers in Microbiology, 2021, 12, 661187.	3.5	21
28	A multicenter survey of temporal changes in chemotherapy-induced hair loss in breast cancer patients. PLoS ONE, 2019, 14, e0208118.	2.5	20
29	Venous thromboembolism in patients with cancer: design and rationale of a multicentre, prospective registry (Cancer-VTE Registry). BMJ Open, 2018, 8, e018910.	1.9	20
30	Intrauterine administration of plateletâ€rich plasma improves embryo implantation by increasing the endometrial thickness in women with repeated implantation failure: A singleâ€arm selfâ€controlled trial. Reproductive Medicine and Biology, 2020, 19, 350-356.	2.4	19
31	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption., 2017, 27, 381-394.		18
32	Risk factors for increased left ventricular hypertrophy in patients with chronic kidney disease: findings from the CKD-JAC study. Clinical and Experimental Nephrology, 2019, 23, 85-98.	1.6	18
33	Multicenter, randomized, open-label Phase II study comparing S-1 alternate-day oral therapy with the standard daily regimen as a first-line treatment in patients with unresectable advanced pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2017, 79, 813-823.	2.3	17
34	Efficacy of screening using annual fecal immunochemical test alone versus combined with one-time colonoscopy in reducing colorectal cancer mortality: the Akita Japan population-based colonoscopy screening trial (Akita pop-colon trial). International Journal of Colorectal Disease, 2020, 35, 933-939.	2.2	16
35	Health-Related Quality of Life With Trastuzumab Monotherapy Versus Trastuzumab Plus Standard Chemotherapy as Adjuvant Therapy in Older Patients With HER2-Positive Breast Cancer. Journal of Clinical Oncology, 2021, 39, 2452-2462.	1.6	16
36	Improved incidence of end-stage renal disease of type 1 diabetes in Japan, from a hospital-based survey. BMJ Open Diabetes Research and Care, 2016, 4, e000177.	2.8	15

#	Article	IF	CITATIONS
37	Insignificant impact of VUR on the progression of CKD in children with CAKUT. Pediatric Nephrology, 2016, 31, 105-112.	1.7	15
38	Low-dose l-isoproterenol versus salbutamol in hospitalized pediatric patients with severe acute exacerbation of asthma: A double-blind, randomized controlled trial. Allergology International, 2019, 68, 335-341.	3.3	15
39	Meat intake and incidence of cardiovascular disease in Japanese patients with type 2 diabetes: analysis of the Japan Diabetes Complications Study (JDCS). European Journal of Nutrition, 2019, 58, 281-290.	3.9	15
40	Diabetes management and daily functioning burden of nonâ€severe hypoglycemia in Japanese people treated with insulin. Journal of Diabetes Investigation, 2017, 8, 776-782.	2.4	14
41	Health-related quality of life of adjuvant chemotherapy with S-1 versus gemcitabine for resected pancreatic cancer: Results from a randomised phase III trial (JASPAC 01). European Journal of Cancer, 2018, 93, 79-88.	2.8	14
42	Association between Low Protein Intake and Mortality in Patients with Type 2 Diabetes. Nutrients, 2020, 12, 1629.	4.1	14
43	A prospective observational study of early intervention with erythropoietin therapy and renal survival in non-dialysis chronic kidney disease patients with anemia: JET-STREAM Study. Clinical and Experimental Nephrology, 2016, 20, 885-895.	1.6	13
44	Is the Proportion of Carbohydrate Intake Associated with the Incidence of Diabetes Complications?â€"An Analysis of the Japan Diabetes Complications Study. Nutrients, 2017, 9, 113.	4.1	13
45	Effect of achieved hemoglobin level on renal outcome in non-dialysis chronic kidney disease (CKD) patients receiving epoetin beta pegol: MIRcerA CLinical Evidence on Renal Survival in CKD patients with renal anemia (MIRACLE-CKD Study). Clinical and Experimental Nephrology, 2019, 23, 349-361.	1.6	13
46	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation. Clinical and Experimental Nephrology, 2015, 19, 387-394.	1.6	12
47	Impact of <i>UGT1A1 </i> genotype upon toxicities of combination with low-dose irinotecan plus platinum. Asia-Pacific Journal of Clinical Oncology, 2016, 12, 115-124.	1.1	12
48	One-year incidence of venous thromboembolism, bleeding, and death in patients with solid tumors newly initiating cancer treatment: Results from the Cancer-VTE Registry. Thrombosis Research, 2022, 213, 203-213.	1.7	12
49	Joint symptoms and health-related quality of life in postmenopausal women with breast cancer who completed 5Âyears of anastrozole. Supportive Care in Cancer, 2016, 24, 683-689.	2.2	11
50	A randomized controlled study evaluating safety and efficacy of leuprorelin acetate every-3-months depot for 2 versus 3 or more years with tamoxifen for 5Âyears as adjuvant treatment in premenopausal patients with endocrine-responsive breast cancer. Breast Cancer, 2016, 23, 499-509.	2.9	11
51	Effectiveness of HPV vaccination against the development of high-grade cervical lesions in young Japanese women. BMC Infectious Diseases, 2020, 20, 808.	2.9	11
52	A multicenter phase I/II study of enzalutamide in Japanese patients with castration-resistant prostate cancer. International Journal of Clinical Oncology, 2016, 21, 773-782.	2.2	10
53	Effects of calcium channel blocker benidipine-based combination therapy on target blood pressure control and cardiovascular outcome: a sub-analysis of the COPE trial. Hypertension Research, 2017, 40, 376-384.	2.7	10
54	Prospective analysis of the association between skeletalâ€'related events and quality of life in patients with advanced lung cancer (CSPâ€'HOR13). Oncology Letters, 2019, 17, 1320-1326.	1.8	10

#	Article	IF	Citations
55	A comparison of liquid-based and conventional cytology using data for cervical cancer screening from the Japan Cancer Society. Japanese Journal of Clinical Oncology, 2020, 50, 138-144.	1.3	10
56	Moving a neodymium magnet promotes the migration of a magnetic tracer and increases the monitoring counts on the skin surface of sentinel lymph nodes in breast cancer. BMC Medical Imaging, 2020, 20, 58.	2.7	10
57	Maximum BMI and microvascular complications in a cohort of Japanese patients with type 2 diabetes: the Japan Diabetes Complications Study. Journal of Diabetes and Its Complications, 2016, 30, 790-797.	2.3	9
58	Association between all-cause mortality and severity of depressive symptoms in patients with type 2 diabetes: Analysis from the Japan Diabetes Complications Study (JDCS). Journal of Psychosomatic Research, 2017, 99, 34-39.	2.6	9
59	Health-related quality of life in a randomised phase III study of gemcitabine plus S-1, S-1 alone and gemcitabine alone for locally advanced or metastatic pancreatic cancer: GEST study. ESMO Open, 2017, 2, e000151.	4.5	9
60	Pattern of care in adjuvant therapy for resected Stage I non-small cell lung cancer: real-world data from Japan. Japanese Journal of Clinical Oncology, 2019, 49, 63-68.	1.3	8
61	Functional categories based on cognition and activities of daily living predict allâ€cause mortality in older adults with diabetes mellitus: The ⟨scp⟩Japanese Elderly Diabetes Intervention Trial⟨/scp⟩. Geriatrics and Gerontology International, 2021, 21, 512-518.	1.5	8
62	Japanese phase II study of rituximab maintenance for untreated indolent B-cell non-Hodgkin lymphoma with high tumor burden. International Journal of Hematology, 2016, 104, 700-708.	1.6	7
63	Association between responsiveness to methoxy polyethylene glycolâ€epoetin beta and renal survival in patients with nonâ€dialysisâ€dependent chronic kidney disease: A pooled analysis of individual patientâ€level data from clinical trials. Nephrology, 2017, 22, 769-775.	1.6	7
64	Efficacy and safety of a 3-month dosing regimen of degarelix in Japanese patients with prostate cancer: a phase II maintenance-dose-finding study. Japanese Journal of Clinical Oncology, 2017, 47, 438-446.	1.3	7
65	Analysis of 2897 hospitalization events for patients with chronic kidney disease: results from CKD-JAC study. Clinical and Experimental Nephrology, 2019, 23, 956-968.	1.6	7
66	Impact of Maintenance Therapy for Patients with Non-small Cell Lung Cancer in a Real-world Setting. Anticancer Research, 2017, 37, 1507-1514.	1.1	7
67	Effect of Predialysis Recombinant Human Erythropoietin on Early Survival After Hemodialysis Initiation in Patients With Chronic Kidney Disease: Coâ€JET Study. Therapeutic Apheresis and Dialysis, 2016, 20, 598-607.	0.9	6
68	Optimal follow-up intervals for different stages of chronic kidney disease: a prospective observational study. Clinical and Experimental Nephrology, 2019, 23, 613-620.	1.6	6
69	Renal prognoses by different target hemoglobin levels achieved by epoetin beta pegol dosing to chronic kidney disease patients with hyporesponsive anemia to erythropoiesis-stimulating agent: a multicenter open-label randomized controlled study. Clinical and Experimental Nephrology, 2021, 25, 456-466.	1.6	6
70	Response Shift–Adjusted Treatment Effect on Health-Related Quality of Life in a Randomized Controlled Trial of Taxane Versus S-1 for Metastatic Breast Cancer: Structural Equation Modeling. Value in Health, 2020, 23, 768-774.	0.3	6
71	Registrationâ€directed phase 1/2 trial of irinotecan for pediatric solid tumors. Pediatrics International, 2019, 61, 453-458.	0.5	5
72	NSAS-BC02 substudy of chemotherapy-induced amenorrhea (CIA) in premenopausal patients who received either taxane alone or doxorubicin(A) cyclophosphamide(C) followed by taxane as postoperative chemotherapy. Breast Cancer Research and Treatment, 2020, 182, 325-332.	2,5	5

#	Article	IF	Citations
73	Planned drug holiday in a cohort study exploring the effect of lenvatinib on differentiated thyroid cancer Journal of Clinical Oncology, 2021, 39, 6070-6070.	1.6	5
74	Impact of chemotherapy on cognitive functioning in older patients with HER2-positive breast cancer: a sub-study in the RESPECT trial. Breast Cancer Research and Treatment, 2021, 188, 675-683.	2.5	5
75	Association Between Kidney Function Decline and Baseline TNFR Levels or Change Ratio in TNFR by Febuxostat Chiefly in Non-diabetic CKD Patients With Asymptomatic Hyperuricemia. Frontiers in Medicine, 2021, 8, 634932.	2.6	5
76	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations. Clinical and Experimental Nephrology, 2015, 19, 790-796.	1.6	4
77	Cohort study exploring the effect of lenvatinib on differentiated thyroid cancer. Endocrine Journal, 2018, 65, 1071-1074.	1.6	4
78	Participants in a randomized controlled trial had longer overall survival than non-participants: a prospective cohort study. Breast Cancer Research and Treatment, 2019, 176, 631-635.	2.5	4
79	Real-world, retrospective study evaluating thromboembolic events, associated risk factors, and health-care resource utilization in Japanese patients with polycythemia vera. International Journal of Hematology, 2020, 112, 176-184.	1.6	4
80	Multicenter observational cohort study of post-operative treatment for completely resected non-small-cell lung cancer of pathological Stage I (T1 >2 cm and T2 in TNM classification version 6). Japanese Journal of Clinical Oncology, 2015, 45, 499-501.	1.3	3
81	Validation of surrogate endpoints in cancer clinical trials via principal stratification with an application to a prostate cancer trial. Statistics in Medicine, 2017, 36, 2963-2977.	1.6	3
82	Rainbow of KIBOU (ROK) study: a Breast Cancer Survivor Cohort in Japan. Breast Cancer, 2018, 25, 60-67.	2.9	3
83	Effects of Calcium-Channel Blocker Benidipine-Based Combination Therapy on Cardiac Events ― Subanalysis of the COPE Trial ―. Circulation Journal, 2018, 82, 457-463.	1.6	3
84	Observational study of first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial. Japanese Journal of Clinical Oncology, 2019, 49, 339-346.	1.3	3
85	A Comparative Study of Serum Phosphate and Related Parameters in Chronic Kidney Disease between the USA and Japan. American Journal of Nephrology, 2022, 53, 226-239.	3.1	3
86	Randomized, Placebo-controlled, Clinical Study to Investigate Anti-metabolic Syndrome Effects of Functional Foods in Humans. Journal of the Japanese Society for Food Science and Technology, 2017, 64, 23-33.	0.1	2
87	Impact of diastolic blood pressure threshold for the young population. Journal of Hypertension, 2019, 37, 652-653.	0.5	2
88	A phase II Japanese trial of fludarabine, cyclophosphamide and rituximab for previously untreated chronic lymphocytic leukemia. Japanese Journal of Clinical Oncology, 2021, 51, 408-415.	1.3	2
89	Effect of a Multifactorial Intervention on Fracture in Patients With Type 2 Diabetes: Subanalysis of the J-DOIT3 Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2116-e2128.	3.6	2
90	Efficacy and safety of first-line osimertinib treatment and postprogression patterns of care in patients with epidermal growth factor receptor activating mutation-positive advanced non-small cell lung cancer (Reiwa study): study protocol of a multicentre, real-world observational study. BMJ Open, 2022, 12, e046451.	1.9	2

#	Article	IF	CITATIONS
91	Applicability of Selective Data Collection to Cancer Clinical Studies for Supplemental Marketing Approvals: Frequency of Adverse Reactions Observed During Supplemental Approval Compared With First Approval. Therapeutic Innovation and Regulatory Science, 2016, 50, 472-479.	1.6	1
92	Cost-effectiveness analysis of the introduction of S-1 therapy for first-line metastatic breast cancer treatment in Japan: results from the randomized phase III SELECT BC trial. BMC Cancer, 2017, 17, 773.	2.6	1
93	Association between Prescription and Control Status of Dyslipidemia and Hypertension among Japanese Patients with Diabetes. Journal of Atherosclerosis and Thrombosis, 2019, 26, 805-820.	2.0	1
94	Impact of <i>UGT1A1</i> genotype on prognosis in Japanese advanced colorectal cancer patients treated by irinotecan-based regimens Journal of Clinical Oncology, 2015, 33, 3525-3525.	1.6	1
95	Case-Only Method to Estimate the Relative Incidence of Adverse Events for Comparison of Two Treatments: Application in Disseminated Intravascular Coagulation Patients. Japanese Journal of Biometrics, 2015, 36, 13-24.	0.0	0
96	Comparison of quality of life between 2-year and 3-or-more-year administration of leuprorelin acetate every-3-months depot in combination with tamoxifen as adjuvant endocrine treatment in premenopausal patients with endocrine-responsive breast cancer: a randomized controlled trial. Supportive Care in Cancer, 2018, 26, 933-945.	2.2	0
97	Characteristics and outcomes of patients with EGFR-mutation positive non-small-cell lung cancer receiving gefitinib beyond radiological progression. Expert Opinion on Pharmacotherapy, 2018, 19, 1049-1056.	1.8	0
98	Factors affecting enrollment in randomized controlled trials conducted for patients with metastatic breast cancer. Japanese Journal of Clinical Oncology, 2020, 50, 873-881.	1.3	0
99	PO846ESA HYPORESPOSIVENESS AND CLINICAL OUTCOMES DURING TREATMENT WITH EPOETIN BETA PEGOL IN HEMODIALYSIS PATIENTS: A MULTICENTER PROSPECTIVE STUDY; PARAMOUNT-HD STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
100	Effects of an Antihypertensive Combination in Japanese Hypertensive Outpatients Based on the Long-acting Calcium Channel Blocker Benidipine on Vascular and Renal Events: A Sub-analysis of the COPE Trial. Current Hypertension Reviews, 2021, 16, 238-245.	0.9	0
101	Overall survival of participants compared to non-participants in a randomized-controlled trial (SELECT BC): A prospective cohort study Journal of Clinical Oncology, 2016, 34, 2527-2527.	1.6	0
102	Cetuximab observational study as first-line therapy in patients with metastatic colorectal cancer Journal of Clinical Oncology, 2016, 34, e15022-e15022.	1.6	0
103	Biomarker analysis of S-1 in SELECT-BC: A randomized phase III study of taxane versus S-1 as the first-line chemotherapy for metastatic breast cancer (SELECT-BC EURECA) Journal of Clinical Oncology, 2016, 34, e23274-e23274.	1.6	0
104	Impact of <i>UGT1A1</i> genotype on overall survival in Japanese advanced colorectal cancer patients treated by irinotecan-based regimens Journal of Clinical Oncology, 2016, 34, 3571-3571.	1.6	0
105	Analysis of patients (pts) with pathological (p-) stage I (T1 > 2 cm) non small cell lung cancer (NSCLC) who were excluded from clinical trial of adjuvant chemotherapy Journal of Clinical Oncology, 2016, 34, e20018-e20018.	1.6	0