

Yasuo Ohashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8702036/publications.pdf>

Version: 2024-02-01

105
papers

2,431
citations

331670

21
h-index

233421

45
g-index

110
all docs

110
docs citations

110
times ranked

4059
citing authors

#	ARTICLE	IF	CITATIONS
1	One-year incidence of venous thromboembolism, bleeding, and death in patients with solid tumors newly initiating cancer treatment: Results from the Cancer-VTE Registry. <i>Thrombosis Research</i> , 2022, 213, 203-213.	1.7	12
2	Efficacy and safety of first-line osimertinib treatment and postprogression patterns of care in patients with epidermal growth factor receptor activating mutation-positive advanced non-small cell lung cancer (Reiwa study): study protocol of a multicentre, real-world observational study. <i>BMJ Open</i> , 2022, 12, e046451.	1.9	2
3	A Comparative Study of Serum Phosphate and Related Parameters in Chronic Kidney Disease between the USA and Japan. <i>American Journal of Nephrology</i> , 2022, 53, 226-239.	3.1	3
4	A phase II Japanese trial of fludarabine, cyclophosphamide and rituximab for previously untreated chronic lymphocytic leukemia. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 408-415.	1.3	2
5	Multifactorial intervention has a significant effect on diabetic kidney disease in patients with type 2 diabetes. <i>Kidney International</i> , 2021, 99, 256-266.	5.2	46
6	Effect of a Multifactorial Intervention on Fracture in Patients With Type 2 Diabetes: Subanalysis of the J-DOIT3 Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2116-e2128.	3.6	2
7	Functional categories based on cognition and activities of daily living predict all-cause mortality in older adults with diabetes mellitus: The Japanese Elderly Diabetes Intervention Trial. <i>Geriatrics and Gerontology International</i> , 2021, 21, 512-518.	1.5	8
8	Planned drug holiday in a cohort study exploring the effect of lenvatinib on differentiated thyroid cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 6070-6070.	1.6	5
9	Sustained Neutralizing Antibodies 6 Months Following Infection in 376 Japanese COVID-19 Survivors. <i>Frontiers in Microbiology</i> , 2021, 12, 661187.	3.5	21
10	Impact of chemotherapy on cognitive functioning in older patients with HER2-positive breast cancer: a sub-study in the RESPECT trial. <i>Breast Cancer Research and Treatment</i> , 2021, 188, 675-683.	2.5	5
11	Association Between Kidney Function Decline and Baseline TNFR Levels or Change Ratio in TNFR by Febuxostat Chiefly in Non-diabetic CKD Patients With Asymptomatic Hyperuricemia. <i>Frontiers in Medicine</i> , 2021, 8, 634932.	2.6	5
12	Health-Related Quality of Life With Trastuzumab Monotherapy Versus Trastuzumab Plus Standard Chemotherapy as Adjuvant Therapy in Older Patients With HER2-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 2452-2462.	1.6	16
13	Effects of an Antihypertensive Combination in Japanese Hypertensive Outpatients Based on the Long-acting Calcium Channel Blocker Benidipine on Vascular and Renal Events: A Sub-analysis of the COPE Trial. <i>Current Hypertension Reviews</i> , 2021, 16, 238-245.	0.9	0
14	Renal prognoses by different target hemoglobin levels achieved by epoetin beta pegol dosing to chronic kidney disease patients with hyporesponsive anemia to erythropoiesis-stimulating agent: a multicenter open-label randomized controlled study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 456-466.	1.6	6
15	A comparison of liquid-based and conventional cytology using data for cervical cancer screening from the Japan Cancer Society. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 138-144.	1.3	10
16	Assessing the association between optimal energy intake and all-cause mortality in older patients with diabetes mellitus using the Japanese Elderly Diabetes Intervention Trial. <i>Geriatrics and Gerontology International</i> , 2020, 20, 59-65.	1.5	24
17	Intrauterine administration of platelet-rich plasma improves embryo implantation by increasing the endometrial thickness in women with repeated implantation failure: A single-arm self-controlled trial. <i>Reproductive Medicine and Biology</i> , 2020, 19, 350-356.	2.4	19
18	Venous thromboembolism in cancer patients: report of baseline data from the multicentre, prospective Cancer-VTE Registry. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 1246-1253.	1.3	43

#	ARTICLE	IF	CITATIONS
19	Randomized Controlled Trial of Trastuzumab With or Without Chemotherapy for HER2-Positive Early Breast Cancer in Older Patients. <i>Journal of Clinical Oncology</i> , 2020, 38, 3743-3752.	1.6	50
20	Factors affecting enrollment in randomized controlled trials conducted for patients with metastatic breast cancer. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 873-881.	1.3	0
21	P0846ESA HYPORESPOSIVENESS AND CLINICAL OUTCOMES DURING TREATMENT WITH EPOETIN BETA PEGOL IN HEMODIALYSIS PATIENTS: A MULTICENTER PROSPECTIVE STUDY; PARAMOUNT-HD STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
22	Effectiveness of HPV vaccination against the development of high-grade cervical lesions in young Japanese women. <i>BMC Infectious Diseases</i> , 2020, 20, 808.	2.9	11
23	Real-world, retrospective study evaluating thromboembolic events, associated risk factors, and health-care resource utilization in Japanese patients with polycythemia vera. <i>International Journal of Hematology</i> , 2020, 112, 176-184.	1.6	4
24	NSAS-BC02 substudy of chemotherapy-induced amenorrhea (CIA) in premenopausal patients who received either taxane alone or doxorubicin(A) cyclophosphamide(C) followed by taxane as postoperative chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 325-332.	2.5	5
25	Moving a neodymium magnet promotes the migration of a magnetic tracer and increases the monitoring counts on the skin surface of sentinel lymph nodes in breast cancer. <i>BMC Medical Imaging</i> , 2020, 20, 58.	2.7	10
26	Association between Low Protein Intake and Mortality in Patients with Type 2 Diabetes. <i>Nutrients</i> , 2020, 12, 1629.	4.1	14
27	Efficacy of screening using annual fecal immunochemical test alone versus combined with one-time colonoscopy in reducing colorectal cancer mortality: the Akita Japan population-based colonoscopy screening trial (Akita pop-colon trial). <i>International Journal of Colorectal Disease</i> , 2020, 35, 933-939.	2.2	16
28	Response Shift—Adjusted Treatment Effect on Health-Related Quality of Life in a Randomized Controlled Trial of Taxane Versus S-1 for Metastatic Breast Cancer: Structural Equation Modeling. <i>Value in Health</i> , 2020, 23, 768-774.	0.3	6
29	Prospective analysis of the association between skeletal-related events and quality of life in patients with advanced lung cancer (CSP—HOR13). <i>Oncology Letters</i> , 2019, 17, 1320-1326.	1.8	10
30	Risk factors for increased left ventricular hypertrophy in patients with chronic kidney disease: findings from the CKD-JAC study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 85-98.	1.6	18
31	Optimal follow-up intervals for different stages of chronic kidney disease: a prospective observational study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 613-620.	1.6	6
32	Impact of diastolic blood pressure threshold for the young population. <i>Journal of Hypertension</i> , 2019, 37, 652-653.	0.5	2
33	Participants in a randomized controlled trial had longer overall survival than non-participants: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 631-635.	2.5	4
34	Association between Prescription and Control Status of Dyslipidemia and Hypertension among Japanese Patients with Diabetes. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 805-820.	2.0	1
35	Low-dose l-isoproterenol versus salbutamol in hospitalized pediatric patients with severe acute exacerbation of asthma: A double-blind, randomized controlled trial. <i>Allergology International</i> , 2019, 68, 335-341.	3.3	15
36	Registration—directed phase 1/2 trial of irinotecan for pediatric solid tumors. <i>Pediatrics International</i> , 2019, 61, 453-458.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Analysis of 2897 hospitalization events for patients with chronic kidney disease: results from CKD-JAC study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 956-968.	1.6	7
38	Absolute risk score for stroke, myocardial infarction, and all cardiovascular disease: Japan Arteriosclerosis Longitudinal Study. <i>Hypertension Research</i> , 2019, 42, 567-579.	2.7	24
39	Observational study of first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 339-346.	1.3	3
40	Pattern of care in adjuvant therapy for resected Stage I non-small cell lung cancer: real-world data from Japan. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 63-68.	1.3	8
41	Ultra-high-dose methylcobalamin in amyotrophic lateral sclerosis: a long-term phase II/III randomised controlled study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 451-457.	1.9	47
42	A multicenter survey of temporal changes in chemotherapy-induced hair loss in breast cancer patients. <i>PLoS ONE</i> , 2019, 14, e0208118.	2.5	20
43	Effect of achieved hemoglobin level on renal outcome in non-dialysis chronic kidney disease (CKD) patients receiving epoetin beta pegol: MIRcerA CLinical Evidence on Renal Survival in CKD patients with renal anemia (MIRACLE-CKD Study). <i>Clinical and Experimental Nephrology</i> , 2019, 23, 349-361.	1.6	13
44	Lisinopril versus lisinopril and losartan for mild childhood IgA nephropathy: a randomized controlled trial (JSKDC01 study). <i>Pediatric Nephrology</i> , 2019, 34, 837-846.	1.7	23
45	Meat intake and incidence of cardiovascular disease in Japanese patients with type 2 diabetes: analysis of the Japan Diabetes Complications Study (JDCS). <i>European Journal of Nutrition</i> , 2019, 58, 281-290.	3.9	15
46	Health-related quality of life of adjuvant chemotherapy with S-1 versus gemcitabine for resected pancreatic cancer: Results from a randomised phase III trial (JASPAC 01). <i>European Journal of Cancer</i> , 2018, 93, 79-88.	2.8	14
47	Rainbow of KIBOU (ROK) study: a Breast Cancer Survivor Cohort in Japan. <i>Breast Cancer</i> , 2018, 25, 60-67.	2.9	3
48	Comparison of quality of life between 2-year and 3-or-more-year administration of leuprorelin acetate every-3-months depot in combination with tamoxifen as adjuvant endocrine treatment in premenopausal patients with endocrine-responsive breast cancer: a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2018, 26, 933-945.	2.2	0
49	Impact of Adverse Events on Health Utility and Health-Related Quality of Life in Patients Receiving First-Line Chemotherapy for Metastatic Breast Cancer: Results from the SELECT BC Study. <i>Pharmacoeconomics</i> , 2018, 36, 215-223.	3.3	21
50	Effects of Calcium-Channel Blocker Benidipine-Based Combination Therapy on Cardiac Events—Subanalysis of the COPE Trial. <i>Circulation Journal</i> , 2018, 82, 457-463.	1.6	3
51	Cohort study exploring the effect of lenvatinib on differentiated thyroid cancer. <i>Endocrine Journal</i> , 2018, 65, 1071-1074.	1.6	4
52	Febuxostat Therapy for Patients With Stage 3 CKD and Asymptomatic Hyperuricemia: A Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2018, 72, 798-810.	1.9	244
53	Effectiveness of HPV vaccination against high grade cervical lesions in Japan. <i>Vaccine</i> , 2018, 36, 7913-7915.	3.8	22
54	Survival after recurrence in patients with gastric cancer who receive S-1 adjuvant chemotherapy: exploratory analysis of the ACTS-GC trial. <i>BMC Cancer</i> , 2018, 18, 449.	2.6	35

#	ARTICLE	IF	CITATIONS
55	Characteristics and outcomes of patients with EGFR-mutation positive non-small-cell lung cancer receiving gefitinib beyond radiological progression. <i>Expert Opinion on Pharmacotherapy</i> , 2018, 19, 1049-1056.	1.8	0
56	Venous thromboembolism in patients with cancer: design and rationale of a multicentre, prospective registry (Cancer-VTE Registry). <i>BMJ Open</i> , 2018, 8, e018910.	1.9	20
57	Association between responsiveness to methoxy polyethylene glycolâ€poetin beta and renal survival in patients with nonâ€dialysisâ€dependent chronic kidney disease: A pooled analysis of individual patientâ€level data from clinical trials. <i>Nephrology</i> , 2017, 22, 769-775.	1.6	7
58	Comparison of an ACâ€taxane versus ACâ€free regimen and paclitaxel versus docetaxel in patients with lymph nodeâ€positive breast cancer: Final results of the National Surgical Adjuvant Study of Breast Cancer 02 trial, a randomized comparative phase 3 study. <i>Cancer</i> , 2017, 123, 759-768.	4.1	29
59	Diabetes management and daily functioning burden of nonâ€severe hypoglycemia in Japanese people treated with insulin. <i>Journal of Diabetes Investigation</i> , 2017, 8, 776-782.	2.4	14
60	Multicenter, randomized, open-label Phase II study comparing S-1 alternate-day oral therapy with the standard daily regimen as a first-line treatment in patients with unresectable advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 813-823.	2.3	17
61	Efficacy and safety of a 3-month dosing regimen of degarelix in Japanese patients with prostate cancer: a phase II maintenance-dose-finding study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 438-446.	1.3	7
62	Effects of calcium channel blocker benidipine-based combination therapy on target blood pressure control and cardiovascular outcome: a sub-analysis of the COPE trial. <i>Hypertension Research</i> , 2017, 40, 376-384.	2.7	10
63	Association between all-cause mortality and severity of depressive symptoms in patients with type 2 diabetes: Analysis from the Japan Diabetes Complications Study (JDCS). <i>Journal of Psychosomatic Research</i> , 2017, 99, 34-39.	2.6	9
64	Validation of surrogate endpoints in cancer clinical trials via principal stratification with an application to a prostate cancer trial. <i>Statistics in Medicine</i> , 2017, 36, 2963-2977.	1.6	3
65	Effect of an intensified multifactorial intervention on cardiovascular outcomes and mortality in type 2 diabetes (J-DOIT3): an open-label, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 951-964.	11.4	228
66	Continuing EGFR-TKI beyond radiological progression in patients with advanced or recurrent, EGFR mutation-positive non-small-cell lung cancer: an observational study. <i>ESMO Open</i> , 2017, 2, e000214.	4.5	30
67	Health-related quality of life in a randomised phase III study of gemcitabine plus S-1, S-1 alone and gemcitabine alone for locally advanced or metastatic pancreatic cancer: GEST study. <i>ESMO Open</i> , 2017, 2, e000151.	4.5	9
68	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
69	Patients with type 2 diabetes having higher glomerular filtration rate showed rapid renal function decline followed by impaired glomerular filtration rate: Japan Diabetes Complications Study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 473-478.	2.3	26
70	Comparison of concurrent treatment with vitamin K2 and risedronate compared with treatment with risedronate alone in patients with osteoporosis: Japanese Osteoporosis Intervention Trial-03. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 385-395.	2.7	22
71	Cardiovascular events and death in Japanese patients with chronic kidney disease. <i>Kidney International</i> , 2017, 91, 227-234.	5.2	93
72	Randomized, Placebo-controlled, Clinical Study to Investigate Anti-metabolic Syndrome Effects of Functional Foods in Humans. <i>Journal of the Japanese Society for Food Science and Technology</i> , 2017, 64, 23-33.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Is the Proportion of Carbohydrate Intake Associated with the Incidence of Diabetes Complications? An Analysis of the Japan Diabetes Complications Study. <i>Nutrients</i> , 2017, 9, 113.	4.1	13
74	Cost-effectiveness analysis of the introduction of S-1 therapy for first-line metastatic breast cancer treatment in Japan: results from the randomized phase III SELECT BC trial. <i>BMC Cancer</i> , 2017, 17, 773.	2.6	1
75	Association between Overall Lifestyle Changes and the Incidence of Proteinuria: A Population-based, Cohort Study. <i>Internal Medicine</i> , 2017, 56, 1475-1484.	0.7	38
76	Impact of Maintenance Therapy for Patients with Non-small Cell Lung Cancer in a Real-world Setting. <i>Anticancer Research</i> , 2017, 37, 1507-1514.	1.1	7
77	Effect of Predialysis Recombinant Human Erythropoietin on Early Survival After Hemodialysis Initiation in Patients With Chronic Kidney Disease: Co-RET Study. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 598-607.	0.9	6
78	Applicability of Selective Data Collection to Cancer Clinical Studies for Supplemental Marketing Approvals: Frequency of Adverse Reactions Observed During Supplemental Approval Compared With First Approval. <i>Therapeutic Innovation and Regulatory Science</i> , 2016, 50, 472-479.	1.6	1
79	Maximum BMI and microvascular complications in a cohort of Japanese patients with type 2 diabetes: the Japan Diabetes Complications Study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 790-797.	2.3	9
80	Japanese phase II study of rituximab maintenance for untreated indolent B-cell non-Hodgkin lymphoma with high tumor burden. <i>International Journal of Hematology</i> , 2016, 104, 700-708.	1.6	7
81	Impact of UGT1A1 genotype upon toxicities of combination with low-dose irinotecan plus platinum. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, 115-124.	1.1	12
82	Improved incidence of end-stage renal disease of type 1 diabetes in Japan, from a hospital-based survey. <i>BMJ Open Diabetes Research and Care</i> , 2016, 4, e000177.	2.8	15
83	Design of and rationale for the Japan Diabetes Optimal Integrated Treatment study for 3 major risk factors of cardiovascular diseases (J-DOIT3): a multicenter, open-label, randomized, parallel-group trial. <i>BMJ Open Diabetes Research and Care</i> , 2016, 4, e000123.	2.8	26
84	A prospective observational study of early intervention with erythropoietin therapy and renal survival in non-dialysis chronic kidney disease patients with anemia: JET-STREAM Study. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 885-895.	1.6	13
85	A multicenter phase I/II study of enzalutamide in Japanese patients with castration-resistant prostate cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 773-782.	2.2	10
86	Quality of life and survival survey of cancer cachexia in advanced non-small cell lung cancer patients Japan nutrition and QOL survey in patients with advanced non-small cell lung cancer study. <i>Supportive Care in Cancer</i> , 2016, 24, 3473-3480.	2.2	68
87	Insignificant impact of VUR on the progression of CKD in children with CAKUT. <i>Pediatric Nephrology</i> , 2016, 31, 105-112.	1.7	15
88	Sensitivity and specificity of mammography and adjunctive ultrasonography to screen for breast cancer in the Japan Strategic Anti-cancer Randomized Trial (J-START): a randomised controlled trial. <i>Lancet</i> , The, 2016, 387, 341-348.	13.7	445
89	Effects of calcium channel blocker-based combinations on intra-individual blood pressure variability: post hoc analysis of the COPE trial. <i>Hypertension Research</i> , 2016, 39, 46-53.	2.7	26
90	Joint symptoms and health-related quality of life in postmenopausal women with breast cancer who completed 5 years of anastrozole. <i>Supportive Care in Cancer</i> , 2016, 24, 683-689.	2.2	11

#	ARTICLE	IF	CITATIONS
91	The efficacy of adjuvant immunochemotherapy with OK-432 after curative resection of gastric cancer: an individual patient data meta-analysis of randomized controlled trials. <i>Gastric Cancer</i> , 2016, 19, 616-624.	5.3	24
92	A randomized controlled study evaluating safety and efficacy of leuprorelin acetate every-3-months depot for 2 versus 3 or more years with tamoxifen for 5 years as adjuvant treatment in premenopausal patients with endocrine-responsive breast cancer. <i>Breast Cancer</i> , 2016, 23, 499-509.	2.9	11
93	Overall survival of participants compared to non-participants in a randomized-controlled trial (SELECT BC): A prospective cohort study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 2527-2527.	1.6	0
94	Cetuximab observational study as first-line therapy in patients with metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15022-e15022.	1.6	0
95	Biomarker analysis of S-1 in SELECT-BC: A randomized phase III study of taxane versus S-1 as the first-line chemotherapy for metastatic breast cancer (SELECT-BC EURECA).. <i>Journal of Clinical Oncology</i> , 2016, 34, e23274-e23274.	1.6	0
96	Impact of <i>UGT1A1</i> genotype on overall survival in Japanese advanced colorectal cancer patients treated by irinotecan-based regimens.. <i>Journal of Clinical Oncology</i> , 2016, 34, 3571-3571.	1.6	0
97	Analysis of patients (pts) with pathological (p-) stage I (T1 > 2 cm) non small cell lung cancer (NSCLC) who were excluded from clinical trial of adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2016, 34, e20018-e20018.	1.6	0
98	Case-Only Method to Estimate the Relative Incidence of Adverse Events for Comparison of Two Treatments: Application in Disseminated Intravascular Coagulation Patients. <i>Japanese Journal of Biometrics</i> , 2015, 36, 13-24.	0.0	0
99	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 387-394.	1.6	12
100	Multicenter observational cohort study of post-operative treatment for completely resected non-small-cell lung cancer of pathological Stage I (T1 > 2 cm and T2 in TNM classification version 6). <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 499-501.	1.3	3
101	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 790-796.	1.6	4
102	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. <i>American Journal of Kidney Diseases</i> , 2015, 66, 972-983.	1.9	70
103	When to conduct probabilistic linkage vs. deterministic linkage? A simulation study. <i>Journal of Biomedical Informatics</i> , 2015, 56, 80-86.	4.3	71
104	Impact of <i>UGT1A1</i> genotype on prognosis in Japanese advanced colorectal cancer patients treated by irinotecan-based regimens.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3525-3525.	1.6	1
105	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. <i>PLoS ONE</i> , 2014, 9, e108718.	2.5	52