Gerson Luis de Moraes Ferrari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8702146/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of Physical Activity Intensity With Mortality. JAMA Internal Medicine, 2021, 181, 203.	5.1	102
2	The association between physical activity and mental health during the first year of the COVID-19 pandemic: a systematic review. BMC Public Health, 2022, 22, 209.	2.9	86
3	Associations between meeting combinations of 24-hour movement recommendations and dietary patterns of children: A 12-country study. Preventive Medicine, 2019, 118, 159-165.	3.4	63
4	Comparison of self-report versus accelerometer – measured physical activity and sedentary behaviors and their association with body composition in Latin American countries. PLoS ONE, 2020, 15, e0232420.	2.5	46
5	Socioâ€demographic patterning of objectively measured physical activity and sedentary behaviours in eight Latin American countries: Findings from the ELANS study. European Journal of Sport Science, 2020, 20, 670-681.	2.7	45
6	Elevated neck circumference and associated factors in adolescents. BMC Public Health, 2015, 15, 208.	2.9	41
7	Moderate-to-Vigorous Physical Activity and Sedentary Behavior: Independent Associations With Body Composition Variables in Brazilian Children. Pediatric Exercise Science, 2015, 27, 380-389.	1.0	38
8	The Effect of Muscular Strength on Depression Symptoms in Adults: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 5674.	2.6	37
9	Physical activity and all-cause and cause-specific mortality: assessing the impact of reverse causation and measurement error in two large prospective cohorts. European Journal of Epidemiology, 2021, 36, 275-285.	5.7	31
10	Association between electronic equipment in the bedroom and sedentary lifestyle, physical activity, and body mass index of children. Jornal De Pediatria, 2015, 91, 574-582.	2.0	29
11	Cardiorespiratory fitness and nutritional status of schoolchildren: 30-year evolution. Jornal De Pediatria, 2013, 89, 366-373.	2.0	27
12	Is the perceived neighborhood built environment associated with domain-specific physical activity in Latin American adults? An eight-country observational study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 125.	4.6	25
13	Socioeconomic Status Impact on Diet Quality and Body Mass Index in Eight Latin American Countries: ELANS Study Results. Nutrients, 2021, 13, 2404.	4.1	25
14	Associations between grip strength and incident type 2 diabetes: findings from the UK Biobank prospective cohort study. BMJ Open Diabetes Research and Care, 2021, 9, e001865.	2.8	25
15	Association of the "Weekend Warrior―and Other Leisure-time Physical Activity Patterns With All-Cause and Cause-Specific Mortality. JAMA Internal Medicine, 2022, 182, 840.	5.1	25
16	Original research Socio-demographic patterning of self-reported physical activity and sitting time in Latin American countries: findings from ELANS. BMC Public Health, 2019, 19, 1723.	2.9	24
17	Sleep characteristics and health-related quality of life in 9- to 11-year-old children from 12 countries. Sleep Health, 2020, 6, 4-14.	2.5	24
18	Cancer cases and deaths attributable to lifestyle risk factors in Chile. BMC Cancer, 2020, 20, 693.	2.6	24

#	Article	IF	CITATIONS
19	Muscle-strengthening activities and cancer incidence and mortality: a systematic review and meta-analysis of observational studies. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 69.	4.6	24
20	Prevalence and factors associated with body mass index in children aged 9–11 years. Jornal De Pediatria, 2017, 93, 601-609.	2.0	23
21	Socioeconomic status indicators, physical activity, and overweight/obesity in Brazilian children. Revista Paulista De Pediatria (English Edition), 2016, 34, 162-170.	0.3	21
22	Impact of Strategies for Preventing Obesity and Risk Factors for Eating Disorders among Adolescents: A Systematic Review. Nutrients, 2020, 12, 3134.	4.1	21
23	Methodological design for the assessment of physical activity and sedentary time in eight Latin American countries - The ELANS study. MethodsX, 2020, 7, 100843.	1.6	21
24	Bidirectional Association between Physical Activity and Dopamine Across Adulthood—A Systematic Review. Brain Sciences, 2021, 11, 829.	2.3	21
25	Confounding due to pre-existing diseases in epidemiologic studies on sedentary behavior and all-cause mortality: a meta-epidemiologic study. Annals of Epidemiology, 2020, 52, 7-14.	1.9	20
26	Results From Brazil's 2016 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S104-S109.	2.0	19
27	Correlates of Moderate-to-Vigorous Physical Activity in Brazilian Children. Journal of Physical Activity and Health, 2016, 13, 1132-1145.	2.0	19
28	Prevalence and determinants of misreporting of energy intake among Latin American populations: results from ELANS study. Nutrition Research, 2019, 68, 9-18.	2.9	19
29	Results From Brazil's 2018 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2018, 15, S323-S325.	2.0	18
30	Changes in Sitting Time, Screen Exposure and Physical Activity during COVID-19 Lockdown in South American Adults: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 5239.	2.6	18
31	Association Between Television Viewing and Physical Activity in 10-Year-Old Brazilian Children. Journal of Physical Activity and Health, 2015, 12, 1401-1408.	2.0	17
32	Factors associated with objectively measured total sedentary time and screen time in children aged 9–11 years. Jornal De Pediatria, 2019, 95, 94-105.	2.0	16
33	Physical fitness and its association with cognitive performance in Chilean schoolchildren: The Cogniâ€Action Project. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1352-1362.	2.9	16
34	Overweight, obesity, steps, and moderate to vigorous physical activity in children. Revista De Saude Publica, 2017, 51, 38.	1.7	15
35	Socio-demographic patterns of public, private and active travel in Latin America: Cross-sectional findings from the ELANS study. Journal of Transport and Health, 2020, 16, 100788.	2.2	15
36	Physical activity for cancer patients during COVID-19 pandemic: a call to action. Cancer Causes and Control. 2021, 32, 1-3.	1.8	15

#	Article	IF	CITATIONS
37	Association between Perceived Neighborhood Built Environment and Walking and Cycling for Transport among Inhabitants from Latin America: The ELANS Study. International Journal of Environmental Research and Public Health, 2020, 17, 6858.	2.6	14
38	Anthropometry, dietary intake, physical activity and sitting time patterns in adolescents aged 15–17 years: an international comparison in eight Latin AmericanÂcountries. BMC Pediatrics, 2020, 20, 24.	1.7	14
39	Breakfast: A Crucial Meal for Adolescents' Cognitive Performance According to Their Nutritional Status. The Cogni-Action Project. Nutrients, 2021, 13, 1320.	4.1	14
40	Agreement Between Self-Reported and Device-Based Sedentary Time among Eight Countries: Findings from the ELANS. Prevention Science, 2021, 22, 1036-1047.	2.6	13
41	Body fat percentiles of Brazilian adolescents according to age and sexual maturation: a cross-sectional study. BMC Pediatrics, 2013, 13, 96.	1.7	12
42	The Association of Grip Strength with Depressive Symptoms among Middle-Aged and Older Adults with Different Chronic Diseases. International Journal of Environmental Research and Public Health, 2020, 17, 6942.	2.6	12
43	Macroeconomic, demographic and human developmental correlates of physical activity and sitting time among South American adults. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 163.	4.6	12
44	The Association of Healthy Lifestyle Behaviors with Overweight and Obesity among Older Adults from 21 Countries. Nutrients, 2021, 13, 315.	4.1	12
45	Lifestyle risk factors and all-cause and cause-specific mortality: assessing the influence of reverse causation in a prospective cohort of 457,021 US adults. European Journal of Epidemiology, 2022, 37, 11-23.	5.7	12
46	Prevalence and sociodemographic correlates of meeting the Canadian 24-hour movement guidelines among latin american adults: a multi-national cross-sectional study. BMC Public Health, 2022, 22, 217.	2.9	12
47	Trends of Healthy Lifestyles Among Adolescents: An Analysis of More Than Half a Million Participants From 32 Countries Between 2006 and 2014. Frontiers in Pediatrics, 2021, 9, 645074.	1.9	11
48	Prevalence and co-occurrence of lifestyle risk factors for non-communicable diseases according to sociodemographic characteristics among adults Chilean residents. Scientific Reports, 2021, 11, 21702.	3.3	11
49	Breakfast in Latin America: Evaluation of Nutrient and Food Group Intake Toward a Nutrient-Based Recommendation. Journal of the Academy of Nutrition and Dietetics, 2022, 122, 1099-1113.e3.	0.8	11
50	Non-communicable diseases deaths attributable to high body mass index in Chile. Scientific Reports, 2021, 11, 15500.	3.3	10
51	NÃvel de atividade fÃsica e acúmulo de tempo sentado em estudantes de medicina. Revista Brasileira De Medicina Do Esporte, 2014, 20, 101-104.	0.2	9
52	Reference curves of the body fat index in adolescents and their association with anthropometric variables. Jornal De Pediatria, 2015, 91, 248-255.	2.0	9
53	Socio-Demographic Correlates of Total and Domain-Specific Sedentary Behavior in Latin America: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 5587.	2.6	9
54	Active Transportation and Obesity Indicators in Adults from Latin America: ELANS Multi-Country Study. International Journal of Environmental Research and Public Health, 2020, 17, 6974.	2.6	9

#	Article	IF	CITATIONS
55	Physical activity patterns in a representative sample of adolescents from the largest city in Latin America: a cross-sectional study in Sao Paulo. BMJ Open, 2020, 10, e037290.	1.9	9
56	Effects of Motor-Games-Based Concurrent Training Program on Body Composition Indicators of Chilean Adults with Down Syndrome. Sustainability, 2021, 13, 5737.	3.2	9
57	Socioeconomic inequalities in physical activity in Brazil: a pooled cross-sectional analysis from 2013 to 2019. International Journal for Equity in Health, 2021, 20, 188.	3.5	9
58	Sociodemographic inequities and active transportation in adults from Latin America: an eight-country observational study. International Journal for Equity in Health, 2021, 20, 190.	3.5	9
59	Mediation Role of Physical Fitness and Its Components on the Association Between Distribution-Related Fat Indicators and Adolescents' Cognitive Performance: Exploring the Influence of School Vulnerability. The Cogni-Action Project. Frontiers in Behavioral Neuroscience, 2021, 15, 746197	2.0	9
60	Perceived Urban Environment Attributes and Device-Measured Physical Activity in Latin America: An 8-Nation Study. American Journal of Preventive Medicine, 2021, , .	3.0	9
61	Cardiorespiratory Fitness, Physical Activity, Sedentary Time and Its Association with the Atherogenic Index of Plasma in Chilean Adults: Influence of the Waist Circumference to Height Ratio. Nutrients, 2020, 12, 1250.	4.1	8
62	Hospital Admissions Associated With Noncommunicable Diseases During the COVID-19 Outbreak in Brazil. JAMA Network Open, 2021, 4, e210799.	5.9	8
63	Accelerometer-Measured Daily Step Counts and Adiposity Indicators among Latin American Adults: A Multi-Country Study. International Journal of Environmental Research and Public Health, 2021, 18, 4641.	2.6	8
64	Psychological Distress and All-Cause, Cardiovascular Disease, Cancer Mortality Among Adults with and without Diabetes. Clinical Epidemiology, 2021, Volume 13, 555-565.	3.0	8
65	Exploring grip strength as a predictor of depression in middle-aged and older adults. Scientific Reports, 2021, 11, 15946.	3.3	8
66	Could Physical Fitness Be Considered as a Protective Social Factor Associated with Bridging the Cognitive Gap Related to School Vulnerability in Adolescents? The Cogni-Action Project. International Journal of Environmental Research and Public Health, 2021, 18, 10073.	2.6	8
67	Development and Cross-Validation of a Predictive Equation for Fat-Free Mass in Brazilian Adolescents by Bioelectrical Impedance. Frontiers in Nutrition, 2022, 9, 820736.	3.7	8
68	Time trends and inequalities of physical activity domains and sitting time in South America. Journal of Global Health, 2022, 12, 04027.	2.7	8
69	Associations of Physical Activity and Television Viewing With Depressive Symptoms of the European Adults. Frontiers in Public Health, 2021, 9, 799870.	2.7	8
70	The economic burden of overweight and obesity in Brazil: perspectives for the Brazilian Unified Health System. Public Health, 2022, 207, 82-87.	2.9	8
71	Active transportation to school for children and adolescents from Brazil: a systematic review. Revista Brasileira De Cineantropometria E Desempenho Humano, 2018, 20, 406-414.	0.5	7
72	Effects of Exercise during Pregnancy on Postpartum Depression: A Systematic Review of Meta-Analyses. Biology, 2021, 10, 1331.	2.8	7

#	Article	IF	CITATIONS
73	Breakfast Consumption Habit and Its Nutritional Contribution in Latin America: Results from the ELANS Study. Nutrients, 2020, 12, 2397.	4.1	6
74	Food Sources of Shortfall Nutrients among Latin Americans: Results from the Latin American Study of Health and Nutrition (ELANS). International Journal of Environmental Research and Public Health, 2021, 18, 4967.	2.6	6
75	A Comparison of Associations Between Self-Reported and Device-Based Sedentary Behavior and Obesity Markers in Adults: A Multi-National Cross-Sectional Study. Assessment, 2022, 29, 1441-1457.	3.1	6
76	Economic burden of colorectal and breast cancers attributable to lack of physical activity in Brazil. BMC Public Health, 2021, 21, 1190.	2.9	6
77	Correlation between Neck Circumference and Other Anthropometric Measurements in Eight Latin American Countries. Results from ELANS Study. International Journal of Environmental Research and Public Health, 2021, 18, 11975.	2.6	6
78	Association between 24-h movement guidelines and cardiometabolic health in Chilean adults. Scientific Reports, 2022, 12, 5805.	3.3	6
79	Association of moderate-to-vigorous physical activity with neck circumference in eight Latin American countries. BMC Public Health, 2019, 19, 809.	2.9	5
80	Brazilian Study of Nutrition and Health (EBANS) - Brazilian data of ELANS: methodological opportunities and challenges. Revista Da Associação Médica Brasileira, 2019, 65, 669-677.	0.7	5
81	Sedentary behavior, physical activity and body composition in adults. Revista Da Associação Médica Brasileira, 2020, 66, 314-320.	0.7	5
82	Physical Activity Dimensions Differentially Predict Physical and Mental Components of Health-Related Quality of Life: Evidence from a Sport for All Study. Sustainability, 2021, 13, 13370.	3.2	5
83	The prevalence of physical activity and its associated effects among students in the São Paulo public school network, Brazil. Ciencia E Saude Coletiva, 2016, 21, 1095-1103.	0.5	4
84	Promoting Health-Related Cardiorespiratory Fitness in Physical Education: The Role of Class Intensity and Habitual Physical Activity. International Journal of Environmental Research and Public Health, 2020, 17, 6852.	2.6	4
85	Changes in total physical activity, leisure and commuting in the largest city in Latin America, 2003-2015. Revista Brasileira De Epidemiologia, 2021, 24, e210030.	0.8	4
86	Muscular Strength of Upper and Lower Limbs and Self-Esteem in Chilean SchoolChildren: Independent Associations with Body Composition Indicators. International Journal of Environmental Research and Public Health, 2021, 18, 361.	2.6	4
87	Co-Occurrence and Clustering of Sedentary Behaviors, Diet, Sugar-Sweetened Beverages, and Alcohol Intake among Adolescents and Adults: The Latin American Nutrition and Health Study (ELANS). Nutrients, 2021, 13, 1809.	4.1	4
88	Changes in Physical Fitness during Summer Months and the School Year in Austrian Elementary School Children—A 4-Year Longitudinal Study. International Journal of Environmental Research and Public Health, 2021, 18, 6920.	2.6	4
89	Translation and Validation of the Basic Psychological Need Satisfaction in Active Commuting to and from School (BPNS-ACS) Scale in Young Portuguese Students. International Journal of Environmental Research and Public Health, 2021, 18, 13091.	2.6	4
90	Impact of Exercise Training on Depressive Symptoms in Cancer Patients: A Critical Analysis. Biology, 2022, 11, 614.	2.8	4

#	Article	IF	CITATIONS
91	Meeting 24-h movement guidelines and markers of adiposity in adults from eight Latin America countries: the ELANS study. Scientific Reports, 2022, 12, .	3.3	4
92	The Profile of Bicycle Users, Their Perceived Difficulty to Cycle, and the Most Frequent Trip Origins and Destinations in Aracaju, Brazil. International Journal of Environmental Research and Public Health, 2020, 17, 7983.	2.6	3
93	Relative Age Effect in Physical Fitness during the Elementary School Years. Pediatric Reports, 2021, 13, 322-333.	1.3	3
94	A Systematic Review of the Association Between Muscular Fitness and Telomere Length Across the Adult Lifespan. Frontiers in Physiology, 2021, 12, 706189.	2.8	3
95	Grip strength as a predictor of depressive symptoms among vulnerable elderly Europeans with musculoskeletal conditions. Scientific Reports, 2021, 11, 21329.	3.3	3
96	Energy Imbalance Gap, Anthropometric Measures, Lifestyle, and Sociodemographic Correlates in Latin American Adults—Results from the ELANS Study. International Journal of Environmental Research and Public Health, 2022, 19, 1129.	2.6	3
97	Association of Body Weight and Physical Fitness during the Elementary School Years. International Journal of Environmental Research and Public Health, 2022, 19, 3441.	2.6	3
98	Alcohol Contribution to Total Energy Intake and Its Association with Nutritional Status and Diet Quality in Eight Latina American Countries. International Journal of Environmental Research and Public Health, 2021, 18, 13130.	2.6	3
99	Association between knee alignment, body mass index and physical fitness variables among students: a cross-sectional study. Revista Brasileira De Ortopedia, 2013, 48, 46-51.	0.6	2
100	Factors associated with objectively measured total sedentary time and screen time in children aged 9–11 years. Jornal De Pediatria (Versão Em Português), 2019, 95, 94-105.	0.2	2
101	¿Cuál es la asociación entre actividad fÃsica, sedentarismo y riesgo de desarrollar cáncer en población adulta? Una revisión de la literatura. Revista Chilena De Nutricion, 2021, 48, 245-254.	0.3	2
102	Methods of Assessing Sedentary Behaviour. , 0, , .		2
103	School environment and physical activity in adolescents from São Paulo city. Scientific Reports, 2021, 11, 18118.	3.3	2
104	Correlates of body fat and waist circumference in children from São Caetano do Sul, Brazil. Ciencia E Saude Coletiva, 2019, 24, 4019-4030.	0.5	2
105	Sub Maximal Ergospirometry Parameters in Untrained Non-Frail Octogenarian Subjects. Medicina (Lithuania), 2022, 58, 378.	2.0	2
106	Relationship between socio-demographic correlates and human development index with physical activity and sedentary time in a cross-sectional multicenter study. BMC Public Health, 2022, 22, 669.	2.9	2
107	The effect of school year and summer break in health-related cardiorespiratory fitness: A 2-year longitudinal analysis. Journal of Sports Sciences, 2022, 40, 1175-1182.	2.0	2
108	Flexibility of Brazilian children and adolescents: a systematic review of the literature. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 24, .	0.5	2

#	Article	IF	CITATIONS
109	Changes in physical fitness and nutritional status of schoolchildren in a period of 30 years (1980–2010). Revista Paulista De Pediatria (English Edition), 2015, 33, 415-422.	0.3	1
110	Association between electronic equipment in the bedroom and sedentary lifestyle, physical activity, and body mass index of children. Jornal De Pediatria (Versão Em Português), 2015, 91, 574-582.	0.2	1
111	Reference curves of the body fat index in adolescents and their association with anthropometric variables. Jornal De Pediatria (Versão Em Português), 2015, 91, 248-255.	0.2	1
112	Overweight/obesity In Brazilian Children. Medicine and Science in Sports and Exercise, 2016, 48, 1035.	0.4	1
113	Accelerometer-determined peak cadence and weight status in children from São Caetano do Sul, Brazil. Ciencia E Saude Coletiva, 2017, 22, 3689-3698.	0.5	1
114	Is it possible to modify the obesogenic environment? - Brazil case. Child and Adolescent Obesity, 2019, 2, 40-46.	1.3	1
115	Systematic review of active transportation to school in youth – an update from Brazil's Report Card. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 23, .	0.5	1
116	Association between weight control behaviors and diet quality among Brazilian adolescents and young adults: Health Survey of São Paulo with Focus on Nutrition, 2015. Eating and Weight Disorders, 2021, , 1.	2.5	1
117	Escuelas especiales de Chile: ¿Responsables del desarrollo de la condición fÃsica-funcional para la inclusión laboral de personas con discapacidad intelectual?. Journal of Movement & Health, 2021, 18, .	0.2	1
118	LIFESTYLE AND ANTHROPOMETRIC INDICATORS HAVE GREATER ASSOCIATIONS WITH STEPS/DAY IN BOYS THAN IN GIRLS. Revista Paulista De Pediatria, 2020, 39, e2019413.	1.0	1
119	Recreo organizado como estrategia para mejorar los niveles actividad fÃsica y condición fÃsica en adolescentes escolares (Organized recess as a strategy to improve physical activity levels and physical) Tj ETQq1	1 0.3 8431	.4 1 rgBT /Ovei
120	Association between Active Transportation and Public Transport with an Objectively Measured Meeting of Moderate-to-Vigorous Physical Activity and Daily Steps Guidelines in Adults by Sex from Eight Latin American Countries. International Journal of Environmental Research and Public Health, 2021, 18, 11553.	2.6	1
121	Systematic review of the community environment for physical activity in young people - an update to the Report Card Brazil. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 23, .	0.5	1
122	Measurement of physical activity and sedentary behavior in national health surveys, South America. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2022, 46, 1.	1.1	1
123	Adherence to healthy lifestyle recommendations in Brazilian cancer survivors. Journal of Cancer Survivorship, 0, , .	2.9	1
124	Weekday Tv Viewing And Accelerometer-determined Physical Activity And Sedentary Behavior In Brazilian Children. Medicine and Science in Sports and Exercise, 2015, 47, 918.	0.4	0
125	Accelerometer-determined Peak Cadence And Weight Status In Brazilian Children. Medicine and Science in Sports and Exercise, 2015, 47, 481.	0.4	0
126	Socioeconomic Status Indicators And Accelerometer-determined Physical Activity In Brazilian Children. Medicine and Science in Sports and Exercise, 2015, 47, 918.	0.4	0

#	Article	IF	CITATIONS
127	Accelerometer-determined Physical Activity And Sedentary Behavior Associations With Body Composition In Brazilian Children. Medicine and Science in Sports and Exercise, 2015, 47, 482.	0.4	0
128	Prevalence and factors associated with body mass index in children aged 9–11 years. Jornal De Pediatria (Versão Em Português), 2017, 93, 601-609.	0.2	0
129	Epidemiology Of Self-reported Physical Activity In Eight Latin American Countries. Medicine and Science in Sports and Exercise, 2018, 50, 204.	0.4	0
130	Association between different contexts of physical activity and anxiety-induced sleep disturbance among 100,648 Brazilian adolescents: Brazilian school-based health survey. Psychiatry Research, 2020, 293, 113367.	3.3	0
131	NUTRITIONAL STATUS, PHYSICAL ACTIVITY, SEDENTARY BEHAVIOR, DIET, AND LIFESTYLE IN CHILDHOOD: AN ANALYSIS OF RESPIRATORY DISEASES IN ADOLESCENCE. Revista Paulista De Pediatria, 2020, 39, e2020007.	1.0	0
132	Reduction in prostate cancer hospitalizations in the COVID-19 pandemic epicenter of Latin America Journal of Clinical Oncology, 2021, 39, e18814-e18814.	1.6	0
133	Impact of COVID-19 pandemic in hospitalizations due to brain tumors from the epicenter of Latin America Journal of Clinical Oncology, 2021, 39, e18785-e18785.	1.6	0
134	Food intake, physical activity and body composition of adolescents and young adults: data from Brazilian Study of Nutrition and Health. BMC Public Health, 2021, 21, 1123.	2.9	0
135	Patterns Of Recommended Levels Of Physical Activity And Mortality: A Prospective Cohort Study. Medicine and Science in Sports and Exercise, 2021, 53, 192-193.	0.4	0
136	Physical Fitness In Schoolchildren. Medicine and Science in Sports and Exercise, 2014, 46, 515-516.	0.4	0
137	Determine And Compare BMI And Strength Between Female And Male From 7 To 17 Years Old. Medicine and Science in Sports and Exercise, 2016, 48, 992.	0.4	0
138	Correlates Of Objectively Measured Sedentary Time And Self-reported Screen Time In Brazilian Children. Medicine and Science in Sports and Exercise, 2016, 48, 1066-1067.	0.4	0
139	CONICITY INDEX, BODY MASS INDEX AND ANTHROPOMETRIC MEASURES (WAIST, WAIST/HIP AND NECK) TJ ETC	2q1 1 0.78	4314 rgBT (
140	FATORES ASSOCIADOS AO CONSUMO ENERGÉTICO DE ADOLESCENTES BRASILEIROS DO ESTUDO BRASILEIRO DE NUTRIÇÃO E SAÚDE (EBANS). , 0, , .		0
141	ASSOCIAÇÃO DO TEMPO SEDENTÃRIO E INTENSIDADE DE ATIVIDADE FÃSICA, MEDIDOS OBJETIVAMENTE, CO VARIÃVEIS DE COMPOSIÇÃO CORPORAL EM ADOLESCENTES DE OITO PAÃSES DA AMÉRICA LATINA. , 0, , .	Μ	0
142	ALIMENTOS FONTE DE AÇÚCAR DE ADIÇÃO ENTRE ADOLESCENTES: DADOS BRASILEIROS (EBANS) DO ESTUDO LATINO-AMERICANO DE NUTRIÇÃO E SAUDE (ELANS). , 0, , .		0
143	FONTES ALIMENTARES DE SÓDIO ENTRE ADOLESCENTES: DADOS BRASILEIROS (EBANS) DO ESTUDO LATINO-AMERICANO DE NUTRIÇAO E SAUDE (ELANS). , 0, , .		0
144	COMPARAÇÃO DOS INDICADORES DO ESTILO DE VIDA DE ESCOLARES DO ENSINO FUNDAMENTAL E MÉD DE ILHABELA, Revista Brasileira De Ciência E Movimento, 2020, 28, 33.	10 _{0.0}	0

#	Article	IF	CITATIONS
145	Promoting Health-Related Cardiorespiratory Fitness in Physical Education: The Role of Lesson Context and Teacher Behavior in an Observational Longitudinal Study. Journal of Teaching in Physical Education, 2021, , 1-7.	1.2	0