## Geert Vanhooren

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/870238/geert-vanhooren-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56 58 29 25,744 h-index g-index citations papers 16.6 58 29,349 5.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
56	The SITS Open Study: A Prospective, Open Label Blinded Evaluation Study of Thrombectomy in Clinical Practice. <i>Stroke</i> , <b>2021</b> , 52, 792-801	6.7	
55	Global Impact of COVID-19 on Stroke Care and IV Thrombolysis. <i>Neurology</i> , <b>2021</b> , 96, e2824-e2838	6.5	37
54	The impact of COVID-19 on acute stroke care in Belgium. <i>Acta Neurologica Belgica</i> , <b>2021</b> , 121, 1251-12	<b>58</b> 1.5	2
53	Value of treatment by comprehensive stroke services for the reduction of critical gaps in acute stroke care in Europe. <i>European Journal of Neurology</i> , <b>2021</b> , 28, 717-725	6	3
52	Thrombectomy is a cost-saving procedure up to 24th after onset. <i>Acta Neurologica Belgica</i> , <b>2021</b> , 1	1.5	O
51	Multicenter, retrospective analysis of endovascular treatment for acute ischemic stroke in nonagenarians. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2020</b> , 29, 104817	2.8	2
50	Stroke coach: a pilot study of a personal digital coaching program for patients after ischemic stroke. <i>Acta Neurologica Belgica</i> , <b>2020</b> , 120, 91-97	1.5	10
49	The relationship between Home-time, quality of life and costs after ischemic stroke: the impact of the need for mobility aids, home and car modifications on Home-time. <i>Disability and Rehabilitation</i> , <b>2020</b> , 42, 419-425	2.4	5
48	Therapeutic hypothermia for acute ischaemic stroke. Results of a European multicentre, randomised, phase III clinical trial. <i>European Stroke Journal</i> , <b>2019</b> , 4, 254-262	5.6	24
47	The combined impact of dependency on caregivers, disability, and coping strategy on quality of life after ischemic stroke. <i>Health and Quality of Life Outcomes</i> , <b>2019</b> , 17, 31	3	11
46	Intravenous thrombolysis in stroke mimics: results from the SITS International Stroke Thrombolysis Register. <i>European Journal of Neurology</i> , <b>2019</b> , 26, 1091-1097	6	20
45	Recommendations on telestroke in Europe. European Stroke Journal, 2019, 4, 101-109	5.6	20
44	An individualized coaching program for patients with acute ischemic stroke: Feasibility study. <i>Clinical Neurology and Neurosurgery</i> , <b>2017</b> , 154, 89-93	2	6
43	Modified Rankin scale as a determinant of direct medical costs after stroke. <i>International Journal of Stroke</i> , <b>2017</b> , 12, 392-400	6.3	27
42	Tuberothalamic infarction causing a central Horner syndrome with contralateral ataxia and paraphasia. <i>Acta Neurologica Belgica</i> , <b>2015</b> , 115, 727-9	1.5	1
41	National Institutes of Health Stroke Scale Item Profiles as Predictor of Patient Outcome: External Validation on Safe Implementation of Thrombolysis in Stroke-Monitoring Study Data. <i>Stroke</i> , <b>2015</b> , 46, 2779-85	6.7	14
40	Effect of white-matter lesions on the risk of periprocedural stroke after carotid artery stenting versus endarterectomy in the International Carotid Stenting Study (ICSS): a prespecified analysis of data from a randomised trial. <i>Lancet Neurology, The</i> , <b>2013</b> , 12, 866-872	24.1	41

## (2010-2013)

Importance of proper patient selection and endpoint selection in evaluation of new therapies in acute stroke: further analysis of the SENTIS trial. <i>Journal of NeuroInterventional Surgery</i> , <b>2013</b> , 5 Suppl 1, i21-4	7.8	14
Diet and kidney disease in high-risk individuals with type 2 diabetes mellitus. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 1682-92	11.5	81
Status update and interim results from the asymptomatic carotid surgery trial-2 (ACST-2). <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2013</b> , 46, 510-8	2.3	53
Percutaneous closure of patent foramen ovale in cryptogenic embolism. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 1083-91	59.2	617
Granulocyte colony-stimulating factor in patients with acute ischemic stroke: results of the AX200 for Ischemic Stroke trial. <i>Stroke</i> , <b>2013</b> , 44, 2681-7	6.7	117
Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. <i>Lancet Neurology, The</i> , <b>2012</b> , 11, 225-31	24.1	132
Antiplatelet therapy and the effects of B vitamins in patients with previous stroke or transient ischaemic attack: a post-hoc subanalysis of VITATOPS, a randomised, placebo-controlled trial. <i>Lancet Neurology, The</i> , <b>2012</b> , 11, 512-20	24.1	57
Reversion of cerebral artery stenoses due to tuberculomas with TNF-lantibodies. <i>Clinical Neurology and Neurosurgery</i> , <b>2012</b> , 114, 1016-8	2	1
Vorapaxar in the secondary prevention of atherothrombotic events. <i>New England Journal of Medicine</i> , <b>2012</b> , 366, 1404-13	59.2	694
Apixaban in patients with atrial fibrillation. New England Journal of Medicine, 2011, 364, 806-17	59.2	1772
	\	
The angiotensin-receptor blocker candesartan for treatment of acute stroke (SCAST): a randomised, placebo-controlled, double-blind trial. <i>Lancet, The</i> , <b>2011</b> , 377, 741-50	40	402
	40	402 159
randomised, placebo-controlled, double-blind trial. <i>Lancet, The</i> , <b>2011</b> , 377, 741-50  Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised,		
randomised, placebo-controlled, double-blind trial. <i>Lancet, The,</i> <b>2011</b> , 377, 741-50  Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. <i>Lancet, The,</i> <b>2011</b> , 377, 2013-22  Progressive multifocal leukoencephalopathy in liver transplant recipients: a case report and review	40	159
randomised, placebo-controlled, double-blind trial. <i>Lancet, The,</i> <b>2011</b> , 377, 741-50  Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. <i>Lancet, The,</i> <b>2011</b> , 377, 2013-22  Progressive multifocal leukoencephalopathy in liver transplant recipients: a case report and review of the literature. <i>Transplant International,</i> <b>2011</b> , 24, e30-4  Partial aortic occlusion for cerebral perfusion augmentation: safety and efficacy of NeuroFlo in	40	159 15
randomised, placebo-controlled, double-blind trial. <i>Lancet, The</i> , <b>2011</b> , 377, 741-50  Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. <i>Lancet, The</i> , <b>2011</b> , 377, 2013-22  Progressive multifocal leukoencephalopathy in liver transplant recipients: a case report and review of the literature. <i>Transplant International</i> , <b>2011</b> , 24, e30-4  Partial aortic occlusion for cerebral perfusion augmentation: safety and efficacy of NeuroFlo in Acute Ischemic Stroke trial. <i>Stroke</i> , <b>2011</b> , 42, 1680-90  Angiotensin receptor blockade in acute stroke. The Scandinavian Candesartan Acute Stroke Trial: rationale, methods and design of a multicentre, randomised- and placebo-controlled clinical trial	40 3 6.7	159 15 81
randomised, placebo-controlled, double-blind trial. <i>Lancet, The,</i> <b>2011</b> , 377, 741-50  Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. <i>Lancet, The,</i> <b>2011</b> , 377, 2013-22  Progressive multifocal leukoencephalopathy in liver transplant recipients: a case report and review of the literature. <i>Transplant International,</i> <b>2011</b> , 24, e30-4  Partial aortic occlusion for cerebral perfusion augmentation: safety and efficacy of NeuroFlo in Acute Ischemic Stroke trial. <i>Stroke,</i> <b>2011</b> , 42, 1680-90  Angiotensin receptor blockade in acute stroke. The Scandinavian Candesartan Acute Stroke Trial: rationale, methods and design of a multicentre, randomised- and placebo-controlled clinical trial (NCT00120003). <i>International Journal of Stroke,</i> <b>2010</b> , 5, 423-7	40 3 6.7 6.3	159 15 81 16
	Diet and kidney disease in high-risk individuals with type 2 diabetes mellitus. JAMA Internal Medicine, 2013, 173, 1682-92  Status update and interim results from the asymptomatic carotid surgery trial-2 (ACST-2). European Journal of Vascular and Endovascular Surgery, 2013, 46, 510-8  Percutaneous closure of patent foramen ovale in cryptogenic embolism. New England Journal of Medicine, 2013, 368, 1083-91  Granulocyte colony-stimulating factor in patients with acute ischemic stroke: results of the AX200 for Ischemic Stroke trial. Stroke, 2013, 44, 2681-7  Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. Lancet Neurology, The, 2012, 11, 225-31  Antiplatelet therapy and the effects of B vitamins in patients with previous stroke or transient ischaemic attack: a post-hoc subanalysis of VITATOPS, a randomised, placebo-controlled trial. Lancet Neurology, The, 2012, 11, 512-20  Reversion of cerebral artery stenoses due to tuberculomas with TNF-lantibodies. Clinical Neurology and Neurosurgery, 2012, 114, 1016-8  Vorapaxar in the secondary prevention of atherothrombotic events. New England Journal of Medicine, 2012, 366, 1404-13	Diet and kidney disease in high-risk individuals with type 2 diabetes mellitus. JAMA Internal Medicine, 2013, 173, 1682-92  Status update and interim results from the asymptomatic carotid surgery trial-2 (ACST-2). European Journal of Vascular and Endovascular Surgery, 2013, 46, 510-8  Percutaneous closure of patent foramen ovale in cryptogenic embolism. New England Journal of Medicine, 2013, 368, 1083-91  Granulocyte colony-stimulating factor in patients with acute ischemic stroke: results of the AX200 for Ischemic Stroke trial. Stroke, 2013, 44, 2681-7  Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. Lancet Neurology, The, 2012, 11, 225-31  Antiplatelet therapy and the effects of B vitamins in patients with previous stroke or transient ischaemic attack: a post-hoc subanalysis of VITATOPS, a randomised, placebo-controlled trial. Lancet Neurology, The, 2012, 11, 512-20  Reversion of cerebral artery stenoses due to tuberculomas with TNF-lantibodies. Clinical Neurology and Neurosurgery, 2012, 114, 1016-8  Vorapaxar in the secondary prevention of atherothrombotic events. New England Journal of Medicine, 2012, 366, 1404-13

21	Are ACE-inhibitors or ARB's still needed for cardiovascular prevention in high risk patients? Insights from profess and transcend. <i>Acta Clinica Belgica</i> , <b>2010</b> , 65, 107-14	1.8	3
20	B vitamins in patients with recent transient ischaemic attack or stroke in the VITAmins TO Prevent Stroke (VITATOPS) trial: a randomised, double-blind, parallel, placebo-controlled trial. <i>Lancet Neurology, The</i> , <b>2010</b> , 9, 855-65	24.1	228
19	Rationale and design of a randomized, double-blind, parallel-group study of terutroban 30 mg/day versus aspirin 100 mg/day in stroke patients: the prevention of cerebrovascular and cardiovascular events of ischemic origin with terutroban in patients with a history of ischemic stroke or transient	3.2	57
18	ischemic attack (PERFORM) study. <i>Cerebrovascular Disease</i> s, <b>2009</b> , 27, 509-18 Dabigatran versus warfarin in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , <b>2009</b> , 361, 1139-51	59.2	7909
17	Effects of aspirin plus extended-release dipyridamole versus clopidogrel and telmisartan on disability and cognitive function after recurrent stroke in patients with ischaemic stroke in the Prevention Regimen for Effectively Avoiding Second Strokes (PRoFESS) trial: a double-blind, active	24.1	247
16	and placebo-controlled study. <i>Lancet Neurology, The</i> , <b>2008</b> , 7, 875-84 Efficacy and safety of recombinant activated factor VII for acute intracerebral hemorrhage. <i>New England Journal of Medicine</i> , <b>2008</b> , 358, 2127-37	59.2	974
15	Aspirin and extended-release dipyridamole versus clopidogrel for recurrent stroke. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1238-51	59.2	717
14	Effects of the angiotensin-receptor blocker telmisartan on cardiovascular events in high-risk patients intolerant to angiotensin-converting enzyme inhibitors: a randomised controlled trial. <i>Lancet, The</i> , <b>2008</b> , 372, 1174-83	40	755
13	Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1317-29	59.2	4601
12	Telmisartan to prevent recurrent stroke and cardiovascular events. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1225-37	59.2	606
11	Multivariable analysis of outcome predictors and adjustment of main outcome results to baseline data profile in randomized controlled trials: Safe Implementation of Thrombolysis in Stroke-MOnitoring STudy (SITS-MOST). <i>Stroke</i> , <b>2008</b> , 39, 3316-22	6.7	349
10	Lessons from ONTARGET. <i>Acta Clinica Belgica</i> , <b>2008</b> , 63, 142-51	1.8	3
9	VITATOPS, the VITAmins TO prevent stroke trial: rationale and design of a randomised trial of B-vitamin therapy in patients with recent transient ischaemic attack or stroke (NCT00097669) (ISRCTN74743444). <i>International Journal of Stroke</i> , <b>2007</b> , 2, 144-50	6.3	33
8	Thrombolysis with alteplase for acute ischaemic stroke in the Safe Implementation of Thrombolysis in Stroke-Monitoring Study (SITS-MOST): an observational study. <i>Lancet, The</i> , <b>2007</b> , 369, 275-82	40	2158
7	Cerebral venous thrombosis and the G20210A mutation of factor II. Stroke, 2000, 31, 543-4	6.7	5
6	Benign paroxysmal positional vertigo of the horizontal canal. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>1996</b> , 60, 68-71	5.5	85
5	Crossed innervation of the superior rectus. Clinical Neurology and Neurosurgery, 1992, 94, 73-4	2	10
4	Reply to Vanhooren on Brossed innervation of the superior rectus [Clinical Neurology and Neurosurgery, <b>1992</b> , 94, 74	2	

## LIST OF PUBLICATIONS

3	Lymphocyte subsets in sural nerves from patients with vasculitic neuropathy. <i>Muscle and Nerve</i> , <b>1991</b> , 14, 574-5	3.4	3
2	Polyneuropathy in lithium intoxication. <i>Muscle and Nerve</i> , <b>1990</b> , 13, 204-8	3.4	18
1	Schwannoma of the optic sheath. <i>Neuro-Ophthalmology</i> , <b>1987</b> , 7, 219-22	0.9	21