

Jens Steen Nielsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8702836/jens-steen-nielsen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

545
citations

13
h-index

22
g-index

38
ext. papers

691
ext. citations

4.9
avg, IF

3.44
L-index

#	Paper	IF	Citations
33	Mannose-binding lectin and risk of infections in type 2 diabetes: A Danish cohort study. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107873	3.2	
32	Falls and fractures associated with type 2 diabetic polyneuropathy: A cross-sectional nationwide questionnaire study. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1827-1834	3.9	2
31	Small and large fiber sensory polyneuropathy in type 2 diabetes: Influence of diagnostic criteria on neuropathy subtypes. <i>Journal of the Peripheral Nervous System</i> , 2021 , 26, 55-65	4.7	9
30	Clinical and biochemical characteristics of postpancreatitis diabetes mellitus: A cross-sectional study from the Danish nationwide DD2 cohort. <i>Journal of Diabetes</i> , 2021 , 13, 960-974	3.8	1
29	Mannose-Binding Lectin and Risk of Cardiovascular Events and Mortality in Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2020 , 43, 2190-2198	14.6	2
28	Extent of arterial calcification by conventional vitamin K antagonist treatment. <i>PLoS ONE</i> , 2020 , 15, e0241450	3.7	6
27	Diabetic polyneuropathy and pain, prevalence, and patient characteristics: a cross-sectional questionnaire study of 5,514 patients with recently diagnosed type 2 diabetes. <i>Pain</i> , 2020 , 161, 574-583	8	31
26	Effect of ecological momentary assessment, goal-setting and personalized phone-calls on adherence to interval walking training using the InterWalk application among patients with type 2 diabetes-A pilot randomized controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0208181	3.7	8
25	Increased frequency of rare missense PPP1R3B variants among Danish patients with type 2 diabetes. <i>PLoS ONE</i> , 2019 , 14, e0210114	3.7	6
24	Sequencing reveals protective and pathogenic effects on development of diabetes of rare GLIS3 variants. <i>PLoS ONE</i> , 2019 , 14, e0220805	3.7	2
23	Danish Centre for Strategic Research in Type 2 Diabetes (DD2) project cohort of newly diagnosed patients with type 2 diabetes: a cohort profile. <i>BMJ Open</i> , 2018 , 8, e017273	3	23
22	Early-onset type 2 diabetes: Age gradient in clinical and behavioural risk factors in 5115 persons with newly diagnosed type 2 diabetes-Results from the DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2968	7.5	20
21	Prevalence of micro- and macrovascular diabetes complications at time of type 2 diabetes diagnosis and associated clinical characteristics: A cross-sectional baseline study of 6958 patients in the Danish DD2 cohort. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 34-40	3.2	53
20	Long-term effect of smartphone-delivered Interval Walking Training on physical activity in patients with type 2 diabetes: protocol for a parallel group single-blinded randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e014036	3	7
19	Impact of Glycemic Control on Risk of Infections in Patients With Type 2 Diabetes: A Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2017 , 186, 227-236	3.8	35
18	Protocol for the specialist supervised individualised multifactorial treatment of new clinically diagnosed type 2 diabetes in general practice (IDA): a prospective controlled multicentre open-label intervention study. <i>BMJ Open</i> , 2017 , 7, e017493	3	1
17	Resting Metabolic Rate Does Not Change in Response to Different Types of Training in Subjects with Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2017 , 8, 132	5.7	12

16	Implementation of interval walking training in patients with type 2 diabetes in Denmark: rationale, design, and baseline characteristics. <i>Clinical Epidemiology</i> , 2016 , 8, 201-9	5.9	12
15	Association of parental history of type 2 diabetes with age, lifestyle, anthropometric factors, and clinical severity at type 2 diabetes diagnosis: results from the DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 308-15	7.5	9
14	Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016 , 8, 31	2.4	13
13	Prescribing practices and clinical predictors of glucose-lowering therapy within the first year in people with newly diagnosed Type 2 diabetes. <i>Diabetic Medicine</i> , 2015 , 32, 1546-54	3.5	20
12	Modifiable clinical and lifestyle factors are associated with elevated alanine aminotransferase levels in newly diagnosed type 2 diabetes patients: results from the nationwide DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30, 707-15	7.5	12
11	Lifestyle and clinical factors associated with elevated C-reactive protein among newly diagnosed Type 2 diabetes mellitus patients: a cross-sectional study from the nationwide DD2 cohort. <i>BMC Endocrine Disorders</i> , 2014 , 14, 74	3.3	12
10	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2): organization of diabetes care in Denmark and supplementary data sources for data collection among DD2 study participants. <i>Clinical Epidemiology</i> , 2012 , 4, 15-9	5.9	27
9	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: Collection of baseline data from the first 580 patients. <i>Clinical Epidemiology</i> , 2012 , 4, 43-8	5.9	29
8	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: expected outcome from the DD2 project and two intervention studies. <i>Clinical Epidemiology</i> , 2012 , 4, 21-6	5.9	9
7	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: implementation of a nationwide patient enrollment system. <i>Clinical Epidemiology</i> , 2012 , 4, 27-36	5.9	24
6	New national Biobank of The Danish Center for Strategic Research on Type 2 Diabetes (DD2). <i>Clinical Epidemiology</i> , 2012 , 4, 37-42	5.9	21
5	Effect of the SK/IK channel modulator 4,5-dichloro-1,3-diethyl-1,3-dihydro-benzoimidazol-2-one (NS4591) on contractile force in rat, pig and human detrusor smooth muscle. <i>BJU International</i> , 2011 , 108, 771-7	5.6	9
4	Reduced sarcoplasmic reticulum content of releasable Ca ²⁺ in rat soleus muscle fibres after eccentric contractions. <i>Acta Physiologica</i> , 2007 , 191, 217-28	5.6	17
3	Repeated static contractions increase mitochondrial vulnerability toward oxidative stress in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2006 , 101, 833-9	3.7	11
2	Pedalling rate affects endurance performance during high-intensity cycling. <i>European Journal of Applied Physiology</i> , 2004 , 92, 114-20	3.4	32
1	Muscle fibre type, efficiency, and mechanical optima affect freely chosen pedal rate during cycling. <i>Acta Physiologica Scandinavica</i> , 2002 , 176, 185-94		68