

# Jiu-Rong Liu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8703247/jiu-rong-liu-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123  
papers

4,805  
citations

39  
h-index

65  
g-index

128  
ext. papers

6,113  
ext. citations

7.3  
avg, IF

5.93  
L-index

#	Paper	IF	Citations
123	Achieving superior electromagnetic wave absorbers through the novel metal-organic frameworks derived magnetic porous carbon nanorods. <i>Carbon</i> , <b>2019</b> , 145, 433-444	10.4	281
122	Enhanced Electromagnetic Wave Absorption of Three-Dimensional Porous Fe <sub>3</sub> O <sub>4</sub> /C Composite Flowers. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 12471-12480	8.3	217
121	Sandwich-like NiCo layered double hydroxide/reduced graphene oxide nanocomposite cathodes for high energy density asymmetric supercapacitors. <i>Dalton Transactions</i> , <b>2019</b> , 48, 5193-5202	4.3	199
120	Facile Synthesis of Porous Nickel/Carbon Composite Microspheres with Enhanced Electromagnetic Wave Absorption by Magnetic and Dielectric Losses. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 20258-66	9.5	155
119	Synthesis of nestlike ZnO hierarchically porous structures and analysis of their gas sensing properties. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 817-25	9.5	154
118	Ultrathin high-performance electromagnetic wave absorbers with facilely fabricated hierarchical porous Co/C crabapples. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 1659-1669	7.1	148
117	Template free synthesis and electromagnetic wave absorption properties of monodispersed hollow magnetite nano-spheres. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 4314		147
116	Carbon-coated MnO microparticulate porous nanocomposites serving as anode materials with enhanced electrochemical performances. <i>Nano Energy</i> , <b>2014</b> , 9, 41-49	17.1	131
115	Design and synthesis of TiO <sub>2</sub> /Co/carbon nanofibers with tunable and efficient electromagnetic absorption. <i>Chemical Engineering Journal</i> , <b>2020</b> , 380, 122591	14.7	120
114	Facile synthesis of hollow porous cobalt spheres and their enhanced electromagnetic properties. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 22160		117
113	MOF-derived hierarchical core-shell hollow iron-cobalt sulfides nanoarrays on Ni foam with enhanced electrochemical properties for high energy density asymmetric supercapacitors. <i>Electrochimica Acta</i> , <b>2019</b> , 323, 134826	6.7	109
112	One-pot melamine derived nitrogen doped magnetic carbon nanoadsorbents with enhanced chromium removal. <i>Carbon</i> , <b>2016</b> , 109, 640-649	10.4	104
111	Bio-template synthesized NiO/C hollow microspheres with enhanced Li-ion battery electrochemical performance. <i>Electrochimica Acta</i> , <b>2018</b> , 261, 236-245	6.7	90
110	High-Efficiency Electromagnetic Wave Absorption of Cobalt-Decorated NH-UIO-66-Derived Porous ZrO/C. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 35959-35968	9.5	82
109	Nanostructured Antimony/carbon Composite Fibers as Anode Material for Lithium-ion Battery. <i>Electrochimica Acta</i> , <b>2015</b> , 151, 214-221	6.7	82
108	Electromagnetic Field Absorbing Polypropylene Nanocomposites with Tuned Permittivity and Permeability by Nanoiron and Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , <b>2014</b> , 118, 24784-24796	3.8	79
107	Electropolymerized polypyrrole nanocomposites with cobalt oxide coated on carbon paper for electrochemical energy storage. <i>Polymer</i> , <b>2015</b> , 67, 192-199	3.9	78

106	Electrical transport and magnetoresistance in advanced polyaniline nanostructures and nanocomposites. <i>Polymer</i> , <b>2014</b> , 55, 4405-4419	3.9	71
105	Strengthened electromagnetic absorption performance derived from synergistic effect of carbon nanotube hybrid with Co@C beads. <i>Advanced Composites and Hybrid Materials</i> , <b>2018</b> , 1, 149-159	8.7	70
104	An Overview of Electrically Conductive Polymer Nanocomposites toward Electromagnetic Interference Shielding. <i>Engineered Science</i> , <b>2018</b> ,	3.8	67
103	Strengthened Magneto-resistive Epoxy Nanocomposite Papers Derived from Synergistic Nanomagnetite-Carbon Nanofiber Nanohybrids. <i>Advanced Materials</i> , <b>2015</b> , 27, 6277-82	24	65
102	Silica Doped Nanopolyaniline with Endured Electrochemical Energy Storage and the Magnetic Field Effects. <i>Journal of Physical Chemistry C</i> , <b>2013</b> , 117, 13000-13010	3.8	62
101	Significantly enhanced energy density of magnetite/polypyrrole nanocomposite capacitors at high rates by low magnetic fields. <i>Advanced Composites and Hybrid Materials</i> , <b>2018</b> , 1, 127-134	8.7	59
100	Improved electromagnetic wave absorption of Co nanoparticles decorated carbon nanotubes derived from synergistic magnetic and dielectric losses. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 31542-31550	3.6	59
99	Electropolymerized polyaniline/manganese iron oxide hybrids with an enhanced color switching response and electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 20778-20790	13	52
98	Self-Assembled ZnO/Co Hybrid Nanotubes Prepared by Electrospinning for Lightweight and High-Performance Electromagnetic Wave Absorption. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 5297-5306	5.6	52
97	Facile Synthesis of Three-Dimensional Porous Co/MnO Composites Derived from Bimetal Oxides for Highly Efficient Electromagnetic Wave Absorption. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 8687-8695	8.3	51
96	Fabrication of porous MnO microspheres with carbon coating for lithium ion battery application. <i>CrystEngComm</i> , <b>2014</b> , 16, 1802	3.3	51
95	Non-Magnetic Bimetallic MOF-Derived Porous Carbon-Wrapped TiO <sub>2</sub> /ZrTiO <sub>4</sub> Composites for Efficient Electromagnetic Wave Absorption. <i>Nano-Micro Letters</i> , <b>2021</b> , 13, 75	19.5	51
94	Aromatic Polyimide/Graphene Composite Organic Cathodes for Fast and Sustainable Lithium-Ion Batteries. <i>ChemSusChem</i> , <b>2018</b> , 11, 763-772	8.3	48
93	Poly(vinylidene fluoride) derived fluorine-doped magnetic carbon nano-adsorbents for enhanced chromium removal. <i>Carbon</i> , <b>2017</b> , 115, 503-514	10.4	46
92	Porous ternary TiO <sub>2</sub> /MnTiO <sub>3</sub> @C hybrid microspheres as anode materials with enhanced electrochemical performances. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 23895-23904	13	45
91	Synthesis of Au decorated SnO <sub>2</sub> mesoporous spheres with enhanced gas sensing performance. <i>RSC Advances</i> , <b>2013</b> , 3, 19002	3.7	45
90	Generation of oxide nanopatterns by combining self-assembly of S-layer proteins and area-selective atomic layer deposition. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 16908-13	16.4	43
89	Carbon-Based MOF Derivatives: Emerging Efficient Electromagnetic Wave Absorption Agents. <i>Nano-Micro Letters</i> , <b>2021</b> , 13, 135	19.5	43

88	Enhancing Electrochemical Performances of TiO <sub>2</sub> Porous Microspheres through Hybridizing with FeTiO <sub>3</sub> and Nanocarbon. <i>Electrochimica Acta</i> , <b>2016</b> , 190, 556-565	6.7	42
87	Synthesis of Mesoporous SnO <sub>2</sub> Spheres and Application in Gas Sensors. <i>European Journal of Inorganic Chemistry</i> , <b>2014</b> , 2014, 863-869	2.3	41
86	Li-Ion Storage Performance of MnO Nanoparticles Coated with Nitrogen-Doped Carbon Derived from Different Carbon Sources. <i>Electrochimica Acta</i> , <b>2014</b> , 146, 249-256	6.7	40
85	Bimetal oxide-derived flower-like heterogeneous Co/MnO@C composites with synergistic magnetic/dielectric attenuation for electromagnetic wave absorption. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 2451-2459	7.1	40
84	Enhanced Electrochemical Performance of Zn-Doped Fe <sub>3</sub> O <sub>4</sub> with Carbon Coating. <i>Electrochimica Acta</i> , <b>2014</b> , 117, 230-238	6.7	38
83	CuNi alloy/ carbon foam nanohybrids as high-performance electromagnetic wave absorbers. <i>Carbon</i> , <b>2021</b> , 172, 488-496	10.4	37
82	Carbon coated manganese monoxide octahedron negative-electrode for lithium-ion batteries with enhanced performance. <i>RSC Advances</i> , <b>2015</b> , 5, 34566-34571	3.7	36
81	Multi-walled carbon nanotubes composited with nanomagnetite for anodes in lithium ion batteries. <i>RSC Advances</i> , <b>2015</b> , 5, 7237-7244	3.7	34
80	Carbon composite spun fibers with in situ formed multicomponent nanoparticles for a lithium-ion battery anode with enhanced performance. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 9881-9889	13	34
79	Enhanced electrochemical performances of MoO <sub>2</sub> nanoparticles composited with carbon nanotubes for lithium-ion battery anodes. <i>RSC Advances</i> , <b>2015</b> , 5, 87286-87294	3.7	33
78	Facile synthesis of rod-like manganese molybdate crystallines with two-dimensional nanoflakes for supercapacitor application. <i>Electrochimica Acta</i> , <b>2017</b> , 225, 605-613	6.7	32
77	One-pot synthesis and gas sensing properties of ZnO mesoporous architectures. <i>Sensors and Actuators B: Chemical</i> , <b>2013</b> , 184, 85-92	8.5	32
76	Facile fabrication of Ni embedded TiO <sub>2</sub> /C core-shell ternary nanofibers with multicomponent functional synergy for efficient electromagnetic wave absorption. <i>Composites Part B: Engineering</i> , <b>2020</b> , 200, 108343	10	31
75	Template-free synthesis of Co nanoporous structures and their electromagnetic wave absorption properties. <i>Materials Letters</i> , <b>2012</b> , 78, 69-71	3.3	30
74	Facile synthesis of MnO and nitrogen-doped carbon nanocomposites as anode material for lithium ion battery. <i>Materials Letters</i> , <b>2014</b> , 136, 289-291	3.3	30
73	Synthesis and characterization of SnO <sub>2</sub> /polyaniline nanocomposites by sol-gel technique and microemulsion polymerization. <i>Synthetic Metals</i> , <b>2012</b> , 162, 2183-2187	3.6	29
72	Electromagnetic wave absorption properties of Fe <sub>3</sub> O <sub>4</sub> octahedral nanocrystallines in gigahertz range. <i>Applied Physics A: Materials Science and Processing</i> , <b>2011</b> , 105, 351-354	2.6	29
71	Creating oxygen vacancies on porous indium oxide nanospheres via metallic aluminum reduction for enhanced nitrogen dioxide detection at low temperature. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 303, 127221	8.5	29

70	Carbon Coating and Zn 2+ Doping of Magnetite Nanorods for Enhanced Electrochemical Energy Storage. <i>Electrochimica Acta</i> , <b>2014</b> , 148, 118-126	6.7	28
69	A MOF-derived ZrO <sub>2</sub> /C nanocomposite for efficient electromagnetic wave absorption. <i>Inorganic Chemistry Frontiers</i> , <b>2020</b> , 7, 385-393	6.8	28
68	Recent advances and perspectives on constructing metal oxide semiconductor gas sensing materials for efficient formaldehyde detection. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 13169-13188	7.1	28
67	Enhancing the reversible capacity and rate performance of anatase TiO <sub>2</sub> by combined coating and compositing with N-doped carbon. <i>Journal of Power Sources</i> , <b>2015</b> , 273, 472-478	8.9	27
66	Bimetallic MOF-derived porous CoNi/C nanocomposites with ultra-wide band microwave absorption properties. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 16546-16554	3.6	27
65	Facile synthesis of porous Fe <sub>2</sub> TiO <sub>5</sub> microparticulates serving as anode material with enhanced electrochemical performances. <i>RSC Advances</i> , <b>2015</b> , 5, 103767-103775	3.7	26
64	Controlled sulfidation towards achieving core-shell 1D-NiMoO <sub>4</sub> @ 2D-NiMoS <sub>4</sub> architecture for high-performance asymmetric supercapacitor. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 804, 27-34	5.7	26
63	Growth and properties of UV nonlinear optical crystal ZnCd(SCN) <sub>4</sub> . <i>Materials Research Bulletin</i> , <b>2001</b> , 36, 1287-1299	5.1	26
62	Growth and characterization of a novel UV nonlinear optical crystal: [MnHg(SCN) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sub>2</sub> C <sub>4</sub> H <sub>9</sub> NO. <i>Journal of Crystal Growth</i> , <b>2002</b> , 234, 469-479	1.6	25
61	Fe <sub>3</sub> O <sub>4</sub> nanoparticles encapsulated in multi-walled carbon nanotubes possess superior lithium storage capability. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 6241-6250	3.6	24
60	High response and selectivity of platinum modified tin oxide porous spheres for nitrogen dioxide gas sensing at low temperature. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 257, 427-435	8.5	23
59	Preparation of zirconia xerogels and ceramics by sol-gel method and the analysis of their thermal behavior. <i>Thermochimica Acta</i> , <b>2001</b> , 376, 77-82	2.9	23
58	Crystal growth and physical properties of UV nonlinear optical crystal zinc cadmium thiocyanate, ZnCd(SCN) <sub>4</sub> . <i>Chemical Physics Letters</i> , <b>2001</b> , 346, 393-406	2.5	23
57	Constructing 1T/2H MoS nanosheets/3D carbon foam for high-performance electromagnetic wave absorption. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 586, 613-620	9.3	23
56	Polythiophene coated aromatic polyimide enabled ultrafast and sustainable lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 24083-24090	13	22
55	Fabrication of silica-supported ZrO <sub>2</sub> mesoporous fibers with high thermal stability by sol-gel method through a controlled hydrolysis-condensation process. <i>Microporous and Mesoporous Materials</i> , <b>2010</b> , 130, 189-196	5.3	21
54	Fabricating a Mn <sub>3</sub> O <sub>4</sub> /Ni(OH) <sub>2</sub> Nanocomposite by Water-Boiling Treatment for Use in Asymmetric Supercapacitors as an Electrode Material. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 15688-15698	8.2	21
53	Facile synthesis and superior ethyl acetate sensing performance of Au decorated ZnO flower-like architectures. <i>Ceramics International</i> , <b>2017</b> , 43, 5053-5060	5.1	20

52	Rechargeable Co <sub>3</sub> O <sub>4</sub> porous nanoflake carbon nanotube nanocomposite lithium-ion battery anodes with enhanced energy performances. <i>RSC Advances</i> , <b>2015</b> , 5, 46509-46516	3.7	20
51	Synthesis and characterization of polypyrrole/Au nanocomposites by microemulsion polymerization. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2012</b> , 397, 8-11	5.1	20
50	Recent Advances in MOF-based Nanocatalysts for Photo-Promoted CO <sub>2</sub> Reduction Applications. <i>Catalysts</i> , <b>2019</b> , 9, 658	4	18
49	State-of-the-art advancements in photo-assisted CO <sub>2</sub> hydrogenation: recent progress in catalyst development and reaction mechanisms. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 24868-24894	13	18
48	Engineering the surface structure of porous indium oxide hexagonal nanotubes with antimony trioxide for highly-efficient nitrogen dioxide detection at low temperature. <i>Applied Surface Science</i> , <b>2019</b> , 484, 853-863	6.7	16
47	Enhanced supercapacitive performance of the CoFe <sub>2</sub> O <sub>4</sub> /CoFe <sub>2</sub> S <sub>4</sub> composite nanoflake array induced by surface sulfidation. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 13491-13498	3.6	16
46	One-dimensional MnO@N-doped carbon nanotubes as robust dielectric loss electromagnetic wave absorbers. <i>Chemical Engineering Journal</i> , <b>2021</b> , 410, 128295	14.7	16
45	High response to nitrogen dioxide derived from antimony peroxide modified tin oxide porous nanocomposites serving as gas sensing material. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 247, 216-223	8.5	15
44	Porous and Ultra-Flexible Crosslinked MXene/Polyimide Composites for Multifunctional Electromagnetic Interference Shielding.. <i>Nano-Micro Letters</i> , <b>2022</b> , 14, 59	19.5	15
43	Tailoring electromagnetic absorption performances of TiO <sub>2</sub> /Co/carbon nanofibers through tuning graphitization degrees. <i>Ceramics International</i> , <b>2020</b> , 46, 4754-4761	5.1	15
42	Shining light on transition metal sulfides: New choices as highly efficient antibacterial agents. <i>Nano Research</i> , <b>2021</b> , 14, 1-23	10	15
41	Growth and properties of UV nonlinear optical crystal ZnCd(SCN) <sub>4</sub> . <i>Materials Research Bulletin</i> , <b>2003</b> , 38, 1269-1280	5.1	14
40	Synthesis of MOF-derived Fe <sub>7</sub> S <sub>8</sub> /C rod-like composites by controlled proportion of carbon for highly efficient electromagnetic wave absorption. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 142, 106246	8.4	14
39	Unraveling the promoted nitrogen dioxide detection performance of N-doped SnO <sub>2</sub> microspheres at low temperature. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 834, 155209	5.7	13
38	Alpha-Fe <sub>2</sub> O <sub>3</sub> @ZnO heterostructured nanotubes for gas sensing. <i>Materials Letters</i> , <b>2012</b> , 76, 159-161	3.3	13
37	Fabrication of monodispersed nickel flower-like architectures via a solvent-thermal process and analysis of their magnetic and electromagnetic properties. <i>Journal of Solid State Chemistry</i> , <b>2011</b> , 184, 2994-3001	3.3	13
36	Mesoporous Fe-doped In <sub>2</sub> O <sub>3</sub> nanorods derived from metal organic frameworks for enhanced nitrogen dioxide detection at low temperature. <i>Ceramics International</i> , <b>2020</b> , 46, 20385-20394	5.1	12
35	Synthesis of hollow Fe <sub>3</sub> O <sub>4</sub> at ZnO at anatase TiO <sub>2</sub> core-shell structured spheres. <i>Ceramics International</i> , <b>2012</b> , 38, 6899-6902	5.1	12

34	Polypyrrole-coated FeO nanotubes constructed from nanoneedles as high-performance anodes for aqueous asymmetric supercapacitors. <i>Dalton Transactions</i> , <b>2020</b> , 49, 9701-9709	4.3	11
33	Fabrication of bulk macroporous zirconia by combining sol-gel with calcination processes. <i>Ceramics International</i> , <b>2011</b> , 37, 2549-2553	5.1	10
32	Novel ternary Co <sub>3</sub> O <sub>4</sub> /CeO <sub>2</sub> /CNTs composites for high-performance broadband electromagnetic wave absorption. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 864, 158141	5.7	10
31	Bifunctional Cu <sub>9</sub> S <sub>5</sub> /C octahedral composites for electromagnetic wave absorption and supercapacitor applications. <i>Chemical Engineering Journal</i> , <b>2021</b> , 417, 129350	14.7	10
30	Metal sulfides based composites as promising efficient microwave absorption materials: A review. <i>Journal of Materials Science and Technology</i> , <b>2022</b> , 104, 244-268	9.1	10
29	Synthesis of strontium hexaferrite nanoplates and the enhancement of their electrochemical performance by Zn <sup>2+</sup> doping for high-rate and long-life lithium-ion batteries. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 6427-6435	3.6	9
28	Porous Fe Hollow Structures with Optimized Impedance Matching as Highly Efficient, Ultrathin, and Lightweight Electromagnetic Wave Absorbers. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 6446-6455	3.9	9
27	Preparation and characterization of silica/polypyrrole core-shell colloidal particles in the presence of ethanol as the cosolvent. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 123, 3270-3274	2.9	9
26	Strong luminescence of pure and yttria doped zirconia xerogels. <i>Journal of Materials Science Letters</i> , <b>2001</b> , 20, 1565-1567		9
25	Novel synthesis of MoO <sub>3</sub> /Mo <sub>4</sub> O <sub>11</sub> /MoO <sub>2</sub> heterogeneous nanobelts for wideband electromagnetic wave absorption. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 817, 153309	5.7	9
24	Enhanced electrochemical performance of barium hexaferrite nanoplates by Zn <sup>2+</sup> doping serving as anode materials. <i>RSC Advances</i> , <b>2015</b> , 5, 70749-70757	3.7	8
23	Preparation of polyaniline coated polystyrene-poly(styrene-co-sodium 4-styrenesulfonate) microparticles and the further fabrication of hollow polyaniline microspheres. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 126, 870-876	2.9	7
22	Rapid, Low-Temperature Synthesis of SiC Nanowires from Si and Graphite. <i>Journal of the American Ceramic Society</i> , <b>2010</b> , 93, 2415-2418	3.8	7
21	Characteristics of Hf-silicate thin films synthesized by plasma enhanced atomic layer deposition. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2008</b> , 26, 1251-1257	2.9	7
20	Flower-like Hydroxyfluoride-Sensing Platform toward NO Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 26278-26287	9.5	7
19	High-performance microwave absorption of MOF-derived CoO@N-doped carbon anchored on carbon foam. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 602, 197-206	9.3	7
18	High-permittivity Sb <sub>2</sub> S <sub>3</sub> single-crystal nanorods as a brand-new choice for electromagnetic wave absorption. <i>Science China Materials</i> , <b>2021</b> , 64, 1733-1741	7.1	7
17	Boosting the electrochemical performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> through nitrogen-doped carbon coating. <i>Applied Organometallic Chemistry</i> , <b>2019</b> , 33, e4957	3.1	6

16	Facile manufacturing of Ni/MnO nanoparticle embedded carbon nanocomposite fibers for electromagnetic wave absorption. <i>Composites Part B: Engineering</i> , <b>2022</b> , 235, 109800	10	5
15	Optimizing the Supercapacitive Performance and Cyclability of Ni(OH) <sub>2</sub> by Combining with CuO Concomitant with Mutual Doping. <i>ChemElectroChem</i> , <b>2019</b> , 6, 4831-4841	4.3	4
14	Enhanced ppb-level formaldehyde sensing performance over Pt deposited SnO <sub>2</sub> nanospheres. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 899, 163230	5.7	4
13	In situ transformation of ZIF-67 into hollow Co <sub>2</sub> V <sub>2</sub> O <sub>7</sub> nanocages on graphene as a high-performance cathode for aqueous asymmetric supercapacitors. <i>Inorganic Chemistry Frontiers</i> , <b>2020</b> , 7, 3646-3656	6.8	4
12	Synergistic photodynamic/photothermal bacterial inactivation over heterogeneous quaternized chitosan/silver/cobalt phosphide nanocomposites.. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 616, 304-315	9.3	4
11	Single-Molecule Detection of Acetylcholine by Translating the Neuronal Signal to a Single Distinct Electronic Peak.. <i>ACS Applied Bio Materials</i> , <b>2020</b> , 3, 6888-6896	4.1	3
10	Platinum-Copper Bimetallic Nanoparticles Supported on TiO <sub>2</sub> as Catalysts for Photothermal Catalytic Toluene Combustion. <i>ACS Applied Nano Materials</i> ,	5.6	3
9	Facile preparation of C/MnO/Co nanocomposite fibers for High-Performance microwave absorption. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2022</b> , 155, 106814	8.4	3
8	H <sub>2</sub> S sensing material Pt-WO <sub>3</sub> nanorods with excellent comprehensive performance. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 900, 163398	5.7	3
7	Flakes-assembled porous ZnO/Ni hybrid nanotubes for efficient electromagnetic absorption. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 881, 160575	5.7	2
6	Construction of Ni-Zn bimetal sulfides Heterostructured-hybrids for High-performance electromagnetic wave absorption. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 606, 1410-1420	9.3	2
5	MnCo-MOF-74 derived porous MnO/Co/C heterogeneous nanocomposites for high-efficiency electromagnetic wave absorption. <i>Carbon</i> , <b>2022</b> , 194, 257-266	10.4	2
4	Nanocellulose-assisted preparation of electromagnetic interference shielding materials with diversified microstructure. <i>SmartMat</i> ,	22.8	2
3	Advanced Nanocomposite Electrodes for Lithium-Ion Batteries <b>2018</b> , 7-32		1
2	Self-supported construction of three-dimensional NiCo <sub>2</sub> O <sub>4</sub> hierarchical nanoneedles for high-performance microwave absorption. <i>Ceramics International</i> , <b>2021</b> ,	5.1	1
1	p-Ni <sub>0.9</sub> Zn <sub>0.1</sub> O/n-ZnO Nanosheets Heterostructured Composite Fiber as High-Performance H <sub>2</sub> S Detection Platform. <i>Sensors and Actuators B: Chemical</i> , <b>2022</b> , 359, 131560	8.5	