Jaime L Toney

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8704535/publications.pdf

Version: 2024-02-01

279798 243625 2,149 43 23 44 citations h-index g-index papers 53 53 53 2663 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Enhanced Terrestrial Carbon Export From East Antarctica During the Early Eocene. Paleoceanography and Paleoclimatology, 2022, 37, .	2.9	3
2	Paleosecular Variations During the Last Glacial Period From Tengchong Qinghai Lake, Yunnan Province, China. Journal of Geophysical Research: Solid Earth, 2022, 127, .	3.4	2
3	Paleoclimate reconstruction of the last 36 kyr based on branched glycerol dialkyl glycerol tetraethers in the Padul palaeolake record (Sierra Nevada, southern Iberian Peninsula). Quaternary Science Reviews, 2022, 281, 107434.	3.0	9
4	Chronological control and centennial-scale climatic subdivisions of the Last Glacial Termination in the western Mediterranean region. Quaternary Science Reviews, 2021, 255, 106814.	3.0	25
5	Paleohydrological dynamics in the Western Mediterranean during the last glacial cycle. Global and Planetary Change, 2021, 202, 103527.	3.5	19
6	Latest Holocene paleoenvironmental and paleoclimate reconstruction from an alpine bog in the Western Mediterranean region: The Borreguil de los Lavaderos de la Reina record (Sierra Nevada). Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 573, 110434.	2.3	8
7	Humidity variations spanning the â€~Little Ice Age' from an upland lake in southwestern China. Holocene, 2020, 30, 289-299.	1.7	4
8	Successional blooms of alkenoneâ€producing haptophytes in Lake George, North Dakota: Implications for continental paleoclimate reconstructions. Limnology and Oceanography, 2020, 65, 413-425.	3.1	13
9	How to Deal With Multi-Proxy Data for Paleoenvironmental Reconstructions: Applications to a Holocene Lake Sediment Record From the Tian Shan, Central Asia. Frontiers in Earth Science, 2020, 8, .	1.8	6
10	New insights into Holocene hydrology and temperature from lipid biomarkers in western Mediterranean alpine wetlands. Quaternary Science Reviews, 2020, 240, 106395.	3.0	28
11	Algal lipids reveal unprecedented warming rates in alpine areas of SW Europe during the industrial period. Climate of the Past, 2020, 16, 245-263.	3.4	11
12	Ecosystem Responses to Climate-Related Changes in a Mediterranean Alpine Environment Over the Last ~ 180ÂYears. Ecosystems, 2019, 22, 563-577.	3.4	16
13	Nextâ€Generation Sequencing to Identify Lacustrine Haptophytes in the Canadian Prairies: Significance for Temperature Proxy Applications. Journal of Geophysical Research G: Biogeosciences, 2019, 124, 2144-2158.	3.0	14
14	Increased pCO2 changes the lipid production in important aquacultural feedstock algae Isochrysis galbana, but not in Tetraselmis suecica. Aquaculture and Fisheries, 2019, 4, 142-148.	2.2	8
15	A palaeoecological approach to understanding the past and present of Sierra Nevada, a Southwestern European biodiversity hotspot. Global and Planetary Change, 2019, 175, 238-250.	3.5	19
16	Vegetation and climate changes during the last two glacial-interglacial cycles in the western Mediterranean: A new long pollen record from Padul (southern Iberian Peninsula). Quaternary Science Reviews, 2019, 205, 86-105.	3.0	74
17	Indian Summer Monsoon variations and competing influences between hemispheres since ~35†ka recorded in Tengchongqinghai Lake, southwestern China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 516, 113-125.	2.3	24
18	Novel alkenone-producing strains of genus Isochrysis (Haptophyta) isolated from Canadian saline lakes show temperature sensitivity of alkenones and alkenoates. Organic Geochemistry, 2018, 121, 89-103.	1.8	31

#	Article	IF	CITATIONS
19	Widespread occurrence of distinct alkenones from Group I haptophytes in freshwater lakes: Implications for paleotemperature and paleoenvironmental reconstructions. Earth and Planetary Science Letters, 2018, 492, 239-250.	4.4	53
20	Assessing environmental controls on the distribution of long-chain alkenones in the Canadian Prairies. Organic Geochemistry, 2018, 117, 43-55.	1.8	19
21	Holocene geochemical footprint from Semi-arid alpine wetlands in southern Spain. Scientific Data, 2018, 5, 180024.	5. 3	14
22	Orbital-scale environmental and climatic changes recorded in a new â ¹ /4200,000-year-long multiproxy sedimentary record from Padul, southern Iberian Peninsula. Quaternary Science Reviews, 2018, 198, 91-114.	3.0	35
23	Genomic identification of the long-chain alkenone producer in freshwater Lake Toyoni, Japan: implications for temperature reconstructions. Organic Geochemistry, 2018, 125, 189-195.	1.8	12
24	Revealing invisible brews: A new approach to the chemical identification of ancient beer. Journal of Archaeological Science, 2018, 100, 176-190.	2.4	22
25	Millennial-scale cyclical environment and climate variability during the Holocene in the western Mediterranean region deduced from a new multi-proxy analysis from the Padul record (Sierra Nevada,) Tj ETQq1	1 0s 7 8431	.4 rg BT Over
26	Alpine bogs of southern Spain show human-induced environmental change superimposed on long-term natural variations. Scientific Reports, 2017, 7, 7439.	3.3	57
27	Centennial-scale vegetation and North Atlantic Oscillation changes during the Late Holocene in the southern Iberia. Quaternary Science Reviews, 2016, 143, 84-95.	3.0	47
28	Assessing the strength of the monsoon during the late Pleistocene in southwestern United States. Quaternary Science Reviews, 2014, 103, 81-90.	3.0	6
29	Production and temperature sensitivity of long chain alkenones in the cultured haptophyte Pseudoisochrysis paradoxa. Organic Geochemistry, 2013, 62, 68-73.	1.8	37
30	Polycyclic aromatic hydrocarbons (PAHs) in lake sediments record historic fire events: Validation using HPLC-fluorescence detection. Organic Geochemistry, 2012, 45, 7-17.	1.8	104
31	Culturing of the first 37:4 predominant lacustrine haptophyte: Geochemical, biochemical, and genetic implications. Geochimica Et Cosmochimica Acta, 2012, 78, 51-64.	3.9	49
32	Mathematical modeling of the aquatic macrophyte inputs of mid-chain n-alkyl lipids to lake sediments: Implications for interpreting compound specific hydrogen isotopic records. Geochimica Et Cosmochimica Acta, 2011, 75, 3781-3791.	3.9	112
33	Alkenones are common in prairie lakes of interior Canada. Organic Geochemistry, 2011, 42, 707-712.	1.8	22
34	Extended megadroughts in the southwestern United States during Pleistocene interglacials. Nature, 2011, 470, 518-521.	27.8	124
35	Climatic and environmental controls on the occurrence and distributions of long chain alkenones in lakes of the interior United States. Geochimica Et Cosmochimica Acta, 2010, 74, 1563-1578.	3.9	92
36	Phylogenetic diversity and evolutionary relatedness of alkenone-producing haptophyte algae in lakes: Implications for continental paleotemperature reconstructions. Earth and Planetary Science Letters, 2010, 300, 311-320.	4.4	119

#	Article	IF	CITATION
37	Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data. Climate Dynamics, 2008, 30, 887-907.	3.8	590
38	Development of the mixed conifer forest in northern New Mexico and its relationship to Holocene environmental change. Quaternary Research, 2008, 69, 263-275.	1.7	38
39	Paired charcoal and tree-ring records of high-frequency Holocene fire from two New Mexico bog sites. International Journal of Wildland Fire, 2008, 17, 115.	2.4	62
40	Holocene vegetation and fire regimes in subalpine and mixed conifer forests, southern Rocky Mountains, USA. International Journal of Wildland Fire, 2008, 17, 96.	2.4	58
41	Holocene development of Boreal forests and fire regimes on the Kenai Lowlands of Alaska. Holocene, 2006, 16, 791-803.	1.7	47
42	A postglacial palaeoecological record from the San Juan Mountains of Colorado USA: fire, climate and vegetation history. Holocene, 2006, 16, 505-517.	1.7	54
43	Sedimentologic and palynologic records of the last deglaciation and Holocene from Ballston Lake, New York. Quaternary Research, 2003, 60, 189-199.	1.7	12