Luciano Agati

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8706191/luciano-agati-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,291 29 100 55 h-index g-index citations papers 3,726 105 4.1 4.41 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
100	Complex connections: A young man presenting with shortness of breath, hypoxemia, right lumbar pain and left limb swelling <i>Echocardiography</i> , 2022 ,	1.5	
99	Protective Value of Aspirin Loading Dose on Left Ventricular Remodeling After ST-Elevation Myocardial Infarction <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 786509	5.4	0
98	Chemotherapy as a possible trigger for the myocardial lipomatosis development. <i>Arterial Hypertension (Russian Federation)</i> , 2022 , 27, 706-712	0.7	O
97	Peak white blood cell count, infarct size and myocardial salvage in patients with reperfused ST-elevation myocardial infarction: a cardiac magnetic resonance study. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 228-230	1.9	
96	The evolving role of echocardiography in the assessment of patent foramen ovale in patients with left-side thromboembolism. <i>Echocardiography</i> , 2021 , 38, 657-675	1.5	2
95	Blood flow patterns estimation in the left ventricle with low-rate 2D and 3D dynamic contrast-enhanced ultrasound. <i>Computer Methods and Programs in Biomedicine</i> , 2021 , 198, 105810	6.9	1
94	Characteristics and Risk Factors of Yemeni Patients Presenting with Myocardial Infarction with Nonobstructive Coronary Arteries (MINOCA) <i>Heart Views</i> , 2021 , 22, 235-239	0.7	
93	Impact of intraventricular haemodynamic forces misalignment on left ventricular remodelling after myocardial infarction ESC Heart Failure, 2021,	3.7	3
92	Echocardiography and Correction of Mitral Regurgitation: An Unbreakable Link. <i>Cardiology</i> , 2020 , 145, 110-120	1.6	9
91	An exploratory cross-sectional study of subclinical vascular damage in patients with polymyalgia rheumatica. <i>Scientific Reports</i> , 2020 , 10, 11407	4.9	1
90	In the Eye of the Storm: Echocardiographic Particle Image Velocimetry Analysis in a Patient with Takotsubo Syndrome. <i>Echocardiography</i> , 2020 , 37, 1312-1314	1.5	1
89	Early or deferred cardiovascular magnetic resonance after ST-segment-elevation myocardial infarction for effective risk stratification. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 632-	639	12
88	Contrast Echocardiography in the ICU and OR 2019 , 269-273		
87	Changes in Intraventricular Flow Patterns after MitraClip Implant in Patients with Functional Severe Mitral Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 1250-1253.e1	5.8	5
86	2D/3D Echocardiographic features of patients with reverse remodeling after cardiac resynchronization therapy. <i>Echocardiography</i> , 2019 , 36, 1475-1481	1.5	2
85	Acute heart failure in Yemen. Journal of Cardiovascular Medicine, 2019, 20, 156-158	1.9	1
84	Mid-term repair durability after MitraClip implantation in patients with functional mitral regurgitation. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 701-708	1.9	2

83	2D/3D echocardiographic determinants of left ventricular reverse remodelling after MitraClip implantation. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 558-564	4.1	11
82	Microvascular obstruction extent predicts major adverse cardiovascular events in patients with acute myocardial infarction and preserved ejection fraction. <i>European Radiology</i> , 2019 , 29, 2369-2377	8	17
81	Myocardial Salvage Imaging: Where Are We and Where Are We Heading? A Cardiac Magnetic Resonance Perspective. <i>Current Cardiovascular Imaging Reports</i> , 2018 , 11, 1	0.7	3
80	Comprehensive Assessment of Mitral Valve Geometry and Cardiac Remodeling With 3-Dimensional Echocardiography After Percutaneous Mitral Valve Repair. <i>American Journal of Cardiology</i> , 2018 , 122, 1195-1203	3	11
79	Mediterranean diet adherence and synergy with acute myocardial infarction and its determinants: A multicenter case-control study in Italy. <i>PLoS ONE</i> , 2018 , 13, e0193360	3.7	6
78	Direct oral anticoagulants use in elderly patients with non valvular atrial fibrillation: state of evidence. <i>Minerva Cardiology and Angiology</i> , 2018 , 66, 301-313	2.4	8
77	Long-Term Incremental Prognostic Value of Cardiovascular Magnetic Resonance After ST-Segment Elevation Myocardial Infarction: A Study of the Collaborative Registry on CMR in STEMI. <i>JACC:</i> Cardiovascular Imaging, 2018 , 11, 813-825	8.4	47
76	Significant increase of flow kinetic energy in "nonresponders" patients to cardiac resynchronization therapy. <i>Echocardiography</i> , 2017 , 34, 709-715	1.5	12
75	Clinical characteristics and outcomes of Yemeni patients with acute heart failure aged 50years or younger: Data from Gulf Acute Heart Failure Registry (Gulf CARE). <i>International Journal of Cardiology</i> , 2017 , 229, 91-95	3.2	1
74	Clinical practice of contrast echocardiography: recommendation by the European Association of Cardiovascular Imaging (EACVI) 2017. European Heart Journal Cardiovascular Imaging, 2017 , 18, 1205-12	:015af	108
73	Impact of active smoking on myocardial infarction severity in reperfused ST-segment elevation myocardial infarction patients: the smoker's paradox revisited. <i>European Heart Journal</i> , 2016 , 37, 2756-3	29 E 4	42
72	Contrast-Enhanced Ultrasound Imaging in Detection of Changes in Cerebral Perfusion. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 2708-2716	3.5	14
71	Reperfusion therapy for ST elevation acute myocardial infarction in Yemen: Description of the current situation: Data from Gulf Registry of Acute Coronary Events (the Gulf RACE-I). <i>International Journal of Cardiology</i> , 2015 , 187, 128-9	3.2	1
70	Chronic cerebrospinal venous insufficiency in patients with Mflife's disease. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 77-82	3.5	25
69	Impact of Heart Rate on Myocardial Salvage in Timely Reperfused Patients with ST-Segment Elevation Myocardial Infarction: New Insights from Cardiovascular Magnetic Resonance. <i>PLoS ONE</i> , 2015 , 10, e0145495	3.7	6
68	Impact of active smoking on myocardial infarction severity in reperfused ST-segment elevation myocardial infarction patients. The smoker's paradox revisited by CMR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015 , 17, Q62	6.9	78
67	Ultra low-dose of gadobenate dimeglumine for late gadolinium enhancement (LGE) imaging in acute myocardial infarction: a feasibility study. <i>European Journal of Radiology</i> , 2014 , 83, 2151-2158	4.7	9
66	Decrease of asymmetric dimethyl arginine after anti-TNF therapy in patients with rheumatoid arthritis. <i>Drug Development Research</i> , 2014 , 75 Suppl 1, S67-9	5.1	17

65	Quantitative analysis of intraventricular blood flow dynamics by echocardiographic particle image velocimetry in patients with acute myocardial infarction at different stages of left ventricular dysfunction. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 1203-12	4.1	51
64	Utility of cardiac magnetic resonance (CMR) in the evaluation of right ventricular (RV) involvement in patients with myocardial infarction (MI). <i>Radiologia Medica</i> , 2014 , 119, 309-17	6.5	3
63	Value of two-dimensional longitudinal strains analysis to assess the impact of thrombus aspiration during primary percutaneous coronary intervention on left ventricular function: a speckle tracking imaging substudy of the EXPIRA trial. <i>Echocardiography</i> , 2014 , 31, 842-7	1.5	
62	Contrast Echocardiography in the ICU and OR 2013 , 245-248		
61	Prodromal angina is associated with myocardial salvage in acute ST-segment elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 1041-8	4.1	15
60	Comparison of sulfur hexafluoride microbubble (SonoVue)-enhanced myocardial contrast echocardiography with gated single-photon emission computed tomography for detection of significant coronary artery disease: a large European multicenter study. <i>Journal of the American</i>	15.1	80
59	In vivo analysis of intraventricular fluid dynamics in healthy hearts. <i>European Journal of Mechanics</i> , <i>B/Fluids</i> , 2012 , 35, 40-46	2.4	44
58	Impact of gender differences on myocardial salvage and post-ischaemic left ventricular remodelling after primary coronary angioplasty: new insights from cardiovascular magnetic resonance. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 948-53	4.1	32
57	Three-dimensional echocardiographic characterization of patients with left ventricular noncompaction. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 203-9	5.8	28
56	Serum levels of asymmetric dimethylarginine and apelin as potential markers of vascular endothelial dysfunction in early rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2012 , 2012, 347268	4.3	33
55	Altered glucose homeostasis is associated with increased serum apelin levels in type 2 diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e51236	3.7	37
54	Severe oligozoospermia in a young man with chronic myeloid leukemia on long-term treatment with imatinib started before puberty. <i>Fertility and Sterility</i> , 2011 , 95, 1120.e15-7	4.8	28
53	3D echocardiographic delineation of mitral-aortic intervalular fibrosa pseudoaneurysm caused by bicuspid aortic valve endocarditis. <i>Echocardiography</i> , 2011 , 28, E1-4	1.5	12
52	Correlation between coronary artery disease severity, left ventricular mass index and carotid intima media thickness, assessed by radio-frequency. <i>Cardiovascular Ultrasound</i> , 2011 , 9, 32	2.4	22
51	Relationship between location and size of myocardial infarction and their reciprocal influences on post-infarction left ventricular remodelling. <i>European Heart Journal</i> , 2011 , 32, 1640-8	9.5	91
50	Determinants of microvascular damage recovery after acute myocardial infarction: results from the acute myocardial infarction contrast imaging (AMICI) multi-centre study. <i>European Journal of Echocardiography</i> , 2011 , 12, 306-12		19
49	The red blood cell as a gender-associated biomarker in metabolic syndrome: a pilot study. <i>International Journal of Cell Biology</i> , 2011 , 2011, 204157	2.6	14
48	Pathophysiology of dynamic left ventricular outflow tract obstruction in a critically ill patient. <i>Echocardiography</i> , 2010 , 27, E122-4	1.5	8

(2005-2010)

47	Right ventricular ischemic injury in patients with acute ST-segment elevation myocardial infarction: characterization with cardiovascular magnetic resonance. <i>Circulation</i> , 2010 , 122, 1405-12	16.7	76
46	P-Selectin as a new gender associated biomarker in patients with metabolic syndrome. <i>International Journal of Cardiology</i> , 2010 , 145, 570-1	3.2	11
45	A multicenter randomized study to evaluate intracoronary abciximab with the ClearWay catheter to improve outcomes with Lysis (IC ClearLy): trial study design and rationale. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 529-35	1.9	9
44	Comparison of immediate vs early invasive strategy in patients with first acute non-ST-elevation myocardial infarction. <i>Clinical Cardiology</i> , 2010 , 33, 650-655	3.3	16
43	Impact of thrombectomy with EXPort Catheter in Infarct-Related Artery during Primary Percutaneous Coronary Intervention (EXPIRA Trial) on cardiac death. <i>American Journal of Cardiology</i> , 2010 , 106, 624-9	3	45
42	Detection of coronary artery disease with perfusion stress echocardiography using a novel ultrasound imaging agent: two Phase 3 international trials in comparison with radionuclide perfusion imaging. <i>European Journal of Echocardiography</i> , 2009 , 10, 26-35		56
41	Update on phase II studies of erythropoietin in acute myocardial infarction. Rationale and design of Exogenous erythroPoietin in Acute Myocardial Infarction: New Outlook aNd Dose Association Study (EPAMINONDAS). <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 28, 489-95	5.1	23
40	Thrombus aspiration during primary percutaneous coronary intervention improves myocardial reperfusion and reduces infarct size: the EXPIRA (thrombectomy with export catheter in infarct-related artery during primary percutaneous coronary intervention) prospective, randomized	15.1	287
39	Impact of primary coronary angioplasty delay on myocardial salvage, infarct size, and microvascular damage in patients with ST-segment elevation myocardial infarction: insight from cardiovascular magnetic resonance. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 2145-53	15.1	222
38	Incidence, determinants, and prognostic value of reverse left ventricular remodelling after primary percutaneous coronary intervention: results of the Acute Myocardial Infarction Contrast Imaging (AMICI) multicenter study. <i>European Heart Journal</i> , 2009 , 30, 566-75	9.5	89
37	Contrast echocardiography: evidence-based recommendations by European Association of Echocardiography. <i>European Journal of Echocardiography</i> , 2009 , 10, 194-212		233
36	The extent of microvascular damage during myocardial contrast echocardiography is superior to other known indexes of post-infarct reperfusion in predicting left ventricular remodeling: results of the multicenter AMICI study. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 552-9	15.1	167
35	Erythropoietin in heart and vessels: focus on transcription and signalling pathways. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 26, 183-7	5.1	64
34	The microenvironment can shift erythrocytes from a friendly to a harmful behavior: pathogenetic implications for vascular diseases. <i>Cardiovascular Research</i> , 2007 , 75, 21-8	9.9	83
33	Does coronary angioplasty after timely thrombolysis improve microvascular perfusion and left ventricular function after acute myocardial infarction?. <i>American Heart Journal</i> , 2007 , 154, 151-7	4.9	11
32	Mid-term efficacy of beraprost, an oral prostacyclin analog, in the treatment of distal CTEPH: a case control study. <i>Cardiology</i> , 2006 , 106, 168-73	1.6	15
31	Quantification methods in contrast echocardiography. <i>European Journal of Echocardiography</i> , 2005 , 6 Suppl 2, S14-20		14
30	Pulmonary transit of echocontrast agents during mechanical ventilation: a clinical transthoracic echocardiography, 2005 , 22, 395-401	1.5	7

29	Clinical application of quantitative analysis in real-time MCE. <i>European Journal of Echocardiography</i> , 2004 , 5 Suppl 2, S17-23		12
28	Clinical Application of Quantitative Analysis in Myocardial Contrast Echocardiography 2004 , 91-103		
27	Assessment of myocardial viability in patients with postischemic left ventricular dysfunction: role of myocardial contrast echocardiography. <i>Echocardiography</i> , 2003 , 20 Suppl 1, S19-29	1.5	2
26	Tailored reperfusion strategies in acute myocardial infarction: role of intravenous myocardial contrast echocardiography. <i>Echocardiography</i> , 2002 , 19, 627-34	1.5	1
25	Assessment of no-reflow phenomenon after acute myocardial infarction with harmonic angiography and intravenous pump infusion with Levovist: comparison with intracoronary contrast injection. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 773-81	5.8	22
24	Enhanced left ventricular endocardial border delineation with an intravenous injection of SonoVue, a new echocardiographic contrast agent: A European multicenter study. <i>Echocardiography</i> , 2000 , 17, 705-11	1.5	55
23	Noninvasive assessment of myocardial perfusion: preliminary results in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000 , 86, 28G-29G	3	4
22	Role of echocardiography in acute chest pain syndrome. <i>American Journal of Cardiology</i> , 2000 , 86, 41G-	4 3 G	19
21	Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography. Journal of the American Society of Echocardiography, 2000, 13, 358-67	5.8	15
20	Harmonic Imaging with Levovist for Transthoracic Echocardiographic Reconstruction of Left Ventricle in Patients with Post-Ischemic Left Ventricular Dysfunction and Suboptimal Acoustic Windows. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 139-145	5.8	9
19	Microvascular integrity after reperfusion therapy. American Heart Journal, 1999, 138, S76-8	4.9	27
18	The complex relation between myocardial viability and functional recovery in chronic left ventricular dysfunction. <i>American Journal of Cardiology</i> , 1998 , 81, 33G-35G	3	15
17	Tissue-type plasminogen activator therapy versus primary coronary angioplasty: impact on myocardial tissue perfusion and regional function 1 month after uncomplicated myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 338-43	15.1	32
16	Role of the central endogenous opiate system in patients with syndrome X. <i>American Heart Journal</i> , 1998 , 136, 1003-9	4.9	5
15	Combined use of dobutamine echocardiography and myocardial contrast echocardiography in predicting regional dysfunction recovery after coronary revascularization in patients with recent myocardial infarction. <i>European Heart Journal</i> , 1997 , 18, 771-9	9.5	67
14	Clinical and prognostic usefulness of supine bicycle exercise echocardiography in the functional evaluation of patients undergoing elective percutaneous transluminal coronary angioplasty. <i>Circulation</i> , 1997 , 95, 1176-84	16.7	23
13	Stress echocardiography: comparison of exercise, dipyridamole and dobutamine in detecting and predicting the extent of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 18-25	15.1	133
12	Influence of residual perfusion within the infarct zone on the natural history of left ventricular dysfunction after acute myocardial infarction: a myocardial contrast echocardiographic study. Journal of the American College of Cardiology, 1994, 24, 336-42	15.1	88

LIST OF PUBLICATIONS

1	1	transesophageal echocardiography dipyridamole study. <i>Journal of the American Society of Echocardiography</i> , 1994 , 7, 337-46	5.8	21
1	20	Dipyridamole myocardial contrast echocardiography in patients with single-vessel coronary artery disease: perfusion, anatomic, and functional correlates. <i>American Heart Journal</i> , 1994 , 128, 28-35	4.9	16
9)	Identification of viable myocardium in patients with chronic coronary artery disease and left ventricular dysfunction: role of magnetic resonance imaging. <i>American Heart Journal</i> , 1994 , 128, 484-9	4.9	26
8	3	Influence of reperfusion induced by thrombolytic treatment on natural history of left ventricular regional wall motion abnormality in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1993 , 71, 1015-20	3	18
7	7	Transesophageal dipyridamole echocardiography for diagnosis of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 765-70	15.1	55
6	5	Endogenous opioid system modulation in anginal pain: demonstration of its central activity. <i>American Heart Journal</i> , 1992 , 124, 589-95	4.9	4
5	;	Safety of intravenous high-dose dipyridamole echocardiography. The Echo-Persantine International Cooperative Study Group. <i>American Journal of Cardiology</i> , 1992 , 70, 252-8	3	139
4	;	Assessment of severity of coronary narrowings by quantitative exercise echocardiography and comparison with quantitative arteriography. <i>American Journal of Cardiology</i> , 1991 , 67, 1201-7	3	38
3	;	Usefulness of the dipyridamole-Doppler test for diagnosis of coronary artery disease. <i>American Journal of Cardiology</i> , 1990 , 65, 829-34	3	28
2	2	Painless versus painful myocardial ischemia: different left ventricular dysfunction detected by echocardiography. <i>International Journal of Cardiology</i> , 1989 , 22, 321-7	3.2	6
1		Left ventricular filling pattern in hypertensive patients after reversal of myocardial hypertrophy. <i>International Journal of Cardiology</i> , 1987 , 17, 177-85	3.2	7