

Concepción Fernández Lorenzo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8706683/publications.pdf>

Version: 2024-02-01

69
papers

1,914
citations

257101

24
h-index

264894

42
g-index

71
all docs

71
docs citations

71
times ranked

3155
citing authors

#	ARTICLE	IF	CITATIONS
1	Intrinsic stability analysis of perovskite nanopowder with double and triple cation in a site, $\text{FAXMA}(1-x)\text{PbI}_3$ and $\text{FAXCsyMA}(1-x-y)\text{PbI}_3$. <i>Materials Research Bulletin</i> , 2019, 119, 110528.	2.7	5
2	2D MoSe_2 -based nanofluids prepared by liquid phase exfoliation for heat transfer applications in concentrating solar power. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 109972.	3.0	28
3	Interface-inspired formulation and molecular-level perspectives on heat conduction and energy storage of nanofluids. <i>Scientific Reports</i> , 2019, 9, 7595.	1.6	20
4	Revealing at the molecular level the role of the surfactant in the enhancement of the thermal properties of the gold nanofluid system used for concentrating solar power. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 2421-2430.	1.3	7
5	Unraveling the role of the base fluid arrangement in metal-nanofluids used to enhance heat transfer in concentrating solar power plants. <i>Journal of Molecular Liquids</i> , 2018, 252, 271-278.	2.3	6
6	Experimental and theoretical analysis of NiO nanofluids in presence of surfactants. <i>Journal of Molecular Liquids</i> , 2018, 252, 211-217.	2.3	17
7	$\text{MoS}_2/\text{Cu}/\text{TiO}_2$ nanoparticles: synthesis, characterization and effect on photocatalytic decomposition of methylene blue in water under visible light. <i>Water Science and Technology</i> , 2018, 2017, 184-193.	1.2	10
8	Dramatically enhanced thermal properties for TiO_2 -based nanofluids for being used as heat transfer fluids in concentrating solar power plants. <i>Renewable Energy</i> , 2018, 119, 809-819.	4.3	44
9	Investigation of enhanced thermal properties in NiO-based nanofluids for concentrating solar power applications: A molecular dynamics and experimental analysis. <i>Applied Energy</i> , 2018, 211, 677-688.	5.1	51
10	$\text{M}(\text{Al},\text{Ni})\text{-TiO}_2$ -Based Photoanode for Photoelectrochemical Solar Cells. <i>Zeitschrift Fur Physikalische Chemie</i> , 2018, 232, 559-577.	1.4	6
11	A Solvothermal Synthesis of TiO_2 Nanoparticles in a Non-Polar Medium to Prepare Highly Stable Nanofluids with Improved Thermal Properties. <i>Nanomaterials</i> , 2018, 8, 816.	1.9	14
12	Visible-Light-Enhanced Photocatalytic Activity of Totally Inorganic Halide-Based Perovskite. <i>ChemistrySelect</i> , 2018, 3, 10226-10235.	0.7	21
13	MoS_2 nanosheets vs. nanowires: preparation and a theoretical study of highly stable and efficient nanofluids for concentrating solar power. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14919-14929.	5.2	24
14	Towards the improvement of the global efficiency of concentrating solar power plants by using Pt-based nanofluids: The internal molecular structure effect. <i>Applied Energy</i> , 2018, 228, 2262-2274.	5.1	16
15	Experimental Characterization and Theoretical Modelling of Ag and Au-Nanofluids: A Comparative Study of Their Thermal Properties. <i>Journal of Nanofluids</i> , 2018, 7, 1059-1068.	1.4	4
16	The impact of Pd on the light harvesting in hybrid organic-inorganic perovskite for solar cells. <i>Nano Energy</i> , 2017, 34, 141-154.	8.2	28
17	Ag-based nanofluidic system to enhance heat transfer fluids for concentrating solar power: Nano-level insights. <i>Applied Energy</i> , 2017, 194, 19-29.	5.1	54
18	Preparation of Au nanoparticles in a non-polar medium: obtaining high-efficiency nanofluids for concentrating solar power. An experimental and theoretical perspective. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12483-12497.	5.2	34

#	ARTICLE	IF	CITATIONS
19	The Role of Surfactants in the Stability of NiO Nanofluids: An Experimental and DFT Study. ChemPhysChem, 2017, 18, 346-356.	1.0	8
20	Experimental and theoretical analysis of nanofluids based on high temperature-heat transfer fluid with enhanced thermal properties. EPJ Applied Physics, 2017, 78, 10901.	0.3	6
21	Hybrid Perovskite, CH ₃ NH ₃ PbI ₃ , for Solar Applications: An Experimental and Theoretical Analysis of Substitution in A and B Sites. Journal of Nanomaterials, 2017, 2017, 1-10.	1.5	8
22	On the enhancement of heat transfer fluid for concentrating solar power using Cu and Ni nanofluids: An experimental and molecular dynamics study. Nano Energy, 2016, 27, 213-224.	8.2	66
23	Micro-Raman Spectroscopy for the Determination of Local Temperature Increases in TiO ₂ Thin Films due to the Effect of Radiation. Applied Spectroscopy, 2016, 70, 1128-1136.	1.2	8
24	A Study of Overheating of Thermostatically Controlled TiO ₂ Thin Films by Using Raman Spectroscopy. ChemPhysChem, 2015, 16, 3949-3958.	1.0	0
25	Tm-doped TiO ₂ and Tm ₂ Ti ₂ O ₇ pyrochlore nanoparticles: enhancing the photocatalytic activity of rutile with a pyrochlore phase. Beilstein Journal of Nanotechnology, 2015, 6, 605-616.	1.5	20
26	Study of thulium doping effect and enhancement of photocatalytic activity of rutile TiO ₂ nanoparticles. Materials Chemistry and Physics, 2015, 161, 175-184.	2.0	12
27	Highly Al-doped TiO ₂ nanoparticles produced by Ball Mill Method: structural and electronic characterization. Materials Research Bulletin, 2015, 70, 704-711.	2.7	28
28	New insights into organic-inorganic hybrid perovskite CH ₃ NH ₃ PbI ₃ nanoparticles. An experimental and theoretical study of doping in Pb ²⁺ sites with Sn ²⁺ , Sr ²⁺ , Cd ²⁺ and Ca ²⁺ . Nanoscale, 2015, 7, 6216-6229.	2.8	216
29	Incorporation of Al-(hydr)oxide species onto the surface of TiO ₂ nanoparticles: Improving the open-circuit voltage in dye-sensitized solar cells. Thin Solid Films, 2015, 578, 167-173.	0.8	5
30	TiO ₂ and pyrochlore Tm ₂ Ti ₂ O ₇ based semiconductor as a photoelectrode for dye-sensitized solar cells. Journal Physics D: Applied Physics, 2015, 48, 145102.	1.3	12
31	Surface thulium-doped TiO ₂ nanoparticles used as photoelectrodes in dye-sensitized solar cells: improving the open-circuit voltage. Applied Physics A: Materials Science and Processing, 2015, 121, 1261-1269.	1.1	6
32	Revealing the role of Pb ²⁺ in the stability of organic-inorganic hybrid perovskite CH ₃ NH ₃ PbI ₃ : Cd _x l ₃ : an experimental and theoretical study. Physical Chemistry Chemical Physics, 2015, 17, 23886-23896.	1.3	38
33	Introducing UCA-FUKUI software: reactivity-index calculations. Journal of Molecular Modeling, 2014, 20, 2492.	0.8	96
34	Convergent study of Ru ligand interactions through QTAIM, ELF, NBO molecular descriptors and TDDFT analysis of organometallic dyes. Molecular Physics, 2014, 112, 2063-2077.	0.8	9
35	Experimental and theoretical study of the electronic properties of Cu-doped anatase TiO ₂ . Physical Chemistry Chemical Physics, 2014, 16, 3835.	1.3	111
36	Thermo-selective Tm _x Ti _{1-x} O ₂ nanoparticles: from Tm-doped anatase TiO ₂ to a rutile/pyrochlore Tm ₂ Ti ₂ O ₇ mixture. An experimental and theoretical study with a photocatalytic application. Nanoscale, 2014, 6, 12740-12757.	2.8	32

#	ARTICLE	IF	CITATIONS
37	Electronic and Structural Properties of Highly Aluminum Ion Doped TiO ₂ Nanoparticles: A Combined Experimental and Theoretical Study. <i>ChemPhysChem</i> , 2014, 15, 2267-2280.	1.0	29
38	Cu(II)-Doped TiO ₂ Nanoparticles as Photoelectrode in Dye-Sensitized Solar Cells: Improvement of Open-Circuit Voltage and a Light Scattering Effect. <i>Science of Advanced Materials</i> , 2014, 6, 473-482.	0.1	8
39	Synthesis and Characterization of Gel-Derived, Highly Al-Doped TiO ₂ (Al) _x Nanoparticles. <i>Advanced Materials</i> , 2014, 6, 2134-2145.	0.1	5
40	A route for the synthesis of Cu-doped TiO ₂ nanoparticles with a very low band gap. <i>Chemical Physics Letters</i> , 2013, 571, 49-53.	1.2	121
41	On-line thermal dependence study of the main solar cell electrical photoconversion parameters using low thermal emission lamps. <i>Review of Scientific Instruments</i> , 2012, 83, 063105.	0.6	5
42	Experimental analysis and computer simulation of a methodology for laser focusing in the solar cell characterization by laser beam induced current. <i>Review of Scientific Instruments</i> , 2012, 83, 043102.	0.6	4
43	Multi-technique analysis of high quality HPHT diamond crystal. <i>Journal of Crystal Growth</i> , 2012, 353, 115-119.	0.7	13
44	Improving open-circuit voltage in DSSCs using Cu-doped TiO ₂ as a semiconductor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 378-385.	0.8	54
45	Evaluation of decay photocurrent measurements in dye-sensitized solar cells: Application to laser beam-induced current technique. <i>International Journal of Energy Research</i> , 2012, 36, 193-203.	2.2	11
46	Direct Estimation of the Electron Diffusion Length in Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 1045-1050.	2.1	34
47	ZnO-based dye solar cell with pure ionic-liquid electrolyte and organic sensitizer: the relevance of the dye-oxide interaction in an ionic-liquid medium. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 207-213.	1.3	38
48	Pore Characterization Methodology by Means of Capillary Sorption Tests. <i>Transport in Porous Media</i> , 2011, 86, 333-351.	1.2	3
49	Synthesis and Raman spectroscopy study of TiO ₂ nanoparticles. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 1970-1973.	0.8	13
50	High resolution laser beam induced current images under trichromatic laser radiation: Approximation to the solar irradiation. <i>Review of Scientific Instruments</i> , 2010, 81, 035108.	0.6	8
51	Hydrogen passivation of boron acceptors in as-grown boron-doped CVD diamond epilayers. <i>Diamond and Related Materials</i> , 2010, 19, 904-907.	1.8	9
52	Improving photoresponse characterization of dye-sensitized solar cells: application to the laser beam-induced current technique. <i>Measurement Science and Technology</i> , 2010, 21, 075702.	1.4	1
53	Solvent-free ZnO dye-sensitized solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2009, 93, 1846-1852.	3.0	49
54	A methodology for improving laser beam induced current images of dye sensitized solar cells. <i>Review of Scientific Instruments</i> , 2009, 80, 063102.	0.6	15

#	ARTICLE	IF	CITATIONS
55	Photovoltaic performance of nanostructured zinc oxide sensitised with xanthene dyes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 200, 364-370.	2.0	75
56	High resolution laser beam induced current focusing for photoactive surface characterization. <i>Applied Surface Science</i> , 2006, 253, 2179-2188.	3.1	4
57	Application of correction algorithms for obtaining high-resolution LBIC maps of dye-sensitized solar cells. , 2006, 6197, 178.		0
58	A versatile computer-controlled high-resolution LBIC system. <i>Progress in Photovoltaics: Research and Applications</i> , 2004, 12, 283-295.	4.4	23
59	The role of Ge predeposition temperature in the MBE epitaxy of SiC on Silicon. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2004, 1, 341-346.	0.8	10
60	Aplicación de tratamiento electroquímico a baja intensidad de corriente para la extracción de cloruros en objetos arqueológicos de hierro de procedencia subacuática. Observación de la evolución de fases mineralógicas mediante XRD & Rietveld. <i>Revista De Metalurgia</i> , 2004, 40, 420-425.	0.1	2
61	Spectroscopic Study of Egyptian Blue Mixed with Other Pigments. <i>Helvetica Chimica Acta</i> , 2003, 86, 29-49.	1.0	22
62	Spectroscopic analysis of roman wall paintings from Casa del Mitreo in Emerita Augusta, Mérida, Spain. <i>Talanta</i> , 2003, 59, 1117-1139.	2.9	43
63	A precision method for laser focusing on laser beam induced current experiments. <i>Review of Scientific Instruments</i> , 2002, 73, 3895-3900.	0.6	16
64	Roman wall paintings characterization from Cripta del Museo and Alcazaba in Mérida (Spain): chromatic, energy dispersive X-ray fluorescence spectroscopic, X-ray diffraction and Fourier transform infrared spectroscopic analysis. <i>Analytica Chimica Acta</i> , 2001, 434, 331-345.	2.6	59
65	Raman study of structural defects in SiO ₂ aerogels. <i>Journal of Sol-Gel Science and Technology</i> , 1995, 5, 167-172.	1.1	14
66	CdS semiconductor nanoparticles in silica sonogel matrices. <i>Journal of Sol-Gel Science and Technology</i> , 1994, 2, 689-694.	1.1	10
67	EXAFS, Raman and ³¹ P NMR study of amorphous titanium phosphates. <i>Journal of Non-Crystalline Solids</i> , 1994, 170, 250-262.	1.5	54
68	Sol-gel synthesis of SiO ₂ -P ₂ O ₅ glasses. <i>Journal of Non-Crystalline Solids</i> , 1994, 176, 189-199.	1.5	88
69	Raman intensities of cyclohexane in the gas phase. <i>Journal of Raman Spectroscopy</i> , 1989, 20, 291-296.	1.2	3