
## **Guillem** Pera

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8707434/publications.pdf

Version: 2024-02-01



CHILLEM DEDA

#	Article	IF	CITATIONS
1	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2004, 111, 762-771.	5.1	484
2	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354.	6.3	301
3	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	5.1	292
4	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	3.1	228
5	Contribution of C-Reactive Protein to the Diagnosis and Assessment of Severity of Community-Acquired Pneumonia. Chest, 2004, 125, 1335-1342.	0.8	220
6	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). International Journal of Cancer, 2003, 107, 629-634.	5.1	209
7	Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain. European Journal of Gastroenterology and Hepatology, 2010, 22, 24-32.	1.6	196
8	High Prevalence of Liver Fibrosis Among European Adults With Unknown Liver Disease: A Population-Based Study. Clinical Gastroenterology and Hepatology, 2018, 16, 1138-1145.e5.	4.4	180
9	Endogenous versus exogenous exposure to N -nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. Carcinogenesis, 2006, 27, 1497-1501.	2.8	162
10	The Peripheral Arterial disease study (PERART/ARTPER): prevalence and risk factors in the general population. BMC Public Health, 2010, 10, 38.	2.9	161
11	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. Cancer Research, 2006, 66, 6871-6876.	0.9	158
12	Development of a Food Database of Nitrosamines, Heterocyclic Amines, and Polycyclic Aromatic Hydrocarbons. Journal of Nutrition, 2004, 134, 2011-2014.	2.9	133
13	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123
14	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
15	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. International Journal of Epidemiology, 2008, 37, 368-378.	1.9	109
16	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. Journal of Hepatology, 2019, 71, 1141-1151.	3.7	104
17	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	1.9	81
18	Low Accuracy of FIB-4 and NAFLD Fibrosis Scores for Screening for Liver Fibrosis in the Population. Clinical Gastroenterology and Hepatology, 2022, 20, 2567-2576.e6.	4.4	80

#	Article	IF	CITATIONS
19	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	5.1	73
20	Within- and Between-Cohort Variation in Measured Macronutrient Intakes, Taking Account of Measurement Errors, in the European Prospective Investigation into Cancer and Nutrition Study. American Journal of Epidemiology, 2004, 160, 814-822.	3.4	71
21	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. International Journal of Epidemiology, 2008, 37, 1316-1325.	1.9	68
22	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2416-2424.	2.5	60
23	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2427-2434.	2.5	57
24	Incidencia y consecuencias de las caÃdas en las personas mayores que viven en la comunidad. Medicina ClÃnica, 2004, 122, 172-176.	0.6	57
25	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 81-90.	3.1	56
26	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 23-29.	2.5	54
27	Asymptomatic Peripheral Arterial Disease in Type 2 Diabetes Patients: A 10-Year Follow-Up Study of the Utility of the Ankle Brachial Index as a Prognostic Marker of Cardiovascular Disease. Annals of Vascular Surgery, 2010, 24, 985-993.	0.9	53
28	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. Public Health Nutrition, 1999, 2, 263-271.	2.2	49
29	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPICâ€EURGAST study. International Journal of Cancer, 2007, 121, 1618-1623.	5.1	49
30	Structural brain changes and cognition in relation to markers of vascular dysfunction. Neurobiology of Aging, 2012, 33, 1003.e9-1003.e17.	3.1	47
31	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). Scandinavian Journal of Gastroenterology, 2007, 42, 618-627.	1.5	45
32	Ischemic stroke incidence in Santa Coloma de Gramenet (ISISCOG), Spain. A community-based study. BMC Neurology, 2008, 8, 5.	1.8	42
33	Peripheral Arterial Disease Study (PERART): Prevalence and predictive values of asymptomatic peripheral arterial occlusive disease related to cardiovascular morbidity and mortality. BMC Public Health, 2007, 7, 348.	2.9	41
34	Ankle-brachial index and the incidence of cardiovascular events in the Mediterranean low cardiovascular risk population ARTPER cohort. BMC Cardiovascular Disorders, 2013, 13, 119.	1.7	40
35	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. Public Health Nutrition, 2006, 9, 785-791.	2.2	38
36	Cognitive Patterns in Relation to Biomarkers of Cerebrovascular Disease and Vascular Risk Factors. Cerebrovascular Diseases, 2013, 36, 98-105.	1.7	38

#	Article	IF	CITATIONS
37	Prevalence and factors associated with the presence of non alcoholic fatty liver disease in an apparently healthy adult population in primary care units. BMC Gastroenterology, 2007, 7, 41.	2.0	35
38	Genetic Variation in the Growth Hormone Synthesis Pathway in Relation to Circulating Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-3, and Breast Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2316-2325.	2.5	33
39	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. Atherosclerosis, 2011, 214, 474-479.	0.8	32
40	The Barcelona-Asymptomatic Intracranial Atherosclerosis study: Subclinical intracranial atherosclerosis as predictor of long-term vascular events. Atherosclerosis, 2019, 282, 132-136.	0.8	29
41	The population-based Barcelona-Asymptomatic Intracranial Atherosclerosis Study (ASIA): rationale and design. BMC Neurology, 2011, 11, 22.	1.8	28
42	Evaluation of a telemedicine system for heart failure patients: feasibility, acceptance rate, satisfaction and changes in patient behavior: results from the CARME (CAtalan Remote Management Evaluation) study. European Journal of Cardiovascular Nursing, 2012, 11, 410-418.	0.9	28
43	Impact of comorbid conditions on participation in an organised colorectal cancer screening programme: a cross-sectional study. BMC Cancer, 2017, 17, 524.	2.6	28
44	Asymptomatic cervicocerebral atherosclerosis, intracranial vascular resistance and cognition: The AsIA-Neuropsychology Study. Atherosclerosis, 2013, 230, 330-335.	0.8	27
45	El Ãndice tobillo-brazo mejora la clasificación del riesgo cardiovascular: estudio ARTPER/PERART. Revista Espanola De Cardiologia, 2011, 64, 186-192.	1.2	26
46	Remote thalamic microstructural abnormalities related to cognitive function in ischemic stroke patients Neuropsychology, 2014, 28, 984-996.	1.3	26
47	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1043-1045.	2.5	25
48	Ankle-brachial index in screening for asymptomatic carotid and intracranial atherosclerosis. Atherosclerosis, 2014, 233, 72-75.	0.8	25
49	Metabolic syndrome and nonalcoholic fatty liver disease in a Spanish population. European Journal of Gastroenterology and Hepatology, 2012, 24, 1007-1011.	1.6	24
50	Using Transient Elastography to Detect Chronic Liver Diseases in a Primary Care Nurse Consultancy. Nursing Research, 2013, 62, 450-454.	1.7	21
51	Incidence of peripheral arterial disease in the ARTPER population cohort after 5Âyears of follow-up. BMC Cardiovascular Disorders, 2016, 16, 8.	1.7	18
52	Changes in smoking habits in adults: results from a prospective study in Spain. Annals of Epidemiology, 2004, 14, 235-243.	1.9	17
53	Risk factors associated with non-alcoholic fatty liver disease in subjects from primary care units. A case-control study. BMC Gastroenterology, 2008, 8, 44.	2.0	17
54	Safety of cilostazol in peripheral artery disease: a cohort from a primary healthcare electronic database. BMC Cardiovascular Disorders, 2018, 18, 85.	1.7	17

#	Article	IF	CITATIONS
55	Interaction between metabolic syndrome and alcohol consumption, risk factors of liver fibrosis: A populationâ€based study. Liver International, 2021, 41, 1556-1564.	3.9	16
56	Contribution of the ankle-brachial index to improve the prediction of coronary risk: The ARTPER cohort. PLoS ONE, 2018, 13, e0191283.	2.5	16
57	Aneuploidy of chromosome Y in prostate tumors and seminal vesicles: A possible sign of aging rather than an indicator of carcinogenesis?. Molecular Carcinogenesis, 2007, 46, 543-552.	2.7	14
58	Incidence and risk factors of exacerbations among COPD patients in primary health care: APMPOC study. BMC Public Health, 2009, 9, 8.	2.9	14
59	Ankle-Brachial Index Improves the Classification of Cardiovascular Risk: PERART/ARTPER Study. Revista Espanola De Cardiologia (English Ed ), 2011, 64, 186-192.	0.6	14
60	Increase of Dioxin Blood Levels over the Last 4 Years in the General Population in Spain. Epidemiology, 2001, 12, 365.	2.7	14
61	Educational intervention to improve adherence to the Mediterranean diet among parents and their children aged 1–2 years. EniM clinical trial. Public Health Nutrition, 2016, 19, 1131-1144.	2.2	13
62	Relación entre el hipotiroidismo y el hÃgado graso no alcohólico en una población española. Medicina ClÃnica, 2020, 154, 1-6.	0.6	13
63	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase α Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 409-415.	2.5	12
64	Prevalence of lower extremity peripheral arterial disease in individuals with chronic immune mediated inflammatory disorders. Atherosclerosis, 2015, 242, 1-7.	0.8	12
65	Atherogenic dyslipidemia, but not hyperglycemia, is an independent factor associated with liver fibrosis in subjects with type 2 diabetes and NAFLD: a population-based study. European Journal of Endocrinology, 2021, 184, 587-596.	3.7	12
66	TSH Levels as an Independent Risk Factor for NAFLD and Liver Fibrosis in the General Population. Journal of Clinical Medicine, 2021, 10, 2907.	2.4	12
67	Rationale, design and organization of the delayed antibiotic prescription (DAP) trial: a randomized controlled trial of the efficacy and safety of delayed antibiotic prescribing strategies in the non-complicated acute respiratory tract infections in general practice. BMC Family Practice, 2013, 14, 63	2.9	11
68	Relationship between hypothyroidism and non-alcoholic fatty liver disease in the Spanish population. Medicina ClĀnica (English Edition), 2020, 154, 1-6.	0.2	9
69	Sex-Specific Protective Effects of APOE ε2 on Cognitive Performance. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 41-49.	3.6	9
70	Consumo de suplementos vitamÃnicos y minerales en población adulta sana de cinco provincias de España. Gaceta Sanitaria, 1999, 13, 326-327.	1.5	6
71	Low, borderline and normal ankle-brachial index as a predictor of incidents outcomes in the Mediterranean based-population ARTPER cohort after 9 years follow-up. PLoS ONE, 2019, 14, e0209163.	2.5	6
72	Adequacy and quality of abdominal echographies requested by primary care professionals. BMC Gastroenterology, 2010, 10, 101.	2.0	5

#	Article	IF	CITATIONS
73	Evolución y grado de control de los factores de riesgo cardiovascular tras 5 años de seguimiento y su relación con la incidencia de arteriopatÃa periférica: cohorte poblacional ARTPER. Medicina ClÃnica, 2017, 148, 107-113.	0.6	4
74	Long-Term Morbidity and Mortality after First and Recurrent Cardiovascular Events in the ARTPER Cohort. Journal of Clinical Medicine, 2020, 9, 4064.	2.4	4
75	Risk of Liver Fibrosis According to TSH Levels in Euthyroid Subjects. Journal of Clinical Medicine, 2021, 10, 1350.	2.4	4
76	Prevalence of Early Chronic Kidney Disease and Main Associated Factors in Spanish Population: Populational Study. Journal of Clinical Medicine, 2019, 8, 1384.	2.4	3
77	Tissue Imprints or Primary Cultures. Diagnostic Molecular Pathology, 2005, 14, 243-246.	2.1	2
78	Evolution and degree of control of cardiovascular risk factors after 5 years of follow-up and their relationship with the incidence of peripheral arterial disease: ARTPER cohort. Medicina ClÃnica (English Edition), 2017, 148, 107-113.	0.2	2
79	Acceptability and quality of abdominal ultrasound studies requested by medical professionals. GastroenterologÃa Y HepatologÃa (English Edition), 2016, 39, 516-525.	0.1	1
80	Riesgo vascular, diabetes e Ãndice tobillo-brazo. Respuesta. Revista Espanola De Cardiologia, 2011, 64, 729-730.	1.2	0
81	Vascular Risk, Diabetes, and the Ankle-Brachial Index. Response. Revista Espanola De Cardiologia (English Ed ), 2011, 64, 729-730.	0.6	0
82	The relationship between physical activity in leisure time and the ankle–brachial index in a general Spanish population: The ARTPER study. Medicina ClÃnica (English Edition), 2015, 145, 419-426.	0.2	0
83	Supervised physical activity in patients with symptomatic peripheral arterial disease: protocol for a randomized clinical trial (ARTPERfit Study). BMJ Open, 2022, 12, e054352.	1.9	Ο