

Guillem Pera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8707434/publications.pdf>

Version: 2024-02-01

83
papers

5,133
citations

94269

37
h-index

88477

70
g-index

97
all docs

97
docs citations

97
times ranked

7265
citing authors

#	ARTICLE	IF	CITATIONS
1	Low Accuracy of FIB-4 and NAFLD Fibrosis Scores for Screening for Liver Fibrosis in the Population. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2567-2576.e6.	2.4	80
2	Supervised physical activity in patients with symptomatic peripheral arterial disease: protocol for a randomized clinical trial (ARTPERfit Study). <i>BMJ Open</i> , 2022, 12, e054352.	0.8	0
3	Sex-Specific Protective Effects of APOE ϵ 2 on Cognitive Performance. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 41-49.	1.7	9
4	Risk of Liver Fibrosis According to TSH Levels in Euthyroid Subjects. <i>Journal of Clinical Medicine</i> , 2021, 10, 1350.	1.0	4
5	Interaction between metabolic syndrome and alcohol consumption, risk factors of liver fibrosis: A population-based study. <i>Liver International</i> , 2021, 41, 1556-1564.	1.9	16
6	Atherogenic dyslipidemia, but not hyperglycemia, is an independent factor associated with liver fibrosis in subjects with type 2 diabetes and NAFLD: a population-based study. <i>European Journal of Endocrinology</i> , 2021, 184, 587-596.	1.9	12
7	TSH Levels as an Independent Risk Factor for NAFLD and Liver Fibrosis in the General Population. <i>Journal of Clinical Medicine</i> , 2021, 10, 2907.	1.0	12
8	Relaci3n entre el hipotiroidismo y el h3gado graso no alcohol3lico en una poblaci3n espa±ola. <i>Medicina Cl3nica</i> , 2020, 154, 1-6.	0.3	13
9	Relationship between hypothyroidism and non-alcoholic fatty liver disease in the Spanish population. <i>Medicina Cl3nica (English Edition)</i> , 2020, 154, 1-6.	0.1	9
10	Long-Term Morbidity and Mortality after First and Recurrent Cardiovascular Events in the ARTPER Cohort. <i>Journal of Clinical Medicine</i> , 2020, 9, 4064.	1.0	4
11	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. <i>Journal of Hepatology</i> , 2019, 71, 1141-1151.	1.8	104
12	Prevalence of Early Chronic Kidney Disease and Main Associated Factors in Spanish Population: Populational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1384.	1.0	3
13	Low, borderline and normal ankle-brachial index as a predictor of incidents outcomes in the Mediterranean based-population ARTPER cohort after 9 years follow-up. <i>PLoS ONE</i> , 2019, 14, e0209163.	1.1	6
14	The Barcelona-Asymptomatic Intracranial Atherosclerosis study: Subclinical intracranial atherosclerosis as predictor of long-term vascular events. <i>Atherosclerosis</i> , 2019, 282, 132-136.	0.4	29
15	High Prevalence of Liver Fibrosis Among European Adults With Unknown Liver Disease: A Population-Based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1138-1145.e5.	2.4	180
16	Safety of cilostazol in peripheral artery disease: a cohort from a primary healthcare electronic database. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 85.	0.7	17
17	Contribution of the ankle-brachial index to improve the prediction of coronary risk: The ARTPER cohort. <i>PLoS ONE</i> , 2018, 13, e0191283.	1.1	16
18	Evoluci3n y grado de control de los factores de riesgo cardiovascular tras 5 a±os de seguimiento y su relaci3n con la incidencia de arteriopat3a perif3rica: cohorte poblacional ARTPER. <i>Medicina Cl3nica</i> , 2017, 148, 107-113.	0.3	4

#	ARTICLE	IF	CITATIONS
19	Evolution and degree of control of cardiovascular risk factors after 5 years of follow-up and their relationship with the incidence of peripheral arterial disease: ARTPER cohort. <i>Medicina Clínica (English Edition)</i> , 2017, 148, 107-113.	0.1	2
20	Impact of comorbid conditions on participation in an organised colorectal cancer screening programme: a cross-sectional study. <i>BMC Cancer</i> , 2017, 17, 524.	1.1	28
21	Educational intervention to improve adherence to the Mediterranean diet among parents and their children aged 1-2 years. <i>EniM clinical trial. Public Health Nutrition</i> , 2016, 19, 1131-1144.	1.1	13
22	Acceptability and quality of abdominal ultrasound studies requested by medical professionals. <i>Gastroenterología Y Hepatología (English Edition)</i> , 2016, 39, 516-525.	0.0	1
23	Incidence of peripheral arterial disease in the ARTPER population cohort after 5 years of follow-up. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 8.	0.7	18
24	The relationship between physical activity in leisure time and the ankle-brachial index in a general Spanish population: The ARTPER study. <i>Medicina Clínica (English Edition)</i> , 2015, 145, 419-426.	0.1	0
25	Prevalence of lower extremity peripheral arterial disease in individuals with chronic immune mediated inflammatory disorders. <i>Atherosclerosis</i> , 2015, 242, 1-7.	0.4	12
26	Ankle-brachial index in screening for asymptomatic carotid and intracranial atherosclerosis. <i>Atherosclerosis</i> , 2014, 233, 72-75.	0.4	25
27	Remote thalamic microstructural abnormalities related to cognitive function in ischemic stroke patients. <i>Neuropsychology</i> , 2014, 28, 984-996.	1.0	26
28	Rationale, design and organization of the delayed antibiotic prescription (DAP) trial: a randomized controlled trial of the efficacy and safety of delayed antibiotic prescribing strategies in the non-complicated acute respiratory tract infections in general practice. <i>BMC Family Practice</i> , 2013, 14, 63.	2.9	11
29	Ankle-brachial index and the incidence of cardiovascular events in the Mediterranean low cardiovascular risk population ARTPER cohort. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 119.	0.7	40
30	Cognitive Patterns in Relation to Biomarkers of Cerebrovascular Disease and Vascular Risk Factors. <i>Cerebrovascular Diseases</i> , 2013, 36, 98-105.	0.8	38
31	Asymptomatic cervicocerebral atherosclerosis, intracranial vascular resistance and cognition: The AsIA-Neuropsychology Study. <i>Atherosclerosis</i> , 2013, 230, 330-335.	0.4	27
32	Using Transient Elastography to Detect Chronic Liver Diseases in a Primary Care Nurse Consultancy. <i>Nursing Research</i> , 2013, 62, 450-454.	0.8	21
33	Evaluation of a telemedicine system for heart failure patients: feasibility, acceptance rate, satisfaction and changes in patient behavior: results from the CARME (Catalan Remote Management Evaluation) study. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 410-418.	0.4	28
34	Metabolic syndrome and nonalcoholic fatty liver disease in a Spanish population. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1007-1011.	0.8	24
35	Structural brain changes and cognition in relation to markers of vascular dysfunction. <i>Neurobiology of Aging</i> , 2012, 33, 1003.e9-1003.e17.	1.5	47
36	El Índice tobillo-brazo mejora la clasificación del riesgo cardiovascular: estudio ARTPER/PERART. <i>Revista Española De Cardiología</i> , 2011, 64, 186-192.	0.6	26

#	ARTICLE	IF	CITATIONS
37	Riesgo vascular, diabetes e Índice tobillo-brazo. Respuesta. Revista Espanola De Cardiologia, 2011, 64, 729-730.	0.6	0
38	Ankle-Brachial Index Improves the Classification of Cardiovascular Risk: PERART/ARTPER Study. Revista Espanola De Cardiologia (English Ed), 2011, 64, 186-192.	0.4	14
39	Vascular Risk, Diabetes, and the Ankle-Brachial Index. Response. Revista Espanola De Cardiologia (English Ed), 2011, 64, 729-730.	0.4	0
40	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. Atherosclerosis, 2011, 214, 474-479.	0.4	32
41	The population-based Barcelona-Asymptomatic Intracranial Atherosclerosis Study (ASIA): rationale and design. BMC Neurology, 2011, 11, 22.	0.8	28
42	Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain. European Journal of Gastroenterology and Hepatology, 2010, 22, 24-32.	0.8	196
43	The Peripheral Arterial disease study (PERART/ARTPER): prevalence and risk factors in the general population. BMC Public Health, 2010, 10, 38.	1.2	161
44	Adequacy and quality of abdominal echographies requested by primary care professionals. BMC Gastroenterology, 2010, 10, 101.	0.8	5
45	Asymptomatic Peripheral Arterial Disease in Type 2 Diabetes Patients: A 10-Year Follow-Up Study of the Utility of the Ankle Brachial Index as a Prognostic Marker of Cardiovascular Disease. Annals of Vascular Surgery, 2010, 24, 985-993.	0.4	53
46	Incidence and risk factors of exacerbations among COPD patients in primary health care: APMPOC study. BMC Public Health, 2009, 9, 8.	1.2	14
47	Risk factors associated with non-alcoholic fatty liver disease in subjects from primary care units. A case-control study. BMC Gastroenterology, 2008, 8, 44.	0.8	17
48	Ischemic stroke incidence in Santa Coloma de Gramenet (ISISCOG), Spain. A community-based study. BMC Neurology, 2008, 8, 5.	0.8	42
49	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. International Journal of Epidemiology, 2008, 37, 1316-1325.	0.9	68
50	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. International Journal of Epidemiology, 2008, 37, 368-378.	0.9	109
51	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	1.6	228
52	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 81-90.	1.6	56
53	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). Scandinavian Journal of Gastroenterology, 2007, 42, 618-627.	0.6	45
54	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 23-29.	1.1	54

#	ARTICLE	IF	CITATIONS
55	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	0.9	81
56	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase β Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	1.1	12
57	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	1.1	60
58	CagA+ <i>Helicobacter pylori</i> infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	2.3	114
59	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
60	Aneuploidy of chromosome Y in prostate tumors and seminal vesicles: A possible sign of aging rather than an indicator of carcinogenesis?. <i>Molecular Carcinogenesis</i> , 2007, 46, 543-552.	1.3	14
61	Prevalence and factors associated with the presence of non alcoholic fatty liver disease in an apparently healthy adult population in primary care units. <i>BMC Gastroenterology</i> , 2007, 7, 41.	0.8	35
62	Peripheral Arterial Disease Study (PERART): Prevalence and predictive values of asymptomatic peripheral arterial occlusive disease related to cardiovascular morbidity and mortality. <i>BMC Public Health</i> , 2007, 7, 348.	1.2	41
63	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	1.1	57
64	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006, 9, 785-791.	1.1	38
65	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	2.3	292
66	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	2.3	73
67	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. <i>Cancer Research</i> , 2006, 66, 6871-6876.	0.4	158
68	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
69	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	1.3	123
70	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	1.1	25
71	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
72	Tissue Imprints or Primary Cultures. <i>Diagnostic Molecular Pathology</i> , 2005, 14, 243-246.	2.1	2

#	ARTICLE	IF	CITATIONS
73	Genetic Variation in the Growth Hormone Synthesis Pathway in Relation to Circulating Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-3, and Breast Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2316-2325.	1.1	33
74	Within- and Between-Cohort Variation in Measured Macronutrient Intakes, Taking Account of Measurement Errors, in the European Prospective Investigation into Cancer and Nutrition Study. <i>American Journal of Epidemiology</i> , 2004, 160, 814-822.	1.6	71
75	Contribution of C-Reactive Protein to the Diagnosis and Assessment of Severity of Community-Acquired Pneumonia. <i>Chest</i> , 2004, 125, 1335-1342.	0.4	220
76	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	2.3	484
77	Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , 2004, 14, 235-243.	0.9	17
78	Development of a Food Database of Nitrosamines, Heterocyclic Amines, and Polycyclic Aromatic Hydrocarbons. <i>Journal of Nutrition</i> , 2004, 134, 2011-2014.	1.3	133
79	Incidencia y consecuencias de las caídas en las personas mayores que viven en la comunidad. <i>Medicina Clínica</i> , 2004, 122, 172-176.	0.3	57
80	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	2.3	209
81	Increase of Dioxin Blood Levels over the Last 4 Years in the General Population in Spain. <i>Epidemiology</i> , 2001, 12, 365.	1.2	14
82	Consumo de suplementos vitamínicos y minerales en población adulta sana de cinco provincias de España. <i>Gaceta Sanitaria</i> , 1999, 13, 326-327.	0.6	6
83	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. <i>Public Health Nutrition</i> , 1999, 2, 263-271.	1.1	49