Nakao Iwata

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8707834/nakao-iwata-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 287
 8,582
 45
 82

 papers
 citations
 h-index
 g-index

 299
 10,991
 5.8
 5.91

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
287	Early improvement as a predictor of response to blonanserin transdermal patch in patients with schizophrenia <i>Schizophrenia Research</i> , 2022 , 240, 231-232	3.6	1
286	Identification of ultra-rare disruptive variants in voltage-gated calcium channel-encoding genes in Japanese samples of schizophrenia and autism spectrum disorder <i>Translational Psychiatry</i> , 2022 , 12, 84	8.6	1
285	Effect of nighttime bedroom light exposure on mood episode relapses in bipolar disorder <i>Acta Psychiatrica Scandinavica</i> , 2022 ,	6.5	1
284	Novel missense SETD1A variants in Japanese patients with schizophrenia: Resequencing and association analysis <i>Psychiatry Research</i> , 2022 , 310, 114481	9.9	
283	Volume of Amygdala Subregions and Plasma Levels of Brain-Derived Neurotrophic Factor and Cortisol in Patients with s/s Genotype of Serotonin Transporter Gene Polymorphism of First-Episode and Drug-Naive Major Depressive Disorder: An Exploratory Study <i>Neurology</i>	1.2	
282	Improving polygenic prediction in ancestrally diverse populations <i>Nature Genetics</i> , 2022 , 54, 573-580	36.3	5
281	Association between circadian activity rhythms and mood episode relapse in bipolar disorder: a 12-month prospective cohort study. <i>Translational Psychiatry</i> , 2021 , 11, 525	8.6	2
280	Satisfaction Survey on Antipsychotic Formulations by Schizophrenia Patients in Japan. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021 , 19, 610-617	3.4	1
279	Recurrence rates in stable bipolar disorder patients after drug discontinuation drug maintenance: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 2721-2729	6.9	8
278	Mood stabilizers and/or antipsychotics for bipolar disorder in the maintenance phase: a systematic review and network meta-analysis of randomized controlled trials. <i>Molecular Psychiatry</i> , 2021 , 26, 4146-	- 4 ₹57	17
277	Functional Characterization of the Effects of -acetyltransferase 2 Alleles on -acetylation of Eight Drugs and Worldwide Distribution of Substrate-Specific Diversity. <i>Frontiers in Genetics</i> , 2021 , 12, 652704	4 ^{4.5}	4
276	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
275	Does the decreased incidence of new-onset depression in patients with interferon-litherapy indicate the protective effect of interferon-lagainst depression?. <i>Brain, Behavior, and Immunity</i> , 2021 , 94, 471	16.6	
274	Efficacy and safety of antipsychotic treatments for schizophrenia: A systematic review and network meta-analysis of randomized trials in Japan. <i>Journal of Psychiatric Research</i> , 2021 , 138, 444-452	5.2	4
273	Systematic analysis of exonic germline and postzygotic de novo mutations in bipolar disorder. <i>Nature Communications</i> , 2021 , 12, 3750	17.4	6
272	Polygenic risk score as clinical utility in psychiatry: a clinical viewpoint. <i>Journal of Human Genetics</i> , 2021 , 66, 53-60	4.3	10
271	Determination of novel CYP2D6 haplotype using the targeted sequencing followed by the long-read sequencing and the functional characterization in the Japanese population. <i>Journal of Human Genetics</i> , 2021 , 66, 139-149	4.3	9

(2020-2021)

270	Bedroom light exposure at night and obesity in individuals with bipolar disorder: A cross-sectional analysis of the APPLE cohort. <i>Physiology and Behavior</i> , 2021 , 230, 113281	3.5	5
269	Association between discontinuation due to withdrawal of consent and use of long-acting injectable antipsychotics: A meta-analysis of randomized trials for schizophrenia. <i>Journal of Psychiatric Research</i> , 2021 , 132, 144-150	5.2	1
268	Effect of evening light exposure on sleep in bipolar disorder: A longitudinal analysis for repeated measures in the APPLE cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 305-313	2.6	2
267	Identification and functional characterization of the extremely long allele of the serotonin transporter-linked polymorphic region. <i>Translational Psychiatry</i> , 2021 , 11, 119	8.6	О
266	Preventive effect of morning light exposure on relapse into depressive episode in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 328-338	6.5	2
265	Cost effectiveness of pharmacogenetic-guided clozapine administration based on risk of HLA variants in Japan and the UK. <i>Translational Psychiatry</i> , 2021 , 11, 362	8.6	2
264	Evidence-based insomnia treatment strategy using novel orexin antagonists: A review. <i>Neuropsychopharmacology Reports</i> , 2021 ,	2.2	2
263	Treatment Persistence Between Long-Acting Injectable Versus Orally Administered Aripiprazole Among Patients with Schizophrenia in a Real-World Clinical Setting in Japan. <i>Advances in Therapy</i> , 2020 , 37, 3324-3336	4.1	6
262	Lemborexant vs suvorexant for insomnia: A systematic review and network meta-analysis. <i>Journal of Psychiatric Research</i> , 2020 , 128, 68-74	5.2	26
261	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020 , 52, 669-679	36.3	85
260	Vortioxetine vs placebo in major depressive disorder: A systematic review and meta-analysis of double-blind, randomized, placebo-controlled, phase 3 trials in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 330-332	6.2	
259	Association between light exposure at night and manic symptoms in bipolar disorder: cross-sectional analysis of the APPLE cohort. <i>Chronobiology International</i> , 2020 , 37, 887-896	3.6	8
258	Promoter Activity-Based Case-Control Association Study on SLC6A4 Highlighting Hypermethylation and Altered Amygdala Volume in Male Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1577-1586	1.3	9
257	Blonanserin patch vs. Other Antipsychotics for Acute Schizophrenia: A Systematic Review of Double-blind, Randomized, Placebo-controlled, Phase 3 Trials in Japan. <i>Pharmacopsychiatry</i> , 2020 , 53, 122-132	2	2
256	Human leukocyte antigen DRB1*04:05 and clozapine-induced agranulocytosis/granulocytopenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 545-546	2.6	
255	GWAS of 165,084 Japanese individuals identified nine loci associated with dietary habits. <i>Nature Human Behaviour</i> , 2020 , 4, 308-316	12.8	28
254	Aripiprazole vs. brexpiprazole for acute schizophrenia: a systematic review and network meta-analysis. <i>Psychopharmacology</i> , 2020 , 237, 1459-1470	4.7	10
253	A double-blind, randomized, placebo-controlled trial of adjunctive blue-blocking glasses for the treatment of sleep and circadian rhythm in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 739-748	3.8	7

252	Effect of a brief cognitive behavioral program on depressive symptoms among newly licensed registered nurses: An observational study. <i>PLoS ONE</i> , 2020 , 15, e0240466	3.7	О
251	A Single Medical Marker for Diagnosis of Methamphetamine Addiction - DNA Methylation of SHATI/NAT8L Promoter Sites from Patient Blood. <i>Current Pharmaceutical Design</i> , 2020 , 26, 260-264	3.3	2
250	Effectiveness in Switching from Antipsychotic Polypharmacy to Monotherapy in Patients with Schizophrenia: A Case Series. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020 , 18, 159-163	3.4	3
249	Acceptance of the Deltoid Muscle Injection of Aripiprazole Long-acting Injectable in the Patients with Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020 , 18, 49-57	3.4	5
248	Polygenic risk scores in schizophrenia with clinically significant copy number variants. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 35-39	6.2	8
247	Global DNA hypomethylation and its correlation to the betaine level in peripheral blood of patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109855	5.5	10
246	Long-Term Safety and Efficacy of Blonanserin Transdermal Patches in Japanese Patients with Schizophrenia: A 52-Week Open-Label, Multicenter Study. <i>CNS Drugs</i> , 2020 , 34, 103-116	6.7	8
245	Trend survey on adverse event profiles of antipsychotic long-acting injections and oral agents using the Japanese adverse drug event report database. <i>Psychiatry Research</i> , 2020 , 291, 113249	9.9	3
244	Rare genetic variants in the gene encoding histone lysine demethylase 4C (KDM4C) and their contributions to susceptibility to schizophrenia and autism spectrum disorder. <i>Translational Psychiatry</i> , 2020 , 10, 421	8.6	1
243	Association of Serum Kynurenine Levels and Neural Networks in Patients with First-Episode, Drug-Nalle Major Depression: A Source-Based Morphometry Study. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 2569-2577	3.1	1
242	ARHGAP10, which encodes Rho GTPase-activating protein 10, is a novel gene for schizophrenia risk. <i>Translational Psychiatry</i> , 2020 , 10, 247	8.6	12
241	Rare single-nucleotide DAB1 variants and their contribution to Schizophrenia and autism spectrum disorder susceptibility. <i>Human Genome Variation</i> , 2020 , 7, 37	1.8	3
240	Utility of the sleep stage sequence preceding sleep onset REM periods for the diagnosis of narcolepsy: a study in a Japanese cohort. <i>Sleep Medicine</i> , 2020 , 68, 9-17	4.6	2
239	Efficacy and safety of blonanserin transdermal patch in patients with schizophrenia: A 6-week randomized, double-blind, placebo-controlled, multicenter study. <i>Schizophrenia Research</i> , 2020 , 215, 408-415	3.6	19
238	Retrospective analysis of the incidence of neurodegenerative disorders in idiopathic rapid eye movement sleep behavior disorder: a preliminary study in Japanese patients. 2020 , 6, 54-58		
237	Plasma levels of IL-6 in patients with untreated major depressive disorder: comparison with catecholamine metabolites. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 2655-2661	3.1	3
236	Genome-wide association study identifies a novel locus associated with psychological distress in the Japanese population. <i>Translational Psychiatry</i> , 2019 , 9, 52	8.6	4
235	Comparison of quetiapine immediate- and extended-release formulations for bipolar depression: A systematic review and network meta-analysis of double-blind, randomized placebo-controlled trials. <i>Journal of Psychiatric Research</i> , 2019 , 115, 121-128	5.2	3

234	Daytime light exposure in daily life and depressive symptoms in bipolar disorder: A cross-sectional analysis in the APPLE cohort. <i>Journal of Psychiatric Research</i> , 2019 , 116, 151-156	5.2	8
233	GWAS of smoking behaviour in 165,436 Japanese people reveals seven new loci and shared genetic architecture. <i>Nature Human Behaviour</i> , 2019 , 3, 471-477	12.8	25
232	Effect of discontinuation v. maintenance of antipsychotic medication on relapse rates in patients with remitted/stable first-episode psychosis: a meta-analysis. <i>Psychological Medicine</i> , 2019 , 49, 772-779	6.9	18
231	Light exposure at night and sleep quality in bipolar disorder: The APPLE cohort study. <i>Journal of Affective Disorders</i> , 2019 , 257, 314-320	6.6	18
230	Quetiapine extended-release vs olanzapine for Japanese patients with bipolar depression: A Bayesian analysis. <i>Neuropsychopharmacology Reports</i> , 2019 , 39, 256-259	2.2	2
229	Suvorexant for insomnia in patients with psychiatric disorder: A 1-week, open-label study. <i>Neuropsychopharmacology Reports</i> , 2019 , 39, 252-255	2.2	3
228	COMT polymorphism regulates the hippocampal subfield volumes in first-episode, drug-naive patients with major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 1537-1545	3.1	5
227	Melatonin receptor agonists-ramelteon and melatonin-for bipolar disorder: a systematic review and meta-analysis of double-blind, randomized, placebo-controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 1479-1486	3.1	10
226	A single-nucleotide polymorphism influences brain morphology in drug-nalle patients with major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 2425-2432	3.1	2
225	Rare compound heterozygous missense variations and risk of schizophrenia; whole-exome sequencing in a consanguineous family with affected siblings, follow-up sequencing and a case-control study. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 2353-2363	3.1	1
224	Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019 , 51, 379-386	36.3	83
223	Genetic effects on white matter integrity in drug-naive patients with major depressive disorder: a diffusion tensor imaging study of 17 genetic loci associated with depressive symptoms. Neuropsychiatric Disease and Treatment, 2019, 15, 375-383	3.1	24
222	The effects of different periods of co-administration of oral and long-acting injectable aripiprazole: A propensity score analysis. <i>Human Psychopharmacology</i> , 2019 , 34, e2681	2.3	
221	Relationship between VEGF-related gene polymorphisms and brain morphology in treatment-nalle patients with first-episode major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 785-794	5.1	6
220	Response to the Letter from Dr. Jacob Peedicayil. <i>Psychopharmacology</i> , 2019 , 236, 1403-1404	4.7	
219	Genome-Wide Association Study Detected Novel Susceptibility Genes for Schizophrenia and Shared Trans-Populations/Diseases Genetic Effect. <i>Schizophrenia Bulletin</i> , 2019 , 45, 824-834	1.3	54
218	Efficacy, Tolerability, and Safety of Blonanserin in Schizophrenia: An Updated and Extended Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Pharmacopsychiatry</i> , 2019 , 52, 52-62	2	16
217	A retrospective study of the efficacy of ramelteon for insomnia: relevance of dose and timing of administration. <i>Sleep and Biological Rhythms</i> , 2018 , 16, 69-75	1.3	3

216	Genetic analysis of quantitative traits in the Japanese population links cell types to complex human diseases. <i>Nature Genetics</i> , 2018 , 50, 390-400	36.3	325
215	DNA methylation analyses of the candidate genes identified by a methylome-wide association study revealed common epigenetic alterations in schizophrenia and bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2018 , 72, 245-254	6.2	21
214	Rare loss of function mutations in N-methyl-D-aspartate glutamate receptors and their contributions to schizophrenia susceptibility. <i>Translational Psychiatry</i> , 2018 , 8, 12	8.6	22
213	Response to the letter from Dr. Kim and colleagues. <i>Psychiatry Research</i> , 2018 , 263, 291-292	9.9	
212	Genome-wide association studies of bipolar disorder: A systematic review of recent findings and their clinical implications. <i>Psychiatry and Clinical Neurosciences</i> , 2018 , 72, 52-63	6.2	50
211	Serum Brain-Derived Neurotrophic Factor, and Plasma Catecholamine Metabolites in People with Major Depression: Preliminary Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 52	5	6
210	Re-evaluating classical body type theories: genetic correlation between psychiatric disorders and body mass index. <i>Psychological Medicine</i> , 2018 , 48, 1745-1748	6.9	10
209	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
208	Combination Therapy of Serotonin Reuptake Inhibitors and Memantine for Obsessive- Compulsive Disorder: A Meta-Analysis of Double-Blind, Randomized, Placebo-Controlled Trials. <i>Journal of Alzheimerm Disease</i> , 2018 , 64, 43-48	4.3	7
207	Decreased serum pyridoxal levels in schizophrenia: meta-analysis and Mendelian randomization analysis. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 194-200	4.5	18
206	Assessment of Switching to Suvorexant versus the Use of Add-on Suvorexant in Combination with Benzodiazepine Receptor Agonists in Insomnia Patients: A Retrospective Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018 , 16, 184-189	3.4	7
205	Statin add-on therapy in the antipsychotic treatment of schizophrenia: A meta-analysis. <i>Psychiatry Research</i> , 2018 , 260, 41-47	9.9	10
204	A Case of Non-24-Hour Sleep-Wake Rhythm Disorder Treated With a Low Dose of Ramelteon and Behavioral Education. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 1265-1267	3.1	6
203	Assessment of a glyoxalase I frameshift variant, p.P122fs, in Japanese patients with schizophrenia. <i>Psychiatric Genetics</i> , 2018 , 28, 90-93	2.9	1
202	Memantine treatment for Japanese patients with moderate to severe Alzheimer@ disease: a meta-analysis of double-blind, randomized, placebo-controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2915-2922	3.1	3
201	Efficacy, Acceptability, and Safety of Intravenous Immunoglobulin Administration for Mild-To-Moderate Alzheimer@ Disease: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimerm Disease</i> , 2018 , 66, 1379-1387	4.3	3
200	Comparison of the efficacy and safety of 4 and 2 mg/day brexpiprazole for acute schizophrenia: a meta-analysis of double-blind, randomized placebo-controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2519-2530	3.1	6
199	The efficacy and safety of memantine for the treatment of Alzheimer@ disease. <i>Expert Opinion on Drug Safety</i> , 2018 , 17, 1053-1061	4.1	33

198	Comparative Analyses of Copy-Number Variation in Autism Spectrum Disorder and Schizophrenia Reveal Etiological Overlap and Biological Insights. <i>Cell Reports</i> , 2018 , 24, 2838-2856	10.6	110
197	Folic acid/methylfolate for the treatment of psychopathology in schizophrenia: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2018 , 235, 2303-2314	4.7	19
196	Anti-Dementia Drugs for Psychopathology and Cognitive Impairment in Schizophrenia: A Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 748-	- 7 57	9
195	Efficacy and tolerability of Z-drug adjunction to antidepressant treatment for major depressive disorder: a systematic review and meta-analysis of randomized controlled trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 149-161	5.1	4
194	Transethnic Replication Study to Assess the Association Between Clozapine-Induced Agranulocytosis/Granulocytopenia and Genes at 12p12.2 in a Japanese Population. <i>Biological Psychiatry</i> , 2017 , 82, e9-e10	7.9	5
193	A Meta-Analysis of Memantine for Depression. <i>Journal of Alzheimer Disease</i> , 2017 , 57, 113-121	4.3	29
192	Optimizing outcomes in clozapine rechallenge following neutropenia using human leukocyte antigen typing: A case report. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 289-290	6.2	7
191	Effect of blue-blocking glasses in major depressive disorder with sleep onset insomnia: A randomized, double-blind, placebo-controlled study. <i>Chronobiology International</i> , 2017 , 34, 753-761	3.6	20
190	Verbal memory impairments in bipolar disorder: Effect of type of word learning tasks. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 570-571	6.2	4
189	De novo non-synonymous TBL1XR1 mutation alters Wnt signaling activity. <i>Scientific Reports</i> , 2017 , 7, 2887	4.9	9
188	Memantine add-on to antipsychotic treatment for residual negative and cognitive symptoms of schizophrenia: a meta-analysis. <i>Psychopharmacology</i> , 2017 , 234, 2113-2125	4.7	28
187	Reliability and validity of the California Verbal Learning Test-II - Japanese version. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 417-418	6.2	3
186	Combination Therapy with Zonisamide and Antiparkinson Drugs for Parkinson@ Disease: A Meta-Analysis. <i>Journal of Alzheimerm Disease</i> , 2017 , 56, 1229-1239	4.3	13
185	Enrichment of deleterious variants of mitochondrial DNA polymerase gene (POLG1) in bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 518-529	6.2	23
184	Memantine for Alzheimer@ Disease: An Updated Systematic Review and Meta-analysis. <i>Journal of Alzheimer</i> Disease, 2017 , 60, 401-425	4.3	108
183	Comparative efficacy and safety of antipsychotics in the treatment of schizophrenia: a network meta-analysis in a Japanese population. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1281-1302	3.1	10
182	Response to Dr. Okumura. International Journal of Neuropsychopharmacology, 2017, 20, 548-549	5.8	
181	Escitalopram versus paroxetine controlled release in major depressive disorder: a randomized trial. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 117-125	3.1	3

180	Brain-Derived Neurotrophic Factor and Major Depressive Disorder: Evidence from Meta-Analyses. <i>Frontiers in Psychiatry</i> , 2017 , 8, 308	5	94
179	Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017 , 49, 1458-1467	36.3	214
178	Voxel-based morphometric brain comparison between healthy subjects and major depressive disorder patients in Japanese with the s/s genotype of 5-HTTLPR. <i>Scientific Reports</i> , 2017 , 7, 3931	4.9	14
177	Parasomnia overlap disorder caused by paroxetine. <i>Sleep and Biological Rhythms</i> , 2017 , 15, 327-329	1.3	1
176	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017 , 7, 1273	8.6	7
175	Response to the letter from Dr. Veerman and colleagues. <i>Psychopharmacology</i> , 2017 , 234, 3537-3538	4.7	
174	Z-drug for schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2017 , 256, 365-37	70 9.9	8
173	Oxytocin receptor gene variations predict neural and behavioral response to oxytocin in autism. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 496-506	4	22
172	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017 , 49, 27-35	36.3	530
171	Verbal Memory Impairment in Patients with Subsyndromal Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2017 , 8, 168	5	10
170	The effects of memantine on behavioral disturbances in patients with Alzheimer@ disease: a meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1909-1928	3.1	28
169	Assessment of the Latent Adverse Events of Antipsychotic Treatment Using a Subjective Questionnaire in Japanese Patients with Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017 , 15, 132-137	3.4	10
168	Antipsychotic medications for the treatment of delirium: a systematic review and meta-analysis of randomised controlled trials. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 767-74	5.5	62
167	Efficacy and safety of oxytocin augmentation therapy for schizophrenia: an updated systematic review and meta-analysis of randomized, placebo-controlled trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 439-50	5.1	33
166	Risk factors and clinical characteristics of the depressive state induced by pegylated interferon therapy in patients with hepatitis C virus infection: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2016 , 70, 489-497	6.2	7
165	Yokukansan in the Treatment of Behavioral and Psychological Symptoms of Dementia: An Updated Meta-Analysis of Randomized Controlled Trials. <i>Journal of Alzheimerm Disease</i> , 2016 , 54, 635-43	4.3	26
164	Identification of a rare variant in CHD8 that contributes to schizophrenia and autism spectrum disorder susceptibility. <i>Schizophrenia Research</i> , 2016 , 178, 104-106	3.6	15
163	A significant causal association between C-reactive protein levels and schizophrenia. <i>Scientific Reports</i> , 2016 , 6, 26105	4.9	33

(2016-2016)

162	psychotic disorders: A systematic review and meta-analysis of randomized controlled trials. Psychiatry Research, 2016 , 246, 750-755	9.9	30	
161	Emerging roles of ARHGAP33 in intracellular trafficking of TrkB and pathophysiology of neuropsychiatric disorders. <i>Nature Communications</i> , 2016 , 7, 10594	17.4	24	
160	Mutation screening of GRIN2B in schizophrenia and autism spectrum disorder in a Japanese population. <i>Scientific Reports</i> , 2016 , 6, 33311	4.9	14	
159	The role of long-acting injection in schizophrenia treatment and future challenges. <i>Drug Delivery System</i> , 2016 , 31, 186-193	O		
158	Rare UNC13B variations and risk of schizophrenia: Whole-exome sequencing in a multiplex family and follow-up resequencing and a case-control study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 797-805	3.5	17	
157	Association of copy number polymorphisms at the promoter and translated region of COMT with Japanese patients with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 447-57	3.5	8	
156	Long-Acting Injectable Antipsychotics for Prevention of Relapse in Bipolar Disorder: A Systematic Review and Meta-Analyses of Randomized Controlled Trials. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	41	
155	Wearing blue light-blocking glasses in the evening advances circadian rhythms in the patients with delayed sleep phase disorder: An open-label trial. <i>Chronobiology International</i> , 2016 , 33, 1037-44	3.6	79	
154	Is duloxetine@ effect on painful physical symptoms in depression an indirect result of improvement of depressive symptoms? Pooled analyses of three randomized controlled trials. <i>Pain</i> , 2016 , 157, 577-5	88 84	10	
153	Rare truncating variations and risk of schizophrenia: Whole-exome sequencing in three families with affected siblings and a three-stage follow-up study in a Japanese population. <i>Psychiatry Research</i> , 2016 , 235, 13-8	9.9	6	
152	Individual risk alleles of susceptibility to schizophrenia are associated with poor clinical and social outcomes. <i>Journal of Human Genetics</i> , 2016 , 61, 329-34	4.3	11	
151	Genome-wide environment interaction between depressive state and stressful life events. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e29-30	4.6	18	
150	An Open-Labeled Trial of Ramelteon in Idiopathic Rapid Eye Movement Sleep Behavior Disorder. Journal of Clinical Sleep Medicine, 2016 , 12, 689-93	3.1	21	
149	High Prevalence of Orthostatic Dysregulation among Circadian Rhythm Disorder Patients. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 1471-1476	3.1	4	
148	A randomized trial of aripiprazole vs blonanserin for the treatment of acute schizophrenia and related disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 3041-3049	3.1	7	
147	Efficacy and tolerability of topiramate-augmentation therapy for schizophrenia: a systematic review and meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 3221-3236	3.1	10	
146	Parental Origin of Interstitial Duplications at 15q11.2-q13.3 in Schizophrenia and Neurodevelopmental Disorders. <i>PLoS Genetics</i> , 2016 , 12, e1005993	6	38	
145	Relationship between G1287A of the NET Gene Polymorphisms and Brain Volume in Major Depressive Disorder: A Voxel-Based MRI Study. <i>PLoS ONE</i> , 2016 , 11, e0150712	3.7	14	

144	Serotonin 2A Receptor Inverse Agonist as a Treatment for Parkinson@Disease Psychosis: A Systematic Review and Meta-analysis of Serotonin 2A Receptor Negative Modulators. <i>Journal of Alzheimerm Disease</i> , 2016 , 50, 733-40	4.3	28
143	Efficacy and safety of adjunctive bitopertin versus placebo in patients with suboptimally controlled symptoms of schizophrenia treated with antipsychotics: results from three phase 3, randomised, double-blind, parallel-group, placebo-controlled, multicentre studies in the SearchLyte clinical trial	23.3	45
142	The ubiquitination of serotonin transporter in lymphoblasts derived from fluvoxamine-resistant depression patients. <i>Neuroscience Letters</i> , 2016 , 617, 22-6	3.3	8
141	Polygenetic components for schizophrenia, bipolar disorder and rheumatoid arthritis predict risk of schizophrenia. <i>Schizophrenia Research</i> , 2016 , 175, 226-229	3.6	16
140	Mortality Risk Associated With Long-acting Injectable Antipsychotics: A Systematic Review and Meta-analyses of Randomized Controlled Trials. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1438-1445	1.3	28
139	Pharmacogenomic Study of Clozapine-Induced Agranulocytosis/Granulocytopenia in a Japanese Population. <i>Biological Psychiatry</i> , 2016 , 80, 636-42	7.9	50
138	Tsoi KK etlal: Combination Therapy Showed Limited Superiority Over Monotherapy for Alzheimer Disease: A Meta-analysis of 14 Randomized Trials. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 1061-1062	5.9	1
137	Varenicline for smoking cessation in people with schizophrenia: systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 259-68	5.1	32
136	Protection against Brain Atrophy by Anti-dementia Medication in Mild Cognitive Impairment and Alzheimer@ Disease: Meta-Analysis of Longitudinal Randomized Placebo-Controlled Trials. International Journal of Neuropsychopharmacology, 2015, 18,	5.8	11
135	A cross-sectional survey to investigate the prevalence of pain in Japanese patients with major depressive disorder and schizophrenia. <i>Comprehensive Psychiatry</i> , 2015 , 59, 91-7	7.3	11
134	Genetic overlap between antipsychotic response and susceptibility to schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 85-8	1.7	8
133	Intramuscular olanzapine for agitated patients: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2015 , 68, 198-209	5.2	38
132	Identification of Rare, Single-Nucleotide Mutations in NDE1 and Their Contributions to Schizophrenia Susceptibility. <i>Schizophrenia Bulletin</i> , 2015 , 41, 744-53	1.3	20
131	Memantine for Lewy body disorders: systematic review and meta-analysis. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 373-383	6.5	20
130	Cholinesterase Inhibitors for Lewy Body Disorders: A Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 19,	5.8	27
129	Lithium as a Treatment for Alzheimer@ Disease: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer</i> Disease, 2015 , 48, 403-10	4.3	95
128	Histamine H3 Receptor Antagonists for Alzheimer@ Disease: A Systematic Review and Meta-Analysis of Randomized Placebo-Controlled Trials. <i>Journal of Alzheimer</i> Disease, 2015 , 48, 667-71	4.3	23
127	Association study of BCL9 gene polymorphism rs583583 with schizophrenia and negative symptoms in Japanese population. <i>Scientific Reports</i> , 2015 , 5, 15705	4.9	3

126	Associations between the orexin (hypocretin) receptor 2 gene polymorphism Val308Ile and nicotine dependence in genome-wide and subsequent association studies. <i>Molecular Brain</i> , 2015 , 8, 50	4.5	13
125	A genome-wide association study of late-onset Alzheimer @disease in a Japanese population. <i>Psychiatric Genetics</i> , 2015 , 25, 139-46	2.9	19
124	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 363-73	3.5	21
123	Memantine for the treatment of frontotemporal dementia: a meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2883-5	3.1	20
122	Efficacy and tolerability of aripiprazole once monthly for schizophrenia: a systematic review and meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2299-3	0 ³ 7 ¹	10
121	Aripiprazole for the management of schizophrenia in the Japanese population: a systematic review and meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 419-34	3.1	7
120	Memantine monotherapy for Alzheimer@ disease: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0123289	3.7	125
119	No support for replication of the genetic variants identified by a recent mega-analysis of the treatment response to antidepressants. <i>Journal of Human Genetics</i> , 2015 , 60, 343-4	4.3	
118	Relationship between a BDNF gene polymorphism and the brain volume in treatment-naive patients with major depressive disorder: A VBM analysis of brain MRI. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 120-4	2.9	37
117	Efficacy and safety of aripiprazole once-monthly in Asian patients with schizophrenia: a multicenter, randomized, double-blind, non-inferiority study versus oral aripiprazole. <i>Schizophrenia Research</i> , 2015 , 161, 421-8	3.6	52
116	Glutamate Networks Implicate Cognitive Impairments in Schizophrenia: Genome-Wide Association Studies of 52 Cognitive Phenotypes. <i>Schizophrenia Bulletin</i> , 2015 , 41, 909-18	1.3	46
115	Suvorexant for Primary Insomnia: A Systematic Review and Meta-Analysis of Randomized Placebo-Controlled Trials. <i>PLoS ONE</i> , 2015 , 10, e0136910	3.7	49
114	Evaluation of the individual safe correction of antipsychotic agent polypharmacy in Japanese patients with chronic schizophrenia: validation of safe corrections for antipsychotic polypharmacy and the high-dose method. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	15
113	Combination therapy with cholinesterase inhibitors and memantine for Alzheimer@ disease: a systematic review and meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	55
112	Replication and cross-phenotype study based upon schizophrenia GWASs data in the Japanese population: support for association of MHC region with psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 421-7	3.5	23
111	Assertive case management versus enhanced usual care for people with mental health problems who had attempted suicide and were admitted to hospital emergency departments in Japan (ACTION-J): a multicentre, randomised controlled trial. <i>Lancet Psychiatry,the</i> , 2014 , 1, 193-201	23.3	57
110	The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and orbitofrontal sulcogyral pattern in patients with schizophrenia and healthy subjects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 166-71	5.5	14
109	Study protocol: safety correction of high dose antipsychotic polypharmacy in Japan. <i>BMC Psychiatry</i> , 2014 , 14, 103	4.2	13

108	No significant association between brain-derived neurotrophic factor gene rs6265 and cognitive function in Japanese patients with schizophrenia. <i>Psychiatry Research</i> , 2014 , 215, 803-5	9.9	1
107	Excess of homozygosity in the major histocompatibility complex in schizophrenia. <i>Human Molecular Genetics</i> , 2014 , 23, 6088-95	5.6	13
106	Novel rare variants in F-box protein 45 (FBXO45) in schizophrenia. <i>Schizophrenia Research</i> , 2014 , 157, 149-56	3.6	9
105	Genetic risk variants of schizophrenia associated with left superior temporal gyrus volume. <i>Cortex</i> , 2014 , 58, 23-6	3.8	18
104	Meta-analysis of noradrenergic and specific serotonergic antidepressant use in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 343-54	5.8	19
103	P4-193: COMBINATION THERAPY WITH CHOLINESTERASE INHIBITORS AND MEMANTINE FOR ALZHEIMER © DISEASE: SYSTEMATIC REVIEW AND META-ANALYSIS 2014 , 10, P859-P860		14
102	Cardiometabolic risks of blonanserin and perospirone in the management of schizophrenia: a systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2014 , 9, e88049	3.7	15
101	The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and brain morphology in schizophrenia: a voxel-based morphometric study. <i>PLoS ONE</i> , 2014 , 9, e103571	3.7	13
100	Resequencing and association analysis of PTPRA, a possible susceptibility gene for schizophrenia and autism spectrum disorders. <i>PLoS ONE</i> , 2014 , 9, e112531	3.7	4
99	A genetic variant in 12q13, a possible risk factor for bipolar disorder, is associated with depressive state, accounting for stressful life events. <i>PLoS ONE</i> , 2014 , 9, e115135	3.7	11
98	Iminodibenzyl class antipsychotics for schizophrenia: a systematic review and meta-analysis of carpipramine, clocapramine, and mosapramine. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 2339-	-31 ¹	2
97	Early prediction of blonanserin response in Japanese patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1861-6	3.1	4
96	Comparison of (123)I-MIBG myocardial scintigraphy, brain perfusion SPECT, and voxel-based MRI morphometry for distinguishing between dementia with Lewy bodies and Alzheimer@disease. <i>Annals of Nuclear Medicine</i> , 2014 , 28, 796-804	2.5	20
95	The position of blonanserin as a treatment for schizophrenia. Asia-Pacific Psychiatry, 2014, 6, 462	3.2	2
94	Periodic abdominal movements. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 167	6.2	2
93	Plasma dehydroepiandrosterone sulfate levels in patients with major depressive disorder correlate with remission during treatment with antidepressants. <i>Human Psychopharmacology</i> , 2014 , 29, 280-6	2.3	13
92	A meta-analysis of inositol for depression and anxiety disorders. <i>Human Psychopharmacology</i> , 2014 , 29, 55-63	2.3	42
91	Efficacy and tolerability of minocycline augmentation therapy in schizophrenia: a systematic review and meta-analysis of randomized controlled trials. <i>Human Psychopharmacology</i> , 2014 , 29, 483-91	2.3	47

90	Genetic association study between the detected risk variants based upon type II diabetes GWAS and psychotic disorders in the Japanese population. <i>Journal of Human Genetics</i> , 2014 , 59, 54-6	4.3	8
89	COMT Val158Met, but not BDNF Val66Met, is associated with white matter abnormalities of the temporal lobe in patients with first-episode, treatment-nalle major depressive disorder: a diffusion tensor imaging study. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1183-90	3.1	15
88	Serum proBDNF/BDNF and response to fluvoxamine in drug-nalle first-episode major depressive disorder patients. <i>Annals of General Psychiatry</i> , 2014 , 13, 19	3.4	20
87	Reciprocal duplication of the Williams-Beuren syndrome deletion on chromosome 7q11.23 is associated with schizophrenia. <i>Biological Psychiatry</i> , 2014 , 75, 371-7	7.9	54
86	Selective serotonin 3 receptor antagonist treatment for schizophrenia: meta-analysis and systematic review. <i>NeuroMolecular Medicine</i> , 2014 , 16, 61-9	4.6	23
85	Serum Levels of Brain-Derived Neurotrophic Factor at 4 Weeks and Response to Treatment with SSRIs. <i>Psychiatry Investigation</i> , 2014 , 11, 84-8	3.1	11
84	Add-on fluvoxamine treatment for schizophrenia: an updated meta-analysis of randomized controlled trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 633-41	5.1	13
83	Maternal overprotection score of the Parental Bonding Instrument predicts the outcome of cognitive behavior therapy by trainees for depression. <i>Psychiatry and Clinical Neurosciences</i> , 2013 , 67, 340-4	6.2	3
82	Efficacy and tolerability of clozapine in Japanese patients with treatment-resistant schizophrenia: results from a 12-week, flexible dose study using raters masked to antipsychotic choice. <i>Asian Journal of Psychiatry</i> , 2013 , 6, 200-7	6.7	14
81	Japan useful medication program for schizophrenia (JUMPs)-long-term study on discontinuation rate, resolution and remission, and improvement in social functioning rate associated with atypical antipsychotic medications in patients with schizophrenia. <i>BMC Psychiatry</i> , 2013 , 13, 243	4.2	O
8o	Evidence for shared genetic risk between methamphetamine-induced psychosis and schizophrenia. <i>Neuropsychopharmacology</i> , 2013 , 38, 1864-70	8.7	44
79	Efficacy and tolerability of perospirone in schizophrenia: a systematic review and meta-analysis of randomized controlled trials. <i>CNS Drugs</i> , 2013 , 27, 731-41	6.7	13
78	Genome-wide association study of atypical psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 679-86	3.5	20
77	Blonanserin for schizophrenia: systematic review and meta-analysis of double-blind, randomized, controlled trials. <i>Journal of Psychiatric Research</i> , 2013 , 47, 149-54	5.2	44
76	Yokukansan in the treatment of behavioral and psychological symptoms of dementia: a systematic review and meta-analysis of randomized controlled trials. <i>Human Psychopharmacology</i> , 2013 , 28, 80-6	2.3	71
75	Replication in a Japanese population that a MIR30E gene variation is associated with schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 596-7	3.6	9
74	Efficacy and safety of NMDA receptor antagonists augmentation therapy for schizophrenia: an updated meta-analysis of randomized placebo-controlled trials. <i>Journal of Psychiatric Research</i> , 2013 , 47, 2018-20	5.2	20
73	NMDA receptor antagonists interventions in schizophrenia: Meta-analysis of randomized, placebo-controlled trials. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1143-9	5.2	45

72	Lack of association of EGR2 variants with bipolar disorder in Japanese population. <i>Gene</i> , 2013 , 526, 240	6- 5 08	О
71	Efficacy and safety of noradrenalin reuptake inhibitor augmentation therapy for schizophrenia: a meta-analysis of double-blind randomized placebo-controlled trials. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1557-63	5.2	10
70	A population-specific uncommon variant in GRIN3A associated with schizophrenia. <i>Biological Psychiatry</i> , 2013 , 73, 532-9	7.9	33
69	Further evidence of an association between a genetic variant in BMP7 and treatment response to SSRIs in major depressive disorder. <i>Journal of Human Genetics</i> , 2013 , 58, 568-9	4.3	1
68	Augmentation of antipsychotic drug action by azapirone 5-HT1A receptor partial agonists: a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1259-66	5.8	23
67	Genome-wide association study of cognitive decline in schizophrenia. <i>American Journal of Psychiatry</i> , 2013 , 170, 683-4	11.9	38
66	Analysis of the VAV3 as candidate gene for schizophrenia: evidences from voxel-based morphometry and mutation screening. <i>Schizophrenia Bulletin</i> , 2013 , 39, 720-8	1.3	15
65	An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population. <i>Psychiatric Genetics</i> , 2013 , 23, 179-80	2.9	7
64	Genome-wide association study of schizophrenia using microsatellite markers in the Japanese population. <i>Psychiatric Genetics</i> , 2013 , 23, 117-23	2.9	5
63	Efficacy and safety of desvenlafaxine 25 and 50?mg/day in a randomized, placebo-controlled study of depressed outpatients. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 5-14	1.3	37
62	Common Variants in BCL9 Gene and Schizophrenia in a Japanese Population: Association Study, Meta-Analysis and Cognitive Function Analysis / UOBIAJENE VARIJANTE BCL9 GENA I IZOFRENIJA U JAPANSKOJ POPULACIJI: ITUDIJA POVEZANOSTI, METAANALIZA I ANALIZA	1.9	2
61	KOGNITIVNIH FUNKCIJA. <i>Journal of Medical Biochemistry</i> , 2013 , 32, 361-367 Comparison of sleep diary and actigraphy to evaluate total sleep time in hypersomnia patients. Sleep and Biological Rhythms, 2013 , 11, 65-73	1.3	6
60	Relationship between nicotine dependence and the endophenotype-related trait of cognitive function but not acoustic startle reponses in Japanese patients with schizophrenia. <i>Human Psychopharmacology</i> , 2013 , 28, 220-9	2.3	4
59	Genome-wide association study implicates NDST3 in schizophrenia and bipolar disorder. <i>Nature Communications</i> , 2013 , 4, 2739	17.4	88
58	Definition and refinement of the 7q36.3 duplication region associated with schizophrenia. <i>Scientific Reports</i> , 2013 , 3, 2587	4.9	5
57	Comparative clinical profile of mirtazapine and duloxetine in practical clinical settings in Japan: a 4-week open-label, parallel-group study of major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 781-6	3.1	4
56	Genetic variants on 3q21 and in the Sp8 transcription factor gene (SP8) as susceptibility loci for psychotic disorders: a genetic association study. <i>PLoS ONE</i> , 2013 , 8, e70964	3.7	17
55	Combination treatment with risperidone long-acting injection and psychoeducational approaches for preventing relapse in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1655-9	3.1	2

(2011-2013)

54	An evaluation of association between a novel hippocampal biology related SNP (rs7294919) and schizophrenia. <i>PLoS ONE</i> , 2013 , 8, e80696	3.7	1
53	Meta-analysis and brain imaging data support the involvement of VRK2 (rs2312147) in schizophrenia susceptibility. <i>Schizophrenia Research</i> , 2012 , 142, 200-5	3.6	43
52	An evaluation of polymorphisms in casein kinase 1 delta and epsilon genes in major psychiatric disorders. <i>Neuroscience Letters</i> , 2012 , 529, 66-9	3.3	13
51	A two-stage case-control association study between the tryptophan hydroxylase 2 (TPH2) gene and schizophrenia in a Japanese population. <i>Schizophrenia Research</i> , 2012 , 137, 264-6	3.6	4
50	Common variants in MAGI2 gene are associated with increased risk for cognitive impairment in schizophrenic patients. <i>PLoS ONE</i> , 2012 , 7, e36836	3.7	27
49	The relationship between acoustic startle response measures and cognitive functions in Japanese patients with schizophrenia. <i>NeuroMolecular Medicine</i> , 2012 , 14, 131-8	4.6	9
48	Resequencing and association analysis of the KALRN and EPHB1 genes and their contribution to schizophrenia susceptibility. <i>Schizophrenia Bulletin</i> , 2012 , 38, 552-60	1.3	59
47	Serum levels of brain-derived neurotrophic factor (BDNF), BDNF gene Val66Met polymorphism, or plasma catecholamine metabolites, and response to mirtazapine in Japanese patients with major depressive disorder (MDD). <i>CNS Spectrums</i> , 2012 , 17, 155-63	1.8	34
46	Genome-wide association study of schizophrenia in a Japanese population. <i>Biological Psychiatry</i> , 2011 , 69, 472-8	7.9	145
45	Loss of function studies in mice and genetic association link receptor protein tyrosine phosphatase L to schizophrenia. <i>Biological Psychiatry</i> , 2011 , 70, 626-35	7.9	17
44	No association between the PCM1 gene and schizophrenia: a multi-center case-control study and a meta-analysis. <i>Schizophrenia Research</i> , 2011 , 129, 80-4	3.6	12
43	The brain-derived neurotrophic factor (BDNF) polymorphism Val66Met is associated with neither serum BDNF level nor response to selective serotonin reuptake inhibitors in depressed Japanese patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1022-5	5.5	53
42	Serotonin 1A receptor gene, schizophrenia and bipolar disorder: an association study and meta-analysis. <i>Psychiatry Research</i> , 2011 , 185, 20-6	9.9	39
41	A case control association study and cognitive function analysis of neuropilin and tolloid-like 1 gene and schizophrenia in the Japanese population. <i>PLoS ONE</i> , 2011 , 6, e28929	3.7	7
40	Possible association between ubiquitin-specific peptidase 46 gene and major depressive disorders in the Japanese population. <i>Journal of Affective Disorders</i> , 2011 , 133, 150-7	6.6	16
39	Association of ANK3 with bipolar disorder confirmed in East Asia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 312-5	3.5	28
38	Association Analysis of Nuclear Receptor Rev-erb Alpha Gene (NR1D1) and Japanese Methamphetamine Dependence. <i>Current Neuropharmacology</i> , 2011 , 9, 129-32	7.6	4
37	Lack of association between prokineticin 2 gene and Japanese methamphetamine dependence. <i>Current Neuropharmacology</i> , 2011 , 9, 133-6	7.6	2

36	A two-stage case-control association study of the dihydropyrimidinase-like 2 gene (DPYSL2) with schizophrenia in Japanese subjects. <i>Journal of Human Genetics</i> , 2010 , 55, 469-72	4.3	17
35	Identification of novel candidate genes for treatment response to risperidone and susceptibility for schizophrenia: integrated analysis among pharmacogenomics, mouse expression, and genetic case-control association approaches. <i>Biological Psychiatry</i> , 2010 , 67, 263-9	7.9	78
34	Copy number variation in schizophrenia in the Japanese population. <i>Biological Psychiatry</i> , 2010 , 67, 283	8 -6 9	95
33	Brain cannabinoid CB2 receptor in schizophrenia. <i>Biological Psychiatry</i> , 2010 , 67, 974-82	7.9	139
32	The dopamine D3 receptor (DRD3) gene and risk of schizophrenia: case-control studies and an updated meta-analysis. <i>Schizophrenia Research</i> , 2010 , 116, 61-7	3.6	38
31	Genetic association study of KREMEN1 and DKK1 and schizophrenia in a Japanese population. <i>Schizophrenia Research</i> , 2010 , 118, 113-7	3.6	13
30	Gene-wide association study between the methylenetetrahydrofolate reductase gene (MTHFR) and schizophrenia in the Japanese population, with an updated meta-analysis on currently available data. <i>Schizophrenia Research</i> , 2010 , 124, 216-22	3.6	26
29	Investigation of clinical factors influencing cognitive function in Japanese schizophrenia. <i>Neuroscience Research</i> , 2010 , 66, 340-4	2.9	21
28	Serotonin 1A receptor gene is associated with Japanese methamphetamine-induced psychosis patients. <i>Neuropharmacology</i> , 2010 , 58, 452-6	5.5	29
27	Translin-associated factor X gene (TSNAX) may be associated with female major depressive disorder in the Japanese population. <i>NeuroMolecular Medicine</i> , 2010 , 12, 78-85	4.6	11
26	Pharmacogenetic study of serotonin 6 receptor gene with antidepressant response in major depressive disorder in the Japanese population. <i>Human Psychopharmacology</i> , 2010 , 25, 481-6	2.3	16
25	Association analyses between brain-expressed fatty-acid binding protein (FABP) genes and schizophrenia and bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 484-493	3.5	25
24	The impact of a genome-wide supported psychosis variant in the ZNF804A gene on memory function in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1459-64	3.5	52
23	Serotonin 1A receptor gene and major depressive disorder: an association study and meta-analysis. <i>Journal of Human Genetics</i> , 2009 , 54, 629-33	4.3	53
22	Preliminary genome-wide association study of bipolar disorder in the Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1110-7	3.5	61
21	CLOCK may predict the response to fluvoxamine treatment in Japanese major depressive disorder patients. <i>NeuroMolecular Medicine</i> , 2009 , 11, 53-7	4.6	41
20	Possible association of prokineticin 2 receptor gene (PROKR2) with mood disorders in the Japanese population. <i>NeuroMolecular Medicine</i> , 2009 , 11, 114-22	4.6	34
19	Prepulse inhibition of the startle response with chronic schizophrenia: a replication study. Neuroscience Research, 2009, 65, 259-62	2.9	41

18	Association study of the G72 gene with schizophrenia in a Japanese population: a multicenter study. <i>Schizophrenia Research</i> , 2009 , 109, 80-5	3.6	32
17	Meta-analysis of association between genetic variants in COMT and schizophrenia: an update. <i>Schizophrenia Research</i> , 2009 , 110, 140-8	3.6	103
16	BDNF is not associated with schizophrenia: data from a Japanese population study and meta-analysis. <i>Schizophrenia Research</i> , 2009 , 112, 72-9	3.6	45
15	Association analysis of functional polymorphism in estrogen receptor alpha gene with schizophrenia and mood disorders in the Japanese population. <i>Psychiatric Genetics</i> , 2009 , 19, 217-8	2.9	7
14	Identification of loci associated with schizophrenia by genome-wide association and follow-up. <i>Nature Genetics</i> , 2008 , 40, 1053-5	36.3	877
13	Identification of YWHAE, a gene encoding 14-3-3epsilon, as a possible susceptibility gene for schizophrenia. <i>Human Molecular Genetics</i> , 2008 , 17, 3212-22	5.6	88
12	Genome-wide association for methamphetamine dependence: convergent results from 2 samples. <i>Archives of General Psychiatry</i> , 2008 , 65, 345-55		118
11	No association between the oligodendrocyte-related gene PLP1 and schizophrenia in the Japanese population. <i>Journal of Human Genetics</i> , 2008 , 53, 863-866	4.3	3
10	Genetic association analysis of tagging SNPs in alpha4 and beta2 subunits of neuronal nicotinic acetylcholine receptor genes (CHRNA4 and CHRNB2) with schizophrenia in the Japanese population. <i>Journal of Neural Transmission</i> , 2008 , 115, 1457-61	4.3	10
9	No association between prostate apoptosis response 4 gene (PAWR) in schizophrenia and mood disorders in a Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 531-4	3.5	13
8	Prostate apoptosis response 4 gene is not associated with methamphetamine-use disorder in the Japanese population. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1139, 83-8	6.5	5
7	Evaluation of probable or possible dementia with lewy bodies using 123I-IMP brain perfusion SPECT, 123I-MIBG, and 99mTc-MIBI myocardial SPECT. <i>Journal of Nuclear Medicine</i> , 2007 , 48, 1641-50	8.9	17
6	Impact of the DISC1 Ser704Cys polymorphism on risk for major depression, brain morphology and ERK signaling. <i>Human Molecular Genetics</i> , 2006 , 15, 3024-33	5.6	216
5	Genomewide high-density SNP linkage analysis of 236 Japanese families supports the existence of schizophrenia susceptibility loci on chromosomes 1p, 14q, and 20p. <i>American Journal of Human Genetics</i> , 2005 , 77, 937-44	11	83
4	A missense polymorphism (H204R) of a Rho GTPase-activating protein, the chimerin 2 gene, is associated with schizophrenia in men. <i>Schizophrenia Research</i> , 2005 , 73, 383-5	3.6	23
3	No association of GSK3beta gene (GSK3B) with Japanese schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 90-2	3.5	17
2	Association of AKT1 with schizophrenia confirmed in a Japanese population. <i>Biological Psychiatry</i> , 2004 , 56, 698-700	7.9	134
1	Large scale genome-wide association study in a Japanese population identified 45 novel susceptibility loci for 22 diseases		2