

Irene Panderi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8708026/publications.pdf>

Version: 2024-02-01

107
papers

2,034
citations

304602

22
h-index

289141

40
g-index

113
all docs

113
docs citations

113
times ranked

2686
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparative Study of Hollow Copper Sulfide Nanoparticles and Hollow Gold Nanospheres on Degradability and Toxicity. <i>ACS Nano</i> , 2013, 7, 8780-8793.	7.3	259
2	Prediction of Distribution Coefficient from Structure. 1. Estimation Method. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 865-871.	1.6	121
3	Preventive doping control analysis: liquid and gas chromatography time-of-flight mass spectrometry for detection of designer steroids. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 2439-2446.	0.7	99
4	Preventive doping control screening analysis of prohibited substances in human urine using rapid-resolution liquid chromatography/high-resolution time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1595-1609.	0.7	78
5	A validated LC method for the determination of clopidogrel in pharmaceutical preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002, 28, 431-438.	1.4	65
6	The SCCS Notes of Guidance for the testing of cosmetic ingredients and their safety evaluation, 11th revision, 30-31 March 2021, SCCS/1628/21. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 127, 105052.	1.3	55
7	Determination of the carboxylic acid metabolite of clopidogrel in human plasma by liquid chromatography-electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2004, 505, 107-114.	2.6	53
8	Simultaneous determination of benazepril hydrochloride and hydrochlorothiazide in tablets by second-order derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999, 21, 257-265.	1.4	51
9	Simultaneous determination of benazepril hydrochloride and hydrochlorothiazide by micro-bore liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999, 21, 1017-1024.	1.4	44
10	Direct injection liquid chromatography/positive ion electrospray ionization mass spectrometric quantification of methotrexate, folic acid, folic acid and ondansetron in human serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 3850-3856.	1.2	43
11	Determination of captopril and captopril-hydrochlorothiazide combination in tablets by derivative UV spectrophotometry. <i>International Journal of Pharmaceutics</i> , 1992, 86, 99-106.	2.6	37
12	Development and validation of a liquid chromatographic/electrospray ionization mass spectrometric method for the determination of benazepril, benazeprilat and hydrochlorothiazide in human plasma. <i>Journal of Mass Spectrometry</i> , 2006, 41, 593-605.	0.7	36
13	Prediction of Distribution Coefficient from Structure. 2. Validation of Prolog D, an Expert system. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 1173-1179.	1.6	34
14	Ultra-performance liquid chromatography/tandem mass spectrometry method for the determination of lercanidipine in human plasma. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2939-2946.	0.7	32
15	Selective and rapid liquid chromatography/negative-ion electrospray ionization mass spectrometry method for the quantification of valacyclovir and its metabolite in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 864, 78-86.	1.2	32
16	Second-derivative spectrophotometric determination of naproxen in the presence of its metabolite in human plasma. <i>Analyst</i> , 1994, 119, 697.	1.7	29
17	Liquid chromatography-positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 810, 235-244.	1.2	29
18	Determination of piroxicam and its major metabolite 5-hydroxypiroxicam in human plasma by zero-crossing first-derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998, 17, 515-524.	1.4	28

#	ARTICLE	IF	CITATIONS
19	A validated liquid chromatographic tandem mass spectrometric method for the determination of mirtazapine and demethylmirtazapine in human plasma: application to a pharmacokinetic study. <i>Analytica Chimica Acta</i> , 2004, 514, 15-26.	2.6	27
20	Development and validation of a reversed-phase ion-pair high-performance liquid chromatographic method for the determination of risedronate in pharmaceutical preparations. <i>Analytica Chimica Acta</i> , 2007, 584, 153-159.	2.6	24
21	An improved fabricâ€phase sorptive extraction protocol for the determination of seven parabens in human urine by HPLCâ€DAD. <i>Biomedical Chromatography</i> , 2021, 35, e4974.	0.8	24
22	DETERMINATION OF HYOSCINE N-BUTYL-BROMIDE, LIDOCAINE HYDROCHLORIDE, AND PARACETAMOL IN INJECTION FORMS USING SOLID-PHASE EXTRACTION, HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY, AND UV-VIS SPECTROPHOTOMETRY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1999, 22, 1055-1068.	0.5	23
23	Improved liquid chromatographic tandem mass spectrometric determination and pharmacokinetic study of glimepiride in human plasma. <i>Biomedical Chromatography</i> , 2005, 19, 394-401.	0.8	23
24	Determination of nateglinide in human plasma by high-performance liquid chromatography with pre-column derivatization using a coumarin-type fluorescent reagent. <i>Analytica Chimica Acta</i> , 2007, 599, 143-150.	2.6	22
25	Development and validation of a liquid chromatographic/electrospray ionization mass spectrometric method for the quantitation of prazepam and its main metabolites in human plasma. <i>Journal of Mass Spectrometry</i> , 2005, 40, 516-526.	0.7	21
26	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€ Revision of the opinion on the safety of the use of Silica, Hydrated Silica, and Silica Surface Modified with Alkyl Silylates (nano) Tj ETQq0 0 0 rgBT 10verlock 10 Tf 50 45	1.3	21
27	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€ Final version of the Opinion on Vitamin A (retinol, retinyl acetate and retinyl palmitate) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 84, 102-104.	1.3	21
28	Acidic hydrolysis of bromazepam studied by high performance liquid chromatography. Isolation and identification of its degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998, 17, 327-335.	1.4	20
29	Direct injection LC/ESIâ€MS horse urine analysis for the quantification and identification of threshold substances for doping control. I. Determination of hydrocortisone. <i>Journal of Mass Spectrometry</i> , 2008, 43, 1255-1264.	0.7	20
30	Kinetics of the acidic and enzymatic hydrolysis of benazepril HCl studied by LC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002, 27, 107-116.	1.4	19
31	Investigation of the Relationships Between logP and Various Chromatographic Indices for a Series of Substituted Coumarins. Evaluation of their Similarity/Dissimilarity using Multivariate Statistics. <i>QSAR and Combinatorial Science</i> , 2005, 24, 254-260.	1.5	19
32	Development and validation of a reversed-phase ion-pair liquid chromatography method for the determination of magnesium ascorbyl phosphate and melatonin in cosmetic creams. <i>Analytica Chimica Acta</i> , 2006, 573-574, 284-290.	2.6	19
33	Opinion of the Scientific Committee on Consumer safety (SCCS) â€ Opinion on the safety of the use of â€-arbutin in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 74, 75-76.	1.3	19
34	Simultaneous determination of clopamide-pindolol combination in tablets by zero-crossing derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1994, 12, 151-156.	1.4	18
35	Kinetic study on the degradation of prazepam in acidic aqueous solutions by high-performance liquid chromatography and fourth-order derivative ultraviolet spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998, 17, 739-750.	1.4	18
36	Opinion of the Scientific Committee on Consumer safety (SCCS) â€ Opinion on the safety of the use of Methylisothiazolinone (MI) (P94), in cosmetic products (sensitisation only). <i>Regulatory Toxicology and Pharmacology</i> , 2016, 76, 211-212.	1.3	18

#	ARTICLE	IF	CITATIONS
37	Development and validation of a hydrophilic interaction liquid chromatography method for the quantitation of impurities in fixed-dose combination tablets containing rosuvastatin and metformin. <i>Talanta</i> , 2018, 183, 131-141.	2.9	18
38	DETERMINATION OF VALPROIC ACID IN HUMAN PLASMA BY HPLC WITH FLUORESCENCE DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002, 25, 2833-2847.	0.5	17
39	Dietary Exposure Assessment of Veterinary Antibiotics in Pork Meat on Children and Adolescents in Cyprus. <i>Foods</i> , 2020, 9, 1479.	1.9	17
40	Liquid chromatography- ⁺ positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 810, 235-244.	1.2	16
41	Development and validation of a liquid chromatography- ⁺ electrospray ionization mass spectrometric method for the determination of dexamethasone in sheep plasma. <i>Analytica Chimica Acta</i> , 2004, 504, 299-306.	2.6	15
42	In Vitro Percutaneous Absorption of Pine Bark Extract (Pycnogenol) in Human Skin. <i>Cutaneous and Ocular Toxicology</i> , 2005, 23, 149-158.	0.3	14
43	Hydrophilic interaction liquid chromatography/positive ion electrospray mass spectrometry for the quantification of deferasirox, an oral iron chelator, in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 893-894, 114-120.	1.2	14
44	Direct injection human plasma analysis for the quantification of antihypertensive drugs for therapeutic drug monitoring using hydrophilic interaction liquid chromatography/electrospray ionization mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 1004, 1-9.	1.2	14
45	Differentiating tumor heterogeneity in formalin-fixed paraffin-embedded (FFPE) prostate adenocarcinoma tissues using principal component analysis of matrix-assisted laser desorption/ionization imaging mass spectral data. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 160-170.	0.7	14
46	Liquid chromatographic tandem mass spectrometric determination of trandolapril in human plasma. <i>Analytica Chimica Acta</i> , 2005, 540, 375-382.	2.6	13
47	Direct injection liquid chromatography/electrospray ionization mass spectrometric horse urine analysis for the quantification and confirmation of threshold substances for doping control. II. Determination of theobromine. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1020-1028.	0.7	13
48	Determination of Intact Parabens in the Human Plasma of Cancer and Non-Cancer Patients Using a Validated Fabric Phase Sorptive Extraction Reversed-Phase Liquid Chromatography Method with UV Detection. <i>Molecules</i> , 2021, 26, 1526.	1.7	13
49	Direct injection horse urine analysis for the quantification and identification of threshold substances for doping control. III. Determination of salicylic acid by liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 1403-1410.	1.9	12
50	The efficacy study of the combination of tripeptide- ⁺ l-citrulline and acetyl hexapeptide- ⁺ . A prospective, randomized controlled study. <i>Journal of Cosmetic Dermatology</i> , 2017, 16, 271-278.	0.8	12
51	Retention behavior of flavonoids on immobilized artificial membrane chromatography and correlation with cell- ⁺ based permeability. <i>Biomedical Chromatography</i> , 2018, 32, e4108.	0.8	11
52	Opinion of the Scientific Committee on Consumer Safety (SCCS) - ⁺ Opinion on the safety of the use of ⁺ -arbutin in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 73, 866-867.	1.3	10
53	Opinion of the Scientific Committee on Consumer Safety (SCCS) - ⁺ Final version of the opinion on Phenoxyethanol in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 82, 156.	1.3	10
54	Investigation of the Retention Mechanism of Cephalosporins by Zwitterionic Hydrophilic Interaction Liquid Chromatography. <i>Chromatographia</i> , 2016, 79, 995-1002.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Opinion of the Scientific Committee on Consumer Safety (SCCS) – Revision of the Opinion on hydroxyapatite (nano) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2018, 98, 274-275.	1.3	10
56	The SCCS guidance on the safety assessment of nanomaterials in cosmetics. <i>Regulatory Toxicology and Pharmacology</i> , 2020, 112, 104611.	1.3	10
57	A NEW FLUOROGENIC REAGENT FOR LABELLING CARBOXYLIC ACIDS IN HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002, 25, 381-395.	0.5	9
58	A Porous Graphitized Carbon Column HPLC Method for the Quantification of Paracetamol, Pseudoephedrine, and Chlorpheniramine in a Pharmaceutical Formulation. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1093-1101.	0.7	9
59	Quantification of three beta-lactam antibiotics in breast milk and human plasma by hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry. <i>Drug Testing and Analysis</i> , 2017, 9, 1062-1072.	1.6	9
60	Hydrophilic Interaction Liquid Chromatography-Electrospray Ionization Mass Spectrometry for Therapeutic Drug Monitoring of Metformin and Rosuvastatin in Human Plasma. <i>Molecules</i> , 2018, 23, 1548.	1.7	9
61	Kinetics and mechanism of acidic hydrolysis of nordazepam studied by high-performance liquid chromatography and fourth-order derivative ultraviolet spectrophotometry. <i>International Journal of Pharmaceutics</i> , 1998, 167, 69-81.	2.6	8
62	Kinetic Investigation on the Degradation of Lorazepam in Acidic Aqueous Solutions by High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998, 21, 1783-1795.	0.5	8
63	Development and validation of a high-performance liquid chromatographic method for the determination of buspirone in pharmaceutical preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 35, 41-50.	1.4	8
64	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of perindopril and its main metabolite in human plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 2161-2170.	1.9	8
65	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of alprazolam and 1±-hydroxy-alprazolam in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 942-943, 158-164.	1.2	8
66	Simultaneous Determination of Impurities in Ropinirole Tablets by an Improved HPLC Method Coupled with Diode Array Detection. <i>Chromatographia</i> , 2014, 77, 447-457.	0.7	8
67	Opinion of the Scientific Committee on Consumer Safety (SCCS) – Final Opinion on propylparaben (CAS Tj ETQq1 1 0.784314 rgB	1.3	8
68	Prediction of distribution coefficients from structure. Comparison of calculated and experimental data for various drugs. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 1999, 24, 205-212.	0.6	7
69	Kinetic study on the acidic hydrolysis of lorazepam by a zero-crossing first-order derivative UV-spectrophotometric technique. <i>Talanta</i> , 1999, 48, 685-693.	2.9	7
70	Development and validation of an ion-pair RP-HPLC method for the determination of oligopeptide-20 in cosmeceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 645-649.	1.4	7
71	Veterinary antimicrobial residues in pork meat in Cyprus: An exposure assessment. <i>Journal of Food Composition and Analysis</i> , 2020, 90, 103512.	1.9	7
72	Direct injection horse urine analysis for the quantification and confirmation of threshold substances for doping control. IV. Determination of 3-methoxytyramine by hydrophilic interaction liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Drug Testing and Analysis</i> , 2009, 1, 365-371.	1.6	6

#	ARTICLE	IF	CITATIONS
73	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€œ Revision of the opinion on o-Phenylphenol, Sodium o-phenylphenate and Potassium o-phenylphenate (OPP), in cosmetic products. Regulatory Toxicology and Pharmacology, 2016, 79, 105.	1.3	6
74	Opinion of the Scientific Committee on Consumer safety (SCCS) â€œ Opinion on the safety of the use of deoxyarbutin in cosmetic products. Regulatory Toxicology and Pharmacology, 2016, 74, 77-78.	1.3	6
75	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€œ Final version of the opinion on decamethylcyclopentasiloxane (cyclopentasiloxane, D5) in cosmetic products. Regulatory Toxicology and Pharmacology, 2017, 83, 117-118.	1.3	6
76	A Stability-Indicating HPLC Method for the Quantification of Aliskiren and Hydrochlorothiazide in a Pharmaceutical Formulation. Journal of AOAC INTERNATIONAL, 2014, 97, 1519-1525.	0.7	5
77	Pre-Column Derivatization HPLC Procedure for the Quantitation of Aluminium Chlorohydrate in Antiperspirant Creams Using Quercetin as Chromogenic Reagent. Chromatographia, 2014, 77, 1275-1281.	0.7	5
78	Opinion of the scientific committee on consumer safety (SCCS) â€œ Final opinion on Polyaminopropyl Biguanide (PHMB) in cosmetic productsâ€”Submission III. Regulatory Toxicology and Pharmacology, 2017, 88, 328-329.	1.3	5
79	Insights into the Mechanism of Separation of Bisphosphonates by Zwitterionic Hydrophilic Interaction Liquid Chromatography: Application to the Quantitation of Risedronate in Pharmaceuticals. Separations, 2019, 6, 6.	1.1	5
80	Development and validation of a reversed-phase high-performance liquid chromatographic method for the quantitation and stability of Î±-lipoic acid in cosmetic creams. International Journal of Cosmetic Science, 2020, 42, 221-228.	1.2	5
81	Determination of 19 Psychoactive Substances in Premortem and Postmortem Whole Blood Samples Using Ultra-High-Performance Liquid Chromatographyâ€”Tandem Mass Spectrometry. Separations, 2021, 8, 78.	1.1	5
82	The SCCS scientific advice on the safety of nanomaterials in cosmetics. Regulatory Toxicology and Pharmacology, 2021, 126, 105046.	1.3	5
83	Determination of clopamide-pindolol combination in tablets by fourth-order derivative UV spectrophotometry. International Journal of Pharmaceutics, 1993, 99, 327-331.	2.6	4
84	Prediction of Distribution Coefficients from Structure. The Influence of Ion Pair Formation as Reflected in Experimental and Calculated Values. QSAR and Combinatorial Science, 1997, 16, 315-316.	1.4	4
85	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€œ Revision of the opinion on the safety of aluminium in cosmetic products. Regulatory Toxicology and Pharmacology, 2015, 73, 1005-1006.	1.3	4
86	Opinion of the Scientific Committee on consumer safety (SCCS) - Opinion on the use of 2,2â€²-methylene-bis-(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (nano) â€œ S79 â€œ In cosmetic products. Regulatory Toxicology and Pharmacology, 2016, 76, 215-216.	1.3	4
87	Opinion of the scientific committee on consumer safety (SCCS) â€œ Final version of the opinion on Ethylzingerone - â€œHydroxyethoxyphenyl Butanoneâ€™ (HEPB) - Cosmetics Europe No P98 - in cosmetic products. Regulatory Toxicology and Pharmacology, 2017, 88, 330-331.	1.3	4
88	Synovial fluid as an alternative specimen for quantification of drugs of abuse by GCâ€”MS. Forensic Toxicology, 2019, 37, 496-503.	1.4	4
89	DEVELOPMENT AND VALIDATION OF A REVERSED-PHASE HPLC METHOD FOR THE DETERMINATION OF PINDOLOL AND CLOPAMIDE IN TABLETS. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 125-136.	0.5	3
90	Quantification of oligopeptideâ€”20 and oligopeptideâ€”24 in cosmetic creams using hydrophilic interaction liquid chromatography with electrospray ionization mass spectrometry. Separation Science Plus, 2018, 1, 159-167.	0.3	3

#	ARTICLE	IF	CITATIONS
91	Opinion of the Scientific Committee on Consumer safety (SCCS) â€œ Final opinion on water-soluble zinc salts used in oral hygiene products. Regulatory Toxicology and Pharmacology, 2018, 99, 249-250.	1.3	3
92	Opinion of the scientific committee on consumer safety (SCCS) â€œ Opinion on the safety of cosmetic ingredient phenylene bis-diphenyltriazine (CAS No 55514-22-2) - S86. Regulatory Toxicology and Pharmacology, 2018, 99, 129-130.	1.3	3
93	Fluorimetric Analysis of Five Amino Acids in Chocolate: Development and Validation. Molecules, 2021, 26, 4325.	1.7	3
94	Hydrophilic Interaction Liquid Chromatography Coupled with Fluorescence Detection (HILIC-FL) for the Quantitation of Octreotide in Injection Forms. Analyticaâ€™A Journal of Analytical Chemistry and Chemical Analysis, 2021, 2, 121-129.	0.8	3
95	An Improved Narrow-Bore LC Method for Quantification of Alfuzosin in Pharmaceutical Formulations. Chromatographia, 2008, 67, 701-707.	0.7	2
96	A porous graphitized carbon LC-ESI/MS method for the quantitation of metronidazole and fluconazole in breast milk and human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1084, 175-184.	1.2	2
97	Opinion of the Scientific Committee on consumer safety (SCCS) â€œ Final opinion on the safety of fragrance ingredient Acetylated Vetiver Oil (AVO) - (Vetiveria zizanioides root extract acetylated) - Submission III. Regulatory Toxicology and Pharmacology, 2019, 107, 104389.	1.3	2
98	Opinion of the Scientific Committee on Consumer safety (SCCS) â€œ Opinion on Ethylzingerone - â€™Hydroxyethoxyphenyl Butanoneâ€™™ (HEPB) - Cosmetics Europe No P98 - CAS No 569646-79-3 - Submission II (eye irritation). Regulatory Toxicology and Pharmacology, 2019, 107, 104393.	1.3	2
99	Quantitation of Acetyl Hexapeptide-8 in Cosmetics by Hydrophilic Interaction Liquid Chromatography Coupled to Photo Diode Array Detection. Separations, 2021, 8, 125.	1.1	2
100	Opinion of the Scientific Committee on Consumer safety (SCCS) â€œ Opinion on the safety of cosmetic ingredient salicylic acid (CAS 69-72-7). Regulatory Toxicology and Pharmacology, 2019, 108, 104376.	1.3	1
101	Amoxicillin chewable tablets intended for pediatric use: formulation development, stability evaluation and taste assessment. Pharmaceutical Development and Technology, 2021, 26, 978-988.	1.1	1
102	Assessment of molecular differentiation in FFPE colon adenocarcinoma tissues using PCA analysis of MALDI IMS spectral data. Journal of Applied Bioanalysis, 2017, 3, 81-97.	0.2	1
103	Opinion of the Scientific Committee on Consumer Safety (SCCS) â€œ Final version of the opinion on Eco G+ in cosmetic products. Regulatory Toxicology and Pharmacology, 2016, 82, 157.	1.3	0
104	Front Cover: Quantification of oligopeptideâ€™20 and oligopeptideâ€™24 in cosmetic creams using hydrophilic interaction liquid chromatography with electrospray ionization mass spectrometry. Separation Science Plus, 2018, 1, NA.	0.3	0
105	Porous Graphitized Carbon Columns in LC. , 2005, , 1334-1343.		0
106	Porous Graphitized Carbon Columns in LC. , 2009, , .		0
107	Meet our Editorial Board Member: Dr. Eirini Panteri (Irene Panderi). Journal of Applied Bioanalysis, 2018, 4, 62-65.	0.2	0