

# Irene Panderi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8708026/irene-panderi-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102  
papers

1,596  
citations

20  
h-index

35  
g-index

112  
ext. papers

1,783  
ext. citations

3.4  
avg, IF

4.56  
L-index

#	Paper	IF	Citations
102	A comparative study of hollow copper sulfide nanoparticles and hollow gold nanospheres on degradability and toxicity. <i>ACS Nano</i> , <b>2013</b> , 7, 8780-93	16.7	199
101	Prediction of distribution coefficient from structure. 1. Estimation method. <i>Journal of Pharmaceutical Sciences</i> , <b>1997</b> , 86, 865-71	3.9	110
100	Preventive doping control analysis: liquid and gas chromatography time-of-flight mass spectrometry for detection of designer steroids. <i>Rapid Communications in Mass Spectrometry</i> , <b>2007</b> , 21, 2439-46	2.2	90
99	Preventive doping control screening analysis of prohibited substances in human urine using rapid-resolution liquid chromatography/high-resolution time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2010</b> , 24, 1595-609	2.2	72
98	A validated LC method for the determination of clopidogrel in pharmaceutical preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2002</b> , 28, 431-8	3.5	54
97	Simultaneous determination of benazepril hydrochloride and hydrochlorothiazide in tablets by second-order derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1999</b> , 21, 257-65	3.5	46
96	Determination of the carboxylic acid metabolite of clopidogrel in human plasma by liquid chromatography-electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2004</b> , 505, 107-114	6.6	45
95	Direct injection liquid chromatography/positive ion electrospray ionization mass spectrometric quantification of methotrexate, folinic acid, folic acid and ondansetron in human serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2009</b> , 877, 3850-6	3.2	39
94	Simultaneous determination of benazepril hydrochloride and hydrochlorothiazide by micro-bore liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1999</b> , 21, 1017-24	3.5	38
93	Prediction of distribution coefficient from structure. 2. Validation of Prolog D, an expert system. <i>Journal of Pharmaceutical Sciences</i> , <b>1997</b> , 86, 1173-9	3.9	33
92	Determination of captopril and captopril-hydrochlorothiazide combination in tablets by derivative UV spectrophotometry. <i>International Journal of Pharmaceutics</i> , <b>1992</b> , 86, 99-106	6.5	32
91	Ultra-performance liquid chromatography/tandem mass spectrometry method for the determination of lercanidipine in human plasma. <i>Rapid Communications in Mass Spectrometry</i> , <b>2006</b> , 20, 2939-46	2.2	29
90	Liquid chromatography-positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 810, 235-244	3.2	28
89	Development and validation of a liquid chromatographic/electrospray ionization mass spectrometric method for the determination of benazepril, benazeprilat and hydrochlorothiazide in human plasma. <i>Journal of Mass Spectrometry</i> , <b>2006</b> , 41, 593-605	2.2	27
88	Second-derivative spectrophotometric determination of naproxen in the presence of its metabolite in human plasma. <i>Analyst, The</i> , <b>1994</b> , 119, 697-701	5	24
87	Determination of piroxicam and its major metabolite 5-hydroxyproxicam in human plasma by zero-crossing first-derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1998</b> , 17, 515-24	3.5	23
86	Selective and rapid liquid chromatography/negative-ion electrospray ionization mass spectrometry method for the quantification of valacyclovir and its metabolite in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2008</b> , 864, 78-86	3.2	23

85	A validated liquid chromatographic tandem mass spectrometric method for the determination of mirtazapine and demethylmirtazapine in human plasma: application to a pharmacokinetic study. <i>Analytica Chimica Acta</i> , <b>2004</b> , 514, 15-26	6.6	23
84	Development and validation of a reversed-phase ion-pair high-performance liquid chromatographic method for the determination of risedronate in pharmaceutical preparations. <i>Analytica Chimica Acta</i> , <b>2007</b> , 584, 153-9	6.6	22
83	Determination of nateglinide in human plasma by high-performance liquid chromatography with pre-column derivatization using a coumarin-type fluorescent reagent. <i>Analytica Chimica Acta</i> , <b>2007</b> , 599, 143-50	6.6	21
82	Acidic hydrolysis of bromazepam studied by high performance liquid chromatography. Isolation and identification of its degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1998</b> , 17, 327-35	3.5	19
81	Improved liquid chromatographic tandem mass spectrometric determination and pharmacokinetic study of glimepiride in human plasma. <i>Biomedical Chromatography</i> , <b>2005</b> , 19, 394-401	1.7	19
80	Kinetic study on the degradation of prazepam in acidic aqueous solutions by high-performance liquid chromatography and fourth-order derivative ultraviolet spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1998</b> , 17, 739-50	3.5	18
79	Development and validation of a liquid chromatographic/electrospray ionization mass spectrometric method for the quantitation of prazepam and its main metabolites in human plasma. <i>Journal of Mass Spectrometry</i> , <b>2005</b> , 40, 516-26	2.2	18
78	DETERMINATION OF HYOSCINE N-BUTYL-BROMIDE, LIDOCAINE HYDROCHLORIDE, AND PARACETAMOL IN INJECTION FORMS USING SOLID-PHASE EXTRACTION, HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY, AND UV-VIS SPECTROPHOTOMETRY. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2002</b> , 25, 2833-2847	1.3	18
77	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Revision of the opinion on the safety of the use of Silica, Hydrated Silica, and Silica Surface Modified with Alkyl Silylates (nano form) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 74, 79-80	3.4	17
76	Direct injection LC/ESI-MS horse urine analysis for the quantification and identification of threshold substances for doping control. I. Determination of hydrocortisone. <i>Journal of Mass Spectrometry</i> , <b>2008</b> , 43, 1255-64	2.2	17
75	Development and validation of a reversed-phase ion-pair liquid chromatography method for the determination of magnesium ascorbyl phosphate and melatonin in cosmetic creams. <i>Analytica Chimica Acta</i> , <b>2006</b> , 573-574, 284-90	6.6	17
74	Kinetics of the acidic and enzymatic hydrolysis of benazepril HCl studied by LC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2002</b> , 27, 107-16	3.5	17
73	Investigation of the Relationships Between logP and Various Chromatographic Indices for a Series of Substituted Coumarins. Evaluation of their Similarity/Dissimilarity using Multivariate Statistics. <i>QSAR and Combinatorial Science</i> , <b>2005</b> , 24, 254-260		16
72	Simultaneous determination of clopamide-pindolol combination in tablets by zero-crossing derivative spectrophotometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1994</b> , 12, 151-6	3.5	16
71	Opinion of the Scientific Committee on Consumer safety (SCCS)--Opinion on the safety of the use of Arbutin in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 74, 75-6	3.4	15
70	DETERMINATION OF VALPROIC ACID IN HUMAN PLASMA BY HPLC WITH FLUORESCENCE DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2002</b> , 25, 2833-2847	1.3	15
69	Liquid chromatography-positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 810, 235-44	3.2	15
68	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the Opinion on Vitamin A (retinol, retinyl acetate and retinyl palmitate) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2017</b> , 84, 102-104	3.4	14

67	In Vitro Percutaneous Absorption of Pine Bark Extract (Pycnogenol) in Human Skin. <i>Cutaneous and Ocular Toxicology</i> , <b>2005</b> , 23, 149-158		13
66	Development and validation of a liquid chromatography-electrospray ionization mass spectrometric method for the determination of dexamethasone in sheep plasma. <i>Analytica Chimica Acta</i> , <b>2004</b> , 504, 299-306	6.6	13
65	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on the safety of the use of Methylisothiazolinone (MI) (P94), in cosmetic products (sensitisation only). <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 76, 211-2	3.4	13
64	An improved fabric-phase sorptive extraction protocol for the determination of seven parabens in human urine by HPLC-DAD. <i>Biomedical Chromatography</i> , <b>2021</b> , 35, e4974	1.7	13
63	Differentiating tumor heterogeneity in formalin-fixed paraffin-embedded (FFPE) prostate adenocarcinoma tissues using principal component analysis of matrix-assisted laser desorption/ionization imaging mass spectral data. <i>Rapid Communications in Mass Spectrometry</i> , <b>2017</b> , 31, 160-170	2.2	12
62	Hydrophilic interaction liquid chromatography/positive ion electrospray mass spectrometry for the quantification of deferisirox, an oral iron chelator, in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 893-894, 114-20	3.2	12
61	Direct injection human plasma analysis for the quantification of antihypertensive drugs for therapeutic drug monitoring using hydrophilic interaction liquid chromatography/electrospray ionization mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1004, 1-9	3.2	11
60	Development and validation of a hydrophilic interaction liquid chromatography method for the quantitation of impurities in fixed-dose combination tablets containing rosuvastatin and metformin. <i>Talanta</i> , <b>2018</b> , 183, 131-141	6.2	11
59	Direct injection liquid chromatography/electrospray ionization mass spectrometric horse urine analysis for the quantification and confirmation of threshold substances for doping control. II. Determination of theobromine. <i>Rapid Communications in Mass Spectrometry</i> , <b>2009</b> , 23, 1020-8	2.2	11
58	Retention behavior of flavonoids on immobilized artificial membrane chromatography and correlation with cell-based permeability. <i>Biomedical Chromatography</i> , <b>2018</b> , 32, e4108	1.7	9
57	Investigation of the Retention Mechanism of Cephalosporins by Zwitterionic Hydrophilic Interaction Liquid Chromatography. <i>Chromatographia</i> , <b>2016</b> , 79, 995-1002	2.1	9
56	A Porous Graphitized Carbon Column HPLC Method for the Quantification of Paracetamol, Pseudoephedrine, and Chlorpheniramine in a Pharmaceutical Formulation. <i>Journal of AOAC INTERNATIONAL</i> , <b>2010</b> , 93, 1093-1101	1.7	9
55	Direct injection horse urine analysis for the quantification and identification of threshold substances for doping control. III. Determination of salicylic acid by liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2009</b> , 395, 1403-10	4.4	9
54	A NEW FLUOROGENIC REAGENT FOR LABELLING CARBOXYLIC ACIDS IN HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2002</b> , 25, 381-395	1.3	9
53	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of alprazolam and $\beta$ -hydroxy-alprazolam in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2013</b> , 942-943, 158-64	3.2	8
52	The efficacy study of the combination of tripeptide-10-citrulline and acetyl hexapeptide-3. A prospective, randomized controlled study. <i>Journal of Cosmetic Dermatology</i> , <b>2017</b> , 16, 271-278	2.5	7
51	Opinion of the Scientific Committee on Consumer Safety (SCCS)--Opinion on the safety of the use of $\beta$ -arbutin in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2015</b> , 73, 866-7	3.4	7
50	Dietary Exposure Assessment of Veterinary Antibiotics in Pork Meat on Children and Adolescents in Cyprus. <i>Foods</i> , <b>2020</b> , 9,	4.9	7

49	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Revision of the Opinion on hydroxyapatite (nano) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2018</b> , 98, 274-275	3.4	7
48	Development and validation of an ion-pair RP-HPLC method for the determination of oligopeptide-20 in cosmeceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 56, 645-9	3.5	7
47	Hydrophilic interaction liquid chromatography/positive ion electrospray ionization mass spectrometry method for the quantification of perindopril and its main metabolite in human plasma. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 397, 2161-70	4.4	7
46	Kinetics and mechanism of acidic hydrolysis of nordazepam studied by high-performance liquid chromatography and fourth-order derivative ultraviolet spectrophotometry. <i>International Journal of Pharmaceutics</i> , <b>1998</b> , 167, 69-81	6.5	7
45	Development and validation of a high-performance liquid chromatographic method for the determination of buspirone in pharmaceutical preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2004</b> , 35, 41-50	3.5	7
44	Kinetic Investigation on the Degradation of Lorazepam in Acidic Aqueous Solutions by High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>1998</b> , 21, 1783-1795	1.3	7
43	The SCCS guidance on the safety assessment of nanomaterials in cosmetics. <i>Regulatory Toxicology and Pharmacology</i> , <b>2020</b> , 112, 104611	3.4	6
42	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on the safety of the use of deoxyarbutin in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 74, 77-8	3.4	6
41	Hydrophilic Interaction Liquid Chromatography-Electrospray Ionization Mass Spectrometry for Therapeutic Drug Monitoring of Metformin and Rosuvastatin in Human Plasma. <i>Molecules</i> , <b>2018</b> , 23,	4.8	6
40	Simultaneous Determination of Impurities in Ropinirole Tablets by an Improved HPLC Method Coupled with Diode Array Detection. <i>Chromatographia</i> , <b>2014</b> , 77, 447-457	2.1	6
39	Quantification of three beta-lactam antibiotics in breast milk and human plasma by hydrophilic interaction liquid chromatography/positive-ion electrospray ionization mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1062-1072	3.5	6
38	Liquid chromatographic tandem mass spectrometric determination of trandolapril in human plasma. <i>Analytica Chimica Acta</i> , <b>2005</b> , 540, 375-382	6.6	6
37	Prediction of distribution coefficients from structure. Comparison of calculated and experimental data for various drugs. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , <b>1999</b> , 24, 205-12	2.7	6
36	Kinetic study on the acidic hydrolysis of lorazepam by a zero-crossing first-order derivative UV-spectrophotometric technique. <i>Talanta</i> , <b>1999</b> , 48, 685-93	6.2	6
35	Direct injection horse-urine analysis for the quantification and confirmation of threshold substances for doping control. IV. Determination of 3-methoxytyramine by hydrophilic interaction liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2009</b> , 1, 365-71	3.5	5
34	The SCCS Notes of Guidance for the testing of cosmetic ingredients and their safety evaluation, 11th revision, 30-31 March 2021, SCCS/1628/21. <i>Regulatory Toxicology and Pharmacology</i> , <b>2021</b> , 127, 105052	3.4	5
33	Insights into the Mechanism of Separation of Bisphosphonates by Zwitterionic Hydrophilic Interaction Liquid Chromatography: Application to the Quantitation of Risedronate in Pharmaceuticals. <i>Separations</i> , <b>2019</b> , 6, 6	3.1	4
32	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on Phenoxyethanol in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 82, 156	3.4	4

31	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Revision of the opinion on o-Phenylphenol, Sodium o-phenylphenate and Potassium o-phenylphenate (OPP), in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 79, 105	3.4	4
30	Pre-Column Derivatization HPLC Procedure for the Quantitation of Aluminium Chlorohydrate in Antiperspirant Creams Using Quercetin as Chromogenic Reagent. <i>Chromatographia</i> , <b>2014</b> , 77, 1275-1281 <sup>2.1</sup>		4
29	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on decamethylcyclopentasiloxane (cyclopentasiloxane, D5) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2017</b> , 83, 117-118	3.4	4
28	Opinion of the Scientific Committee on Consumer Safety (SCCS)--Revision of the opinion on the safety of aluminium in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2015</b> , 73, 1005-6	3.4	4
27	A stability-indicating HPLC method for the quantification of aliskiren and hydrochlorothiazide in a pharmaceutical formulation. <i>Journal of AOAC INTERNATIONAL</i> , <b>2014</b> , 97, 1519-25	1.7	4
26	Prediction of Distribution Coefficients from Structure. The Influence of Ion Pair Formation as Reflected in Experimental and Calculated Values. <i>QSAR and Combinatorial Science</i> , <b>1997</b> , 16, 315-316		4
25	Determination of clopamide-pindolol combination in tablets by fourth-order derivative UV spectrophotometry. <i>International Journal of Pharmaceutics</i> , <b>1993</b> , 99, 327-331	6.5	4
24	Determination of Intact Parabens in the Human Plasma of Cancer and Non-Cancer Patients Using a Validated Fabric Phase Sorptive Extraction Reversed-Phase Liquid Chromatography Method with UV Detection. <i>Molecules</i> , <b>2021</b> , 26,	4.8	4
23	Synovial fluid as an alternative specimen for quantification of drugs of abuse by GCMS. <i>Forensic Toxicology</i> , <b>2019</b> , 37, 496-503	2.6	3
22	Veterinary antimicrobial residues in pork meat in Cyprus: An exposure assessment. <i>Journal of Food Composition and Analysis</i> , <b>2020</b> , 90, 103512	4.1	3
21	Opinion of the Scientific Committee on consumer safety (SCCS) - Opinion on the use of 2,2Smethylene-bis-(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (nano) - S79 - In cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 76, 215-6	3.4	3
20	Opinion of the scientific committee on consumer safety (SCCS) - Final opinion on Polyaminopropyl Biguanide (PHMB) in cosmetic products Submission III. <i>Regulatory Toxicology and Pharmacology</i> , <b>2017</b> , 88, 328-329	3.4	2
19	Quantification of oligopeptide-20 and oligopeptide-24 in cosmetic creams using hydrophilic interaction liquid chromatography with electrospray ionization mass spectrometry. <i>Separation Science Plus</i> , <b>2018</b> , 1, 159-167	1.1	2
18	An Improved Narrow-Bore LC Method for Quantification of Alfuzosin in Pharmaceutical Formulations. <i>Chromatographia</i> , <b>2008</b> , 67, 701-707	2.1	2
17	DEVELOPMENT AND VALIDATION OF A REVERSED-PHASE HPLC METHOD FOR THE DETERMINATION OF PINDOLOL AND CLOPAMIDE IN TABLETS. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2002</b> , 25, 125-136	1.3	2
16	Quantitation of Acetyl Hexapeptide-8 in Cosmetics by Hydrophilic Interaction Liquid Chromatography Coupled to Photo Diode Array Detection. <i>Separations</i> , <b>2021</b> , 8, 125	3.1	2
15	Opinion of the Scientific Committee on consumer safety (SCCS) - Final opinion on the safety of fragrance ingredient Acetylated Vetiver Oil (AVO) - (Vetiveria zizanioides root extract acetylated) - Submission III. <i>Regulatory Toxicology and Pharmacology</i> , <b>2019</b> , 107, 104389	3.4	1
14	Development and validation of a reversed-phase high-performance liquid chromatographic method for the quantitation and stability of Iipoic acid in cosmetic creams. <i>International Journal of Cosmetic Science</i> , <b>2020</b> , 42, 221-228	2.7	1

13	A porous graphitized carbon LC-ESI/MS method for the quantitation of metronidazole and fluconazole in breast milk and human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1084, 175-184	3.2	1
12	Determination of 19 Psychoactive Substances in Premortem and Postmortem Whole Blood Samples Using Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry. <i>Separations</i> , <b>2021</b> , 8, 78	3.1	1
11	The SCCS scientific advice on the safety of nanomaterials in cosmetics. <i>Regulatory Toxicology and Pharmacology</i> , <b>2021</b> , 126, 105046	3.4	1
10	Opinion of the scientific committee on consumer safety (SCCS) - Final version of the opinion on Ethylzingerone - Hydroxyethoxyphenyl ButanoneS(HEPB) - Cosmetics Europe No P98 - in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2017</b> , 88, 330-331	3.4	0
9	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on Ethylzingerone - Hydroxyethoxyphenyl ButanoneS(HEPB) - Cosmetics Europe No P98 - CAS No 569646-79-3 - Submission II (eye irritation). <i>Regulatory Toxicology and Pharmacology</i> , <b>2019</b> , 107, 104393	3.4	0
8	Opinion of the Scientific Committee on Consumer safety (SCCS) - Final opinion on water-soluble zinc salts used in oral hygiene products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2018</b> , 99, 249-250	3.4	0
7	Hydrophilic Interaction Liquid Chromatography Coupled with Fluorescence Detection (HILIC-FL) for the Quantitation of Octreotide in Injection Forms. <i>Analytical Journal of Analytical Chemistry and Chemical Analysis</i> , <b>2021</b> , 2, 121-129	1.4	0
6	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on the safety of cosmetic ingredient salicylic acid (CAS 69-72-7). <i>Regulatory Toxicology and Pharmacology</i> , <b>2019</b> , 108, 104376	3.4	
5	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on Eco G+ in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 82, 157	3.4	
4	Porous Graphitized Carbon Columns in LC <b>2005</b> , 1334-1343		
3	Porous Graphitized Carbon Columns in LC <b>2005</b> , 1334-1343		
2	Opinion of the scientific committee on consumer safety (SCCS) - Opinion on the safety of cosmetic ingredient phenylene bis-diphenyltriazine (CAS No 55514-22-2) - S86. <i>Regulatory Toxicology and Pharmacology</i> , <b>2018</b> , 99, 129-130	3.4	
1	Amoxicillin chewable tablets intended for pediatric use: formulation development, stability evaluation and taste assessment. <i>Pharmaceutical Development and Technology</i> , <b>2021</b> , 26, 978-988	3.4	