

# Bert De Groef

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8708914/bert-de-groef-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57  
papers

1,192  
citations

20  
h-index

33  
g-index

58  
ext. papers

1,364  
ext. citations

3.3  
avg, IF

4.23  
L-index

#	Paper	IF	Citations
57	Effect of Pleomorphic Adenoma Gene 1 Deficiency on Selected Behaviours in Adult Mice. <i>Neuroscience</i> , <b>2021</b> , 455, 30-38	3.9	2
56	Relationships between serum serotonin, plasma cortisol, and behavioral factors in a mixed-breed, -sex, and -age group of pet dogs. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , <b>2020</b> , 38, 96-102	1.9	2
55	Deficiency of the transcription factor PLAG1 results in aberrant coiling and morphology of the epididymis. <i>Asian Journal of Andrology</i> , <b>2020</b> , 22, 342-347	2.8	0
54	Interrogating the Grainyhead-like 2 (Grhl2) genomic locus identifies an enhancer element that regulates palatogenesis in mouse. <i>Developmental Biology</i> , <b>2020</b> , 459, 194-203	3.1	4
53	A pioneer calf foetus microbiome. <i>Scientific Reports</i> , <b>2020</b> , 10, 17712	4.9	18
52	Transcriptome analysis of the epididymis from Plag1 deficient mice suggests dysregulation of sperm maturation and extracellular matrix genes. <i>Developmental Dynamics</i> , <b>2020</b> , 249, 1500-1513	2.9	0
51	Pleomorphic Adenoma Gene 1 Is Needed For Timely Zygotic Genome Activation and Early Embryo Development. <i>Scientific Reports</i> , <b>2019</b> , 9, 8411	4.9	6
50	Evolutionary origin of the type 2 corticotropin-releasing hormone receptor $\beta$ splice variant. <i>Genes To Cells</i> , <b>2019</b> , 24, 318-323	2.3	
49	Transcriptional regulation of the chicken CRHR2 gene by pituitary transcription factors. <i>General and Comparative Endocrinology</i> , <b>2019</b> , 284, 113263	3	
48	An idea to explore: Genotyping bull sperm to introduce basic molecular biology techniques in an animal science course. <i>Biochemistry and Molecular Biology Education</i> , <b>2019</b> , 47, 708-711	1.3	0
47	Bone marrow fat analysis as a diagnostic tool to document ante-mortem starvation. <i>Veterinary Journal</i> , <b>2019</b> , 243, 1-7	2.5	3
46	PLAG1 expression and target genes in the hypothalamo-pituitary system in male mice. <i>Molecular and Cellular Endocrinology</i> , <b>2018</b> , 478, 77-83	4.4	4
45	Thyrotropic activity of corticotropin-releasing hormone in an altricial bird species, the zebra finch ( <i>Taeniopygia guttata</i> ). <i>General and Comparative Endocrinology</i> , <b>2018</b> , 258, 99-108	3	3
44	Forever young: Endocrinology of paedomorphosis in the Mexican axolotl ( <i>Ambystoma mexicanum</i> ). <i>General and Comparative Endocrinology</i> , <b>2018</b> , 266, 194-201	3	12
43	Spatial and temporal expression profiles of urocortin 3 mRNA in the brain of the chicken ( <i>Gallus gallus</i> ). <i>Journal of Comparative Neurology</i> , <b>2017</b> , 525, 2583-2591	3.4	7
42	Molecular cloning and tissue distribution of Crh and Pomc mRNA in the fat-tailed dunnart ( <i>Sminthopsis crassicaudata</i> ), an Australian marsupial. <i>Gene</i> , <b>2017</b> , 627, 26-31	3.8	5
41	Comparison of methodologies in determining bone marrow fat percentage under different environmental conditions. <i>Journal of Veterinary Diagnostic Investigation</i> , <b>2017</b> , 29, 83-90	1.5	3

40	High seroprevalance of <i>Neospora caninum</i> in dogs in Victoria, Australia, compared to 20 years ago. <i>Parasites and Vectors</i> , <b>2017</b> , 10, 503	4	10
39	PLAG1 deficiency impairs spermatogenesis and sperm motility in mice. <i>Scientific Reports</i> , <b>2017</b> , 7, 5317	4.9	16
38	Effect of in ovo injection of corticotropin-releasing hormone on the timing of hatching in broiler chickens. <i>Poultry Science</i> , <b>2017</b> , 96, 3452-3456	3.9	6
37	Using short-term bioassays to evaluate the endocrine disrupting capacity of the pesticides linuron and fenoxycarb. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2017</b> , 200, 52-58	3.2	9
36	Uptake of milk with and without solid feed during the monogastric phase: Effect on fibrolytic and methanogenic microorganisms in the gastrointestinal tract of calves. <i>Animal Science Journal</i> , <b>2016</b> , 87, 378-88	1.8	15
35	Emerging role of PLAG1 as a regulator of growth and reproduction. <i>Journal of Endocrinology</i> , <b>2016</b> , 228, R45-56	4.7	44
34	Corticotropin-releasing hormone: Mediator of vertebrate life stage transitions?. <i>General and Comparative Endocrinology</i> , <b>2016</b> , 228, 60-68	3	17
33	Investigating canine personality structure using owner questionnaires measuring pet dog behaviour and personality. <i>Applied Animal Behaviour Science</i> , <b>2016</b> , 180, 100-106	2.2	18
32	Can bark counter collars and owner surveys help identify factors that relate to nuisance barking? A pilot study. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , <b>2015</b> , 10, 204-209	1.9	2
31	Applied personality assessment in domestic dogs: Limitations and caveats. <i>Applied Animal Behaviour Science</i> , <b>2015</b> , 163, 1-18	2.2	32
30	Presence of Selected Methanogens, Fibrolytic Bacteria, and Proteobacteria in the Gastrointestinal Tract of Neonatal Dairy Calves from Birth to 72 Hours. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133048	3.7	75
29	Animal Hoarding in Victoria, Australia: An Exploratory Study. <i>Anthrozoos</i> , <b>2014</b> , 27, 33-47	2.4	17
28	Hatching the cleidoic egg: the role of thyroid hormones. <i>Frontiers in Endocrinology</i> , <b>2013</b> , 4, 63	5.7	34
27	Endocrine archeology: do insects retain ancestrally inherited counterparts of the vertebrate releasing hormones GnRH, GHRH, TRH, and CRF?. <i>General and Comparative Endocrinology</i> , <b>2012</b> , 177, 18-27	3	26
26	Ontogenic expression profiles of thyroid-specific genes in embryonic and hatching chicks. <i>Domestic Animal Endocrinology</i> , <b>2011</b> , 40, 10-8	2.3	11
25	Thyroid hormone receptors in two model species for vertebrate embryonic development: chicken and zebrafish. <i>Journal of Thyroid Research</i> , <b>2011</b> , 2011, 402320	2.6	36
24	Chicken folliculo-stellate cells express thyrotropin receptor mRNA. <i>Domestic Animal Endocrinology</i> , <b>2009</b> , 37, 236-42	2.3	5
23	Identification of unique thyrotropin receptor (TSHR) splice variants in the chicken: the chicken TSHR gene revisited. <i>General and Comparative Endocrinology</i> , <b>2008</b> , 156, 460-3	3	4

22	The chicken embryo as a model for developmental endocrinology: development of the thyrotropic, corticotropic, and somatotropic axes. <i>Molecular and Cellular Endocrinology</i> , <b>2008</b> , 293, 17-24	4.4	39
21	Thyroid hormone receptor beta2 is strongly up-regulated at all levels of the hypothalamo-pituitary-thyroidal axis during late embryogenesis in chicken. <i>Journal of Endocrinology</i> , <b>2008</b> , 196, 519-28	4.7	16
20	Involvement of the corticotropin-releasing factor (CRF) type 2 receptor in CRF-induced thyrotropin release by the amphibian pituitary gland. <i>General and Comparative Endocrinology</i> , <b>2007</b> , 150, 437-44	3	46
19	Feedback control of thyrotropin secretion in the chicken: thyroid hormones increase the expression of hypophyseal somatostatin receptor types 2 and 5. <i>General and Comparative Endocrinology</i> , <b>2007</b> , 152, 178-82	3	14
18	Role of corticotropin-releasing hormone as a thyrotropin-releasing factor in non-mammalian vertebrates. <i>General and Comparative Endocrinology</i> , <b>2006</b> , 146, 62-8	3	154
17	Molecular cloning, tissue distribution, and ontogenic thyroidal expression of the chicken thyrotropin receptor. <i>Endocrinology</i> , <b>2006</b> , 147, 3943-51	4.8	15
16	Increasing plasma thyroxine levels during late embryogenesis and hatching in the chicken are not caused by an increased sensitivity of the thyrotropes to hypothalamic stimulation. <i>Journal of Endocrinology</i> , <b>2006</b> , 189, 271-8	4.7	17
15	Perchlorate versus other environmental sodium/iodide symporter inhibitors: potential thyroid-related health effects. <i>European Journal of Endocrinology</i> , <b>2006</b> , 155, 17-25	6.5	135
14	The chicken pituitary-specific transcription factor PIT-1 is involved in the hypothalamic regulation of pituitary hormones. <i>Acta Veterinaria Hungarica</i> , <b>2006</b> , 54, 455-71	1	2
13	Hypothalamic control of the thyroidal axis in the chicken: over the boundaries of the classical hormonal axes. <i>Domestic Animal Endocrinology</i> , <b>2005</b> , 29, 104-10	2.3	22
12	The use of real-time PCR to study the expression of thyroid hormone receptor beta 2 in the developing chicken. <i>Annals of the New York Academy of Sciences</i> , <b>2005</b> , 1040, 328-31	6.5	3
11	Corticotropin-releasing hormone-mediated metamorphosis in the neotenic axolotl <i>Ambystoma mexicanum</i> : synergistic involvement of thyroxine and corticoids on brain type II deiodinase. <i>General and Comparative Endocrinology</i> , <b>2005</b> , 143, 75-81	3	21
10	Molecular cloning and developmental expression of corticotropin-releasing factor in the chicken. <i>Endocrinology</i> , <b>2005</b> , 146, 301-8	4.8	30
9	Corticosterone-induced negative feedback mechanisms within the hypothalamo-pituitary-adrenal axis of the chicken. <i>Journal of Endocrinology</i> , <b>2005</b> , 185, 383-91	4.7	32
8	Low submetamorphic doses of dexamethasone and thyroxine induce complete metamorphosis in the axolotl ( <i>Ambystoma mexicanum</i> ) when injected together. <i>General and Comparative Endocrinology</i> , <b>2004</b> , 137, 141-7	3	18
7	Cloning and tissue distribution of the chicken type 2 corticotropin-releasing hormone receptor. <i>General and Comparative Endocrinology</i> , <b>2004</b> , 138, 89-95	3	24
6	Corticotropin-releasing hormone (CRH)-induced thyrotropin release is directly mediated through CRH receptor type 2 on thyrotropes. <i>Endocrinology</i> , <b>2003</b> , 144, 5537-44	4.8	54
5	In vitro study of corticotropin-releasing hormone-induced thyrotropin release: ontogeny and inhibition by somatostatin. <i>General and Comparative Endocrinology</i> , <b>2003</b> , 132, 272-7	3	22

4	Involvement of thyrotropin-releasing hormone receptor, somatostatin receptor subtype 2 and corticotropin-releasing hormone receptor type 1 in the control of chicken thyrotropin secretion. <i>Molecular and Cellular Endocrinology</i> , <b>2003</b> , 203, 33-9	4-4	30
3	Identification of somatostatin receptors controlling growth hormone and thyrotropin secretion in the chicken using receptor subtype-specific agonists. <i>Journal of Endocrinology</i> , <b>2003</b> , 177, 279-86	4-7	21
2	Effects of dexamethasone treatment on iodothyronine deiodinase activities and on metamorphosis-related morphological changes in the axolotl ( <i>Ambystoma mexicanum</i> ). <i>General and Comparative Endocrinology</i> , <b>2002</b> , 127, 157-64	3	30
1	Changes of Thyrotropin-Releasing Hormone (Trh) Levels in Brain Regions and Pituitary During Induced Metamorphosis of <i>Ambystoma Mexicanum</i> . <i>Animal Biology</i> , <b>2000</b> , 50, 343-354		1