List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8709874/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Combustion synthesis of zero-, one-, two- and three-dimensional nanostructures: Current trends and future perspectives. Progress in Energy and Combustion Science, 2017, 63, 79-118.   | 15.8 | 157       |
| 2  | Recovery of indium from used LCD panel by a time efficient and environmentally sound method assisted HEBM. Waste Management, 2013, 33, 730-734.  | 3.7  | 97        |
| 3  | Combustion-mediated synthesis of hollow carbon nanospheres for high-performance cathode material in lithium-sulfur battery. Carbon, 2016, 103, 255-262.  | 5.4  | 47        |
| 4  | Influence of powder size on thermoelectric properties of p-type 25%Bi2Te375%Sb2Te3 alloys fabricated using gas-atomization and spark-plasma sintering. Journal of Alloys and Compounds, 2016, 686, 1-8.                            | 2.8  | 44        |
| 5  | Preparation of zirconium-based ceramic and composite fine-grained powders. International Journal of Refractory Metals and Hard Materials, 2012, 30, 133-138.   | 1.7  | 43        |
| 6  | Purification of nuclear grade Zr scrap as the high purity dense Zr deposits from Zirlo scrap by<br>electrorefining in LiF–KF–ZrF4 molten fluorides. Journal of Nuclear Materials, 2013, 436, 130-138.                              | 1.3  | 35        |
| 7  | Enhanced thermoelectric properties of Bi0.5Sb1.5Te3 composites with in-situ formed senarmontite Sb2O3 nanophase. Journal of Alloys and Compounds, 2019, 777, 703-711.  | 2.8  | 33        |
| 8  | Electrodeposition Characteristics of Uranium in Molten LiCl-KCl Eutectic and its Salt Distillation Behavior. Journal of Nuclear Science and Technology, 2006, 43, 263-269.   | 0.7  | 30        |
| 9  | Effect of a heat treatment on the precipitation behavior and tensile properties of alloy 690 steam generator tubes. Journal of Nuclear Materials, 2016, 479, 85-92.  | 1.3  | 30        |
| 10 | The Fast Correlative Interferometer Direction Finder using I/Q Demodulator. , 2006, , .  |      | 25        |
| 11 | Microstructural and corrosion characteristics of tantalum coatings prepared by molten salt electrodeposition. Surface and Coatings Technology, 2013, 235, 819-826.   | 2.2  | 25        |
| 12 | Effect of Si content on H2 production using Al–Si alloy powders. International Journal of Hydrogen<br>Energy, 2011, 36, 15111-15118.   | 3.8  | 23        |
| 13 | Nuclear-grade zirconium prepared by combining combustion synthesis with molten-salt electrorefining technique. Journal of Nuclear Materials, 2011, 413, 107-113.   | 1.3  | 23        |
| 14 | Intergranular M23C6 Carbide Precipitation Behavior and Its Effect on Mechanical Properties of<br>Inconel 690 Tubes. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials<br>Science, 2015, 46, 4020-4026. | 1.1  | 23        |
| 15 | Mechanical and asymmetrical thermal properties of Al/Cu composite fabricated by repeated hydrostatic extrusion process. Metals and Materials International, 2015, 21, 402-407.   | 1.8  | 22        |
| 16 | Understanding the microstructure and mechanical properties of Ta Al0.7CoCrFeNi2.1 eutectic high entropy composites: Multi-scale deformation mechanism analysis. Composites Part B: Engineering, 2021, 214, 108750.                 | 5.9  | 21        |
| 17 | Few-atomic-layer boron nitride nanosheets synthesized in solid thermal waves. RSC Advances, 2015, 5, 8579-8584.  | 1.7  | 20        |
| 18 | Polymer assisted approach to two-dimensional (2D) nanosheets of B4C. Chemical Engineering Journal, 2015, 281, 218-226.   | 6.6  | 20        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Experimental Growth of New 6-fold Symmetry Patterned Microcrystals of AlN: Equilibrium Structures and Growth Mechanism. Crystal Growth and Design, 2016, 16, 5305-5311.   | 1.4 | 19        |
| 20 | Rapid and cost-effective method for synthesizing zirconium silicides. Chemical Engineering Journal, 2010, 165, 728-734.   | 6.6 | 18        |
| 21 | Efficient synthesis route to quasi-aligned and high-aspect-ratio aluminum nitride micro- and nanostructures. Chemical Engineering Journal, 2011, 174, 461-466.  | 6.6 | 18        |
| 22 | Thermally induced formation of 2D hexagonal BN nanoplates with tunable characteristics. Journal of Solid State Chemistry, 2015, 225, 13-18.   | 1.4 | 18        |
| 23 | High-temperature corrosion characteristics of yttria-stabilized zirconia material in molten salts of<br>LiCl-Li <sub>2</sub> O and LiCl-Li <sub>2</sub> O-Li. Journal of Nuclear Science and Technology, 2018, 55,<br>97-103. | 0.7 | 18        |
| 24 | Hot corrosion behaviour of nickel-cobalt-based alloys in a lithium molten salt. Corrosion Science, 2019, 151, 20-26.  | 3.0 | 18        |
| 25 | Separation behavior of nickel and cobalt in a LiCl-KCl-NiCl2 molten salt by electrorefining process.<br>Journal of Electroanalytical Chemistry, 2020, 866, 114175.  | 1.9 | 17        |
| 26 | Computer-assisted design and experimental validation of multielectrode electrorefiner for spent nuclear fuel treatment using a tertiary model. Nuclear Engineering and Design, 2013, 257, 12-20.                              | 0.8 | 16        |
| 27 | Combustion synthesis and characterization of TaC, TaC/TaSi2, and TaC/TaB nanoparticles. Chemical Engineering Science, 2014, 107, 227-234.   | 1.9 | 16        |
| 28 | Gas-phase supported rapid manufacturing of Ti-6Al-4V alloy spherical particles for 3D printing.<br>Chemical Engineering Journal, 2016, 304, 232-240.  | 6.6 | 16        |
| 29 | Simultaneous synthesis and densification of NiAl and Ni3Al by pressure-assisted combustion. Journal of Materials Science, 2002, 37, 2435-2439.  | 1.7 | 15        |
| 30 | Self-templated synthesis of hollow silica microspheres using Na2SiO3 precursor. Microporous and Mesoporous Materials, 2014, 190, 139-145.   | 2.2 | 15        |
| 31 | Structural and thermal properties of boron nanoparticles synthesized from B2O3+ 3Mg +kNaCl mixture. Combustion and Flame, 2014, 161, 3222-3228.   | 2.8 | 15        |
| 32 | Investigation of microstructure and thermoelectric properties of pâ€ŧype BiSbTe/ZnO composites.<br>International Journal of Applied Ceramic Technology, 2018, 15, 125-131.  | 1.1 | 15        |
| 33 | Corrosion behavior of Ni-based structural materials for electrolytic reduction in lithium molten salt. Journal of Nuclear Materials, 2011, 412, 157-164.  | 1.3 | 14        |
| 34 | Effect of applied current on the formation of defect in PWR nuclear fuel rods in resistance pressure welding process. Journal of Nuclear Science and Technology, 2015, 52, 748-757.   | 0.7 | 14        |
| 35 | Separation behavior of impurities and selenium reduction by the reactive zone refining process using high-frequency induction heating to purify Te. Journal of Crystal Growth, 2016, 455, 6-12.                               | 0.7 | 14        |
| 36 | Corrosion behaviour of Y2O3–ZrO2 coatings on IN713LC in a LiCl–Li2O molten salt. Corrosion<br>Science, 2010, 52, 2353-2364.   | 3.0 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Iron-assisted electroless deposition reaction for synthesizing copper and silver dendritic structures.<br>CrystEngComm, 2015, 17, 7535-7542.  | 1.3 | 13        |
| 38 | High Thermoelectric Figure of Merit in p-Type (Bi2Te3)x â^' (Sb2Te3)1â^'x Alloys Made from<br>Element-Mechanical Alloying and Spark Plasma Sintering. Journal of Electronic Materials, 2019, 48,<br>416-424.  | 1.0 | 13        |
| 39 | Effect of the grain size of YSZ ceramic materials on corrosion resistance in a hot molten salt<br>CaCl2-CaF2-CaO system. Corrosion Science, 2020, 170, 108664.  | 3.0 | 13        |
| 40 | Concentrations of CsCl and SrCl <sub>2</sub> from a Simulated LiCl Salt Waste Generated by<br>Pyroprocessing by Using Czochralski Method. Journal of Nuclear Science and Technology, 2009, 46,<br>392-397.  | 0.7 | 12        |
| 41 | Effects of alloying elements of nickel-based alloys on the hot-corrosion behavior in an electrolytic reduction process. Journal of Alloys and Compounds, 2017, 695, 2878-2885.  | 2.8 | 12        |
| 42 | High-temperature stability of CSZ, YSZ, and MSZ ceramic materials in CaCl2-CaF2-CaO molten salt system. Journal of Alloys and Compounds, 2019, 771, 924-935.  | 2.8 | 12        |
| 43 | Synergistic Optimization of the Thermoelectric and Mechanical Properties of Large-Size Homogeneous<br>Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> Bulk Samples via Carrier Engineering for Efficient<br>Energy Harvesting. ACS Applied Materials & Interfaces, 2022, 14, 10394-10406. | 4.0 | 12        |
| 44 | Size control of tungsten powder synthesized by self-propagating high temperature synthesis process.<br>Materials Research Bulletin, 1999, 34, 2239-2245.  | 2.7 | 10        |
| 45 | Structural change of the melt spun Al–10Ni–5Y by the addition of 1%Sr. Materials Science &<br>Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 311, 226-231.   | 2.6 | 10        |
| 46 | Effect of intermetallic compound thickness on anisotropy of Al/Cu honeycomb rods fabricated by hydrostatic extrusion process. Transactions of Nonferrous Metals Society of China, 2016, 26, 456-463.  | 1.7 | 10        |
| 47 | Hot corrosion behavior of magnesia-stabilized ceramic material in a lithium molten salt. Journal of<br>Nuclear Materials, 2017, 490, 85-93.   | 1.3 | 10        |
| 48 | Salt evaporation behaviors of uranium deposits from an electrorefiner. Journal of Radioanalytical and Nuclear Chemistry, 2010, 283, 171-176.  | 0.7 | 9         |
| 49 | Cyclic Corrosion Behavior of Ni-Based Superalloys in Hot Lithium Molten Salt. Oxidation of Metals, 2012, 78, 153-165.   | 1.0 | 9         |
| 50 | High temperature corrosion behavior of Ni-based alloys. Metals and Materials International, 2012, 18, 939-949.  | 1.8 | 9         |
| 51 | Thermoelectric properties of n-type Bi2Te3 alloys produced by a combined process of magnetic pulsed compaction (MPC) and spark plasma sintering (SPS). Research on Chemical Intermediates, 2014, 40, 2543-2551.   | 1.3 | 9         |
| 52 | Highâ€ŧemperature stability of <scp>YSZ</scp> and <scp>MSZ</scp> ceramic materials in<br>CaF <sub>2</sub> –MgF <sub>2</sub> –MgO molten salt system. Journal of the American Ceramic<br>Society, 2018, 101, 2074-2083.  | 1.9 | 9         |
| 53 | Morphological diversity of AlN nano- and microstructures: synthesis, growth orientations and theoretical modelling. International Materials Reviews, 2020, 65, 323-355.   | 9.4 | 9         |
| 54 | Electrodeposition Characteristics of Uranium in Molten LiCl-KCl Eutectic and its Salt Distillation Behavior. Journal of Nuclear Science and Technology, 2006, 43, 263-269.  | 0.7 | 9         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Aluminothermic Reduction of K <sub>2</sub> TiF <sub>6</sub> to Prepare TiC, TiB <sub>2</sub> , and TiN<br>Nanoparticles. Combustion Science and Technology, 2014, 186, 90-101.                  | 1.2 | 8         |
| 56 | CURRENT STATUS OF INTEGRITY ASSESSMENT BY SIPPING SYSTEM OF SPENT FUEL BUNDLES IRRADIATED IN CANDU REACTOR. Nuclear Engineering and Technology, 2014, 46, 875-882.                              | 1.1 | 8         |
| 57 | A thermochemical and experimental study for the conversion of ilmenite sand into fine powders of titanium compounds. Materials Chemistry and Physics, 2019, 221, 1-10.                          | 2.0 | 8         |
| 58 | Tantalum network nanoparticles from a Ta2O5+kMg system by liquid magnesium controlled combustion. Combustion and Flame, 2020, 219, 136-146.   | 2.8 | 8         |
| 59 | High-Temperature Corrosion Behavior of Al-Coated Ni-Base Alloys in Lithium Molten Salt for Electroreduction. Coatings, 2021, 11, 328.   | 1.2 | 8         |
| 60 | Downlink Multi-Point Transmission Effect Using Aggregate Base Station Architecture. IEICE<br>Transactions on Communications, 2011, E94-B, 3374-3377.  | 0.4 | 8         |
| 61 | Formation of high purity Si nanofiber from metallurgical grade Si by molten salt electrorefining.<br>Materials Chemistry and Physics, 2012, 137, 160-168.                                       | 2.0 | 7         |
| 62 | Fabrication of tunable carbon micro- and nanotubes using reed as bio-template. Materials Letters, 2013,<br>107, 79-82.  | 1.3 | 7         |
| 63 | A thermochemical pathway for controlled synthesis of AlN nanoparticles in non-isothermal conditions. Thermochimica Acta, 2015, 604, 77-82.  | 1.2 | 7         |
| 64 | Melt-assisted solid flame synthesis approach to amorphous boron nanoparticles. Combustion and Flame, 2015, 162, 3316-3323.  | 2.8 | 7         |
| 65 | Electrochemical behavior of Nd in its pyrometallurgical recovery from waste magnet. Rare Metals, 2015, 34, 111-117.   | 3.6 | 7         |
| 66 | Reduction Kinetics of Zinc Powder from Brass Converter Slag by Pyrometallurgical Method Using<br>Hydrogen Gas. KONA Powder and Particle Journal, 2016, 33, 278-286.                             | 0.9 | 7         |
| 67 | Separation of Cs and Sr from LiCl-KCl eutectic salt via a zone-refining process for pyroprocessing waste salt minimization. Journal of Nuclear Materials, 2017, 491, 9-17.                      | 1.3 | 7         |
| 68 | Polysiloxane-derived silicon nanoparticles for Li-ion battery. Journal of Energy Storage, 2020, 27,<br>101141.  | 3.9 | 7         |
| 69 | Effect of zinc addition on fuel crud deposition in simulated PWR primary coolant conditions. Annals of Nuclear Energy, 2020, 146, 107643.   | 0.9 | 7         |
| 70 | Mechanical and thermoelectric properties of environment friendly higher manganese silicide<br>fabricated using water atomization and spark plasma sintering. Intermetallics, 2020, 119, 106705. | 1.8 | 7         |
| 71 | Ammonium fluoride-activated synthesis of cubic δ-TaN nanoparticles at low temperatures. Nanoscale<br>Research Letters, 2013, 8, 126.  | 3.1 | 6         |
| 72 | Rapid solid-phase synthesis for tantalum nitride nanoparticles and coatings. International Journal of<br>Refractory Metals and Hard Materials, 2013, 41, 162-168.                               | 1.7 | 6         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Preparation of Te nanopowder by vacuum distillation. Powder Technology, 2014, 256, 204-209.  | 2.1 | 6         |
| 74 | ZnO nanopowder derived from brass ash: Sintering behavior and mechanical properties. International<br>Journal of Mineral Processing, 2016, 153, 87-94.   | 2.6 | 6         |
| 75 | Zr fine powder synthesized from a ZrO2–Mg-additives system and its burning stability when printed in thin layers. Combustion and Flame, 2017, 183, 22-29.  | 2.8 | 6         |
| 76 | Isothermal and cyclic corrosion behaviour of Ni-based alloys in an electrochemical reduction process. Corrosion Engineering Science and Technology, 2021, 56, 513-521.   | 0.7 | 6         |
| 77 | Hot corrosion behaviour of Inconel 625 weldments in molten lithium salt. Corrosion Engineering<br>Science and Technology, 2015, 50, 606-617.   | 0.7 | 5         |
| 78 | Characterization of Ta–W alloy films deposited by molten salt Multi-Anode Reactive alloy Coating<br>(MARC) method. International Journal of Refractory Metals and Hard Materials, 2015, 53, 23-31.                       | 1.7 | 5         |
| 79 | Tailoring the morphology of AlN: from 6-fold patterned crystals to multilayer hierarchical structures. CrystEngComm, 2017, 19, 4489-4496.  | 1.3 | 5         |
| 80 | Single-step combustion process for the synthesis of 1-D, 2-D, and 3-D hierarchically grown AlN structures. Combustion and Flame, 2017, 185, 210-219.   | 2.8 | 5         |
| 81 | Electrowinning of Nuclear-Grade Zr from Ba2ZrF8–ZrF4Salt System. Journal of the Electrochemical<br>Society, 2018, 165, E1-E7.  | 1.3 | 5         |
| 82 | Shape-controlled synthesis of titanium microparticles using calciothermic reduction concept.<br>Journal of Solid State Chemistry, 2018, 267, 13-21.  | 1.4 | 5         |
| 83 | Recrystallization stimulated hierarchical structures for the simultaneous enhancement of Seebeck<br>coefficient and electrical conductivity in Bi-Sb-Te alloys. Journal of Alloys and Compounds, 2020, 842,<br>155804.   | 2.8 | 5         |
| 84 | Rare-earth hexaboride 2D nanostructures synthesis and coupling with NaAlH4 for improved hydrogen release. Ceramics International, 2021, 47, 877-888.   | 2.3 | 5         |
| 85 | Direct Electrochemical Reduction of Natural Ilmenite into Ferrotitanium Alloys in a Molten Salt of LiCl-Li <sub>2</sub> O. Journal of the Electrochemical Society, 2021, 168, 026513.                                    | 1.3 | 5         |
| 86 | Formation of inhomogeneous micro-scale pores attributed ultralow κlat and concurrent<br>enhancement of thermoelectric performance in p-type Bi0.5Sb1.5Te3 alloys. Journal of Alloys and<br>Compounds, 2021, 881, 160499. | 2.8 | 5         |
| 87 | Size Tailored Nanoparticles of ZrN Prepared by Single-Step Exothermic Chemical Route. Korean Journal of Materials Research, 2012, 22, 243~248-243~248.   | 0.1 | 5         |
| 88 | An ONU design for EPON-based access network. , 0, , .  |     | 4         |
| 89 | The impact of cloud base station's coordinated multi-point schemes on mobility performance. , 2012, , .  |     | 4         |
| 90 | Corrosion behavior of ceramic structural materials in an electrolytic reduction process. Journal of<br>Nuclear Science and Technology, 2012, 49, 836-844.  | 0.7 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Low-temperature synthesis of zirconium metal using ZrCl4–2Mg reactive mixtures. International<br>Journal of Refractory Metals and Hard Materials, 2012, 33, 33-37.                           | 1.7 | 4         |
| 92  | Low-temperature combustion waves in low-energy K2TaF7–Si-additive systems. Combustion and Flame, 2013, 160, 2631-2637.   | 2.8 | 4         |
| 93  | Combustion Based Synthesis of AlN Nanoparticles Using a Solid Nitrogen Promotion Reaction. Journal of the American Ceramic Society, 2015, 98, 3740-3747.                                     | 1.9 | 4         |
| 94  | B-containing nanomaterial synthesis when a combustion wave moves within a packed bed of solid particles. Combustion and Flame, 2016, 172, 271-279.   | 2.8 | 4         |
| 95  | Corrosion Behavior of SA508 Coupled with and without Magnetite in EDTA-Based Solutions. Coatings, 2018, 8, 377.  | 1.2 | 4         |
| 96  | Minimising oxygen contamination through a liquid copper-aided group IV metal production process.<br>Scientific Reports, 2018, 8, 17391.  | 1.6 | 4         |
| 97  | Electroreduction of indium tin oxide in a CaF2–NaF–CaO molten salt at the solid oxide membrane<br>anode system. Electrochimica Acta, 2019, 320, 134549.                                      | 2.6 | 4         |
| 98  | Effect of the electrolyte composition on the electrochemical behavior of Nd fluoride complex in a LiF-NdF3-Nd2O3 molten salt. Journal of Electroanalytical Chemistry, 2020, 879, 114751.     | 1.9 | 4         |
| 99  | Precipitation behavior of M <sub>23</sub> C <sub>6</sub> carbides and its effect on mechanical properties of Ni-based Alloy 690. Journal of Nuclear Science and Technology, 2021, 58, 45-50. | 0.7 | 4         |
| 100 | Porous tantalum network structures exhibiting high electrochemical performance as capacitors.<br>Journal of Energy Storage, 2021, 34, 102222.  | 3.9 | 4         |
| 101 | Powder characteristics of Al <sub>0.5</sub> CoCrFeMnNi high-entropy alloys fabricated by gas atomisation method. Powder Metallurgy, 2021, 64, 219-227.                                       | 0.9 | 4         |
| 102 | Hf metal powder synthesis via a chemically activated combustion-reduction process. Materials Chemistry and Physics, 2021, 263, 124417.   | 2.0 | 4         |
| 103 | Effects of Zinc Addition on the Corrosion Behavior of Pre-Filmed Alloy 690 in Borated and Lithiated Water at 330 °C. Materials, 2021, 14, 4105.  | 1.3 | 4         |
| 104 | Fabrication of large-scale p-type 75%Sb2Te3-25%Bi2Te3 thermoelectric materials by gas atomization and hot isostatic pressing. Materials Research Bulletin, 2020, 130, 110924.                | 2.7 | 4         |
| 105 | Concentrations of CsCl and SrCl2 from a Simulated LiCl Salt Waste Generated by Pyroprocessing by<br>Using Czochralski Method. Journal of Nuclear Science and Technology, 2009, 46, 392-397.  | 0.7 | 4         |
| 106 | A Wideband Compressive Receiver for Real-time Signal Detection. , 0, , .   |     | 3         |
| 107 | Preparation of porous zirconium microspheres by magnesiothermic reduction and their microstructural characteristics. Journal of Materials Research, 2011, 26, 2117-2122.                     | 1.2 | 3         |
| 108 | Densification and microstructure of cross-roll rolled Cu–15% In powder using copper can. Journal of Alloys and Compounds, 2012, 528, 146-150.  | 2.8 | 3         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Controlling the leakage of liquid bismuth cathode elements in ceramic crucibles used for the electrowinning process in pyroprocessing. Journal of Nuclear Materials, 2016, 478, 91-96.  | 1.3 | 3         |
| 110 | Two-step process of regeneration of acid(s) from ZrF 4 containing spent pickle liquor and recovery of zirconium metal. Journal of Nuclear Materials, 2017, 486, 44-52.  | 1.3 | 3         |
| 111 | The growth of AlN dendritic crystals with uniform morphology by an aluminum microdroplet localization approach. Combustion and Flame, 2018, 196, 26-34.   | 2.8 | 3         |
| 112 | Control and Theoretical Modeling of the Growth Process of AlN Six-fold and Multifold Armed Dendritic Crystals. Crystal Growth and Design, 2019, 19, 3244-3252.  | 1.4 | 3         |
| 113 | Investigation of homogeneity in microstructure and thermoelectric properties at various positions in high-thickness sintered bulks of p-type 20%Bi2Te3–80%Sb2Te3 alloys. Journal of Materials Science: Materials in Electronics, 2021, 32, 16302-16310. | 1.1 | 3         |
| 114 | Electrorefining of CuZr Alloy Using Ba2ZrF8-LiF Electrolyte. Korean Journal of Materials Research, 2017, 27, 672-678.   | 0.1 | 3         |
| 115 | Combustion-Aluminothermic Reduction of TiO2 to Produce Titanium Low Oxygen Suboxides.<br>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science,<br>2021, 52, 4012-4022.                                       | 1.0 | 3         |
| 116 | Effect of Li2O concentration on hot corrosion behaviour of Ni-based alloys in a lithium molten salt for electroreduction process. Corrosion Science, 2022, 198, 110133.   | 3.0 | 3         |
| 117 | Alloy Design of New Ni-Based Structural Materials for Electrolytic Reduction and its Corrosion Behavior in Lithium Molten Salt. Advanced Materials Research, 0, 886, 41-44.   | 0.3 | 2         |
| 118 | Numerical Analysis and Experimental Validation of Distillation Process for Purification of Tellurium.<br>Separation Science and Technology, 2014, 49, 197-208.  | 1.3 | 2         |
| 119 | Thermo-mechano-chemical stability of ceramic materials during the electrowinning process using liquid metal electrodes in molten salts. Journal of Nuclear Science and Technology, 2015, 52, 85-95.   | 0.7 | 2         |
| 120 | Separation of CsCl and SrCl2 from a ternary CsCl-SrCl2-LiCl via a zone refining process for waste salt minimization of pyroprocessing. Journal of Nuclear Materials, 2016, 480, 403-410.  | 1.3 | 2         |
| 121 | Demonstration of a high throughput on-board hydrogen generation reactor system using aluminum coil as fuel for a vehicle. International Journal of Green Energy, 2016, 13, 573-579.   | 2.1 | 2         |
| 122 | Numerical analysis of impurity separation from waste salt by investigating the change of<br>concentration at the interface during zone refining process. Journal of Crystal Growth, 2017, 474,<br>69-75.  | 0.7 | 2         |
| 123 | NaF-assisted combustion synthesis of MoSi 2 nanoparticles and their densification behavior. Journal of Physics and Chemistry of Solids, 2017, 102, 34-41.   | 1.9 | 2         |
| 124 | SHS as a new approach to synthesizing hierarchical inorganic structures. International Journal of Self-Propagating High-Temperature Synthesis, 2017, 26, 210-220.   | 0.2 | 2         |
| 125 | Hierarchically porous carbon nanosheets derived from alkali metal carbonates and their capacitance in alkaline electrolytes. Materials Chemistry and Physics, 2018, 207, 513-521.   | 2.0 | 2         |
| 126 | Combustion Synthesis of C and SiC Nanoparticles from Na2CO3–Si Mixtures: Characterization and<br>Electrochemical Performance. International Journal of Self-Propagating High-Temperature Synthesis,<br>2020, 29, 65-76.                                 | 0.2 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | 3D self-assemblies of β-Si3N4: Synthesis, characterization and growth mechanism. Journal of Crystal<br>Growth, 2020, 549, 125866.  | 0.7 | 2         |
| 128 | Effects of Advanced Amines on Magnetite Deposition of Steam Generator Tubes in Secondary System.<br>Coatings, 2021, 11, 514.   | 1.2 | 2         |
| 129 | Effect of Additives on the Characteristics of Amorphous Nano Boron Powder Fabricated by<br>Self-Propagating High Temperature Synthesis. Korean Journal of Materials Research, 2015, 25, 659-665.                     | 0.1 | 2         |
| 130 | A distributed cycle reset protocol for the high-speed LAN/MAN. , 0, , .  |     | 1         |
| 131 | Chemical and morphological characterization of spherical Cu/Zn alloy microparticles produced by combustion synthesis. Journal of Materials Research, 2012, 27, 2601-2608.  | 1.2 | 1         |
| 132 | Numerical analysis and experimental validation of planar electrorefiner for spent nuclear fuel treatment using a tertiary model. Journal of Nuclear Science and Technology, 2016, 53, 2079-2089.                     | 0.7 | 1         |
| 133 | Recovery of Ti and Zr metals from spent leaching solutions by a precipitation-reduction pathway.<br>Materials Research Bulletin, 2020, 122, 110687.  | 2.7 | 1         |
| 134 | Correlation with the composition of the different parts of p-type Bi0.5Sb1.5Te3 sintered bulks and their thermoelectric characteristics. Journal of Alloys and Compounds, 2020, 845, 156114.                         | 2.8 | 1         |
| 135 | High Temperature Stability of Nitride Ceramic Materials in LiF-NdF3-Nd2O3 Molten Salts System. Korean<br>Journal of Materials Research, 2015, 25, 694-702.   | 0.1 | 1         |
| 136 | Electrodeposition Characteristics of Corrosion Resistant Tantalum Coating Layer for Hydrogen<br>Production Sulfide-Iodine Process. Transactions of the Korean Hydrogen and New Energy Society,<br>2012, 23, 573-580. | 0.1 | 1         |
| 137 | Recovery of Zirconium from Spent Pickling Acid through Precipitation Using BaF2 and Electrowinning in Fluoride Molten Salt. Korean Journal of Materials Research, 2016, 26, 681-687.                                 | 0.1 | 1         |
| 138 | Effect of AlF <sub>3</sub> on Zr Electrorefining Process in Chloride-Fluoride Mixed Salts<br>for the Treatment of Cladding Hull Wastes. Journal of Nuclear Fuel Cycle and Waste Technology,<br>2019, 17, 127-137.    | 0.1 | 1         |
| 139 | Effect of Pressing Process on the High-Temperature Stability of Yttria-Stabilized Zirconia Ceramic<br>Material in Molten Salt of CaCl2-CaF2-CaO. Korean Journal of Materials Research, 2020, 30, 176-183.            | 0.1 | 1         |
| 140 | Synthesis and performance of Ti subchlorides (TiCl, xÂ=Â2, 3) as a Ti-ion transport agent in NaCl-CaCl2<br>molten electrolyte. Materialia, 2022, 24, 101498.   | 1.3 | 1         |
| 141 | A distributed grant based high-speed ATM MAC protocol. , 0, , .  |     | 0         |
| 142 | The Array Geometry Design in Airborne Microwave 2-D Direction Finding. , 0, , .  |     | 0         |
| 143 | A Design and Implementation of ATCA based EPON Blade. , 2006, , .  |     | 0         |
| 144 | Effects of fabrication process on microstructure and texture of Inconel 690 tubes for steam generator. Journal of Nuclear Science and Technology, 2015, 52, 1490-1495.   | 0.7 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Temperature and Concentration Dependencies of LiF-NaF-K <sub>2</sub> TaF <sub>7</sub> Phase<br>Equilibria and Effects on Ta Electrodeposition Layer. Journal of the Electrochemical Society, 2018, 165,<br>D432-D438.        | 1.3 | 0         |
| 146 | Characteristics of Nanosized Ni, NiCo–Y2O3 Powders Synthesized by a PVA Solution Route at Low<br>Temperature. Journal of Nanoscience and Nanotechnology, 2019, 19, 2366-2370.  | 0.9 | 0         |
| 147 | Microstructure and Texture of P-Type Bi—Sb—Te Alloy by Using Gas-Atomization and Extrusion<br>Processes. Journal of Nanoscience and Nanotechnology, 2019, 19, 2236-2239.   | 0.9 | 0         |
| 148 | High-temperature corrosion behavior of Kanthal alloy in molten silver under an oxidizing atmosphere. Corrosion Science, 2020, 163, 108247.   | 3.0 | 0         |
| 149 | Comparison of High-Temperature Corrosion Behavior of a FeCrAl Anode Current Collector in Liquid<br>Ag and O2 for the Solid Oxide Membrane Electrolysis Process. Oxidation of Metals, 2020, 94, 343-357.                      | 1.0 | 0         |
| 150 | Formation of spherical alloy microparticles in a porous salt medium. Journal of Materials Science and Technology, 2020, 43, 189-196.   | 5.6 | 0         |
| 151 | AlN nucleation and spontaneous pattern formation via combustion of an Al-C-AlF3 mixture in nitrogen. Journal of Crystal Growth, 2021, 560-561, 126044.   | 0.7 | 0         |
| 152 | Spark Plasma Sintering and Ultra-Precision Machining Characteristics of SiC. Korean Journal of Materials Research, 2010, 20, 559-569.  | 0.1 | 0         |
| 153 | Analysis of the Aluminum Extrusion Process Equipped with the Continuous Heat Treatment System.<br>Korean Journal of Materials Research, 2011, 21, 39-45.   | 0.1 | 0         |
| 154 | Corrosion Behavior of Zirconium Alloys with Nb and Cr Addition. Korean Journal of Materials<br>Research, 2015, 25, 376-385.  | 0.1 | 0         |
| 155 | Numerical Investigation of the Discharge Efficiency of a Vanadium Redox Flow Battery with Varying<br>Temperature and Ion Concentration. Transactions of the Korean Society of Mechanical Engineers, B,<br>2016, 40, 769-776. | 0.0 | 0         |
| 156 | Thermodynamically inert Sc2O3 ceramic crucible for electrowinning process in pyroprocessing.<br>Journal of Nuclear Materials, 2018, 507, 87-92.  | 1.3 | 0         |
| 157 | Evaluation of SMUT Properties according to Nb Content in the Pickling Process of Nuclear Fuel Cladding Tube. Korean Journal of Materials Research, 2019, 29, 483-490.  | 0.1 | 0         |
| 158 | CFD Analysis to Suppress Condensate Water Generated in Gas Sampling System of HANARO. Journal of Nuclear Fuel Cycle and Waste Technology, 2020, 18, 327-336.   | 0.1 | 0         |
| 159 | Carbon-assisted growth of equiangular 2D hexagons of AlN. Materials Letters, 2022, 314, 131840.  | 1.3 | 0         |