

Willem P De Boode

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8710243/willem-p-de-boode-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

1,587
citations

21
h-index

38
g-index

87
ext. papers

2,209
ext. citations

5.1
avg, IF

4.73
L-index

#	Paper	IF	Citations
79	Clinical review: Update on hemodynamic monitoring--a consensus of 16. <i>Critical Care</i> , 2011 , 15, 229	10.8	254
78	Randomized Trial of Platelet-Transfusion Thresholds in Neonates. <i>New England Journal of Medicine</i> , 2019 , 380, 242-251	59.2	156
77	Ventilation practices in the neonatal intensive care unit: a cross-sectional study. <i>Journal of Pediatrics</i> , 2010 , 157, 767-71.e1-3	3.6	81
76	Recommendations for neonatologist performed echocardiography in Europe: Consensus Statement endorsed by European Society for Paediatric Research (ESPR) and European Society for Neonatology (ESN). <i>Pediatric Research</i> , 2016 , 80, 465-71	3.2	72
75	Validation of transpulmonary thermodilution cardiac output measurement in a pediatric animal model. <i>Pediatric Critical Care Medicine</i> , 2008 , 9, 313-9	3	58
74	Application of NPE in the assessment of a patent ductus arteriosus. <i>Pediatric Research</i> , 2018 , 84, 46-56	3.2	55
73	Clinical monitoring of systemic hemodynamics in critically ill newborns. <i>Early Human Development</i> , 2010 , 86, 137-41	2.2	55
72	Neonatal Hemodynamics: From Developmental Physiology to Comprehensive Monitoring. <i>Frontiers in Pediatrics</i> , 2018 , 6, 87	3.4	44
71	Effect of Hydrocortisone Therapy Initiated 7 to 14 Days After Birth on Mortality or Bronchopulmonary Dysplasia Among Very Preterm Infants Receiving Mechanical Ventilation: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 354-363	27.4	42
70	Early treatment versus expectative management of patent ductus arteriosus in preterm infants: a multicentre, randomised, non-inferiority trial in Europe (BeNeDuctus trial). <i>BMC Pediatrics</i> , 2018 , 18, 262	2.6	40
69	Application of Neonatologist Performed Echocardiography in the assessment and management of persistent pulmonary hypertension of the newborn. <i>Pediatric Research</i> , 2018 , 84, 68-77	3.2	40
68	Deformation imaging and rotational mechanics in neonates: a guide to image acquisition, measurement, interpretation, and reference values. <i>Pediatric Research</i> , 2018 , 84, 30-45	3.2	39
67	Cardiac output monitoring in newborns. <i>Early Human Development</i> , 2010 , 86, 143-8	2.2	38
66	Risk Factors for Necrotizing Enterocolitis: A Prospective Multicenter Case-Control Study. <i>Neonatology</i> , 2018 , 114, 277-284	4	36
65	The role of Neonatologist Performed Echocardiography in the assessment and management of neonatal shock. <i>Pediatric Research</i> , 2018 , 84, 57-67	3.2	34
64	Cardiac output measurement using an ultrasound dilution method: a validation study in ventilated piglets. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 103-8	3	33
63	Introduction to neonatologist-performed echocardiography. <i>Pediatric Research</i> , 2018 , 84, 1-12	3.2	32

62	Challenges in developing a consensus definition of neonatal sepsis. <i>Pediatric Research</i> , 2020 , 88, 14-26	3.2	30
61	Risk Factors for Late-Onset Sepsis in Preterm Infants: A Multicenter Case-Control Study. <i>Neonatology</i> , 2019 , 116, 42-51	4	24
60	Tissue Doppler velocity imaging and event timings in neonates: a guide to image acquisition, measurement, interpretation, and reference values. <i>Pediatric Research</i> , 2018 , 84, 18-29	3.2	24
59	Incidence of hypo- and hyper-capnia in a cross-sectional European cohort of ventilated newborn infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013 , 98, F323-6	4.7	22
58	Null mutations and lethal congenital form of glycogen storage disease type IV. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 361, 445-50	3.4	21
57	Cardiac output measurement with transpulmonary ultrasound dilution is feasible in the presence of a left-to-right shunt: a validation study in lambs. <i>British Journal of Anaesthesia</i> , 2012 , 108, 409-16	5.4	20
56	Myopathology in patients with a Noonan phenotype. <i>Acta Neuropathologica</i> , 1996 , 92, 597-602	14.3	19
55	Application of Neonatologist Performed Echocardiography in the Assessment and Management of Neonatal Heart Failure unrelated to Congenital Heart Disease. <i>Pediatric Research</i> , 2018 , 84, 78-88	3.2	17
54	Education, training, and accreditation of Neonatologist Performed Echocardiography in Europe-framework for practice. <i>Pediatric Research</i> , 2018 , 84, 13-17	3.2	17
53	Preterm neonates benefit from low prophylactic platelet transfusion threshold despite varying risk of bleeding or death. <i>Blood</i> , 2019 , 134, 2354-2360	2.2	17
52	Late-onset Sepsis in Preterm Infants Can Be Detected Preclinically by Fecal Volatile Organic Compound Analysis: A Prospective, Multicenter Cohort Study. <i>Clinical Infectious Diseases</i> , 2019 , 68, 70-77	11.6	17
51	Role of neonatologist-performed echocardiography in the assessment and management of patent ductus arteriosus physiology in the newborn. <i>Seminars in Fetal and Neonatal Medicine</i> , 2018 , 23, 292-297	3.7	15
50	Understanding the pathobiology in patent ductus arteriosus in prematurity-beyond prostaglandins and oxygen. <i>Pediatric Research</i> , 2019 , 86, 28-38	3.2	14
49	Application of ultrasound dilution technology for cardiac output measurement: Cerebral and systemic hemodynamic consequences in a juvenile animal model. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 616-23	3	13
48	Cardiac output measurement using a modified carbon dioxide Fick method: a validation study in ventilated lambs. <i>Pediatric Research</i> , 2007 , 61, 279-83	3.2	13
47	Collagen-Vicryl scaffolds for reconstruction of the diaphragm in a large animal model. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014 , 102, 756-63	3.5	11
46	Cardiac output can be measured with the transpulmonary thermodilution method in a paediatric animal model with a left-to-right shunt. <i>British Journal of Anaesthesia</i> , 2011 , 107, 336-43	5.4	11
45	Influence of lung injury on cardiac output measurement using transpulmonary ultrasound dilution: a validation study in neonatal lambs. <i>British Journal of Anaesthesia</i> , 2012 , 109, 870-8	5.4	9

44	Recommendations for hemodynamic monitoring for critically ill children-expert consensus statement issued by the cardiovascular dynamics section of the European Society of Paediatric and Neonatal Intensive Care (ESPNIC). <i>Critical Care</i> , 2020 , 24, 620	10.8	9
43	The use of milrinone in neonates with persistent pulmonary hypertension of the newborn - a randomised controlled trial pilot study (MINT 1): study protocol and review of literature. <i>Maternal Health, Neonatology and Perinatology</i> , 2018 , 4, 24	3.4	9
42	Hemodynamic volumetry using transpulmonary ultrasound dilution (TPUD) technology in a neonatal animal model. <i>Journal of Clinical Monitoring and Computing</i> , 2015 , 29, 643-52	2	8
41	Agreement of Cardiac Output Measurements between Bioreactance and Transthoracic Echocardiography in Preterm Infants during the Transitional Phase: A Single-Centre, Prospective Study. <i>Neonatology</i> , 2020 , 117, 271-278	4	7
40	Cardiac output measurement in ventilated lambs with a significant left-to-right shunt using the modified carbon dioxide fick method. <i>Neonatology</i> , 2010 , 97, 124-31	4	7
39	Advanced Hemodynamic Monitoring in the Neonatal Intensive Care Unit. <i>Clinics in Perinatology</i> , 2020 , 47, 423-434	2.8	6
38	Validation of extravascular lung water measurement by transpulmonary thermodilution in a pediatric animal model. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, e226-33	3	6
37	Normal serum alanine concentration differentiates transient neonatal lactic acidemia from an inborn error of energy metabolism. <i>Neonatology</i> , 2006 , 90, 207-9	4	6
36	Using benchmarking to identify inter-centre differences in persistent ductus arteriosus treatment: can we improve outcome?. <i>Cardiology in the Young</i> , 2017 , 27, 1488-1496	1	5
35	Ventilator-induced pulse pressure variation in neonates. <i>Physiological Reports</i> , 2016 , 4, e12716	2.6	5
34	Estimation of extravascular lung water using the transpulmonary ultrasound dilution (TPUD) method: a validation study in neonatal lambs. <i>Journal of Clinical Monitoring and Computing</i> , 2016 , 30, 985-994	2	4
33	In vivo validation of cardiac output assessment in non-standard 3D echocardiographic images. <i>Physics in Medicine and Biology</i> , 2009 , 54, 1951-62	3.8	4
32	Neonatal sepsis definitions from randomised clinical trials. <i>Pediatric Research</i> , 2021 ,	3.2	4
31	Factors Associated With Benefit of Treatment of Patent Ductus Arteriosus in Preterm Infants: A Systematic Review and Meta-Analysis. <i>Frontiers in Pediatrics</i> , 2021 , 9, 626262	3.4	4
30	Clinician performed ultrasound in fetal growth restriction: fetal, neonatal and pediatric aspects. <i>Journal of Perinatology</i> , 2017 , 37, 1251-1258	3.1	3
29	Individualized Hemodynamic Management in Newborns. <i>Frontiers in Pediatrics</i> , 2020 , 8, 580470	3.4	3
28	Profound Pathogen-Specific Alterations in Intestinal Microbiota Composition Precede Late-Onset Sepsis in Preterm Infants: A Longitudinal, Multicenter, Case-Control Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e224-e232	11.6	3
27	Feasibility and safety of intranasally administered mesenchymal stromal cells after perinatal arterial ischaemic stroke in the Netherlands (PASSION): a first-in-human, open-label intervention study.. <i>Lancet Neurology</i> , <i>The</i> , 2022 , 21, 528-536	24.1	3

26	Interventions for patent ductus arteriosus (PDA) in preterm infants: an overview of Cochrane Systematic Reviews. <i>The Cochrane Library</i> , 2020 ,	5.2	2
25	Conservative Management of Patent Ductus Arteriosus in Preterm Infants-A Systematic Review and Meta-Analyses Assessing Differences in Outcome Measures Between Randomized Controlled Trials and Cohort Studies. <i>Frontiers in Pediatrics</i> , 2021 , 9, 626261	3.4	2
24	Bioreactance Cardiac Output Trending Ability in Preterm Infants: A Single Centre, Longitudinal Study. <i>Neonatology</i> , 2021 , 118, 600-608	4	2
23	Multi-centre, randomised non-inferiority trial of early treatment versus expectant management of patent ductus arteriosus in preterm infants (the BeNeDuctus trial): statistical analysis plan. <i>Trials</i> , 2021 , 22, 627	2.8	2
22	Gold standard must be solid gold. <i>Intensive Care Medicine</i> , 2013 , 39, 1330-1	14.5	1
21	Transpulmonary thermodilution cardiac output measurement is not affected by severe pulmonary oedema: a newborn animal study. <i>British Journal of Anaesthesia</i> , 2013 , 111, 286-92	5.4	1
20	Interprofessional Consensus Regarding Design Requirements for Liquid-Based Perinatal Life Support (PLS) Technology.. <i>Frontiers in Pediatrics</i> , 2021 , 9, 793531	3.4	1
19	Neonatal sepsis: a systematic review of core outcomes from randomised clinical trials.. <i>Pediatric Research</i> , 2022 ,	3.2	1
18	Training practices in neonatal and paediatric life support: A survey among healthcare professionals working in paediatrics. <i>Resuscitation Plus</i> , 2021 , 5, 100063	1.4	1
17	The clinical effects of cerebral near-infrared spectroscopy monitoring (NIRS) versus no monitoring: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2021 , 10, 111	3	1
16	Detection and quantification of left-to-right shunting using transpulmonary ultrasound dilution (TPUD): a validation study in neonatal lambs. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 925-932	2.7	1
15	Assessment of Cardiac Output in Neonates 2019 , 237-263		1
14	Predictive factors for surgical treatment in preterm neonates with necrotizing enterocolitis: a multicenter case-control study. <i>European Journal of Pediatrics</i> , 2021 , 180, 617-625	4.1	1
13	Sustainable neonatal CLABSI surveillance: consensus towards new criteria in the Netherlands. <i>Antimicrobial Resistance and Infection Control</i> , 2021 , 10, 31	6.2	1
12	CeRebrUm and Cardiac Protection with ALlopurinol in Neonates with Critical Congenital Heart Disease Requiring Cardiac Surgery with Cardiopulmonary Bypass (CRUCIAL): study protocol of a phase III, randomized, quadruple-blinded, placebo-controlled, Dutch multicenter trial.. <i>Trials</i> , 2022 , 23, 174	2.8	1
11	Survey highlighting the lack of consensus on diagnosis and treatment of patent ductus arteriosus in prematurity.. <i>European Journal of Pediatrics</i> , 2022 , 1	4.1	1
10	Accuracy and Trending Ability of Electrical Biosensing Technology for Non-invasive Cardiac Output Monitoring in Neonates: A Systematic Qualitative Review.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 851850	3.4	1
9	Normal regional tissue oxygen saturation in neonates: a systematic qualitative review. <i>Pediatric Research</i> , 2021 ,	3.2	0

8	Congenital anomalies and genetic disorders in neonates and infants: a single-center observational cohort study. <i>European Journal of Pediatrics</i> , 2021 , 1	4.1	○
7	Cerebral near-infrared spectroscopy monitoring (NIRS) in children and adults: a systematic review with meta-analysis.. <i>Pediatric Research</i> , 2022 ,	3.2	○
6	Physiological-based cord clamping versus immediate cord clamping for infants born with a congenital diaphragmatic hernia (PinC): study protocol for a multicentre, randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e054808	3	○
5	Medical costs of children admitted to the neonatal intensive care unit: The role and possible economic impact of WES in early diagnosis.. <i>European Journal of Medical Genetics</i> , 2022 , 104467	2.6	○
4	209 Cardiac Output Measurement in Juvenile Animals with a Surgically Constructed Extra Cardiac Left-To-Right Shunt Using the Transpulmonary Thermodilution Technique. <i>Pediatric Research</i> , 2010 , 68, 109-110	3.2	
3	220 Assessing Cardiac Output and Derived Blood Volumes in a Neonatal Lamb Model with a Left-To-Right Shunt. <i>Pediatric Research</i> , 2010 , 68, 115-115	3.2	
2	Morbidity and mortality related to surgery in patients with bronchopulmonary dysplasia: A retrospective cohort study in a Dutch tertiary institution. <i>European Journal of Anaesthesiology</i> , 2021 , 38, 1295-1297	2.3	
1	Comprehensive, Real-Time Hemodynamic Monitoring and Data Acquisition 2019 , 363-384		