

Leonardo F Peres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/871080/publications.pdf>

Version: 2024-02-01

37
papers

1,043
citations

516710

16
h-index

414414

32
g-index

37
all docs

37
docs citations

37
times ranked

1405
citing authors

#	ARTICLE	IF	CITATIONS
1	Urbanization-induced impacts on heat-energy fluxes in tropical South America from 1984 to 2020: The Metropolitan Area of Rio de Janeiro/Brazil. <i>Building and Environment</i> , 2022, 216, 109008.	6.9	9
2	Twenty-first century droughts have not increasingly exacerbated fire season severity in the Brazilian Amazon. <i>Scientific Reports</i> , 2021, 11, 4400.	3.3	36
3	Drought Resilience Debt Drives NPP Decline in the Amazon Forest. <i>Global Biogeochemical Cycles</i> , 2021, 35, e2021GB007004.	4.9	12
4	Putting fire on the map of Brazilian savanna ecoregions. <i>Journal of Environmental Management</i> , 2021, 296, 113098.	7.8	22
5	Assessing VIIRS capabilities to improve burned area mapping over the Brazilian Cerrado. <i>International Journal of Remote Sensing</i> , 2020, 41, 8300-8327.	2.9	18
6	Heat-related mortality at the beginning of the twenty-first century in Rio de Janeiro, Brazil. <i>International Journal of Biometeorology</i> , 2020, 64, 1319-1332.	3.0	15
7	Rescue Brazil's burning Pantanal wetlands. <i>Nature</i> , 2020, 588, 217-219.	27.8	86
8	Removal of the MCSST MODIS SST Bias During Upwelling Events Along the Southeastern Coast of Brazil. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 3566-3573.	6.3	4
9	How well do global burned area products represent fire patterns in the Brazilian Savannas biome? An accuracy assessment of the MCD64 collections. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 78, 318-331.	2.8	35
10	Characterizing the atmospheric conditions during the 2010 heatwave in Rio de Janeiro marked by excessive mortality rates. <i>Science of the Total Environment</i> , 2019, 650, 796-808.	8.0	28
11	The urban heat island in Rio de Janeiro, Brazil, in the last 30 years using remote sensing data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 64, 104-116.	2.8	83
12	Contrasting patterns of the extreme drought episodes of 2005, 2010 and 2015 in the Amazon Basin. <i>International Journal of Climatology</i> , 2018, 38, 1096-1104.	3.5	112
13	Droughts Over Amazonia in 2005, 2010, and 2015: A Cloud Cover Perspective. <i>Frontiers in Earth Science</i> , 2018, 6, .	1.8	30
14	Burned Area Mapping on Conservation Units of Mountains Region of Rio de Janeiro Using Landsat-8 Data During the 2014 Drought. <i>Anuario Do Instituto De Geociencias</i> , 2018, 41, 318-327.	0.2	7
15	Climatic Characterization of Heat Waves in Brazil. <i>Anuario Do Instituto De Geociencias</i> , 2018, 41, 333-350.	0.2	6
16	Meteorological Characteristics of the Synoptic and Meseoscale Environment Associated with the Tornado Event in the City of Xanxerê SC, April, 2015. <i>Anuario Do Instituto De Geociencias</i> , 2018, 40, 131-138.	0.2	1
17	Evaluation of the Error of Sea Surface Temperature Estimate Algorithms, Using MODIS Data During Upwelling Events in Cabo Frio Coast, RJ. <i>Anuario Do Instituto De Geociencias</i> , 2018, 41, 31-40.	0.2	0
18	Spatial Transformations and Impacts on the Land-Surface Temperature in the Rio de Janeiro Petrochemical Complex (COMPER) Area. <i>Anuario Do Instituto De Geociencias</i> , 2018, 41, 438-447.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Analyses of the Positive Bias of Remotely Sensed SST Retrievals in the Coastal Waters of Rio de Janeiro. IEEE Transactions on Geoscience and Remote Sensing, 2017, 55, 6344-6353.	6.3	11
20	Assigning dates and identifying areas affected by fires in Portugal based on MODIS data. Anais Da Academia Brasileira De Ciencias, 2017, 89, 1487-1501.	0.8	4
21	A Fire-Risk-Breakdown System for Electrical Power Lines in the North of Brazil. Journal of Applied Meteorology and Climatology, 2014, 53, 813-823.	1.5	6
22	Land-Surface Emissivity Retrieval in MSG's SEVIRI TIR Channels Using MODIS Data. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 5587-5600.	6.3	3
23	Study of Heat Islands in The Metropolitan Area of Rio de Janeiro Using Data from MODIS. Anuario Do Instituto De Geociencias, 2014, 37, 111.	0.2	4
24	A Study of the Phenomenon of Urban Heat Island in Rio de Janeiro Metropolitan Region. Anuario Do Instituto De Geociencias, 2014, 37, 180.	0.2	2
25	Urban climate and clues of heat island events in the metropolitan area of Rio de Janeiro. Theoretical and Applied Climatology, 2013, 111, 497-511.	2.8	32
26	Retrieving Middle-Infrared Reflectance Using Physical and Empirical Approaches: Implications for Burned Area Monitoring. IEEE Transactions on Geoscience and Remote Sensing, 2012, 50, 281-294.	6.3	7
27	On a new coordinate system for improved discrimination of vegetation and burned areas using MIR/NIR information. Remote Sensing of Environment, 2011, 115, 1464-1477.	11.0	25
28	Retrieving middle-infrared reflectance for burned area mapping in tropical environments using MODIS. Remote Sensing of Environment, 2010, 114, 831-843.	11.0	33
29	Identificação de ilhas de calor na área urbana de Ilha Solteira - SP através da utilização de geotecnologias. Engenharia Agricola, 2010, 30, 974-985.	0.7	9
30	Synergistic use of the two-temperature and split-window methods for land-surface temperature retrieval. International Journal of Remote Sensing, 2010, 31, 4387-4409.	2.9	10
31	Thermal Land Surface Emissivity Retrieved From SEVIRI/Meteosat. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 307-315.	6.3	99
32	Thermal remote sensing in the framework of the SEN2FLEX project: field measurements, airborne data and applications. International Journal of Remote Sensing, 2008, 29, 4961-4991.	2.9	51
33	Validation of a temperature emissivity separation hybrid method from airborne hyperspectral scanner data and ground measurements in the SEN2FLEX field campaign. International Journal of Remote Sensing, 2008, 29, 7251-7268.	2.9	15
34	Improving Two-Temperature Method Retrievals Based on a Nonlinear Optimization Approach. IEEE Geoscience and Remote Sensing Letters, 2006, 3, 232-236.	3.1	8
35	Emissivity maps to retrieve land-surface temperature from MSG/SEVIRI. IEEE Transactions on Geoscience and Remote Sensing, 2005, 43, 1834-1844.	6.3	120
36	Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data. Remote Sensing of Environment, 2004, 91, 377-389.	11.0	90

#	ARTICLE	IF	CITATIONS
37	Inverse Problems Theory and Application: Analysis of the Two-Temperature Method for Land-Surface Temperature and Emissivity Estimation. IEEE Geoscience and Remote Sensing Letters, 2004, 1, 206-210.	3.1	10