

Jeonghwan Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8712526/publications.pdf>

Version: 2024-02-01

64
papers

1,088
citations

448610

19
h-index

511568

30
g-index

64
all docs

64
docs citations

64
times ranked

2226
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of DBP on all-cause and cardiovascular mortality: results from the National Health and Nutrition Examination survey, 1999–2014. <i>Journal of Hypertension</i> , 2022, 40, 108-116.	0.3	3
2	Albuminuria within the Normal Range Can Predict All-Cause Mortality and Cardiovascular Mortality. <i>Kidney360</i> , 2022, 3, 74-82.	0.9	17
3	First snapshot on behavioral characteristics and related factors of patients with chronic kidney disease in South Korea during the COVID-19 pandemic (June to October 2020). <i>Kidney Research and Clinical Practice</i> , 2022, 41, 219-230.	0.9	2
4	Efficacy and safety of rapid intermittent bolus compared with slow continuous infusion in patients with severe hypernatremia (SALSA II trial): a study protocol for a randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2022, , .	0.9	2
5	Exposure to several polychlorinated biphenyls (PCBs) is associated with chronic kidney disease among general adults: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>Chemosphere</i> , 2022, 303, 134998.	4.2	3
6	COVID-19–related clinical outcomes among Korean hemodialysis patients. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 591-600.	0.9	10
7	Zebrafish (<i>Danio rerio</i>) as a model organism for screening nephrotoxic chemicals and related mechanisms. <i>Ecotoxicology and Environmental Safety</i> , 2022, 242, 113842.	2.9	12
8	Variability of urinary creatinine, specific gravity, and osmolality over the course of pregnancy: Implications in exposure assessment among pregnant women. <i>Environmental Research</i> , 2021, 198, 110473.	3.7	16
9	Low serum total CO2 and its association with mortality in patients being followed up in the nephrology outpatients clinic. <i>Scientific Reports</i> , 2021, 11, 1711.	1.6	0
10	Effect of Noise on Sleep and Autonomic Activity in Children according to Source. <i>Journal of Korean Medical Science</i> , 2021, 36, e234.	1.1	3
11	A new opportunity for <i>Kidney Research and Clinical Practice</i> to make a great leap forward as a Science Citation Index Expanded journal. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 1-5.	0.9	0
12	cMet agonistic antibody prevents acute kidney injury to chronic kidney disease transition by suppressing Smurf1 and activating Smad7. <i>Clinical Science</i> , 2021, 135, 1427-1444.	1.8	3
13	Hepatocyte growth factor and soluble cMet levels in plasma are prognostic biomarkers of mortality in patients with severe acute kidney injury. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 596-610.	0.9	1
14	Association of exposure to phthalates and environmental phenolics with markers of kidney function: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>Environment International</i> , 2020, 143, 105877.	4.8	25
15	An independent validation of the kidney failure risk equation in an Asian population. <i>Scientific Reports</i> , 2020, 10, 12920.	1.6	12
16	Biobanking for glomerular diseases: a study design and protocol for KOREA Renal biobank NETwoRK System TOward NExt-generation analysis (KORNERSTONE). <i>BMC Nephrology</i> , 2020, 21, 367.	0.8	3
17	Urinary cMet as a prognostic marker in immunoglobulin A nephropathy. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 11158-11169.	1.6	5
18	The Long-term Effects of Metformin on Patients With Type 2 Diabetic Kidney Disease. <i>Diabetes Care</i> , 2020, 43, 948-955.	4.3	76

#	ARTICLE	IF	CITATIONS
19	cMet agonistic antibody attenuates apoptosis in ischaemiaâ€‘reperfusionâ€‘induced kidney injury. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 5640-5651.	1.6	12
20	Environment-Wide Association Study of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 766-775.	2.2	36
21	The fate of manuscripts rejected from <i>Kidney Research and Clinical Practice</i> . <i>Kidney Research and Clinical Practice</i> , 2020, 39, 230-231.	0.9	3
22	Impact of health-related quality of life on survival after dialysis initiation: a prospective cohort study in Korea. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 426-440.	0.9	7
23	Urinary metabolites of organophosphate esters (OPEs) are associated with chronic kidney disease in the general US population, NHANES 2013â€‘2014. <i>Environment International</i> , 2019, 131, 105034.	4.8	49
24	Urinary metabolites of dibutyl phthalate and benzophenone-3 are potential chemical risk factors of chronic kidney function markers among healthy women. <i>Environment International</i> , 2019, 124, 354-360.	4.8	48
25	p38 MAPK activity is associated with the histological degree of interstitial fibrosis in IgA nephropathy patients. <i>PLoS ONE</i> , 2019, 14, e0213981.	1.1	22
26	Renin Angiotensin Aldosterone System Blockades Does Not Protect Residual Renal Function in Patients with Hemodialysis at 1 Year After Dialysis Initiation: A Prospective Observational Cohort Study. <i>Scientific Reports</i> , 2019, 9, 18103.	1.6	3
27	Threeâ€‘year income trends in Korean adults commencing haemodialysis: A prospective cohort. <i>Nephrology</i> , 2018, 23, 625-632.	0.7	5
28	Soluble cMet levels in urine are a significant prognostic biomarker for diabetic nephropathy. <i>Scientific Reports</i> , 2018, 8, 12738.	1.6	11
29	Kidney on chips. <i>Methods in Cell Biology</i> , 2018, 146, 85-104.	0.5	12
30	Genome-wide association analysis identifies multiple loci associated with kidney disease-related traits in Korean populations. <i>PLoS ONE</i> , 2018, 13, e0194044.	1.1	28
31	Kidney-on-a-Chip: A New Technology for Predicting Drug Efficacy, Interactions, and Drug-induced Nephrotoxicity. <i>Current Drug Metabolism</i> , 2018, 19, 577-583.	0.7	59
32	Effects of colchicine on renal fibrosis and apoptosis in obstructed kidneys. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 568-576.	0.7	21
33	Extracellular Fluid/Intracellular Fluid Volume Ratio as a Novel Risk Indicator for All-Cause Mortality and Cardiovascular Disease in Hemodialysis Patients. <i>PLoS ONE</i> , 2017, 12, e0170272.	1.1	57
34	Mutations in <i>SLC12A3</i> and <i>CLCNKB</i> and Their Correlation with Clinical Phenotype in Patients with Gitelman and Gitelman-like Syndrome. <i>Journal of Korean Medical Science</i> , 2016, 31, 47.	1.1	37
35	Pre-Stage Acute Kidney Injury Can Predict Mortality and Medical Costs in Hospitalized Patients. <i>PLoS ONE</i> , 2016, 11, e0167038.	1.1	7
36	Factors Affecting the Referral Time to Nephrologists in Patients With Chronic Kidney Disease. <i>Medicine (United States)</i> , 2016, 95, e3648.	0.4	16

#	ARTICLE	IF	CITATIONS
37	Pretransplant Hepatitis B Viral Infection Increases Risk of Death After Kidney Transplantation. <i>Medicine (United States)</i> , 2016, 95, e3671.	0.4	17
38	Low-dose paclitaxel ameliorates renal fibrosis by suppressing transforming growth factor- β 1-induced plasminogen activator inhibitor-1 signaling. <i>Nephrology</i> , 2016, 21, 574-582.	0.7	10
39	Urinary Periostin Excretion Predicts Renal Outcome in IgA Nephropathy. <i>American Journal of Nephrology</i> , 2016, 44, 481-492.	1.4	44
40	Osmolal Gap as a Biomarker in Kidney Injury: Focusing on the Differential Diagnosis of Metabolic Acidosis. , 2016, , 41-52.		0
41	SP106/LOW-DOSE PACLITAXEL AMELIORATES RENAL FIBROSIS BY SUPPRESSING TRANSFORMING GROWTH FACTOR- β 1 INDUCED PLASMINOGEN ACTIVATOR INHIBITOR1 SIGNALING CASCADE. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii412-iii413.	0.4	0
42	Not Early Referral but Planned Dialysis Improves Quality of Life and Depression in Newly Diagnosed End Stage Renal Disease Patients: A Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2015, 10, e0117582.	1.1	24
43	Abdominal Adipose Tissue was Associated with Glomerular Hyperfiltration among Non-Diabetic and Normotensive Adults with a Normal Body Mass Index. <i>PLoS ONE</i> , 2015, 10, e0141364.	1.1	14
44	Serum cystatin C and microalbuminuria in burn patients with acute kidney injury. <i>European Journal of Clinical Investigation</i> , 2015, 45, 594-600.	1.7	17
45	Osmolal Gap as a Biomarker in Kidney Injury: Focusing on the Differential Diagnosis of Metabolic Acidosis. , 2015, , 1-11.		0
46	Early Nephrology Referral Reduces the Economic Costs among Patients Who Start Renal Replacement Therapy: A Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2014, 9, e99460.	1.1	27
47	Estimated 24-Hour Urine Sodium Excretion Is Correlated with Blood Pressure in Korean Population: 2009-2011 Korean National Health and Nutritional Examination Survey. <i>Journal of Korean Medical Science</i> , 2014, 29, S109.	1.1	11
48	Effects of Sodium Citrate on Salt Sensitivity and Kidney Injury in Chronic Renal Failure. <i>Journal of Korean Medical Science</i> , 2014, 29, 1658.	1.1	6
49	Alkali Therapy Attenuates the Progression of Kidney Injury via Na/H Exchanger Inhibition in 5/6 Nephrectomized Rats. <i>Journal of Korean Medical Science</i> , 2014, 29, 691.	1.1	4
50	A Higher Salt Intake Leads to a Lower Rate of Adequate Blood Pressure Control. <i>Journal of Korean Medical Science</i> , 2014, 29, S103.	1.1	6
51	Serum Transthyretin Level Is Associated With Clinical Severity Rather Than Nutrition Status in Massively Burned Patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2014, 38, 966-972.	1.3	16
52	Excess mortality among patients on dialysis: Comparison with the general population in Korea. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 89-94.	0.9	27
53	Classical Indications Are Useful for Initiating Continuous Renal Replacement Therapy in Critically Ill Patients. <i>Tohoku Journal of Experimental Medicine</i> , 2014, 233, 233-241.	0.5	3
54	Effect of Dialysis Initiation Timing on Clinical Outcomes: A Propensity-Matched Analysis of a Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2014, 9, e105532.	1.1	17

#	ARTICLE	IF	CITATIONS
55	Renal adverse effects of sunitinib and its clinical significance: a single-center experience in Korea. Korean Journal of Internal Medicine, 2014, 29, 40.	0.7	31
56	Duration of acute kidney injury and mortality in critically ill patients: a retrospective observational study. BMC Nephrology, 2013, 14, 133.	0.8	45
57	Dipeptidyl peptidase IV inhibitor attenuates kidney injury in rat remnant kidney. BMC Nephrology, 2013, 14, 98.	0.8	63
58	Increasing the Dialysate Sodium Concentration Based on Serum Sodium Concentrations Exacerbates Weight Gain and Thirst in Hemodialysis Patients. Tohoku Journal of Experimental Medicine, 2013, 230, 117-121.	0.5	6
59	Rapid Correction Rate of Hyponatremia as an Independent Risk Factor for Neurological Complication Following Liver Transplantation. Tohoku Journal of Experimental Medicine, 2013, 229, 97-105.	0.5	24
60	Gitelman's Syndrome with Vomiting Manifested by Severe Metabolic Alkalosis and Progressive Renal Insufficiency. Tohoku Journal of Experimental Medicine, 2013, 231, 165-169.	0.5	7
61	Potassium Intake and the Prevalence of Metabolic Syndrome: The Korean National Health and Nutrition Examination Survey 2008-2010. PLoS ONE, 2013, 8, e55106.	1.1	33
62	Clinical characteristics of acute renal failure with severe loin pain and patchy renal vasoconstriction. Kidney Research and Clinical Practice, 2012, 31, 170-176.	0.9	9
63	High Dose Vitamin D ₃ Attenuates the Hypocalciuric Effect of Thiazide in Hypercalciuric Rats. Journal of Korean Medical Science, 2010, 25, 1305.	1.1	1
64	Association Between Behavioural Patterns and Mortality Among US Adults: National Health and Nutrition Examination Survey. SSRN Electronic Journal, 0, , .	0.4	0