
Xinsheng Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8713403/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	M1 macrophage-derived exosomes and their key molecule IncRNA HOTTIP suppress head and neck squamous cell carcinoma progression by upregulating the TLR5/NF-ήB pathway. Cell Death and Disease, 2022, 13, 183.	2.7	53
2	Transduction of Adeno-Associated Virus Vectors Targeting Hair Cells and Supporting Cells in the Neonatal Mouse Cochlea. Frontiers in Cellular Neuroscience, 2019, 13, 8.	1.8	35
3	Upregulation of miR-129-5p affects laryngeal cancer cell proliferation, invasiveness, and migration by affecting STAT3 expression. Tumor Biology, 2016, 37, 1789-1796.	0.8	27
4	The Endoscopic Prelacrimal Recess Approach to the Pterygopalatine Fossa and Infratemporal Fossa. Journal of Craniofacial Surgery, 2017, 28, 1589-1593.	0.3	24
5	Human telomerase reverse transcriptase regulates cyclin D1 and G1/S phase transition in laryngeal squamous carcinoma. Acta Oto-Laryngologica, 2011, 131, 546-551.	0.3	21
6	Astaxanthine attenuates cisplatin ototoxicity inÂvitro and protects against cisplatin-induced hearing loss inÂvivo. Acta Pharmaceutica Sinica B, 2022, 12, 167-181.	5.7	19
7	Concept and Evaluation of a New Piezoelectric Transducer for an Implantable Middle Ear Hearing Device. Sensors, 2017, 17, 2515.	2.1	16
8	FINITE ELEMENT ANALYSIS OF THE EFFECT OF ACTUATOR COUPLING CONDITIONS ON ROUND WINDOW STIMULATION. Journal of Mechanics in Medicine and Biology, 2015, 15, 1550048.	0.3	15
9	Prevalence of Otitis Media With Effusion Among Children in Xi'an, China: A Randomized Survey in China's Mainland. Annals of Otology, Rhinology and Laryngology, 2011, 120, 617-621.	0.6	14
10	The racial disparity of nasopharyngeal carcinoma based on the database analysis. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2019, 40, 102288.	0.6	13
11	Comprehensive Identification of Potential Crucial Genes and miRNA-mRNA Regulatory Networks in Papillary Thyroid Cancer. BioMed Research International, 2021, 2021, 1-25.	0.9	13
12	Restoring hearing using total ossicular replacement prostheses – analysis of 3D finite element model. Acta Oto-Laryngologica, 2012, 132, 152-159.	0.3	12
13	Ultra-small superparamagnetic iron oxide mediated magnetic hyperthermia in treatment of neck lymph node metastasis in rabbit pyriform sinus VX2 carcinoma. Tumor Biology, 2015, 36, 8035-8040.	0.8	12
14	Study of age-related changes in Middle ear transfer function. Computer Methods in Biomechanics and Biomedical Engineering, 2019, 22, 1093-1102.	0.9	12
15	<p>The Role of the Reactive Oxygen Species Scavenger Agent, Astaxanthin, in the Protection of Cisplatin-Treated Patients Against Hearing Loss</p> . Drug Design, Development and Therapy, 2019, Volume 13, 4291-4303.	2.0	12
16	Influence of ossicular chain malformation on the performance of round-window stimulation: A finite element approach. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2019, 233, 584-594.	1.0	11
17	The RNA Methylation Modification 5-Methylcytosine Impacts Immunity Characteristics, Prognosis and Progression of Oral Squamous Cell Carcinoma by Bioinformatics Analysis. Frontiers in Bioengineering and Biotechnology, 2021, 9, 760724.	2.0	11
18	Indirect Magnetic Resonance Imaging Lymphography Identifies Lymph Node Metastasis in Rabbit Pyriform Sinus VX2 Carcinoma Using Ultra-Small Super-Paramagnetic Iron Oxide. PLoS ONE, 2014, 9, e94876.	1.1	10

XINSHENG HUANG

#	Article	IF	CITATIONS
19	TRIM24 siRNA induced cell apoptosis and reduced cell viability in human nasopharyngeal carcinoma cells. Molecular Medicine Reports, 2018, 18, 369-376.	1.1	10
20	Effect of stimulation sites on the performance of electromagnetic middle ear implant: A finite element analysis. Computers in Biology and Medicine, 2020, 124, 103918.	3.9	10
21	The role of third windows on human sound transmission of forward and reverse stimulations: A lumped-parameter approach. Journal of the Acoustical Society of America, 2020, 147, 1478-1490.	0.5	10
22	FINITE ELEMENT MODELING OF THE HUMAN COCHLEA USING FLUID–STRUCTURE INTERACTION METHOD. Journal of Mechanics in Medicine and Biology, 2015, 15, 1550039.	0.3	9
23	Thyroid carcinoma cells produce PLGF to enhance metastasis. Tumor Biology, 2015, 36, 8601-8607.	0.8	9
24	A caffeic acid phenethyl ester analog inhibits the proliferation of nasopharyngeal carcinoma cells via targeting epidermal growth factor receptor. Journal of Biochemical and Molecular Toxicology, 2020, 34, e22491.	1.4	9
25	Transducer Type and Design Influence on the Hearing Loss Compensation Behaviour of the Electromagnetic Middle Ear Implant in a Finite Element Analysis. Advances in Mechanical Engineering, 2014, 6, 867108.	0.8	9
26	Finite element model of human ear reconstruction through micro-computer tomography. Acta Oto-Laryngologica, 2011, 131, 269-276.	0.3	8
27	The effect of actuator and its coupling conditions on eardrum-stimulated middle ear implants: A numerical analysis. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2016, 230, 1074-1085.	1.0	8
28	Numerical evaluation of implantable hearing devices using a finite element model of human ear considering viscoelastic properties. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2016, 230, 784-794.	1.0	8
29	Predictors of residual dizziness in patients with benign paroxysmal positional vertigo after successful repositioning: A multi-center prospective cohort study. Journal of Vestibular Research: Equilibrium and Orientation, 2021, 31, 119-129.	0.8	8
30	The effect of metabolic syndrome on head and neck cancer incidence risk: a population-based prospective cohort study. Cancer & Metabolism, 2021, 9, 25.	2.4	8
31	STUDY ON THE ROLE OF OSSICULAR JOINT USING FINITE ELEMENT METHOD. Journal of Mechanics in Medicine and Biology, 2016, 16, 1650041.	0.3	6
32	An Incus-Body Driving Type Piezoelectric Middle Ear Implant Design and Evaluation in 3D Computational Model and Temporal Bone. Scientific World Journal, The, 2014, 2014, 1-8.	0.8	5
33	Research on coupling effects of actuator and round window membrane on reverse stimulation of human cochlea. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2021, 235, 447-458.	1.0	5
34	Design and analysis of a flextensional piezoelectric actuator for incus-body driving type middle ear implant. Journal of Vibroengineering, 2017, 19, 3842-3854.	0.5	5
35	Delayed Endoscopic Management of Esophageal Sharp-Pointed Food Impaction: An Analysis of 829 Cases in China. Digestive Diseases and Sciences, 2022, 67, 3166-3176.	1.1	4
36	THE EFFECT OF IMPLANTABLE TRANSDUCERS ON MIDDLE EAR TRANSFER FUNCTION — A COMPARATIVE NUMERICAL ANALYSIS. Journal of Mechanics in Medicine and Biology, 2016, 16, 1650040.	0.3	3

XINSHENG HUANG

#	Article	IF	CITATIONS
37	Fatigue analysis of tympanic membrane after ossiculoplasty. Acta Oto-Laryngologica, 2017, 137, 679-685.	0.3	3
38	Analysis of the influence of the transducer and its coupling layer on round window stimulation. Acta of Bioengineering and Biomechanics, 2017, 19, 103-111.	0.2	3
39	Identification of Novel Kinase–Transcription Factor–mRNA–miRNA Regulatory Network in Nasopharyngeal Carcinoma by Bioinformatics Analysis. International Journal of General Medicine, 2021, Volume 14, 7453-7469.	0.8	2
40	A rare, large, well-differentiated liposarcoma in the hypopharynx of a female: A case report. Otolaryngology Case Reports, 2019, 10, 39-42.	0.0	1
41	Morphology of human ear canal and its effect on sound transmission. International Journal for Numerical Methods in Biomedical Engineering, 2022, 38, e3567.	1.0	1
42	MECHANISM OF SENSORINEURAL HEARING LOSS CAUSED BY TYPICAL SCLEROSIS OF COCHLEA. Journal of Mechanics in Medicine and Biology, 2022, 22, .	0.3	1
43	Numerical analysis of the effects of ossicular chain malformations on bone conduction stimulation. Computer Methods in Biomechanics and Biomedical Engineering, 2021, 24, 817-830.	0.9	Ο
44	Effect of ossicular chain deformity on reverse stimulation considering the overflow characteristics of third windows. Computer Methods in Biomechanics and Biomedical Engineering, 2021, , 1-16.	0.9	0
45	Effects of design and coupling parameters on the performance of electromagnetic transducers in round-window stimulation. Journal of the Acoustical Society of America, 2022, 151, 609-619.	0.5	0