Claudia Turro

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8713930/claudia-turro-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers7,460
citations50
h-index79
g-index186
ext. papers8,028
ext. citations7
avg, IF6.16
L-index

#	Paper	IF	Citations
179	Photocytotoxicity and photoinduced phosphine ligand exchange in a Ru(ii) polypyridyl complex <i>Chemical Science</i> , 2022 , 13, 1933-1945	9.4	2
178	Two-photon-absorbing ruthenium complexes enable near infrared light-driven photocatalysis <i>Nature Communications</i> , 2022 , 13, 2288	17.4	3
177	Fixing photocatalysts <i>Nature Chemistry</i> , 2022 , 14, 487-488	17.6	
176	Ruthenium complexes for photoactivated dual activity: Drug delivery and singlet oxygen generation. <i>Advances in Inorganic Chemistry</i> , 2022 ,	2.1	
175	Photosensitive Ru(II) Complexes as Inhibitors of the Major Human Drug Metabolizing Enzyme CYP3A4. <i>Journal of the American Chemical Society</i> , 2021 , 143, 9191-9205	16.4	9
174	Dirhodium Complexes as Panchromatic Sensitizers, Electrocatalysts, and Photocatalysts. <i>Chemistry - A European Journal</i> , 2021 , 27, 5379-5387	4.8	3
173	Dirhodium complexes as electrocatalysts for CO reduction to HCOOH: role of steric hindrance on selectivity. <i>Chemical Communications</i> , 2021 , 57, 1635-1638	5.8	1
172	Dirhodium(II,II)/NiO Photocathode for Photoelectrocatalytic Hydrogen Evolution with Red Light. <i>Journal of the American Chemical Society</i> , 2021 , 143, 1610-1617	16.4	9
171	Trifluoromethyl substitution enhances photoinduced activity against breast cancer cells but reduces ligand exchange in Ru(ii) complex. <i>Chemical Science</i> , 2021 , 12, 12056-12067	9.4	5
170	Unsymmetrical dirhodium single molecule photocatalysts for H production with low energy light. <i>Chemical Communications</i> , 2021 , 57, 2061-2064	5.8	4
169	Unlocking the Potential of Ru(II) Dual-Action Compounds with the Power of the Heavy Atom Effect. <i>Photochemistry and Photobiology</i> , 2021 ,	3.6	1
168	Photoinduced ligand dissociation follows reverse energy gap law: nitrile photodissociation from low energy MLCT excited states. <i>Chemical Communications</i> , 2020 , 56, 4070-4073	5.8	13
167	Dual-Action Ru(II) Complexes with Bulky Expansive Ligands: Phototoxicity without DNA Intercalation. <i>Inorganic Chemistry</i> , 2020 , 59, 3919-3933	5.1	18
166	Exploring the structure of a ruthenium acetate cluster for biological purposes. <i>Inorganic Chemistry Communication</i> , 2020 , 114, 107810	3.1	3
165	Synthetic Strategies for Trapping the Elusive -Dirhodium(II,II) Formamidinate Isomer: Effects of Cis versus Trans Geometry on the Photophysical Properties. <i>Inorganic Chemistry</i> , 2020 , 59, 2255-2265	5.1	1
164	Single-chromophore single-molecule photocatalyst for the production of dihydrogen using low-energy light. <i>Nature Chemistry</i> , 2020 , 12, 180-185	17.6	39
163	Syntheses and electronic, electrochemical, and theoretical studies of a series of Ebxo-triruthenium carboxylates bearing orthometalated phenazines. <i>Dalton Transactions</i> , 2020 , 49, 1688-1698	4.3	1

(2018-2020)

Panchromatic dirhodium photocatalysts for dihydrogen generation with red light. <i>Chemical Science</i> , 2020 , 11, 9775-9783	9.4	4
Anticancer and antitrypanosomal activities of trinuclear ruthenium compounds with orthometalated phenazine ligands. <i>Dalton Transactions</i> , 2020 , 49, 16440-16452	4.3	5
Dynamic orientation control of bimolecular electron transfer at charged micelle surfaces <i>Journal of Chemical Physics</i> , 2020 , 153, 064302	3.9	3
The Influence of Some Axial Ligands on Ruthenium-Phthalocyanine Complexes: Chemical, Photochemical, and Photobiological Properties. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 595830	5.6	3
Selective Electrocatalytic Conversion of CO2 to HCOOH by a Cationic Rh2(II,II) Complex. <i>ACS Applied Energy Materials</i> , 2019 , 2, 7306-7314	6.1	6
Unexpected Role of Ru(II) Orbital and Spin Contribution on Photoinduced Ligand Exchange: New Mechanism To Access the Photodynamic Therapy Window. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 10291-10299	3.8	18
Unusually Slow Internal Conversion in N-Heterocyclic Carbene/Carbanion Cyclometallated Ru(II) Complexes: A Hammett Relationship. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 2650-2660	2.8	7
Electron injection into titanium dioxide by panchromatic dirhodium photosensitizers with low energy red light. <i>Chemical Communications</i> , 2019 , 55, 10428-10431	5.8	3
Tunable Rh(II,II) Light Absorbers as Excited-State Electron Donors and Acceptors Accessible with Red/Near-Infrared Irradiation. <i>Journal of the American Chemical Society</i> , 2018 , 140, 5161-5170	16.4	27
DFT Investigation of Ligand Photodissociation in [Ru(tpy)(bpy)(py)] and [Ru(tpy)(Mebpy)(py)] Complexes. <i>Inorganic Chemistry</i> , 2018 , 57, 231-240	5.1	27
New Ligand Design Provides Delocalization and Promotes Strong Absorption throughout the Visible Region in a Ru(II) Complex. <i>Journal of the American Chemical Society</i> , 2018 , 140, 229-234	16.4	29
Ru(ii) polypyridyl complexes as photocages for bioactive compounds containing nitriles and aromatic heterocycles. <i>Chemical Communications</i> , 2018 , 54, 1280-1290	5.8	49
Photoactivation of imatinib-antibody conjugate using low-energy visible light from Ru(ii)-polypyridyl cages. <i>Chemical Communications</i> , 2018 , 54, 5193-5196	5.8	13
New Ru Scaffold for Photoinduced Ligand Release with Red Light in the Photodynamic Therapy (PDT) Window. <i>Chemistry - A European Journal</i> , 2018 , 24, 11550-11553	4.8	26
Photocatalytic H production by dirhodium(ii,ii) photosensitizers with red light. <i>Chemical Communications</i> , 2018 , 54, 8332-8334	5.8	14
New Ru(ii) photocages operative with near-IR light: new platform for drug delivery in the PDT window. <i>Chemical Science</i> , 2018 , 9, 6711-6720	9.4	47
New Ru(ii) complex for dual photochemotherapy: release of cathepsin K inhibitor and O production. <i>Dalton Transactions</i> , 2018 , 47, 11851-11858	4.3	19
Ru(II) Polypyridyl Complexes Derived from Tetradentate Ancillary Ligands for Effective Photocaging. <i>Accounts of Chemical Research</i> , 2018 , 51, 1415-1421	24.3	44
	Anticancer and antitrypanosomal activities of trinuclear ruthenium compounds with orthometalated phenazine ligands. <i>Dalton Transactions</i> , 2020, 49, 16440-16452 Dynamic orientation control of bimolecular electron transfer at charged micelle surfaces <i>Journal of Chemical Physics</i> , 2020, 153, 064302 The Influence of Some Axial Ligands on Ruthenium-Phthalocyanine Complexes: Chemical, Photochemical, and Photobiological Properties. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 595830 Selective Electrocatalytic Conversion of CO2 to HCOOH by a Cationic Rh2(II,II) Complex. <i>ACS Applied Energy Materials</i> , 2019, 2, 7306-7314 Unexpected Role of Ru(II) Orbital and Spin Contribution on Photoinduced Ligand Exchange: New Mechanism To Access the Photodynamic Therapy Window. <i>Journal of Physical Chemistry G</i> , 2019, 123, 10291-10299 Unusually Slow Internal Conversion in N-Heterocyclic Carbene/Carbanion Cyclometallated Ru(II) Complexes: A Hammett Relationship. <i>Journal of Physical Chemistry A</i> , 2019, 123, 2650-2660 Electron injection into titanium dioxide by panchromatic dirhodium photosensitizers with low energy red light. <i>Chemical Communications</i> , 2019, 55, 10428-10431 Tunable Rh(II,II) Light Absorbers as Excited-State Electron Donors and Acceptors Accessible with Red/Near-Infrared Irradiation. <i>Journal of the American Chemical Society</i> , 2018, 140, 5161-5170 DFT Investigation of Ligand Photodissociation in [Ru(tpy)(bpy)(py)] and [Ru(tpy)(Mebpy)(py)] Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 231-240 New Ligand Design Provides Delocalization and Promotes Strong Absorption throughout the Visible Region in a Ru(II) Complex. <i>Journal of the American Chemical Society</i> , 2018, 140, 229-234 Ru(II) polypyridyl complexes as photocages for bioactive compounds containing nitriles and aromatic heterocycles. <i>Chemical Communications</i> , 2018, 54, 1280-1290 Photocativation of imatinib-antibody conjugate using low-energy visible light from Ru(II)-polypyridyl cages. <i>Chemical Communications</i> , 2018, 54, 5193-5196 New Ru Scaffold	Anticancer and antitrypanosomal activities of trinuclear ruthenium compounds with orthometalated phenazine ligands. <i>Dalton Transactions</i> , 2020, 49, 16440-16452 Dynamic orientation control of bimolecular electron transfer at charged micelle surfaces <i>Journal of Chemical Physics</i> , 2020, 153, 064302 The Influence of Some Axial Ligands on Ruthenium-Phthalocyanine Complexes: Chemical, Photochemical, and Photobiological Properties. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 595830 Selective Electrocatalytic Conversion of CO2 to HCOOH by a Cationic Rh2(II,II) Complex. <i>ACS Applied Energy Materials</i> , 2019, 2, 7306-7314 Unexpected Role of Ru(II) Orbital and Spin Contribution on Photoinduced Ligand Exchange: New Mechanism To Access the Photodynamic Therapy Window. <i>Journal of Physical Chemistry</i> , 2019, 123, 10291-10299 Unusually Slow Internal Conversion in N-Heterocyclic Carbene/Carbanion Cyclometallated Ru(II) Complexes: A Hammett Relationship. <i>Journal of Physical Chemistry</i> , 2019, 123, 2650-2660 Electron injection into titanium dioxide by panchromatic dirhodium photosensitizers with low energy red light. <i>Chemical Communications</i> , 2019, 55, 10428-10431 Tunable Rh(II,II) Light Absorbers as Excited-State Electron Donors and Acceptors Accessible with Red/Near-Infrared Irradiation. <i>Journal of the American Chemical Society</i> , 2018, 140, 5161-5170 DFT Investigation of Ligand Photodissociation in [Ru(tpy)(bpy)(py)] and [Ru(tpy)(Mebpy)(py)] 51 New Ligand Design Provides Delocalization and Promotes Strong Absorption throughout the Visible Region in a Ru(II) Complexe. <i>Journal of the American Chemical Society</i> , 2018, 140, 229-234 Ru(II) polypyridyl complexes as photocages for bioactive compounds containing nitriles and aromatic heterocycles. <i>Chemical Communications</i> , 2018, 54, 1280-1290 Photoactivation of imatinib-antibody conjugate using low-energy visible light from Ru(II) polypyridyl complexes as photocages operative with near-IR light: new platform for drug delivery in the PDT Window. <i>Chemistry - A Euro</i>

144	Catch and Release Photosensitizers: Combining Dual-Action Ruthenium Complexes with Protease Inactivation for Targeting Invasive Cancers. <i>Journal of the American Chemical Society</i> , 2018 , 140, 14367-	14380	53
143	An Overview Of Photosubstitution Reactions Of Ru(II) Imine Complexes And Their Application In Photobiology And Photodynamic Therapy. <i>Inorganica Chimica Acta</i> , 2017 , 454, 7-20	2.7	95
142	Dual Photoreactivity of a New Rh(II,II) Complex for Biological Applications. <i>Inorganica Chimica Acta</i> , 2017 , 454, 149-154	2.7	6
141	Illuminating cytochrome P450 binding: Ru(ii)-caged inhibitors of CYP17A1. <i>Chemical Communications</i> , 2017 , 53, 3673-3676	5.8	49
140	New Rh(II,II) Complexes for Solar Energy Applications: Panchromatic Absorption and Excited-State Reactivity. <i>Journal of the American Chemical Society</i> , 2017 , 139, 14724-14732	16.4	26
139	Unusual Role of Excited State Mixing in the Enhancement of Photoinduced Ligand Exchange in Ru(II) Complexes. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18295-18306	16.4	18
138	Excited-State Intramolecular Proton-Transfer Properties of Three Tris(N-Salicylideneaniline)-Based Chromophores with Extended Conjugation. <i>Chemistry - A European Journal</i> , 2017 , 23, 917-925	4.8	36
137	Validation of Ru(II)-caged Abiraterone as a Chemical Tool for Controlling CYP17A1 Activity with Visible Light. <i>FASEB Journal</i> , 2017 , 31, 669.2	0.9	
136	Effects of Methyl Substitution in Ruthenium Tris(2-pyridylmethyl)amine Photocaging Groups for Nitriles. <i>Inorganic Chemistry</i> , 2016 , 55, 6968-79	5.1	18
135	Selective Release of Aromatic Heterocycles from Ruthenium Tris(2-pyridylmethyl)amine with Visible Light. <i>Inorganic Chemistry</i> , 2016 , 55, 10-2	5.1	26
134	Insights from Theory and Experiment on the Photochromic spiro-Dihydropyrrolo-Pyridazine/Betaine System. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 875-83	2.8	10
133	Photoactivated inhibition of cathepsin K in a 3D tumor model. <i>Biological Chemistry</i> , 2016 , 397, 571-82	4.5	21
132	Electronic influences of bridging and chelating diimine ligand coordination in formamidinate-bridged Rh2(II,II) dimers. <i>Polyhedron</i> , 2016 , 103, 172-177	2.7	8
131	Design, synthesis, and evaluation of cisplatin-containing EGFR targeting bioconjugates as potential therapeutic agents for brain tumors. <i>OncoTargets and Therapy</i> , 2016 , 9, 2769-81	4.4	11
130	New Ru(II) Complex for Dual Activity: Photoinduced Ligand Release and (1)O2 Production. <i>Chemistry - A European Journal</i> , 2016 , 22, 3704-8	4.8	45
129	Caging the uncageable: using metal complex release for photochemical control over irreversible inhibition. <i>Chemical Communications</i> , 2016 , 52, 12590-12593	5.8	30
128	Cationic dirhodium(ii,ii) complexes for the electrocatalytic reduction of CO to HCOOH. <i>Chemical Communications</i> , 2016 , 52, 12175-12178	5.8	20
127	Photoinduced interactions of two dirhodium complexes with d(GTCGAC)2 probed by 2D NOESY. <i>Dalton Transactions</i> , 2015 , 44, 3640-6	4.3	6

(2014-2015)

126	New Ru(II) complexes for dual photoreactivity: ligand exchange and (1)O2 generation. <i>Accounts of Chemical Research</i> , 2015 , 48, 2280-7	24.3	135
125	Excited state investigation of a new Ru(II) complex for dual reactivity with low energy light. <i>Chemical Communications</i> , 2015 , 51, 8777-80	5.8	51
124	A dinuclear Ru(II) complex capable of photoinduced ligand exchange at both metal centers. <i>Chemical Communications</i> , 2015 , 51, 16522-5	5.8	7
123	New Rh2(II,II) Architecture for the Catalytic Reduction of H+. <i>Inorganic Chemistry</i> , 2015 , 54, 10042-8	5.1	15
122	Selective Photodissociation of Acetonitrile Ligands in Ruthenium Polypyridyl Complexes Studied by Density Functional Theory. <i>Inorganic Chemistry</i> , 2015 , 54, 8003-11	5.1	34
121	Tumoricidal activity of low-energy 160-KV versus 6-MV X-rays against platinum-sensitized F98 glioma cells. <i>Journal of Radiation Research</i> , 2015 , 56, 77-89	2.4	10
120	Control and utilization of ruthenium and rhodium metal complex excited states for photoactivated cancer therapy. <i>Coordination Chemistry Reviews</i> , 2015 , 282-283, 110-126	23.2	295
119	Imaging Sites of Inhibition of Proteolysis in Pathomimetic Human Breast Cancer Cultures by Light-Activated Ruthenium Compound. <i>PLoS ONE</i> , 2015 , 10, e0142527	3.7	19
118	Steric and Electronic Factors Associated with the Photoinduced Ligand Exchange of Bidentate Ligands Coordinated to Ru(II). <i>Photochemistry and Photobiology</i> , 2015 , 91, 616-23	3.6	5
117	Solid-phase synthesis as a platform for the discovery of new ruthenium complexes for efficient release of photocaged ligands with visible light. <i>Inorganic Chemistry</i> , 2015 , 54, 1901-11	5.1	18
116	Photoinduced intercalation and coordination of a dirhodium complex to DNA: dual DNA binding. <i>ChemMedChem</i> , 2014 , 9, 1260-5	3.7	16
115	Confocal fluorescence microscopy studies of a fluorophore-labeled dirhodium compound: visualizing metal-metal bonded molecules in lung cancer (A549) cells. <i>Journal of the American Chemical Society</i> , 2014 , 136, 7861-4	16.4	30
114	New cyclometallated Ru(II) complex for potential application in photochemotherapy?. <i>Photochemical and Photobiological Sciences</i> , 2014 , 13, 272-80	4.2	46
113	Preface to special issue on current topics in photochemistry. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 10299-300	2.8	
112	Unusually efficient pyridine photodissociation from Ru(II) complexes with sterically bulky bidentate ancillary ligands. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 10603-10	2.8	76
111	Marked improvement in photoinduced cell death by a new tris-heteroleptic complex with dual action: singlet oxygen sensitization and ligand dissociation. <i>Journal of the American Chemical Society</i> , 2014 , 136, 17095-101	16.4	135
110	A tripodal peptide ligand for asymmetric Rh(II) catalysis highlights unique features of on-bead catalyst development. <i>Chemical Science</i> , 2014 , 5, 1401-1407	9.4	33
109	Directional charge transfer and highly reducing and oxidizing excited states of new dirhodium(II,II) complexes: potential applications in solar energy conversion. <i>Chemical Science</i> , 2014 , 5, 727-737	9.4	25

108	Ruthenium tris(2-pyridylmethyl)amine as an effective photocaging group for nitriles. <i>Inorganic Chemistry</i> , 2014 , 53, 3272-4	5.1	44
107	Cytotoxicity Studies of Cyclometallated Ruthenium(II) Compounds: New Applications for Ruthenium Dyes. <i>Organometallics</i> , 2014 , 33, 1100-1103	3.8	87
106	Optimizing the electronic properties of photoactive anticancer oxypyridine-bridged dirhodium(II,II) complexes. <i>Journal of the American Chemical Society</i> , 2014 , 136, 17058-70	16.4	28
105	Isomerization initiated by photoinduced ligand dissociation in Ru(II) complexes with the ligand 2-p-tolylpyridinecarboxaldimine. <i>Dalton Transactions</i> , 2014 , 43, 17828-37	4.3	5
104	Inhibition of cathepsin activity in a cell-based assay by a light-activated ruthenium compound. <i>ChemMedChem</i> , 2014 , 9, 1306-15	3.7	50
103	Cellular toxicity induced by the photorelease of a caged bioactive molecule: design of a potential dual-action Ru(II) complex. <i>Journal of the American Chemical Society</i> , 2013 , 135, 11274-82	16.4	175
102	Photophysical properties of MM quadruply bonded complexes supported by carboxylate ligands, MM = Mo2, MoW, or W2. <i>Accounts of Chemical Research</i> , 2013 , 46, 529-38	24.3	30
101	Photoinduced ligand exchange and DNA binding of cis-[Ru(phpy)(phen)(CH3CN)2]+ with long wavelength visible light. <i>Journal of Inorganic Biochemistry</i> , 2013 , 121, 77-87	4.2	36
100	Maleimide-functionalized photochromic spirodihydroindolizines. <i>Journal of Organic Chemistry</i> , 2013 , 78, 1903-9	4.2	13
99	Channel blocking of MspA revisited. <i>Langmuir</i> , 2013 , 29, 308-15	4	8
98	Selective photoinduced ligand exchange in a new tris-heteroleptic Ru(II) complex. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 13885-92	2.8	36
			A Comment of the Comm
97	Photochemistry and DNA photocleavage by a new unsupported dirhodium(II,II) complex. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012012	28ેં	11
97		2	30
	Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012012 Cytotoxicity of cyclometallated ruthenium complexes: the role of ligand exchange on the activity.	2	
96	Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012012 Cytotoxicity of cyclometallated ruthenium complexes: the role of ligand exchange on the activity. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012013 Molecular and electronic structures and photophysical properties of quadruply bonded dimetal complexes (M = Mo or W) supported by trans-arylethynylcarboxylate ligands where aryl = p-tolyl or	4.3	30
96 95	Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012012 Cytotoxicity of cyclometallated ruthenium complexes: the role of ligand exchange on the activity. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 2012013 Molecular and electronic structures and photophysical properties of quadruply bonded dimetal complexes (M = Mo or W) supported by trans-arylethynylcarboxylate ligands where aryl = p-tolyl or 9-anthrancenyl. Dalton Transactions, 2012, 41, 12270-81 Excited State Dynamics of Two New Ru(II) Cyclometallated Dyes: Relation to Cells for Solar Energy	4.3	30
96 95 94	Cytotoxicity of cyclometallated ruthenium complexes: the role of ligand exchange on the activity. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences,</i> 2013 , 371, 2012013. Molecular and electronic structures and photophysical properties of quadruply bonded dimetal complexes (M = Mo or W) supported by trans-arylethynylcarboxylate ligands where aryl = p-tolyl or 9-anthrancenyl. <i>Dalton Transactions,</i> 2012 , 41, 12270-81 Excited State Dynamics of Two New Ru(II) Cyclometallated Dyes: Relation to Cells for Solar Energy Conversion and Comparison to Conventional Systems. <i>Journal of Physical Chemistry C,</i> 2012 , 116, 22186. Photoinduced ligand exchange and covalent DNA binding by two new dirhodium bis-amidato	33 3 4-3 4-3 5-22 195	30 9 5 ²⁶

90	[Ru(bpy)2(5-cyanouracil)2]2+ as a potential light-activated dual-action therapeutic agent. <i>Inorganic Chemistry</i> , 2011 , 50, 9213-5	5.1	128
89	Insight into the photoinduced ligand exchange reaction pathway of cis-[Rh2(ED2CCH3)2(CH3CN)6]2+ with a DNA model chelate. <i>Inorganic Chemistry</i> , 2011 , 50, 12099-107	5.1	18
88	Absence of quenching by [Fe(CN)6]4- is not proof of DNA intercalation. <i>Chemical Communications</i> , 2011 , 47, 1848-50	5.8	21
87	Effect of electronic structure on the photoinduced ligand exchange of Ru(II) polypyridine complexes. <i>Inorganic Chemistry</i> , 2011 , 50, 4384-91	5.1	69
86	Effect of intraligand Edelocalization on the photophysical properties of two new Ru(II) complexes. Journal of Photochemistry and Photobiology A: Chemistry, 2011 , 217, 100-107	4.7	6
85	To intercalate or semiintercalate, or both?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17573-4	11.5	14
84	Electronic tuning of ruthenium complexes by 8-quinolate ligands. <i>Photochemistry and Photobiology</i> , 2010 , 86, 1230-6	3.6	18
83	Molecular, electronic structure and spectroscopic properties of MM quadruply bonded units supported by trans-6-carboethoxy-2-carboxylatoazulene ligands. <i>Dalton Transactions</i> , 2010 , 39, 1979-84	4 ^{4.3}	12
82	Photophysical studies of trans-bis(phenylethynyldiisopropylamidinato)bis(acetato)dimetal complexes involving MM quadruple bonds where M = Mo or W. <i>Journal of Physical Chemistry A</i> , 2010 , 114, 12675-81	2.8	8
81	Electronic and Steric Effects on the Photoisomerization of Dimethylsulfoxide Complexes of Ru(II) Containing Picolinate. <i>Journal of Physical Chemistry Letters</i> , 2010 , 1, 3371-3375	6.4	27
80	Unusual photophysical properties of a ruthenium(II) complex related to [Ru(bpy)2(dppz)]2+. <i>Inorganic Chemistry</i> , 2010 , 49, 4257-62	5.1	97
79	Highly solvent dependent luminescence from [Ru(bpy)(n)(dppp2)(3-n)](2+) (n = 0-2). <i>Inorganic Chemistry</i> , 2010 , 49, 5025-32	5.1	45
78	Concerning the photophysical properties of Re2(4+) and Re2(6+) carboxylate compounds. <i>Dalton Transactions</i> , 2010 , 39, 11587-93	4.3	7
77	Ultrafast dynamics of the low-lying 3MLCT states of [Ru(bpy)2(dppp2)]2+. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5594-5	16.4	74
76	Effect of ligands with extended Bystem on the photophysical properties of Ru(II) complexes. Journal of Physical Chemistry B, 2010 , 114, 14664-70	3.4	51
75	Photophysical properties, DNA photocleavage, and photocytotoxicity of a series of dppn dirhodium(II,II) complexes. <i>Inorganic Chemistry</i> , 2010 , 49, 5371-6	5.1	66
74	Efficient DNA photocleavage by [Ru(bpy)2(dppn)]2+ with visible light. <i>Chemical Communications</i> , 2010 , 46, 2426-8	5.8	173
73	DNA photocleavage by an osmium(II) complex in the PDT window. <i>Chemical Communications</i> , 2010 , 46, 6759-61	5.8	92

72	[Bis(trispivalatodimolybdenum (II))-Ebis(4?-carboxylato-2,2?:6?,2?-terpyridine) ruthenium (II)] (2+) Tetrafluoroborate: Photophysical Studies. <i>Journal of Cluster Science</i> , 2009 , 20, 307-317	3	1
71	Quadruply bonded dimetal units supported by 2,4,6-triisopropylbenzoates MM(TiPB)(4) (MM = Mo(2), MoW, and W(2)): preparation and photophysical properties. <i>Inorganic Chemistry</i> , 2009 , 48, 4394-5	9 ^{5.1}	32
70	Anticancer activity of heteroleptic diimine complexes of dirhodium: a study of intercalating properties, hydrophobicity and in cellulo activity. <i>Dalton Transactions</i> , 2009 , 10806-12	4.3	40
69	2-Thienylcarboxylato and 2-thienylthiocarboxylato ligands bonded to MM quadruple bonds (M = Mo or W): a comparison of ground state, spectroscopic and photoexcited state properties. Inorganic Chemistry, 2009, 48, 11187-95	5.1	21
68	Ultrafast ligand exchange: detection of a pentacoordinate Ru(II) intermediate and product formation. <i>Journal of the American Chemical Society</i> , 2009 , 131, 26-7	16.4	80
67	Ru(II) complexes of new tridentate ligands: unexpected high yield of sensitized 1O2. <i>Inorganic Chemistry</i> , 2009 , 48, 375-85	5.1	138
66	Sexithiophenes mediated by MM quadruple bonds: MM = Mo2, MoW, and W2. <i>Inorganic Chemistry</i> , 2009 , 48, 8536-43	5.1	17
65	Photochromic ruthenium sulfoxide complexes: evidence for isomerization through a conical intersection. <i>Inorganic Chemistry</i> , 2009 , 48, 8084-91	5.1	51
64	Theoretical insight on the S> O photoisomerization of DMSO complexes of Ru(II). <i>Journal of Physical Chemistry A</i> , 2009 , 113, 11002-6	2.8	41
63	Nuclear targets of photodynamic tridentate ruthenium complexes. <i>Dalton Transactions</i> , 2009 , 10926-31	1 4.3	53
62	Live cell cytotoxicity studies: documentation of the interactions of antitumor active dirhodium compounds with nuclear DNA. <i>Journal of the American Chemical Society</i> , 2009 , 131, 11353-60	16.4	83
61	Redox-regulated Inhibition of T7 RNA polymerase via establishment of disulfide linkages by substituted Dppz dirhodium(II,II) complexes. <i>Inorganic Chemistry</i> , 2009 , 48, 4435-44	5.1	29
60	Role of electronic structure on DNA light-switch behavior of Ru(II) intercalators. <i>Inorganic Chemistry</i> , 2008 , 47, 6427-34	5.1	90
59	New insights in the photochromic spiro-dihydroindolizine/betaine-system. <i>Photochemical and Photobiological Sciences</i> , 2008 , 7, 1449-56	4.2	18
58	The remarkable influence of M2delta to thienyl pi conjugation in oligothiophenes incorporating MM quadruple bonds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15247-52	11.5	41
57	Intercalation is not required for DNA light-switch behavior. <i>Journal of the American Chemical Society</i> , 2008 , 130, 1163-70	16.4	104
56	Effect of axial coordination on the electronic structure and biological activity of dirhodium(II,II) complexes. <i>Inorganic Chemistry</i> , 2007 , 46, 7494-502	5.1	52
55	Marked differences in light-switch behavior of Ru(II) complexes possessing a tridentate DNA intercalating ligand. <i>Inorganic Chemistry</i> , 2007 , 46, 6011-21	5.1	97

(2003-2007)

54	Photoinduced DNA Cleavage and Cellular Damage in Human Dermal Fibroblasts by 2,3-Diaminophenazine¶. <i>Photochemistry and Photobiology</i> , 2007 , 81, 89-95	3.6	
53	Dirhodium(II,II) complexes: molecular characteristics that affect in vitro activity. <i>Journal of Medicinal Chemistry</i> , 2006 , 49, 6841-7	8.3	104
52	cis-[Rh2(mu-O2CCH3)2(CH3CN)6]2+ as a photoactivated cisplatin analog. <i>Journal of the American Chemical Society</i> , 2006 , 128, 738-9	16.4	75
51	Observation of 1MLCT and 3MLCT excited states in quadruply bonded Mo2 and W2 complexes. Journal of the American Chemical Society, 2005 , 127, 17343-52	16.4	52
50	Ruthenium(II) complexes of 1,12-diazaperylene and their interactions with DNA. <i>Inorganic Chemistry</i> , 2005 , 44, 5996-6003	5.1	115
49	Photoinduced one-electron reduction of alkyl halides by dirhodium(II,II) tetraformamidinates and a related complex with visible light. <i>Inorganic Chemistry</i> , 2005 , 44, 5388-96	5.1	25
48	Chemical control of the DNA light switch: cycling the switch ON and OFF. <i>Journal of the American Chemical Society</i> , 2005 , 127, 10796-7	16.4	120
47	Photocytotoxicity of a new Rh2(II,II) complex: increase in cytotoxicity upon irradiation similar to that of PDT agent hematoporphyrin. <i>Inorganic Chemistry</i> , 2005 , 44, 7262-4	5.1	62
46	Photoinduced DNA Cleavage and Cellular Damage in Human Dermal Fibroblasts by 2,3-Diaminophenazine¶. <i>Photochemistry and Photobiology</i> , 2005 , 81, 89	3.6	10
45	Dirhenium paddlewheel compounds supported by N,N'-dialkylbenzamidinates: synthesis, structures, and photophysical properties. <i>Inorganic Chemistry</i> , 2004 , 43, 7887-92	5.1	17
44	Effect of equatorial ligands of dirhodium(II,II) complexes on the efficiency and mechanism of transcription inhibition in vitro. <i>Inorganic Chemistry</i> , 2004 , 43, 1175-83	5.1	49
43	Direct DNA photocleavage by a new intercalating dirhodium(II/II) complex: comparison to Rh2(mu-O2CCH3)4. <i>Inorganic Chemistry</i> , 2004 , 43, 2450-2	5.1	75
42	DNA binding and photocleavage in vitro by new dirhodium(II) dppz complexes: correlation to cytotoxicity and photocytotoxicity. <i>Inorganic Chemistry</i> , 2004 , 43, 8510-9	5.1	165
41	Photoinitiated DNA Binding by cis-[Ru(bpy)2(NH3)2]2+. <i>Inorganic Chemistry</i> , 2004 , 43, 7260-2	5.1	120
40	Stabilization of duplex DNA structure and suppression of transcription in vitro by bis(quinone diimine) complexes of rhodium(III) and ruthenium(II). <i>Inorganic Chemistry</i> , 2003 , 42, 878-84	5.1	58
39	Direct observation of the luminescence from the (3)deltadelta excited state of Re(2)Cl(2)(p-OCH(3)form)(4). <i>Inorganic Chemistry</i> , 2003 , 42, 7360-2	5.1	11
38	Inhibition of transcription in vitro by anticancer active dirhodium(II) complexes. <i>Inorganic Chemistry</i> , 2003 , 42, 1267-71	5.1	63
37	Lanthanide ions as luminescent probes of proteins and nucleic acids. <i>Metal Ions in Biological Systems</i> , 2003 , 40, 323-53		4

36	Observation of the photogenerated CO-loss intermediate from [CpFe(CO)]2(ECO)(ECHCH3) via time-resolved IR spectroscopy. <i>Inorganica Chimica Acta</i> , 2002 , 334, 371-375	2.7	
35	DNA photocleavage by a supramolecular Ru(II)-viologen complex. <i>Inorganic Chemistry</i> , 2002 , 41, 3808-1	05.1	51
34	Tuning the Charge-Separated Lifetimes of Ruthenium(II)polypyridyl-Viologen Dyads and Ruthenium(II)polypyridyl-Viologen Triads by the Formation of Supramolecular Assemblies with Crown Ethers. <i>Journal of Physical Chemistry A</i> , 2002 , 106, 9149-9158	2.8	14
33	New quinone diimine complex of zinc with pH-dependent emission in the visible region. <i>Inorganic Chemistry</i> , 2001 , 40, 2484-5	5.1	41
32	Excited State Properties of Rh2(O2CCH3)4: Solution Photochemistry and Photoinitiated DNA Cleavage. <i>Comments on Inorganic Chemistry</i> , 2001 , 22, 393-426	3.9	16
31	Ru(bpy)32+/TiO2-Codoped Zeolites: Synthesis, Characterization, and the Role of TiO2in Electron Transfer Photocatalysis. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 5374-5382	3.4	59
30	Transcription inhibition by Rh(phi)2(phen)3+. Chemical Communications, 2001, 279-280	5.8	24
29	Excited-state properties of Rh(2)(O(2)CCH(3))(4)(L)(2) (L = CH(3)OH, THF, PPh(3), py). <i>Inorganic Chemistry</i> , 2001 , 40, 1376-9	5.1	47
28	DNA cleavage by photogenerated Rh(2)(O(2)CCH(3))(4)(H(2)O)(2)(+). <i>Inorganic Chemistry</i> , 2001 , 40, 247	6 <u>5</u> 71	41
27	Ground state and photophysical properties of Ru(phen)2quo+: a strong excited state electron donor. <i>Inorganic Chemistry Communication</i> , 1999 , 2, 354-357	3.1	6
26	Elucidation of acceptor deceptor interactions in a Ru(II) supramolecular photosynthetic model complex Chemical Communications, 1999, 2487-2488	5.8	2
25	Energy Transfer from Nucleic Acids to Tb(III): Selective Emission Enhancement by Single DNA Mismatches. <i>Journal of the American Chemical Society</i> , 1999 , 121, 1-7	16.4	190
24	Ground-State Properties and Excited-State Reactivity of 8-Quinolate Complexes of Ruthenium(II). <i>Inorganic Chemistry</i> , 1999 , 38, 6187-6192	5.1	53
23	Bimolecular Electron Transfer Quenching of Neutral *Ru(phen)2bps by 4,4Diheptyl Viologen in Water and Bound to SDS Micelles. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 5728-5733	2.8	27
22	Luminescent Ru(phen)n(bps)3-n2n-4 Complexes (n = 0B) as Probes of Electrostatic and Hydrophobic Interactions with Micellar Media. <i>Inorganic Chemistry</i> , 1998 , 37, 2039-2046	5.1	19
21	Luminescence Quenching of Ruthenium(II)IIris(phenanthroline) by Cobalt(III)IIris(phenanthroline) Bound to the Surface of Starburst Dendrimers. <i>Journal of Physical Chemistry B</i> , 1998 , 102, 5088-5093	3.4	44
20	Reply to the Comment on R esonance Raman Investigation of Ru(phen)2dppz2+ and Related Complexes in Water and in the Presence of DNA[] <i>Journal of Physical Chemistry B</i> , 1998 , 102, 6303-6303	3.4	6
19	Solution Photoreactivity of Phenanthrenequinone Diimine Complexes of Rhodium and Correlations with DNA Photocleavage and Photooxidation. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 5708-5715	2.8	32

18	Resonance Raman Investigation of Ru(phen)2(dppz)2+ and Related Complexes in Water and in the Presence of DNA. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 6995-7000	3.4	61
17	Nitroxide-Labeled Ru(II) Polypyridyl Complexes as EPR Probes of Organized Systems. 3. Characterization of Starburst Dendrimers and Comparison to Photophysical Measurements. <i>The Journal of Physical Chemistry</i> , 1996 , 100, 13667-13674		30
16	Synthesis and Characterization of Nitroxide-Linked Ruthenium Complexes as Molecular Probes for Microheterogeneous Environments. <i>Synthesis</i> , 1996 , 1996, 1313-1319	2.9	8
15	Bimolecular Electron Transfer in the Marcus Inverted Region. <i>Journal of the American Chemical Society</i> , 1996 , 118, 6060-6067	16.4	94
14	Luminescence Quenching in Supramolecular Systems: A Comparison of DNA- and SDS Micelle-Mediated Photoinduced Electron Transfer between Metal Complexes. <i>Journal of the American Chemical Society</i> , 1996 , 118, 2267-2274	16.4	149
13	Vectorial PET in LB bilayers and in vesicles: nanosecond fluorescence and laser flash-photolysis investigation. <i>Thin Solid Films</i> , 1996 , 284-285, 718-722	2.2	8
12	Excited state properties of Rh(phi)2(phen)3+ and related complexes: a strong photooxidant. <i>Inorganica Chimica Acta</i> , 1996 , 243, 101-108	2.7	40
11	Effect of guest/host interactions on photoinduced electron transfer reactions. <i>Inorganica Chimica Acta</i> , 1996 , 252, 333-338	2.7	14
10	Resonance Raman Spectrum of the Phenanthroline Anion: Implications on Electron Delocalization in the MLCT Excited State of Ru(phen)(3)(2+). <i>Inorganic Chemistry</i> , 1996 , 35, 5104-5106	5.1	55
9	Proton Transfer Quenching of the MLCT Excited State of Ru(phen)2dppz2+ in Homogeneous Solution and Bound to DNA. <i>Journal of the American Chemical Society</i> , 1995 , 117, 9026-9032	16.4	198
8	Photoreduction of Diaryl Disulfides by Quadruply Bonded Dimolybdenum and Ditungsten Complexes. <i>Inorganic Chemistry</i> , 1995 , 34, 6186-6190	5.1	9
7	(2,4,6-Trimethylbenzoyl)diphenylphosphine Oxide Photochemistry. A Direct Time-Resolved Spectroscopic Study of Both Radical Fragments. <i>Journal of the American Chemical Society</i> , 1995 , 117, 5148-5153	16.4	95
6	Electron transfer reactions of geminate pairs at high exergonicities. <i>Coordination Chemistry Reviews</i> , 1994 , 132, 249-258	23.2	9
5	Ligand-Specific Charge Localization in the MLCT Excited State of Ru(bpy)2(dpphen)2+ Monitored by Time-Resolved Resonance Raman Spectroscopy. <i>Inorganic Chemistry</i> , 1994 , 33, 1344-1347	5.1	15
4	Photoredox Chemistry of d4 Bimetallic Systems. Advances in Chemistry Series, 1993, 147-163		8
3	Photoinduced electron transfer mediated by a hydrogen-bonded interface. <i>Journal of the American Chemical Society</i> , 1992 , 114, 4013-4015	16.4	215
2	Photoredox Chemistry of Two-Electron Mixed Valence Systems 1991 , 91-106		2
1	Oxygen quenching of electronically excited hexanuclear molybdenum and tungsten halide clusters. <i>The Journal of Physical Chemistry</i> , 1990 , 94, 4500-4507		129