

# Min-you Qi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8714322/publications.pdf>

Version: 2024-02-01

10  
papers

407  
citations

933447

10  
h-index

1125743

13  
g-index

15  
all docs

15  
docs citations

15  
times ranked

481  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ursolic acid ameliorates oxidative stress, inflammation and fibrosis in diabetic cardiomyopathy rats. <i>Biomedicine and Pharmacotherapy</i> , 2018, 97, 1461-1467.	5.6	82
2	Protective effect of Icariin on the early stage of experimental diabetic nephropathy induced by streptozotocin via modulating transforming growth factor $\beta$ 1 and type IV collagen expression in rats. <i>Journal of Ethnopharmacology</i> , 2011, 138, 731-736.	4.1	79
3	Ursolic acid improves diabetic nephropathy via suppression of oxidative stress and inflammation in streptozotocin-induced rats. <i>Biomedicine and Pharmacotherapy</i> , 2018, 105, 915-921.	5.6	58
4	Icariin ameliorates streptozocin-induced diabetic nephropathy through suppressing the TLR4/NF- $\kappa$ B signal pathway. <i>Food and Function</i> , 2021, 12, 1241-1251.	4.6	44
5	Protective effect of ferulic acid on STZ-induced diabetic nephropathy in rats. <i>Food and Function</i> , 2020, 11, 3706-3718.	4.6	40
6	A Novel Endothelin Receptor Antagonist CPU0213 Improves Diabetic Cardiac Insufficiency Attributed to Up-regulation of the Expression of FKBP12.6, SERCA2a, and PLB in Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2006, 47, 729-735.	1.9	35
7	Total triterpene acids, active ingredients from Fructus Corni, attenuate diabetic cardiomyopathy by normalizing ET pathway and expression of FKBP12.6 and SERCA2a in streptozotocin-rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 1687-1694.	2.4	23
8	Total flavonoids of Epimedium ameliorates testicular damage in streptozotocin-induced diabetic rats by suppressing inflammation and oxidative stress. <i>Environmental Toxicology</i> , 2020, 35, 268-276.	4.0	16
9	Total triterpene acids, isolated from Corni Fructus, ameliorate progression of renal damage in streptozotocin-induced diabetic rats. <i>Chinese Journal of Integrative Medicine</i> , 2014, 20, 456-461.	1.6	13
10	Total triterpene acids, active ingredients from Fructus Corni, attenuate diabetic cardiomyopathy by normalizing ET pathway and expression of FKBP12.6 and SERCA2a in streptozotocin-rats. <i>Journal of Pharmacy and Pharmacology</i> , 2008, 60, 1687-1694.	2.4	12