

# Uttam Manna

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8714681/publications.pdf>

Version: 2024-02-01

89  
papers

2,532  
citations

230014

27  
h-index

252626

46  
g-index

92  
all docs

92  
docs citations

92  
times ranked

2961  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Reactive Multilayer Coating As Versatile Nanoarchitectonics for Customizing Various Bioinspired Liquid Wettabilities. ACS Applied Materials & Interfaces, 2023, 15, 25232-25247.  | 4.0  | 8         |
| 2  | Small molecules derived Tailored-Superhydrophobicity on fibrous and porous Substrates with superior tolerance. Chemical Engineering Journal, 2022, 430, 132597.   | 6.6  | 8         |
| 3  | Stimuli-Responsive Liquid-Crystal-Infused Porous Surfaces for Manipulation of Underwater Gas Bubble Transport and Adhesion. Advanced Materials, 2022, 34, e2110085.   | 11.1 | 21        |
| 4  | Dually reactive multilayer coatings enable orthogonal manipulation of underwater superoleophobicity and oil adhesion via post-functionalization. Materials Horizons, 2022, 9, 991-1001.   | 6.4  | 14        |
| 5  | Hysteresis Model for Water Retention Characteristics of Water-Absorbing Polymer-Amended Soils. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2022, 148, .  | 1.5  | 4         |
| 6  | Designing a Network of Crystalline Polymers for a Scalable, Nonfluorinated, Healable and Amphiphobic Solid Slippery Interface. Angewandte Chemie, 2022, 134, .  | 1.6  | 3         |
| 7  | Designing a Network of Crystalline Polymers for a Scalable, Nonfluorinated, Healable and Amphiphobic Solid Slippery Interface. Angewandte Chemie - International Edition, 2022, 61, .   | 7.2  | 8         |
| 8  | Multiplexed Covalent Patterns on Double-Responsive Porous Coating. Chemistry - an Asian Journal, 2022, , .  | 1.7  | 1         |
| 9  | A self-cleaning hydrophobic MOF-based composite for highly efficient and recyclable separation of oil from water and emulsions. Materials Chemistry Frontiers, 2022, 6, 2051-2060.  | 3.2  | 14        |
| 10 | Role of chemistry in bio-inspired liquid wettability. Chemical Society Reviews, 2022, 51, 5452-5497.  | 18.7 | 53        |
| 11 | Porous and reactive polymeric interfaces: an emerging avenue for achieving durable and functional bio-inspired wettability. Journal of Materials Chemistry A, 2021, 9, 824-856.   | 5.2  | 24        |
| 12 | The synthesis of a chemically reactive and polymeric luminescent gel. Chemical Science, 2021, 12, 2097-2107.  | 3.7  | 12        |
| 13 | Impact of chemistry on the preparation and post-modification of multilayered hollow microcapsules. Chemical Communications, 2021, 57, 2110-2123.  | 2.2  | 8         |
| 14 | Design of -tolerant and hard superhydrophobic coatings to freeze physical deformation. Materials Horizons, 2021, 8, 2717-2725.  | 6.4  | 15        |
| 15 | Abrasion tolerant, non-stretchable and super-water-repellent conductive & ultrasensitive pattern for identifying slow, fast, weak and strong human motions under diverse conditions. Materials Horizons, 2021, 8, 2851-2858.        | 6.4  | 6         |
| 16 | Bio-Inspired Underwater Super-Oil-Wettability for Controlling Platelet Adhesion. Chemistry - an Asian Journal, 2021, 16, 1081-1085.   | 1.7  | 6         |
| 17 | Unconventional and Facile Fabrication of Chemically Reactive Silk Fibroin Sponges for Environmental Remediation. ACS Applied Materials & Interfaces, 2021, 13, 24258-24271.   | 4.0  | 14        |
| 18 | Design of a Waste Paper-Derived Chemically -Reactive and Durable Functional Material with Tailorable Mechanical Property Following an Ambient and Sustainable Chemical Approach. Chemistry - an Asian Journal, 2021, 16, 1988-2001. | 1.7  | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Polymer Coatings Comprised Entirely of Soft and Semipermeable Microcapsules. ACS Applied Polymer Materials, 2021, 3, 4044-4054.   | 2.0 | 2         |
| 20 | Liquid Crystal-Infused Porous Polymer Surfaces: A "Slippery" Soft Material Platform for the Naked-Eye Detection and Discrimination of Amphiphilic Species. ACS Applied Materials & Interfaces, 2021, 13, 33652-33663. | 4.0 | 5         |
| 21 | Structured Liquid Droplets as Chemical Sensors that Function Inside Living Cells. ACS Applied Materials & Interfaces, 2021, 13, 42502-42512.  | 4.0 | 11        |
| 22 | Rapid and Scalable Synthesis of a Vanillin-Based Organogelator and Its Durable Composite for a Comprehensive Remediation of Crude-Oil Spillages. ACS Applied Materials & Interfaces, 2021, 13, 46803-46812.           | 4.0 | 11        |
| 23 | Performance of an Electromagnetic Sensor for Field Monitoring of Volumetric Water Content in Water-Absorbing Polymer Amended Soil. Lecture Notes in Civil Engineering, 2021, , 15-24.                                 | 0.3 | 4         |
| 24 | Rapid recognition of fatal cyanide in water in a wide pH range by a trifluoroacetamido based metal-organic framework. New Journal of Chemistry, 2021, 45, 20193-20200.  | 1.4 | 14        |
| 25 | Quantifying the combined effect of pH and salinity on the performance of water absorbing polymers used for drought management. Journal of Polymer Research, 2021, 28, 1.  | 1.2 | 6         |
| 26 | Michael Addition Reaction Assisted Derivation of Functional and Durable Superhydrophobic Interfaces. Chemistry of Materials, 2021, 33, 8941-8959.   | 3.2 | 14        |
| 27 | Hydrophobicity or superhydrophobicity" which is the right choice for stabilizing underwater superoleophilicity?. Journal of Materials Chemistry A, 2020, 8, 97-106.   | 5.2 | 20        |
| 28 | Covalently Modulated and Transiently Visible Writing: Rational Association of Two Extremes of Water Wettabilities. ACS Applied Materials & Interfaces, 2020, 12, 2935-2943.   | 4.0 | 10        |
| 29 | Evaluating the Impact of Tailored Water Wettability on Performance of CO <sub>2</sub> Capture. ACS Applied Energy Materials, 2020, 3, 10541-10549.  | 2.5 | 6         |
| 30 | Superabsorbent hydrogel (SAH) as a soil amendment for drought management: A review. Soil and Tillage Research, 2020, 204, 104736.   | 2.6 | 109       |
| 31 | Customizing oil-wettability in air" without affecting extreme water repellency. Nanoscale, 2020, 12, 24349-24356.   | 2.8 | 12        |
| 32 | Transformation of non-water sorbing fly ash to a water sorbing material for drought management. Scientific Reports, 2020, 10, 18664.  | 1.6 | 12        |
| 33 | Synergistic chemical patterns on a hydrophilic slippery liquid infused porous surface (SLIPS) for water harvesting applications. Journal of Materials Chemistry A, 2020, 8, 25040-25046.                              | 5.2 | 30        |
| 34 | Synthesis of orthogonally reactive multilayered microcapsules. Chemical Communications, 2020, 56, 7853-7856.  | 2.2 | 4         |
| 35 | Quantifying the interactive effect of water absorbing polymer (WAP)-soil texture on plant available water content and irrigation frequency. Geoderma, 2020, 368, 114310.  | 2.3 | 35        |
| 36 | Reduction of imine-based cross-linkages to achieve sustainable underwater superoleophobicity that performs under challenging conditions. Journal of Materials Chemistry A, 2020, 8, 15148-15156.                      | 5.2 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | How Does Chemistry Influence Liquid Wettability on Liquid-Infused Porous Surface?. ACS Applied Materials & Interfaces, 2020, 12, 14531-14541.  | 4.0 | 16        |
| 38 | Facile optimization of hierarchical topography and chemistry on magnetically active graphene oxide nanosheets. Chemical Science, 2020, 11, 6556-6566.  | 3.7 | 16        |
| 39 | Evaluation of Capacitance Sensor for Suction Measurement in Silty Clay Loam. Geotechnical and Geological Engineering, 2020, 38, 4319-4331.   | 0.8 | 16        |
| 40 | Effect of Water Absorbing Polymer Amendment on Water Retention Properties of Cohesionless Soil. Lecture Notes in Civil Engineering, 2020, , 185-195.   | 0.3 | 8         |
| 41 | Catalyst-Free and Rapid Chemical Approach for in Situ Growth of "Chemically Reactive" and Porous Polymeric Coating. ACS Applied Materials & Interfaces, 2019, 11, 34316-34329.   | 4.0 | 12        |
| 42 | Synthesis of Dual-Functional and Robust Underwater Superoleophobic Interfaces. ACS Applied Materials & Interfaces, 2019, 11, 28571-28581.  | 4.0 | 19        |
| 43 | A Scalable Chemical Approach for the Synthesis of a Highly Tolerant and Efficient Oil Absorbent. Chemistry - an Asian Journal, 2019, 14, 4732-4740.  | 1.7 | 8         |
| 44 | Sustainable Biomimicked Oil/Water Wettability That Performs Under Severe Challenges. ACS Sustainable Chemistry and Engineering, 2019, 7, 11350-11359.  | 3.2 | 18        |
| 45 | Chemically reactive protein nanoparticles for synthesis of a durable and deformable superhydrophobic material. Nanoscale Advances, 2019, 1, 1746-1753.   | 2.2 | 16        |
| 46 | A biodegradable polymer-based common chemical avenue for optimizing switchable, chemically reactive and tunable adhesive superhydrophobicity. Journal of Materials Chemistry A, 2019, 7, 9120-9129.  | 5.2 | 31        |
| 47 | Rational Chemical Engineering in Natural Protein Derived Functional Interface. ACS Sustainable Chemistry and Engineering, 2019, 7, 7502-7509.  | 3.2 | 9         |
| 48 | Rational Use of Dual Chemical Reactivity in a Single Interface for Optimizing Both Superhydrophobicity and Underwater Superoleophobicity. Chemistry of Materials, 2019, 31, 1479-1484.   | 3.2 | 17        |
| 49 | Superhydrophobic Interfaces for High-Performance/Advanced Application. Materials Horizons, 2019, , 411-457.  | 0.3 | 1         |
| 50 | "Fish-scale"-mimicked stretchable and robust oil-wettability that performs in various practically relevant physically/chemically severe scenarios. Journal of Materials Chemistry A, 2018, 6, 22027-22036.                                   | 5.2 | 19        |
| 51 | Hierarchically featured and substrate independent bulk-deposition of "reactive" polymeric nanocomplexes for controlled and strategic manipulation of durable biomimicking wettability. Journal of Materials Chemistry A, 2018, 6, 6642-6653. | 5.2 | 29        |
| 52 | Simultaneous and controlled release of two different bioactive small molecules from nature inspired single material. Journal of Materials Chemistry B, 2018, 6, 7692-7702.   | 2.9 | 8         |
| 53 | Aloe vera mucilage derived highly tolerant underwater superoleophobic coatings. Journal of Materials Chemistry A, 2018, 6, 22465-22471.  | 5.2 | 14        |
| 54 | Alkali metal-ion assisted Michael addition reaction in controlled tailoring of topography in a superhydrophobic polymeric monolith. Journal of Materials Chemistry A, 2018, 6, 17019-17031.  | 5.2 | 14        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Green and Rapid Synthesis of Durable and Super-Oil (under Water) and Water (in Air) Repellent Interfaces. ACS Applied Materials & Interfaces, 2018, 10, 23451-23457.   | 4.0  | 9         |
| 56 | Synthesis of fish scale and lotus leaf mimicking, stretchable and durable multilayers. Journal of Materials Chemistry A, 2018, 6, 15993-16002.   | 5.2  | 37        |
| 57 | Stretchable and durable superhydrophobicity that acts both in air and under oil. Journal of Materials Chemistry A, 2017, 5, 15208-15216.   | 5.2  | 56        |
| 58 | Selective Cooperation with Liquids for Environmentally Friendly and Comprehensive Oil/Water Separation. ChemSusChem, 2017, 10, 4839-4844.  | 3.6  | 7         |
| 59 | Exceptional control on physical properties of a polymeric material through alcoholic solvent-mediated environment-friendly Michael addition reaction. Green Chemistry, 2017, 19, 4527-4532.  | 4.6  | 17        |
| 60 | Robust and Self-Healable Bulk-Superhydrophobic Polymeric Coating. Chemistry of Materials, 2017, 29, 8720-8728.   | 3.2  | 65        |
| 61 | A general and facile chemical avenue for the controlled and extreme regulation of water wettability in air and oil wettability under water. Chemical Science, 2017, 8, 6542-6554.  | 3.7  | 47        |
| 62 | Superhydrophobic polymer multilayers for the filtration and absorption based separation of oil/water mixtures. Journal of Polymer Science Part A, 2017, 55, 3127-3136.   | 2.5  | 10        |
| 63 | Reactive™ nano-complex coated medical cotton: a facile avenue for tailored release of small molecules. Nanoscale, 2017, 9, 16154-16165.  | 2.8  | 29        |
| 64 | Strategic Formulation of Graphene Oxide Sheets for Flexible Monoliths and Robust Polymeric Coatings Embedded with Durable Bioinspired Wettability. ACS Applied Materials & Interfaces, 2017, 9, 42354-42365.                           | 4.0  | 26        |
| 65 | Sustainable polymeric material for the facile and repetitive removal of oil-spills through the complementary use of both selective-absorption and active-filtration processes. Journal of Materials Chemistry A, 2017, 5, 23339-23348. | 5.2  | 47        |
| 66 | Synthesis of reactive™ and covalent polymeric multilayer coatings with durable superoleophobic and superoleophilic properties under water. Chemical Science, 2017, 8, 6092-6102.   | 3.7  | 48        |
| 67 | Facile Synthesis of Tunable and Durable Bulk Superhydrophobic Material from Amine Reactive Polymeric Gel. Chemistry of Materials, 2016, 28, 8689-8699.   | 3.2  | 50        |
| 68 | Slippery Liquid-Infused Porous Surfaces that Prevent Microbial Surface Fouling and Kill Non-Adherent Pathogens in Surrounding Media: A Controlled Release Approach. Advanced Functional Materials, 2016, 26, 3599-3611.                | 7.8  | 132       |
| 69 | Slippery Liquid-Infused Porous Surfaces that Prevent Bacterial Surface Fouling and Inhibit Virulence Phenotypes in Surrounding Planktonic Cells. ACS Infectious Diseases, 2016, 2, 509-517.  | 1.8  | 83        |
| 70 | Designing a single superabsorbent for separating oil from both layered as well as micron/submicron size emulsified oil/water mixtures by gamma radiation assisted grafting. RSC Advances, 2016, 6, 26086-26095.                        | 1.7  | 17        |
| 71 | Synthetic Surfaces with Robust and Tunable Underwater Superoleophobicity. Advanced Functional Materials, 2015, 25, 1672-1681.  | 7.8  | 104       |
| 72 | Fabrication of Liquid-Infused Surfaces Using Reactive Polymer Multilayers: Principles for Manipulating the Behaviors and Mobilities of Aqueous Fluids on Slippery Liquid Interfaces. Advanced Materials, 2015, 27, 3007-3012.          | 11.1 | 143       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Covalent Immobilization of Caged Liquid Crystal Microdroplets on Surfaces. ACS Applied Materials & Interfaces, 2015, 7, 26892-26903.   | 4.0  | 15        |
| 74 | Surfactant-Induced Ordering and Wetting Transitions of Droplets of Thermotropic Liquid Crystals Inside Partially Filled Polymeric Capsules. Langmuir, 2014, 30, 14944-14953.   | 1.6  | 16        |
| 75 | Patterning and Impregnation of Superhydrophobic Surfaces Using Aqueous Solutions. ACS Applied Materials & Interfaces, 2013, 5, 7731-7736.  | 4.0  | 33        |
| 76 | Restoration of Superhydrophobicity in Crushed Polymer Films by Treatment with Water: Self-Healing and Recovery of Damaged Topographic Features Aided by an Unlikely Source. Advanced Materials, 2013, 25, 5104-5108. | 11.1 | 125       |
| 77 | Superhydrophobic Polymer Multilayers that Promote the Extended, Long-Term Release of Embedded Water-Soluble Agents. Advanced Materials, 2013, 25, 6405-6409.   | 11.1 | 38        |
| 78 | Shrinkable Superhydrophobicity: Thermally Induced Microscale Wrinkling of Thin Hydrophobic Multilayers Fabricated on Flexible Shrinkable Wrap Substrates. Advanced Materials, 2013, 25, 3085-3089.                   | 11.1 | 37        |
| 79 | Liquid Crystal Chemical Sensors That Cells Can Wear. Angewandte Chemie - International Edition, 2013, 52, 14011-14015.   | 7.2  | 75        |
| 80 | Chemical Patterning and Physical Refinement of Reactive Superhydrophobic Surfaces. Advanced Materials, 2012, 24, 4291-4295.  | 11.1 | 73        |
| 81 | Hollow hemisphere and microcapsules of nonionic copolymer. Journal of Materials Chemistry, 2011, 21, 263-268.  | 6.7  | 4         |
| 82 | Glucose-Triggered Drug Delivery from Borate Mediated Layer-by-Layer Self-Assembly. ACS Applied Materials & Interfaces, 2010, 2, 1521-1527.   | 4.0  | 73        |
| 83 | Self-Assembly of Biopolymers on Colloidal Particles via Hydrogen Bonding. Journal of Physical Chemistry Letters, 2010, 1, 907-911.   | 2.1  | 6         |
| 84 | Multilayer single-component thin films and microcapsules via covalent bonded layer-by-layer self-assembly. Chemical Communications, 2010, 46, 2250.  | 2.2  | 37        |
| 85 | Dual Drug Delivery Microcapsules via Layer-by-Layer Self-Assembly. Langmuir, 2009, 25, 10515-10522.  | 1.6  | 61        |
| 86 | Borax Mediated Layer-by-Layer Self-Assembly of Neutral Poly(vinyl alcohol) and Chitosan. Journal of Physical Chemistry B, 2009, 113, 9137-9142.  | 1.2  | 82        |
| 87 | Layer-by-Layer Self-Assembly of Modified Hyaluronic Acid/Chitosan Based on Hydrogen Bonding. Biomacromolecules, 2009, 10, 2632-2639.   | 2.6  | 70        |
| 88 | Encapsulation of Uncharged Water-Insoluble Organic Substance in Polymeric Membrane Capsules via Layer-by-Layer Approach. Journal of Physical Chemistry B, 2008, 112, 13258-13262.                                    | 1.2  | 43        |
| 89 | Design of a Super-Liquid Crystal-Phobic Coating for Immobilizing Liquid Crystal 1/4-Droplets Without Affecting Their Sensitivity. Langmuir, 0, , .   | 1.6  | 0         |