

Prabhakar P Rao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8714815/publications.pdf>

Version: 2024-02-01

113
papers

2,078
citations

201674

27
h-index

302126

39
g-index

116
all docs

116
docs citations

116
times ranked

1653
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of charge transfer band position and intensity on the photoluminescence properties of $\text{Ca}_{1.9}\text{M}_2\text{O}_7:0.1\text{Eu}^{3+}$ (M = Nb, Sb and Ta). <i>Solid State Sciences</i> , 2022, 123, 106783.	3.2	4
2	Photoluminescence in pyrochlore structures. , 2022, , 375-396.		0
3	Defect fluorite type phase in anion deficient rare earth zirconates, $\text{RE}_3\text{Zr}_0.5\text{Nb}_0.5\text{O}_6.75$ (RE = Nd, Sm,) <i>Tj ETQq1 1.0.784314.2rgBT /O</i>	2.9	2
4	New lanthanide-free self-activated full-color emission phosphor in Y^{3+} doped $\text{Sr}_3\text{Bi}(\text{VO}_4)_3$ system for white light emitting diode applications. <i>Luminescence</i> , 2021, 36, 819-825.	2.9	5
5	New narrow orange-emitting phosphors in 1:2 B-site cation ordered Eu^{3+} doped triple perovskite $\text{Ba}_3\text{CaNb}_2\text{O}_9$. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 12671-12680.	2.2	0
6	Reply to comment on "Dependence on charge transfer band and emission properties by the crystal chemistry of A- and B-site cations in Eu^{3+} -doped quaternary pyrochlore-type red phosphors, $\text{Ca}(\text{RE})_{1-x}(\text{M})\text{NbO}_7$ (RE=Y, Gd; M=Ti, Sn)" <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 23724-23727.	2.2	0
7	Intense Blue Chromophores in Cobalt Doped Phenacite-type Zinc Germanate System through Jahn-Teller Distortion of Co Tetrahedron. <i>ChemistrySelect</i> , 2021, 6, 11344-11351.	1.5	4
8	Dependence on charge transfer band and emission properties by the crystal chemistry of A- and B-site cations in Eu^{3+} -doped quaternary pyrochlore-type red phosphors $\text{Ca}(\text{RE})_{1-x}(\text{M})\text{NbO}_7$ (RE=Y, Gd; M=Ti, Sn) <i>Tj ETQq0</i>	2.2	2
9	Structural stabilization of γ -phase Bi_2O_3 in the $\text{MgBi}_{1.5}\text{RE}_{0.5}\text{O}_4$ system through rare earth substitution for improved ionic conductivity. <i>Ionics</i> , 2020, 26, 5113-5121.	2.4	2
10	Control of defect formation and ordering in Eu^{3+} doped $\text{RE}_2\text{Ce}_2\text{O}_7$ (RE=La, Y, and Gd) red phosphor. <i>Journal of Applied Physics</i> , 2020, 127, 243102.	2.5	2
11	New full color emitting phosphor through energy transfer in Bi^{3+} and Eu^{3+} co-doped La_3TaO_7 weberite system. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 5141-5151.	2.2	3
12	Strong Narrow Red Emission in a Perturbed Fergusonite System: $\text{Y}_3\text{Mg}_2\text{Nb}_3\text{O}_{14}:\text{Eu}^{3+}$ for White LED Applications. <i>Journal of Electronic Materials</i> , 2020, 49, 2332-2342.	2.2	7
13	New self charge compensating perovskite type red phosphors prepared via ball milling process for pc-white light emitting diode applications. <i>Optics and Laser Technology</i> , 2020, 128, 106217.	4.6	1
14	Pigmentary colors from yellow to red in $\text{Bi}_2\text{Ce}_2\text{O}_7$ by rare earth ion substitutions as possible high NIR reflecting pigments. <i>Dyes and Pigments</i> , 2019, 160, 177-187.	3.7	47
15	Role of electronegativity on the crystal field splitting of Eu^{3+} manifold in pyrochlore-type oxides, $\text{Ca}_3\text{M}_3\text{Nb}_2\text{O}_{14}$ (M = Ti and Sn). <i>Journal of Solid State Chemistry</i> , 2019, 278, 120895.	2.9	2
16	White light emitting stannate pyrochlore based single phase phosphor $\text{CaLa}_{1-x}\text{SnNbO}_7:x\text{Dy}^{3+}$ for pc-WLED applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 16174-16183.	2.2	4
17	New series of brilliant yellow colorants in rare earth doped scheelite type oxides, $(\text{LiRE})_{1/2}\text{WO}_4\text{-BiVO}_4$ for cool roof applications. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 110015.	6.2	15
18	Contrasting anion disorder behavior in $\text{Sm}_2\text{Zr}_2\text{O}_7$ by simultaneous aliovalent cation substitutions and its structural and electrical properties. <i>Journal of Applied Physics</i> , 2019, 126, .	2.5	2

#	ARTICLE	IF	CITATIONS
19	Color Tunable Pigments with High NIR Reflectance in Terbium-Doped Cerate Systems for Sustainable Energy Saving Applications. ACS Sustainable Chemistry and Engineering, 2019, 7, 8804-8815.	6.7	22
20	Influence of morphology on luminescence properties of xenotime-type phosphors NaYP ₂ O ₇ :Eu ³⁺ synthesized via solid state and citrate-gel routes. Journal of Materials Science: Materials in Electronics, 2018, 29, 7458-7467.	2.2	4
21	Narrow-band red-emitting phosphor, Gd ₃ Zn ₂ Nb ₃ O ₁₄ :Eu ³⁺ with high color purity for phosphor-converted white light emitting diodes. Journal of Alloys and Compounds, 2018, 751, 148-158.	5.5	75
22	Intense Blue Colors in Wolframite-Type Co ²⁺ :MgWO ₄ Oxides Through Distortion in Co ²⁺ Octahedra.. ChemistrySelect, 2018, 3, 410-417.	1.5	4
23	New perovskite type orange red emitting phosphors, SrGd _{0.5} Nb _{0.5} O ₃ :xEu ³⁺ for WLED applications. Materials Letters, 2018, 229, 182-184.	2.6	17
24	Broad greenish-yellow luminescence in CaMoO ₄ by Si ⁴⁺ acceptor doping as potential phosphors for white light emitting diode applications. Journal of Materials Science: Materials in Electronics, 2018, 29, 16647-16653.	2.2	6
25	Exploitation of Eu ³⁺ red luminescence through order-disorder structural transitions in lanthanide stannate pyrochlores for warm white LED applications. Physical Chemistry Chemical Physics, 2018, 20, 24287-24299.	2.8	19
26	Terbium doped Sr ₂ MO ₄ [M = Sn and Zr] yellow pigments with high infrared reflectance for energy saving applications. Powder Technology, 2017, 311, 52-58.	4.2	50
27	Enhanced Near Infrared Reflectance with Brilliant Yellow Hues in Scheelite Type Solid Solutions, (LiLaZn) _{1/3} MoO ₄ :BiVO ₄ for Energy Saving Products. ACS Sustainable Chemistry and Engineering, 2017, 5, 5118-5126.	6.7	42
28	Novel molybdenum based pyrochlore type red phosphors, NaGd ₁ SnMoO ₇ :xEu ³⁺ under near UV and blue excitation. Journal of Luminescence, 2017, 190, 6-9.	3.1	6
29	Enhanced pigmentary properties of rare earth germanates of the type La ₂ CuGe ₂ O ₈ through CuO ₆ octahedron distortion. Dyes and Pigments, 2017, 142, 472-480.	3.7	2
30	Influence of phase transition from order to disorder and Philip's ionicity on the thermal expansion coefficient of pyrochlore type compositions with a multivalent environment. New Journal of Chemistry, 2017, 41, 245-255.	2.8	4
31	High IR reflecting BiVO ₄ -CaMoO ₄ based yellow pigments for cool roof applications. Energy and Buildings, 2017, 154, 491-498.	6.7	45
32	Color - Tunable Phosphors in Weberite Type System, La ₃ SbO ₇ :Bi ³⁺ , Eu ³⁺ for Near-UV LED Applications. ChemistrySelect, 2017, 2, 7602-7611.	1.5	5
33	Influence of local structure on photoluminescence properties of Eu ³⁺ doped CeO ₂ red phosphors through induced oxygen vacancies by contrasting rare earth substitutions. Physical Chemistry Chemical Physics, 2017, 19, 20110-20120.	2.8	30
34	Studies on order-disorder transition, lattice expansion and ionic conductivity in aliovalent cation substituted Sm ₂ Zr ₂ O ₇ System. Journal of Solid State Chemistry, 2017, 255, 121-128.	2.9	11
35	Influence of aliovalent cation substitutions on the optical properties of In ₂ Cu ₂ O ₅ system. Dyes and Pigments, 2016, 134, 506-515.	3.7	2
36	High IR Reflecting Yellow Colorants in Yttrium-doped MgBi ₂ O ₄ Solid Solutions. Chemistry Letters, 2016, 45, 928-930.	1.3	1

#	ARTICLE	IF	CITATIONS
37	Influence of Structural Disorder on the Photoluminescence Properties of Eu ³⁺ Doped Red Phosphors: Ca ₂ Y ₃ Nb ₃ O ₁₄ :Eu ³⁺ . ChemistrySelect, 2016, 1, 3413-3422.	1.5	7
38	Studies on the photoluminescent properties of a single phase white light emitting phosphor CaLa _{1-x} NbMoO ₈ : x Dy ³⁺ for pc-white LED applications. Materials Letters, 2016, 170, 196-198.	2.6	16
39	Effect of host structure on the photoluminescence properties of Ln ₃ TaO ₇ :Eu ³⁺ red phosphors. Optical Materials, 2016, 52, 134-143.	3.6	35
40	Brilliant IR Reflecting Yellow Colorants in Rare Earth Double Molybdate Substituted BiVO ₄ Solid Solutions for Energy Saving Applications. ACS Sustainable Chemistry and Engineering, 2015, 3, 1227-1233.	6.7	42
41	Impedance spectroscopic investigation on electrical conduction and relaxation in manganese substituted pyrochlore type semiconducting oxides. Ceramics International, 2015, 41, 5992-5998.	4.8	20
42	Pigments based on terbium-doped yttrium cerate with high NIR reflectance for cool roof and surface coating applications. Dyes and Pigments, 2015, 122, 116-125.	3.7	52
43	Effects of rare earth substitution on the optical properties of Bi ₂ MoO ₆ for coloring applications. Materials Research Bulletin, 2015, 70, 93-98.	5.2	12
44	Monoclinic LaCa _{1-x} Mn _x Ge ₂ O ₇ : a new blue chromophore based on Mn ³⁺ in the trigonal bipyramidal coordination with longer apical bond lengths. RSC Advances, 2015, 5, 27278-27281.	3.6	13
45	Novel red phosphors Gd ₂ GaTaO ₇ :Eu ³⁺ , Bi ³⁺ for white LED applications. Journal of Materials Science: Materials in Electronics, 2015, 26, 5743-5747.	2.2	7
46	Structural and photoluminescence properties of stannate based displaced pyrochlore-type red phosphors: Ca ₃ Sn ₃ Nb ₂ O ₁₄ :xEu ³⁺ . Dalton Transactions, 2015, 44, 8718-8728.	3.3	36
47	Influence of aliovalent cation substitution on structural and electrical properties of Gd ₂ (Zr _{1-x} M _x) ₂ O ₇ (M = Sc, Y) systems. RSC Advances, 2015, 5, 88675-88685.	3.6	16
48	Induced oxygen vacancies and their effect on the structural and electrical properties of a fluorite-type CaZrO ₃ :Gd ₂ Zr ₂ O ₇ system. New Journal of Chemistry, 2015, 39, 1469-1476.	2.8	32
49	Influence of (LiLa) _{1/2} MoO ₄ substitution on the pigmentary properties of BiVO ₄ . Dyes and Pigments, 2014, 104, 41-47.	3.7	22
50	Effect of Zr ⁴⁺ and Si ⁴⁺ substitution on the luminescence properties of CaMoO ₄ :Eu ³⁺ red phosphors. Journal of Materials Science: Materials in Electronics, 2014, 25, 2387-2393.	2.2	15
51	Multiferroic based reddish brown pigments: Bi _{1-x} M _x FeO ₃ (M=Y and La) for coloring applications. Ceramics International, 2014, 40, 2229-2235.	4.8	35
52	Intense red line emitting phosphor LuNbO ₄ :Eu ³⁺ for white light emitting diode applications. Materials Letters, 2014, 120, 115-117.	2.6	18
53	Probing structural variation and multifunctionality in niobium doped bismuth vanadate materials. Dalton Transactions, 2014, 43, 15851-15860.	3.3	22
54	Influence of Ce substitution on the order-to-disorder structural transition, thermal expansion and electrical properties in Sm ₂ Zr _{2-x} Ce _x O ₇ system. RSC Advances, 2014, 4, 12321.	3.6	15

#	ARTICLE	IF	CITATIONS
55	Remarkable changes in the photoluminescent properties of $\text{Y}_{2}\text{Ce}_{2}\text{O}_{7}:\text{Eu}^{3+}$ red phosphors through modification of the cerium oxidation states and oxygen vacancy ordering. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 23699-23710.	2.8	35
56	Manganese double substituted pyrochlore type semiconducting oxides for high temperature NTC thermistor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 2985-2991.	2.2	9
57	Structural influence on the photoluminescence properties of Eu^{3+} doped $\text{Gd}_{3}\text{MO}_{7}$ (M = Nb, Sb, and Ta) red phosphors. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 17108-17115.	2.8	28
58	Synthesis of Novel Nontoxic Yellow Pigments: $\text{Sr}_{2}\text{Ce}_{1-x}\text{Tb}_{x}\text{O}_{4}$. <i>Chemistry Letters</i> , 2014, 43, 985-987.	1.3	15
59	Brilliant yellow color and enhanced NIR reflectance of monoclinic BiVO_{4} through distortion in VO_{4}^{3-} tetrahedra. <i>Solar Energy Materials and Solar Cells</i> , 2013, 112, 134-143.	6.2	109
60	Influence of Cation Substitution and Activator Site Exchange on the Photoluminescence Properties of Eu^{3+} -Doped Quaternary Pyrochlore Oxides. <i>Inorganic Chemistry</i> , 2013, 52, 13304-13313.	4.0	41
61	Enhanced Eu^{3+} Red Luminescence in Scheelite Based Oxides, CaLaSbWO_{8} . <i>ECS Journal of Solid State Science and Technology</i> , 2013, 2, R44-R48.	1.8	10
62	Effect of iron substitution in pyrochlore type semiconducting oxides: $\text{CaCe}_{0.6}\text{Mn}_{0.4}\text{Sn}_{1-x}\text{Fe}_{x}\text{NbO}_{7}$ ($x = 0, 0.2, 0.4$ and 0.6) for high temperature NTC thermistor applications. , 2013, , .		0
63	Potential NIR Reflecting Yellow Pigments in $(\text{BiV})_{1-x}(\text{YNb})_{x}\text{O}_{4}$ Solid Solutions. <i>Chemistry Letters</i> , 2013, 42, 521-523.	1.3	15
64	Photoluminescence characteristics of new stannate pyrochlore based red phosphors: $\text{CaLaSnNbO}_{7}:\text{Eu}^{3+}$. <i>Journal of Materials Science: Materials in Electronics</i> , 2012, 23, 1605-1609.	2.2	16
65	Role of Bond Strength on the Lattice Thermal Expansion and Oxide Ion Conductivity in Quaternary Pyrochlore Solid Solutions. <i>Inorganic Chemistry</i> , 2012, 51, 2409-2419.	4.0	35
66	Electrical transport properties of manganese containing pyrochlore type semiconducting oxides using impedance analyses. <i>Materials Research Bulletin</i> , 2012, 47, 4365-4375.	5.2	20
67	Synthesis and optical properties of $\text{Ce}_{0.95}\text{Pr}_{0.05-x}\text{MxO}_{2}$ (M=Mn, Si) as potential ecological red pigments for coloration of plastics. <i>Ceramics International</i> , 2012, 38, 4009-4016.	4.8	18
68	Improvement of Morphology and Luminescence Properties of Powellite Type Red Phosphors $\text{CaGd}_{1-x}\text{NbMoO}_{8}:\text{Eu}^{3+}$ Synthesized via Citrate Gel Route. <i>Journal of the American Ceramic Society</i> , 2012, 95, 2260-2265.	3.8	11
69	New orange-red emitting phosphor $\text{La}_{3}\text{NbO}_{7}:\text{Eu}^{3+}$ under blue excitation. <i>Materials Letters</i> , 2012, 81, 142-144.	2.6	24
70	Influence of disorder-to-order transition on lattice thermal expansion and oxide ion conductivity in $(\text{Ca}_{x}\text{Gd}_{1-x})_{2}(\text{Zr}_{1-x}\text{Mx})_{2}\text{O}_{7}$ pyrochlore solid solutions. <i>Dalton Transactions</i> , 2011, 40, 3839.	3.3	60
71	Eu^{3+} Doped $\text{Bi}_{2}\text{MoO}_{6}$ Yellow Pigments for the Coloration of Plastics. <i>Journal of the American Ceramic Society</i> , 2011, 94, 320-323.	3.8	23
72	Structural and electrical properties of nonstoichiometric semiconducting pyrochlores in $\text{Ca}_{1-x}\text{Ti}_{x}\text{Nb}_{1-x}\text{O}$ system. <i>Materials Chemistry and Physics</i> , 2011, 127, 162-169.	4.0	16

#	ARTICLE	IF	CITATIONS
73	Structure and dielectric properties of a new series of pyrochlores in the $\text{Ca}^{2+}\text{Sm}^{2+}\text{Ti}^{4+}\text{M}^{2+}\text{O}$ ($\text{M}=\text{Nb}$ and Tj)	2.2	14
74	Luminescence properties of Eu^{3+} , Bi^{3+} coactivated CaLaNbWO_8 red phosphors under near UV and blue excitations. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 2170-2175.	1.8	24
75	Red Pigments Based on CeO_2 - MO_2 - Pr_6O_{11} ($\text{M}=\text{Zr}$ and Tj)	3.8	20
76	New Negative Temperature Coefficient Ceramics in $\text{Ca}^{2+}\text{Ce}^{2+}\text{Nb}^{2+}\text{O}$ ($\text{M}=\text{Mo}$ or W) System. <i>Journal of the American Ceramic Society</i> , 2010, 93, 1576-1579.	3.8	36
77	Electrical conductivity and impedance spectroscopy studies of cerium based aeschynite type semiconducting oxides: CeTiMO_6 ($\text{M}=\text{Nb}$ or Ta). <i>Journal of Applied Physics</i> , 2010, 108, .	2.5	54
78	Multiband Orange-Red-Emitting Phosphors $\text{SrY}_3\text{SiP}_5\text{O}_{20}:\text{Eu}^{3+}$ under Near-UV Irradiation. <i>Journal of the Electrochemical Society</i> , 2009, 156, P127.	2.9	12
79	Pyrochlore type semiconducting ceramic oxides in $\text{Ca}^{2+}\text{Ce}^{2+}\text{Ti}^{4+}\text{M}^{2+}\text{O}$ system ($\text{M}=\text{Nb}$ or Ta)—Structure, microstructure and electrical properties. <i>Materials Research Bulletin</i> , 2009, 44, 1481-1488.	5.2	35
80	Oxide ion conductivity and relaxation in CaREZrNbO_7 ($\text{RE}=\text{La}$, Nd , Sm , Gd , and Y) system. <i>Solid State Ionics</i> , 2009, 180, 1164-1172.	2.7	23
81	Novel powellite-based red-emitting phosphors: $\text{CaLa}_{1-x}\text{NbMoO}_8:\text{xEu}^{3+}$ for white light emitting diodes. <i>Journal of Solid State Chemistry</i> , 2009, 182, 203-207.	2.9	65
82	Structural and optical characterization of pulsed laser ablated potassium lithium niobate thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2801-2808.	1.8	0
83	Order-disorder phase transformations in quaternary pyrochlore oxide system: Investigated by X-ray diffraction, transmission electron microscopy and Raman spectroscopic techniques. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2312-2318.	2.9	18
84	New Scheelite-based Environmentally Friendly Yellow Pigments: $(\text{BiV})_{1-x}(\text{CaW})_x\text{O}_4$. <i>Chemistry Letters</i> , 2009, 38, 1088-1089.	1.3	15
85	The synthesis and characterization of environmentally benign praseodymium-doped TiCeO_4 pigments. <i>Dyes and Pigments</i> , 2008, 77, 427-431.	3.7	21
86	New Red- and Green-Emitting Phosphors, $\text{AYP}_2\text{O}_7.5:\text{RE}^{3+}$ ($\text{A}=\text{Ca}$ and Sr ; $\text{RE}=\text{Eu}$ and Tb) under Near-UV Irradiation. <i>Journal of the American Ceramic Society</i> , 2008, 91, 473-477.	3.8	11
87	Ionic conductivity in new perovskite type oxides: NaAZrMO_6 ($\text{A}=\text{Ca}$ or Sr ; $\text{M}=\text{Nb}$ or Ta). <i>Materials Chemistry and Physics</i> , 2008, 109, 189-193.	4.0	8
88	New perovskite type oxides: NaATiMO_6 ($\text{A}=\text{Ca}$ or Sr ; $\text{M}=\text{Nb}$ or Ta) and their electrical properties. <i>Materials Letters</i> , 2008, 62, 623-628.	2.6	14
89	New powellite type oxides in $\text{Ca}^{2+}\text{R}^{2+}\text{Nb}^{2+}\text{Mo}^{2+}\text{O}$ system ($\text{R}=\text{Y}$, La , Nd , Sm or Bi)—Their synthesis, structure and dielectric properties. <i>Materials Letters</i> , 2008, 62, 2868-2871.	2.6	11
90	Environment-friendly red pigments from CeO_2 - Fe_2O_3 - Pr_6O_{11} solid solutions. <i>Journal of Alloys and Compounds</i> , 2008, 461, 509-515.	5.5	40

#	ARTICLE	IF	CITATIONS
91	Pyrochlore-based oxides with small temperature coefficient of dielectric constant. Applied Physics Letters, 2008, 92, 252906.	3.3	4
92	(TiO ₂) _{1-x} (CeO ₂) _x (RE ₂ O ₃) _x novel environmental secure pigments. Dyes and Pigments, 2007, 73, 292-297.	3.7	38
93	New Family of Dielectric Materials in Ca ²⁺ Y ³⁺ Ti ⁴⁺ Nb ⁵⁺ O System Having Pyrochlore Type Structure. Journal of the American Ceramic Society, 2007, 90, 3656-3659.	3.8	8
94	Microwave dielectric properties of novel lithium containing pyrochlore type oxides: Li ₃ Sm _{3-3x} BixTi ₇ Nb ₂ O ₂₅ (x=0, 1, 2 or 3). Materials Letters, 2007, 61, 4188-4191.	2.6	7
95	Synthesis and Characterization of CeO ₂ -TiO ₂ -Pr ₆ O ₁₁ Solid Solutions for Environmentally Benign Nontoxic Red Pigments. Chemistry Letters, 2006, 35, 1412-1413.	1.3	13
96	Microwave dielectric properties of new pyrochlore type oxides: Pb ₃ R ₃ Ti ₇ Nb ₂ O _{26.5} (R=Y, Pr, Nd, Gd or Tj) ETQq 0 0 0 rgBT /Overlock 10 184-187.	3.5	8
97	New dielectric materials based on pyrochlore-type oxides- Ca ₃ RE ₃ Ti ₇ Ta ₂ O _{26.5} (RE = Pr, Sm, Gd, Dy or Y): Structure, FT-IR spectra, microstructure and dielectric properties. Journal of Materials Science: Materials in Electronics, 2006, 17, 497-502.	2.2	9
98	Novel monazite type rare earth based phosphates ARP ₃ O ₁₀ (A=Ba or Ca; R=La, Ce or Sm) Studies on their preparation, structure, microstructure and dielectric properties. Materials Letters, 2006, 60, 1796-1799.	2.6	7
99	Synthesis and Characterization of Environmentally Benign Nontoxic Pigments: RE ₂ Mo ₂ O ₉ (RE = La or Tj) ETQq 1 1 0, 784314 rgBT /Overlock 18	1.3	18
100	Preparation and electrical properties of semiconducting Ba ₃ ^x LaxCe ₃ Ti ₅ Nb ₅ O ₃₀ (x=0.5, 1.0 and 1.5) compounds. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2005, 121, 224-228.	3.5	0
101	Grain Growth of Microtubes During Sintering in Semiconducting Ba ₃ Ce _{3-x} BixTi ₅ Nb ₅ O ₃₀ (x=0.5, 1.0, 2.0,) Tj ETQq 1 1 0, 784314 rgBT /Overlock 18	3.8	18
102	New pyrochlore type semiconducting ceramic oxides: Ca ₃ Ce _{3-x} BixTi ₇ Nb ₂ O _{26.5} (x = 0.5, 1.0, 2.0, or Tj) ETQq 0 0 0 rgBT /Overlock 10 4085-4088.	3.7	2
103	Improved dielectric properties in pyrochlore type oxides: Ca ₃ Sm _{3-x} BixTi ₇ Nb ₂ O _{26.5} (x = 1.0, 2.0 or 3.0) by Bi substitution. Journal of Materials Science: Materials in Electronics, 2005, 16, 663-666.	2.2	2
104	Synthesis and characterisation of (BiRE) ₂ O ₃ (RE: Y, Ce) pigments. Dyes and Pigments, 2004, 63, 169-174.	3.7	33
105	Ca ₃ Ce _{3-x} MxTi ₇ Nb ₂ O _{26.5} (M=Y, Sm or Gd; x=0, 1 or 2) pyrochlore-type ceramic oxide semiconductors. Physica B: Condensed Matter, 2004, 349, 115-118.	2.7	18
106	New pyrochlore-type oxides in Ca ²⁺ R ³⁺ Ti ⁴⁺ Nb ⁵⁺ O system (R=Y, Sm or Gd) structure, FT-IR spectra and dielectric properties. Materials Letters, 2004, 58, 1924-1927.	2.6	44
107	Structural and dielectric properties of Ba ₃ R ₃ Ti ₅ Nb ₅ O ₃₀ (R = Pr or Ce) system. Journal of Materials Science Letters, 2003, 22, 217-219.	0.5	2
108	Nanoparticles of Ba ₂ MSnO _{6-x} (M=Ce, La and Nd; x=0 or 0.5): a new group of complex perovskite oxides. Materials Letters, 2003, 57, 3641-3647.	2.6	11

#	ARTICLE	IF	CITATIONS
109	Ba ₃ Ce ₃ Ti ₅ Nb ₅ O ₃₀ a novel ceramic oxide semiconductor. Materials Letters, 2003, 57, 4127-4129.	2.6	6
110	Preparation and characterisation of Ba ₃ RE ₃ Ti ₅ Ta ₅ O ₃₀ ceramics. Advances in Applied Ceramics, 2003, 102, 16-18.	0.4	3
111	Dielectric and ferroelectric properties of Ba ₃ M ₃ Ti ₅ Nb ₅ O ₃₀ (M=Sm or Y) ceramics. Journal of Materials Science: Materials in Electronics, 2001, 12, 729-732.	2.2	62
112	Influence of different additives on anatase to rutile transformation in titania system. Advances in Applied Ceramics, 2001, 100, 151-154.	0.4	20
113	Effect of addition of calcined grains on the microstructure and non-linearity features of ZnO varistors. Journal of Materials Science Letters, 1994, 13, 731-733.	0.5	0